

# Cucumber Report

26-Jul-2021, 8:43:02 pm

**Start : Jul 26, 8:42:50.147 pm**

**End : Jul 26, 8:42:59.887 pm**

**Duration : 9.740 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 3**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 4**


**SKIPPED - 0**

**PASSED - 0**


**FAILED - 0**

**SKIPPED - 13**







#	Feature Name	T	P	F	S	Duration
1	<u>sighIn amazon Account</u>	1	0	1	0	3.528 s
2	<u>cart scenario</u>	1	0	1	0	1.878 s
3	<u>search feature</u>	2	0	2	0	4.206 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>signIn amazon Account</u>	<u>sign in using correct UserId and Password</u>	3	0	0	3	3.523 s
2	<u>cart scenario</u>	<u>User is able to order single product with single quantity from the app</u>	3	0	0	3	1.878 s
3	<u>search feature</u>	<u>user is able to open the browser, Navigate to the URL and search for product</u>	3	0	0	3	2.059 s
4	<u>search feature</u>	<u>User is able to filter the search based on price</u>	4	0	0	4	2.092 s

**(F)- sighIn amazon Account**

<b>FAILED</b>	<b>DURATION - 3.528 s</b>	Scenarios		Steps	
/ 8:42:50.147 pm // 8:42:53.675 pm /		Total - 1		Total - 3	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 3	



**(S)- sigh in using correct UserId and Password**

<div>FAILED</div> <div>DURATION - 3.523 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 8:42:50.152 pm // 8:42:53.675 pm /				
sighIn amazon Account				
@sighIn				



#	Step / Hook Details	Status	Duration
	<b>BEFORE - stepDefs.Hooks.setUp(io.cucumber.java.Scenario)</b> org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 90 Current browser version is 92.0.4515.107 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAPTOP-PCC02LFP', ip: '192.168.43.137', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: Ordinal0 [0x0035C013+2474003] Ordinal0 [0x002F29C1+2042305] Ordinal0 [0x00202F68+1060712] Ordinal0 [0x0022188E+1185934] Ordinal0 [0x0021D600+1168896] Ordinal0 [0x0021AA83+1157763] Ordinal0 [0x0024A2A2+1352354] Ordinal0 [0x00248FAA+1347498] Ordinal0 [0x002466DB+1337051] Ordinal0 [0x00223427+1192999] Ordinal0 [0x002242EE+1196782] Ordinal0 [0x00224279+1196665] GetHandleVerifier [0x004E96FC+1590332] GetHandleVerifier [0x00598614+2306900] GetHandleVerifier [0x003E9E93+543699] GetHandleVerifier [0x003E92CE+540686] Ordinal0 [0x002F86BA+2066106] Ordinal0 [0x002FD1C8+2085320] Ordinal0 [0x002FD308+2085640] Ordinal0 [0x003067F3+2123763] BaseThreadInitThunk [0x74C96359+25] RtlGetAppContainerNamedObjectPath [0x771D7C24+228] RtlGetAppContainerNamedObjectPath [0x771D7BF4+180] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126)	<b>FAILED</b>	3.454 s

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at core.WebDriverFactory.getWebDriverForBrowser(WebDriverFactory.java:34) at core.TestContext.initializeWebDriver(TestContext.java:25) at stepDefs.Hooks.setUp(Hooks.java:32)		
1	Given user Navigate to Url	SKIPPED	0.004 s
2	When User Enter UserId "rainitin3@gmail.com"	SKIPPED	0.002 s
3	Then user should be able to enter password "nitin@123"	SKIPPED	0.003 s
	AFTER - stepDefs.Hooks.takeScreenShot(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "scrnShot" is null at stepDefs.Hooks.takeScreenShot(Hooks.java:50)	FAILED	0.007 s
	AFTER - stepDefs.Hooks.cleanUp(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at core.TestContext.quitDriver(TestContext.java:30) at stepDefs.Hooks.cleanUp(Hooks.java:41)	FAILED	0.002 s

**(F)- cart scenario**

<b>FAILED</b>	<b>DURATION - 1.878 s</b>	Scenarios		Steps	
/ 8:42:53.772 pm // 8:42:55.650 pm /		Total - 1		Total - 3	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 3	



**(S)- User is able to order single product with single quantity from the app**

<div>FAILED</div> <div>DURATION - 1.878 s</div>			Steps	
/ 8:42:53.772 pm // 8:42:55.650 pm /			Total - 3	
cart scenario			Pass - 0	
@e2e			Fail - 0	
			Skip - 3	



#	Step / Hook Details	Status	Duration
	<div>BEFORE - stepDefs.Hooks.setUp(io.cucumber.java.Scenario)</div> <div>org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 90 Current browser version is 92.0.4515.107 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAPTOP-PCC02LFP', ip: '192.168.43.137', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: Ordinal0 [0x0035C013+2474003]    Ordinal0 [0x002F29C1+2042305]    Ordinal0 [0x00202F68+1060712]    Ordinal0 [0x0022188E+1185934] Ordinal0 [0x0021D600+1168896]    Ordinal0 [0x0021AA83+1157763]    Ordinal0 [0x0024A2A2+1352354]    Ordinal0 [0x00248FAA+1347498] Ordinal0 [0x002466DB+1337051]    Ordinal0 [0x00223427+1192999]    Ordinal0 [0x002242EE+1196782]    Ordinal0 [0x00224279+1196665] GetHandleVerifier [0x004E96FC+1590332]    GetHandleVerifier [0x00598614+2306900]    GetHandleVerifier [0x003E9E93+543699] GetHandleVerifier [0x003E92CE+540686]    Ordinal0 [0x002F86BA+2066106]    Ordinal0 [0x002FD1C8+2085320]    Ordinal0 [0x002FD308+2085640]    Ordinal0 [0x003067F3+2123763]    BaseThreadInitThunk [0x74C96359+25] RtlGetAppContainerNamedObjectPath [0x771D7C24+228]    RtlGetAppContainerNamedObjectPath [0x771D7BF4+180]     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)     at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)     at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30)     at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126)</div>	FAILED	1.853 s

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at core.WebDriverFactory.getWebDriverForBrowser(WebDriverFactory.java:34) at core.TestContext.initializeWebDriver(TestContext.java:25) at stepDefs.Hooks.setUp(Hooks.java:32)		
1	Given user search product "Nokia 3.4 Dusk, 4GB RAM, 64GB Storage"	SKIPPED	0.001 s
2	When user add the product in the cart with quantity 1	SKIPPED	0.002 s
3	Then Product should be in the Cart	SKIPPED	0.002 s
	AFTER - stepDefs.Hooks.takeScreenShot(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "scrnShot" is null at stepDefs.Hooks.takeScreenShot(Hooks.java:50)	FAILED	0.002 s
	AFTER - stepDefs.Hooks.cleanUp(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at core.TestContext.quitDriver(TestContext.java:30) at stepDefs.Hooks.cleanUp(Hooks.java:41)	FAILED	0.005 s

**(F)- search feature**

<b>FAILED</b>	<b>DURATION - 4.206 s</b>	Scenarios		Steps	
/ 8:42:55.681 pm // 8:42:59.887 pm /		Total - 2		Total - 7	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 7	

**(S)- user is able to open the browser, Navigate to the URL and search for product**



<div>FAILED</div> <div>DURATION - 2.059 s</div>			Steps		
/ 8:42:55.682 pm // 8:42:57.741 pm /			Total - 3		
search feature			Pass - 0		
@search			Fail - 0		
			Skip - 3		

#	Step / Hook Details	Status	Duration
	<div>BEFORE - stepDefs.Hooks.setUp(io.cucumber.java.Scenario)</div> <div>org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 90 Current browser version is 92.0.4515.107 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAPTOP-PCC02LFP', ip: '192.168.43.137', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: Ordinal0 [0x0035C013+2474003] Ordinal0 [0x002F29C1+2042305] Ordinal0 [0x00202F68+1060712] Ordinal0 [0x0022188E+1185934] Ordinal0 [0x0021D600+1168896] Ordinal0 [0x0021AA83+1157763] Ordinal0 [0x0024A2A2+1352354] Ordinal0 [0x00248FAA+1347498] Ordinal0 [0x002466DB+1337051] Ordinal0 [0x00223427+1192999] Ordinal0 [0x002242EE+1196782] Ordinal0 [0x00224279+1196665] GetHandleVerifier [0x004E96FC+1590332] GetHandleVerifier [0x00598614+2306900] GetHandleVerifier [0x003E9E93+543699] GetHandleVerifier [0x003E92CE+540686] Ordinal0 [0x002F86BA+2066106] Ordinal0 [0x002FD1C8+2085320] Ordinal0 [0x002FD308+2085640] Ordinal0 [0x003067F3+2123763] BaseThreadInitThunk [0x74C96359+25] RtlGetAppContainerNamedObjectPath [0x771D7C24+228] RtlGetAppContainerNamedObjectPath [0x771D7BF4+180] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126)</div>	FAILED	2.044 s



#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at core.WebDriverFactory.getWebDriverForBrowser(WebDriverFactory.java:34) at core.TestContext.initializeWebDriver(TestContext.java:25) at stepDefs.Hooks.setUp(Hooks.java:32)		
1	Given User navigated to the Home Application URL	SKIPPED	0.001 s
2	When User Search For Product "Laptop"	SKIPPED	0.001 s
3	Then search Result Page Dispalyed	SKIPPED	0.002 s
	AFTER - stepDefs.Hooks.takeScreenShot(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "scrnShot" is null at stepDefs.Hooks.takeScreenShot(Hooks.java:50)	FAILED	0.002 s
	AFTER - stepDefs.Hooks.cleanUp(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at core.TestContext.quitDriver(TestContext.java:30) at stepDefs.Hooks.cleanUp(Hooks.java:41)	FAILED	0.002 s

**(S)- User is able to filter the search based on price**

<div>FAILED</div> <div>DURATION - 2.092 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	<div></div>
<div>/ 8:42:57.795 pm // 8:42:59.887 pm /</div>				
<div>search feature</div>				
<div>@search2 @search</div>				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - stepDefs.Hooks.setUp(io.cucumber.java.Scenario)</b> org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 90 Current browser version is 92.0.4515.107 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAPTOP-PCC02LFP', ip: '192.168.43.137', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: Ordinal0 [0x0035C013+2474003] Ordinal0 [0x002F29C1+2042305] Ordinal0 [0x00202F68+1060712] Ordinal0 [0x0022188E+1185934] Ordinal0 [0x0021D600+1168896] Ordinal0 [0x0021AA83+1157763] Ordinal0 [0x0024A2A2+1352354] Ordinal0 [0x00248FAA+1347498] Ordinal0 [0x002466DB+1337051] Ordinal0 [0x00223427+1192999] Ordinal0 [0x002242EE+1196782] Ordinal0 [0x00224279+1196665] GetHandleVerifier [0x004E96FC+1590332] GetHandleVerifier [0x00598614+2306900] GetHandleVerifier [0x003E9E93+543699] GetHandleVerifier [0x003E92CE+540686] Ordinal0 [0x002F86BA+2066106] Ordinal0 [0x002FD1C8+2085320] Ordinal0 [0x002FD308+2085640] Ordinal0 [0x003067F3+2123763] BaseThreadInitThunk [0x74C96359+25] RtlGetAppContainerNamedObjectPath [0x771D7C24+228] RtlGetAppContainerNamedObjectPath [0x771D7BF4+180] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74)	<b>FAILED</b>	2.076 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at core.WebDriverFactory.getWebDriverForBrowser(WebDriverFactory.java:34) at core.TestContext.initializeWebDriver(TestContext.java:25) at stepDefs.Hooks.setUp(Hooks.java:32)		
1	Given User navigated to the Home Application URL	SKIPPED	0.001 s
2	When User search for a Product as "Laptop"	SKIPPED	0.002 s
3	When User enters minimum as "20000" and maximum as "50000" in the filter criteria	SKIPPED	0.002 s
4	Then User is able to see results with price between "20000" and "50000"	SKIPPED	0.002 s
	AFTER - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "scrnShot" is null at stepDefs.Hooks.takeScreenshot(Hooks.java:50)	FAILED	0.002 s
	AFTER - stepDefs.Hooks.cleanUp(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at core.TestContext.quitDriver(TestContext.java:30) at stepDefs.Hooks.cleanUp(Hooks.java:41)	FAILED	0.001 s