# NATIONAL INDUSTRIAL CHEMICALS NOTIFICATION AND ASSESSMENT SCHEME (NICNAS)

## POLYMER OF LOW CONCERN PUBLIC REPORT

## Polymer in Viscoplex 1-162

This Assessment has been compiled in accordance with the provisions of the *Industrial Chemicals* (Notification and Assessment) Act 1989 (Cwlth) (the Act) and Regulations. The National Industrial Chemicals Notification and Assessment Scheme (NICNAS) is administered by the Australian Government Department of Health and Ageing, and conducts the risk assessment for public health and occupational health and safety. The assessment of environmental risk is conducted by the Australian Government Department of Sustainability, Environment, Water, Population and Communities.

For the purposes of subsection 78(1) of the Act, this Public Report may be inspected at our NICNAS office by appointment only at Level 7, 260 Elizabeth Street, Surry Hills NSW 2010.

This Public Report is also available for viewing and downloading from the NICNAS website or available on request, free of charge, by contacting NICNAS. For requests and enquiries please contact the NICNAS Administration Coordinator at:

Street Address: Level 7, 260 Elizabeth Street, SURRY HILLS NSW 2010, AUSTRALIA.

Postal Address: GPO Box 58, SYDNEY NSW 2001, AUSTRALIA.

TEL: + 61 2 8577 8800 FAX: + 61 2 8577 8888 Website: www.nicnas.gov.au

**Director NICNAS** 

May 2013

## **Table of Contents**

SUIV	MAK I	Z
CON	CLUSIONS AND REGULATORY OBLIGATIONS	2
ASS	ESSMENT DETAILS	3
1.	APPLICANT AND NOTIFICATION DETAILS	3
2.	IDENTITY OF POLYMER	3
3.	PLC CRITERIA JUSTIFICATION	3
4.	PHYSICAL AND CHEMICAL PROPERTIES	4
5.	INTRODUCTION AND USE INFORMATION	4
6.	HUMAN HEALTH RISK ASSESSMENT	4
7.	ENVIRONMENTAL RISK ASSESSMENT	4
BIBI	JOGRAPHY	6

## **SUMMARY**

The following details will be published in the NICNAS *Chemical Gazette*:

ASSESSMENT REFERENCE	APPLICANT(S)	CHEMICAL OR TRADE NAME	HAZARDOUS SUBSTANCE	INTRODUCTION VOLUME	USE
PLC/1116	Evonik Australia	Viscoplex 1-162	No	≤ 3 tonnes per	Lubricant additive
	Pty Ltd			annum	

## **CONCLUSIONS AND REGULATORY OBLIGATIONS**

#### **Human Health Risk Assessment**

Based on the assumed low hazard and the assessed use pattern, the notified polymer is not considered to pose an unreasonable risk to the health of workers and the public.

#### **Environmental Risk Assessment**

Based on the assumed low hazard and the assessed use pattern, the notified polymer is not considered to pose an unreasonable risk to the environment.

## **Health and Safety Recommendations**

• No specific engineering controls, work practices or personal protective equipment are required for the safe use of the notified polymer itself. However, these should be selected on the basis of all ingredients in the formulation.

Guidance in selection of personal protective equipment can be obtained from Australian, Australian/New Zealand or other approved standards.

- A copy of the (M)SDS should be easily accessible to employees.
- If products and mixtures containing the notified polymer are classified as hazardous to health in accordance with the *Globally Harmonised System for the Classification and Labelling of Chemicals (GHS)*, as adopted for industrial chemicals in Australia, workplace practices and control procedures consistent with provisions of State and Territory hazardous substances legislation should be in operation.

## Disposal

• The notified polymer should be disposed of in accordance with local regulations for recycling, re-use or recovery of calorific content.

#### **Storage**

- The following precautions should be taken by workers regarding storage of the notified polymer:
  - Store in a segregated and approved area.
  - Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (oxidising substances, strong acids, strong bases).

## **Emergency Procedures**

• Spills and/or accidental release of the notified polymer should be handled by physical containment, collection and subsequent safe disposal.

#### **Secondary Notification**

This risk assessment is based on the information available at the time of notification. The Director may call for the reassessment of the polymer under secondary notification provisions based on changes in certain circumstances. Under Section 64 of the *Industrial Chemicals (Notification and Assessment) Act (1989)* the notifier, as well as any other importer or manufacturer of the notified polymer, have post-assessment regulatory obligations to notify NICNAS when any of these circumstances change. These obligations apply even when the notified polymer is listed on the Australian Inventory of Chemical Substances (AICS).

Therefore, the Director of NICNAS must be notified in writing within 28 days by the notifier, other importer or manufacturer:

- (1) Under Section 64(1) of the Act; if
  - the notified polymer is introduced in a chemical form that does not meet the PLC criteria.

or

- (2) Under Section 64(2) of the Act; if
  - the function or use of the notified polymer has changed from lubricant additive, or is likely to change significantly;
  - the amount of notified polymer being introduced has increased, or is likely to increase, significantly;
  - the notified polymer has begun to be manufactured in Australia;
  - additional information has become available to the person as to an adverse effect of the notified polymer on occupational health and safety, public health, or the environment.

The Director will then decide whether a reassessment (i.e. a secondary notification and assessment) is required.

### (Material) Safety Data Sheet

The (M)SDS of a product containing the notified polymer was provided by the applicant. The accuracy of the information on the (M)SDS remains the responsibility of the applicant.

## **ASSESSMENT DETAILS**

#### 1. APPLICANT AND NOTIFICATION DETAILS

#### **Applicants**

Evonik Australia Pty Ltd (ABN: 31 145 739 608) Suites 33 & 37, 1 Ricketts Road MOUNT WAVERLEY VIC 3149

## **Exempt Information (Section 75 of the Act)**

Data items and details claimed exempt from publication: chemical name, other names, CAS number, molecular and structural formulae, molecular weight, spectral data, polymer constituents, residual monomers/impurities, and use details.

#### 2. IDENTITY OF POLYMER

#### Marketing Name(s)

Viscoplex 1-162 (contains the notified polymer at < 40% concentration)

## 3. PLC CRITERIA JUSTIFICATION

Criterion Criterion met Molecular Weight Requirements Yes Functional Group Equivalent Weight (FGEW) Requirements Not applicable Low Charge Density Yes Approved Elements Only Yes Stable Under Normal Conditions of Use Yes Not Water Absorbing Yes Not a Hazard Substance or Dangerous Good Yes

The notified polymer meets the PLC criteria.

#### 4. PHYSICAL AND CHEMICAL PROPERTIES

Appearance at 20 °C and 101.3 kPa Pale yellow to amber liquid\*

Pour point -4 °C\*

Density  $899 \text{ kg/m}^3 \text{ at } 15 \text{ }^{\circ}\text{C*}$ 

Water Extractability 0.024% at 20 °C, no buffer; 0.029% at 20 °C, pH 2.0; 0.026% at 20 °C, pH 9.0;

0.023% at 37 °C, pH 7.0, OECD TG 120, (AQura, 2012)

Reactivity Stable under normal environmental conditions

Degradation Products None under normal conditions of use

#### 5. INTRODUCTION AND USE INFORMATION

## Maximum Introduction Volume of Notified Chemical (100%) Over Next 5 Years

Year	1	2	3	4	5
Tonnes	3	3	3	3	3

#### Use

The notified polymer will be imported into Australia as a component of the product Viscoplex 1-162 at < 40% concentration. Viscoplex 1-162 will be used as an additive in the formulation of lubricating oils. The finished oils will contain the notified polymer at < 1% concentration.

## 6. HUMAN HEALTH RISK ASSESSMENT

No toxicological data were submitted. The notified polymer meets the PLC criteria and is therefore assumed to be of low hazard. The risk of the notified polymer to occupational and public health is not considered to be unreasonable given the assumed low hazard and the assessed use pattern.

## 7. ENVIRONMENTAL RISK ASSESSMENT

No ecotoxicological data were submitted. Polymers without significant ionic functionality are generally of low concern to the environment.

Based on its use as an additive in the formulation of lubricating oils, the notified polymer is expected to have limited potential for release to the aquatic environment. The majority of the imported quantity of notified polymer is expected to be thermally decomposed to water and oxides of carbon during use or as a result of waste oil re-use or recycling. Any spilt product during blending processes or use is expected to be contained and disposed of in accordance with local regulations. Release of the notified polymer from cleaning of the blending equipment and empty containers is estimated to be less than 0.2% of total import volume, which is expected to be reused or disposed of according to the local

<sup>\*</sup> For the product Viscoplex 1-162 containing the notified polymer at < 40% concentration in solvent solution.

regulations. A fraction of the notified polymer may be released to soil from engine leaks where it is expected to adsorb to soil particles based on its hydrophobicity. A proportion of the notified polymer may enter the aquatic environment through transport of soil particles contaminated with engine oil or through inappropriate disposal of waste oil. The notified polymer is expected to be associated with the sediment compartment where it is unlikely to be bioavailable. The notified polymer is not expected to cross biological membranes due to its high molecular weight and it is therefore not expected to bioaccumulate. Therefore, based on its assumed low hazard and assessed pattern, the notified polymer is not considered to pose an unreasonable risk to the environment.

## **BIBLIOGRAPHY**

AQura (2012) Solution/Extraction behaviour of polymer from VISCOPLEX 1-162 in water (Study No.0649/91189, April, 2012), AQura GmbH, Marl, Germany (unpublished report submitted by the notifier).