

File No STD/1074

4 February 2004

**NATIONAL INDUSTRIAL CHEMICALS NOTIFICATION AND ASSESSMENT SCHEME  
(NICNAS)**

**FULL PUBLIC REPORT**

**C-3660**

This Assessment has been compiled in accordance with the provisions of the *Industrial Chemicals (Notification and Assessment) Act 1989* (Cwlth) (the Act) and Regulations. This legislation is an Act of the Commonwealth of Australia. The National Industrial Chemicals Notification and Assessment Scheme (NICNAS) is administered by the Department of Health and Ageing, and conducts the risk assessment for public health and occupational health and safety. The assessment of environmental risk is conducted by the Department of the Environment and Heritage.

For the purposes of subsection 78(1) of the Act, this Full Public Report may be inspected at:

Library  
National Occupational Health and Safety Commission  
25 Constitution Avenue  
CANBERRA ACT 2600  
AUSTRALIA

To arrange an appointment contact the Librarian on TEL + 61 2 6279 1161 or + 61 2 6279 1163.

This Full Public Report is available for viewing and downloading from the NICNAS website or available on request, free of charge, by contacting NICNAS. For requests and enquiries please contact the NICNAS Administration Coordinator at:

Street Address:	334 - 336 Illawarra Road MARRICKVILLE NSW 2204, AUSTRALIA.
Postal Address:	GPO Box 58, SYDNEY NSW 2001, AUSTRALIA.
TEL:	+ 61 2 8577 8800
FAX	+ 61 2 8577 8888.
Website:	<a href="http://www.nicnas.gov.au">www.nicnas.gov.au</a>

**Director  
Chemicals Notification and Assessment**

## **TABLE OF CONTENTS**

FULL PUBLIC REPORT .....	3
1. APPLICANT AND NOTIFICATION DETAILS .....	3
2. IDENTITY OF CHEMICAL .....	3
3. COMPOSITION.....	3
4. INTRODUCTION AND USE INFORMATION.....	3
5. PROCESS AND RELEASE INFORMATION.....	4
5.1. Distribution, Transport and Storage.....	4
5.2. Operation description.....	4
5.3. Occupational exposure.....	4
5.4. Release.....	5
5.5. Disposal .....	6
5.6. Public exposure.....	6
6. PHYSICAL AND CHEMICAL PROPERTIES.....	6
7. TOXICOLOGICAL INVESTIGATIONS .....	8
7.1. Acute toxicity – oral .....	8
7.2. Acute toxicity – dermal.....	8
7.3. Acute toxicity – inhalation.....	9
7.4. Irritation – skin .....	9
7.5. Irritation – eye.....	10
7.6. Skin sensitisation .....	10
7.7a. Repeat dose toxicity – 28 day oral.....	11
7.7b. Repeat dose toxicity – 90 day oral.....	12
7.8. Genotoxicity – bacteria.....	13
7.9a. Genotoxicity – in vitro (Chromosomal aberration).....	14
7.9b. Genotoxicity – in vitro (Gene mutation).....	15
8. ENVIRONMENT.....	16
8.1. Environmental fate.....	16
8.2. Ecotoxicological investigations .....	16
9. RISK ASSESSMENT .....	21
9.1. Environment .....	21
9.2. Human health.....	23
10. CONCLUSIONS – ASSESSMENT LEVEL OF CONCERN FOR THE ENVIRONMENT AND HUMANS.....	24
10.1. Hazard classification.....	24
10.2. Environmental risk assessment .....	24
10.3. Human health risk assessment .....	24
11. MATERIAL SAFETY DATA SHEET .....	24
11.1. Material Safety Data Sheet .....	24
11.2. Label .....	25
12. RECOMMENDATIONS.....	25
12.1. Secondary notification .....	25
13. BIBLIOGRAPHY .....	26

**FULL PUBLIC REPORT****C-3660****1. APPLICANT AND NOTIFICATION DETAILS**

## APPLICANT(S)

Rohm and Haas Australia Pty Ltd (ABN 29 004 513 188) of 969 Burke Road Camberwell VIC 3124,  
and Plastral Fidene Pty Ltd (ABN 68 000 144 132) of 11B Lachlan Street Waterloo NSW 2017.

## NOTIFICATION CATEGORY

Standard: Chemical other than polymer (more than 1 tonne per year).

## EXEMPT INFORMATION (SECTION 75 OF THE ACT)

Data items and details claimed exempt from publication:

Chemical Name, Other Names, CAS Number, Molecular and Structural Formulae, Molecular Weight,  
Spectral Data, Purity, Hazardous and Non-hazardous Impurities, Additives/Adjuvants,  
Manufacture/Import Volume, and Site of Manufacture/Reformulation.

## VARIATION OF DATA REQUIREMENTS (SECTION 24 OF THE ACT)

No variation to the schedule of data requirements is claimed.

## PREVIOUS NOTIFICATION IN AUSTRALIA BY APPLICANT(S)

None

## NOTIFICATION IN OTHER COUNTRIES

USA and UK (year not specified)

**2. IDENTITY OF CHEMICAL**

## MARKETING NAME(S)

C-3660 Intermediate

**3. COMPOSITION**

## DEGREE OF PURITY

High

**4. INTRODUCTION AND USE INFORMATION**

## MODE OF INTRODUCTION OF NOTIFIED CHEMICAL (100%) OVER NEXT 5 YEARS

Import

## MAXIMUM INTRODUCTION VOLUME OF NOTIFIED CHEMICAL (100%) OVER NEXT 5 YEARS

<i>Year</i>	<i>1</i>	<i>2</i>	<i>3</i>	<i>4</i>	<i>5</i>
<i>Tonnes</i>	3-10	10-30	10-30	10-30	10-30

## USE

As a heat stabiliser in PVC compounds for use mainly in extrusion and moulding of PVC pipes  
(domestic/commercial sewage and stormwater pipes), pipe fittings, construction panels and other  
building products such as cladding, siding, window profiles and other articles.

## 5. PROCESS AND RELEASE INFORMATION

### 5.1. Distribution, Transport and Storage

#### PORT OF ENTRY

Melbourne and Sydney.

#### IDENTITY OF MANUFACTURER/RECIPIENTS

Rohm and Haas Australia Pty Ltd and Plastral Fidene Pty Ltd.

#### TRANSPORTATION AND PACKAGING

The new chemical C-3660 will be shipped and transported by road in closed head, 200 L steel drums from dockside to the notifier warehouses for storage, then to a number of customer plants for plastics processing. Storage will be under cover in bunded areas of the facilities.

### 5.2. Operation description

C-3660 intermediate is a liquid, but the final preparation form to be imported has not been yet decided.

At the customer plastics processing plants, C-3660 will be transferred either by gravity feed or means of a pump spear into a weighing container, which then be transferred to a 1000 L vessel for mixing with other ingredients. The mixing vessel is closed and the contents mixed under high speed by a mechanical stirrer until the mixture is homogeneous. The resulting PVC compound is a coarse, free flowing powder absorbing <5% w/w of the notified chemical, and runs via an enclosed chute to a cooling vessel. Once cooled, the powder will be conveyed via chute or auger-fed line into 500 L woven polypropylene bags for storage until it is required for moulding or extrusion.

For manufacturing PVC pipes and panels, the content of the 500 L storage bags will be transferred into hoppers where it is fed into moulding or extrusion machines. The moulded articles will be manually removed and stacked/packed for later sales and distributions to the construction industry.

### 5.3. Occupational exposure

#### *Number and Category of Workers*

<i>Category of Worker</i>	<i>Number</i>	<i>Exposure Duration</i>	<i>Exposure Frequency</i>
Waterside, transport and warehouse workers	20-25	1-2 hours/day	10 days/ year
Mixing plant operators	5-10	6 hours/day	30-50 days/year
Moulding/Extrusion plant operators	15-30	8 hours/day	30-50 days/year

#### *Exposure Details*

It is anticipated that waterside, transport and warehouse workers would only be exposed to the new chemical in the event of an accidental spill. Should a spill occur, it is expected to be contained and absorbed with inert materials such as sand and earth, and placed into suitable containers for recovery or disposal in accord with the MSDS and government regulations.

In the mixing and moulding/extrusion plants, the potential routes of worker exposure to the notified chemical will be dermal contact and inhalation. Spillages and dust generation during pumping, mixing, cleaning, and moulding operations may also potentially cause mechanical irritation of the eyes, skin, nose, throat and mucous membranes. In addition, high dust concentrations within the manufacturing plant have a potential for combustion or explosion. The notifier indicates that adequate ventilation will be in place to prevent workers from breathing dust and particulates. The mixing and moulding equipment will also be fitted with local exhaust ventilation. A technical data sheet for a typical PVC resin used in the extrusion of unplasticised vinyl products indicates that up to 90% of dust particles are in the range of 80-250 µm which are not expected to remain airborne long enough to present an inhalation problem.

At the moulding machine where the PVC compound is heated at high temperatures for an extended period, fumes and vapours can be evolved, by breakdown of the notified chemical, containing oxides of

carbon, sulfur and other organic compounds. It is expected that these fumes will be captured and scrubbed. Cross contamination can be avoided by thorough cleaning of moulding and other processing equipment with purging compound prior to product changeover. Any incidents of accidental spillages will be contained and removed by mechanical means such as vacuuming or sweeping. It is intended that dust formation will be avoided and the release will be kept out of water supplies and sewers.

Operators of the mixing and moulding plants will wear appropriate respirators, dust goggles and safety glasses. Protective clothing and gloves will also be worn at all times. Copies of the MSDS will be readily accessible in all work areas.

#### 5.4. Release

##### RELEASE OF CHEMICAL AT SITE

Environmental exposure associated with the manufacture of the notified chemical will not occur in Australia. Release of the notified chemical to the environment during the mixing and moulding/extrusion processes is expected to be minimal. Approximately 100 kg per annum of the imported notified chemical is expected to be released as residue in import containers. When import drums are sent to drum reconditioners the residues removed during the cleaning process are flushed to on-site water treatment plant. The majority of the residue is expected to be adsorbed to sediments.

The mixing equipment and downstream pipe work are cleaned by vacuuming out any remaining powder resulting in approximately 25 kg of the notified chemical as waste. Any spills or leaks that occur during formulation of the PVC compound will be contained through bunding. A maximum of 100 kg of the notified chemical per annum is expected to be released via spills and leaks. Approximately 200 kg per annum of the notified chemical is estimated to be released in scrap generated during the extrusion process.

The majority of waste generated during formulation and extrusion/moulding (a total of up to 425 kg per annum of the notified chemical) will be disposed of to landfill.

##### RELEASE OF CHEMICAL FROM USE

The majority (>95%) of the notified chemical will be encapsulated in the PVC products (eg PVC pipes, panels). Approximately 50% of the notified chemical will be used in PVC pipes and pipe fittings, the majority of which will be used in domestic and commercial sewerage and storm water pipes. The majority of the products will be disposed of to landfill at the end of their useful lives.

Although the new chemical is bound within the polymer matrix there may be some release from the surface of the PVC pipes and other articles through slow diffusion to the surface of the articles (a process called "blooming") followed through loss via abrasion or slow dissolution in water (eg rain, drainage).

While no specific information on the blooming or surface migration of the notified chemical from the PVC products under typical conditions was provided, a summarised report (Rohm and Haas, 2003) was submitted by the company on the amount of extraction that occurs when PVC containing the chemical is immersed in water. Four different PVC blends using the OFS stabiliser technology were prepared. PVC sheets from the mill after 4 minutes were pressed using a heated hydraulic press into uniform plaques of 0.076 cm in thickness. The sample plaques were cut into 5.72 cm x 4.19 cm and combined to form a free-standing "X" shape. The total surface area exposed to the extraction media was 0.96 dm<sup>2</sup>. The plaques were wiped clean with a paper towel soaked with distilled water and placed in 150 mL of distilled water for 10 days at 40°C.

The water samples were analysed by performing a 10:1 extraction of the water with heptane to allow GC analysis of volatile components that migrated from the plaques over the 10 days. The heptane fraction was then analysed by GC/AED using the S-181 channel for detection. The method detection limit for the notified chemical was determined to be 0.953 ppb. The test results showed that the amounts of the chemical present in all water samples were less than the detection limit (and the limits for food contact). The 4 unknown peaks found in the carbon 193 trace (in all samples and blanks) were believed to be contaminants in the glass jar.

This was conducted on fresh material and it is unclear whether leaching would be higher from aged

PVC. According to the study the amount of the notified chemical released was less than  $1.49 \times 10^{-4}$  mg/dm<sup>2</sup>. The percentage of chemical leached was estimated based on the data provided and using following assumptions and calculations.

Assumptions made were that:

- the detection limit of the method was equal to  $1.49 \times 10^{-4}$  mg/dm<sup>2</sup>; and
- the specific gravity of PVC plaques was 1.45.

The total amount of the notified chemical released from the total exposed area was calculated to be less than  $1.43 \times 10^{-4}$  mg ( $1.49 \times 10^{-4}$  mg/dm<sup>2</sup> x 0.96 dm<sup>2</sup>). Based on the thickness and sizes of the 2 plaques used to form the "X" shaped structure used in the study, its volume and weight were calculated to be 3.64 cm<sup>3</sup> and 5.28 g, respectively. The amount of the chemical in the "X" shaped structure was 20.6 mg (0.5% of the PVC weight) thus the amount of the notified chemical leached into the water (as a percent of the amount present in the PVC plaques) was estimated to be less than  $6.9 \times 10^{-4}$  %.

### 5.5. Disposal

Spilled material should be contained by absorbing onto dry inert material (eg sand), collected and disposed of to a licensed waste landfill. Spills and cleaning runoff should not be allowed to enter municipal sewers and open bodies of water. The MSDS recommends that the waste should be landfilled or incinerated in accordance with local, state and federal regulations.

The emptied import drums are sent to licensed drum reconditioners or sent directly to licensed waste landfill sites. The majority of the residue removed during the cleaning process is expected to be adsorbed to sludge during the wastewater treatment.

### 5.6. Public exposure

The notified chemical will not be sold to the public except in the form of finished articles (pipes, panels, cladding, etc). There is potential for widespread public exposure through dermal contact with plastic articles containing small amounts of the notified chemical. Indirect exposure will also potentially occur as the new chemical can migrate from PVC to the potable water or other food as beverages in contact with PVC pipes. Testing of extraction of the notified chemical from PVC plaques (notified chemical present at up to 0.5%) for 10 days at 40°C showed concentrations of notified chemical of less than the detection limit of the method of  $1.5 \times 10^{-4}$  mg/L (Rohm and Haas, 2003).

## 6. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance at 20°C and 101.3 kPa</b>		White, clear liquid with a slight odour
<b>Boiling Point</b>		257-261°C
Remarks	Test report not provided.	
<b>Density</b>		1010 kg/m <sup>3</sup>
Remarks	Test report not provided.	
<b>Vapour Pressure</b>		$1.7 \times 10^{-5}$ kPa at 25°C
METHOD	OECD TG 104 Vapour Pressure – Gas Saturation Method. EC Directive 92/69/EEC A.4 Vapour Pressure.	
Remarks	The vapour pressure at 25°C was extrapolated by linear regression from the values determined at 50°C, 60°C, and 70°C. The notified chemical is slightly to moderately volatile (Mensink et al., 1995).	
TEST FACILITY	RCC (2001b)	
<b>Water Solubility</b>		$5.76 \times 10^{-3}$ g/L at 20°C
METHOD	OECD TG 105 Water Solubility.	

Remarks	EC Directive 92/69/EEC A.6 Water Solubility. A flask method together with HPLC analysis was used. The pH of the saturated test solutions was in the range of 3.48-3.53. The notified chemical is slightly soluble (Mensink et al., 1995).
TEST FACILITY	HLS (2000)
<b>Hydrolysis as a Function of pH</b>	Not determined
METHOD	OECD TG 111 Hydrolysis as a Function of pH. EC Directive 92/69/EEC C.7 Degradation: Abiotic Degradation: Hydrolysis as a Function of pH.
Remarks	As the solubility of the notified chemical in the different buffer solutions pH 4.0, pH 7.0 and pH 9.0 is low, a hydrolysis test could not be performed. Additionally, its solubility could not be increased with solubilisers as methanol, acetonitrile and acetone.
TEST FACILITY	RCC (2001c)
<b>Partition Coefficient (n-octanol/water)</b>	log Pow = 5.4 at 20°C
METHOD	OECD TG 117 Partition Coefficient (n-octanol/water). EC Directive 92/69/EEC A.8 Partition Coefficient.
Remarks	HPLC method was used.
TEST FACILITY	HLS (2000)
<b>Adsorption/Desorption</b>	log Koc = 3.22 or higher (based on water solubility) log Koc = 4.31 (based on log Pow)
Remarks	The Koc estimates using regression equations were 1666 (or higher) and 20635 based on a water solubility of 5.76 mg/L and a log Pow of 5.4 respectively. The notified chemical is poorly mobile to mobile in soils (Mensink et al. 1995).
TEST FACILITY	RCC (2001d)
<b>Dissociation Constant</b>	Not determined
Remarks	The notified chemical does not contain any dissociable groups.
<b>Particle Size</b>	Not applicable
Remarks	The notified chemical is a liquid.
<b>Surface Tension</b>	52 mN/m at 21°C
Remarks	Test report not provided.
<b>Flash Point</b>	97°C (Pensky-Martens Closed Cup)
Remarks	Test report not provided.
<b>Flammability Limits</b>	Not flammable
Remarks	Test report not provided.
<b>Autoignition Temperature</b>	245°C
Remarks	Test report not provided.
<b>Explosive Properties</b>	Not explosive
Remarks	Based on UN recommendation on the transport of dangerous goods, the notified chemical was considered not a potential explosive and not to have potential for

rapid energy release.

### Reactivity

Stable under normal environmental conditions

### Remarks

The notified chemical may react with strong oxidisers.

## 7. TOXICOLOGICAL INVESTIGATIONS

<i>Endpoint and Result</i>	<i>Assessment Conclusion</i>
Rat, acute oral LD50 >2000 mg/kg bw	low toxicity
Rat, acute dermal LD50 >2000 mg/kg bw	low toxicity
Rat, acute inhalation	no data available
Rabbit, skin irritation	slightly irritating
Rabbit, eye irritation	slightly irritating
Guinea pig, skin sensitisation - adjuvant test	no evidence of sensitisation (1% notified chemical)
Rat, repeat dose oral toxicity - 28 days	NOEL = 2000 ppm; NOAEL = 8000 ppm
90 days	NOEL = 3000 ppm; NOAEL = 10000 ppm
Genotoxicity - bacterial reverse mutation	non mutagenic
Genotoxicity – in vitro chromosomal aberration test	non geno toxic
in vitro gene mutation test	non geno toxic
Pharmacokinetic/Toxicokinetic studies	no data available
Developmental and reproductive effects	no data available
Carcinogenicity	no data available

### 7.1. Acute toxicity – oral

TEST SUBSTANCE	Notified chemical
METHOD	OECD TG 423 Acute Oral Toxicity – Acute Toxic Class Method. EC Directive 96/54/EEC B.1tr Acute Oral Toxicity – Acute Toxic Class Method.
Species/Strain	Rat/HanCrl: Wist Han (Glx: BRL)BR
Vehicle	PEG 300: dose volume 10 mL/kg bw
Remarks – Method	No significant protocol deviations.

### RESULTS

<i>Group</i>	<i>Number and Sex of Animals</i>	<i>Dose mg/kg bw</i>	<i>Mortality</i>
I	3 males	2000	0/3
II	3 females	2000	0/3

LD50 >2000 mg/kg bw

Signs of Toxicity One female showed slight sedation, ataxia and hunched posture on the day of treatment. No further clinical signs were recorded. The body weight was within the historical range.

Effects in Organs No macroscopic findings were observed at necropsy.  
Remarks – Results None.

CONCLUSION The notified chemical is of low toxicity via the oral route.

TEST FACILITY RCC (2001e)

### 7.2. Acute toxicity – dermal

TEST SUBSTANCE Notified chemical



METHOD	OECD TG 402 Acute Dermal Toxicity. EC Directive 92/69/EEC B.3 Acute Toxicity (Dermal).
Species/Strain	Rat/HanCrl: Wist Han (Glx: BRL)BR
Vehicle	None – applied undiluted as supplied
Type of dressing	Semi-occlusive.
Remarks – Method	No significant protocol deviations.

## RESULTS

<i>Group</i>	<i>Number and Sex of Animals</i>	<i>Dose mg/kg bw</i>	<i>Mortality</i>
I	5 males	2000	0/5
II	5 females	2000	0/5

LD50	>2000 mg/kg bw
Signs of Toxicity – Local	Slight scaling on the back was seen for one male on days 7 to 9.
Signs of Toxicity – Systemic	No systemic signs of toxicity were observed.
Effects in Organs	No macroscopic findings were observed at necropsy.
Remarks – Results	None.

CONCLUSION	The notified chemical is of low toxicity via the dermal route.
------------	--

TEST FACILITY	RCC (2001f)
---------------	-------------

**7.3. Acute toxicity – inhalation**

Remark	Test was not performed due to low volatility of the notified chemical.
--------	--

**7.4. Irritation – skin**

TEST SUBSTANCE	Notified chemical
----------------	-------------------

METHOD	OECD TG 404 Acute Dermal Irritation/Corrosion. EC Directive 92/69/EEC B.4 Acute Toxicity (Skin Irritation).
Species/Strain	Rabbit/New Zealand White
Number of Animals	1 male, 2 females
Vehicle	None – applied undiluted as supplied
Observation Period	10 days
Type of Dressing	Semi-occlusive
Remarks – Method	No significant protocol deviations.

## RESULTS

<i>Lesion</i>	<i>Mean Score* Animal No.</i>			<i>Maximum Value</i>	<i>Maximum Duration of Any Effect</i>	<i>Maximum Value at End of Observation Period</i>
	1	2	3			
<i>Erythema/Eschar</i>	0.33	1.33	1.33	2	7 days	0
<i>Oedema</i>	0.00	0.00	0.00	0	0 days	0

\*Calculated on the basis of the scores at 24, 48, and 72 hours for EACH animal.

Remarks – Results	Slight to well-defined erythema was observed in all animals 1 h after treatment and persisted in the male for 24 h, in one female for 72 h and in the other female for 7 days. The latter female was also noted with scaling 7 days after treatment. Oedema was not noted at any scoring interval. On day 10 at termination, no signs of irritation were observed at the test site of any animal. Primary irritation index = 1.17 (slightly irritating).
-------------------	--

CONCLUSION The notified chemical is slightly irritating to skin.

TEST FACILITY RCC (2001g)

### 7.5. Irritation – eye

TEST SUBSTANCE Notified chemical

METHOD OECD TG 405 Acute Eye Irritation/Corrosion.  
EC Directive 92/69/EEC B.5 Acute Toxicity (Eye Irritation).

Species/Strain Rabbit/New Zealand White

Number of Animals 1 male, 2 females

Observation Period 7 days

Remarks - Method No significant protocol deviations.

#### RESULTS

<i>Lesion</i>	<i>Mean Score*</i> <i>Animal No.</i>			<i>Maximum Value</i>	<i>Maximum Duration of Any Effect</i>	<i>Maximum Value at End of Observation Period</i>
	1	2	3			
<i>Conjunctiva: redness</i>	0.7	0.7	1.0	1	72 h	0
<i>Conjunctiva: chemosis</i>	0	0	0	0	0 h	0
<i>Conjunctiva: discharge</i>	No abnormal findings			--	--	--
<i>Corneal opacity</i>	0	0	0	0	0 h	0
<i>Iridial inflammation</i>	0	0	0	0	0 h	0

\*Calculated on the basis of the scores at 24, 48, and 72 hours for EACH animal.

Remarks - Results Slight reddening of the sclera was seen in two animals at the 1 h observation. All effects cleared by 7 days.

CONCLUSION The notified chemical is slightly irritating to the eye.

TEST FACILITY RCC (2001h)

### 7.6. Skin sensitisation

TEST SUBSTANCE Notified chemical

METHOD OECD TG 406 Skin Sensitisation – Maximization Test.  
EC Directive 96/54/EC B.6 Skin Sensitisation – Maximization Test.

Species/Strain Guinea pig/Albino Himalayan spotted

PRELIMINARY STUDY Maximum Non-irritating Concentration:  
intradermal: 100% test substance  
topical: 1% test substance in PEG 300

MAIN STUDY

Number of Animals Test Group: 10 Control Group: 5

INDUCTION PHASE Induction Concentration:  
intradermal injection (day 1): 100% test substance  
topical application (day 8): 100% test substance

Signs of Irritation Discrete/patchy erythema was observed in all test animals 24 h and 48 h after epidermal induction, whereas no skin reaction was observed in the control animals.

CHALLENGE PHASE

1<sup>st</sup> challenge topical application: 1% test substance in PEG 300

Remarks - Method In the irritation pretests, slight erythema was observed for all concentrations tested between 5% and 100% notified chemical.

The intradermal induction was stated in the report to include two injections of 100% notified chemical. Based on the control group, one of those would have been expected to be 50% notified chemical in Freund's Complete Adjuvant and saline.

## RESULTS

<i>Animal</i>	<i>Challenge Concentration</i>	<i>Number of Animals Showing Skin Reactions after:</i>	
		<i>24 h</i>	<i>48 h</i>
<i>Test Group</i>	1%	0/10	0/10
<i>Control Group</i>	1%	0/5	0/5

## Remarks - Results

No skin reaction was observed in any test and control animal after the challenge with either 1% test substance or PEG 300 alone. Positive controls with 1% 2-mercaptobenzothiazole in mineral oil confirmed the sensitivity of the test system.

One control animal showed a loss of body weight (3%) whereas two animals of the test group did not gain weight during the acclimatisation period. The body weight of the other animals was within the historical range.

## CONCLUSION

There was no evidence of reactions indicative of skin sensitisation to the notified chemical under the conditions of the test (1% notified chemical).

## TEST FACILITY

RCC (2001i)

**7.7a. Repeat dose toxicity – 28 day oral**

## TEST SUBSTANCE

Notified chemical

## METHOD

OECD TG 407 Repeated Dose 28-Day Oral Toxicity in Rodents.  
EC Directive 96/54/EC B.7 Repeated Dose (28 Days) Toxicity (Oral).  
US EPA OPPTS 870.3050: Repeated Dose 28-Day Oral Toxicity in Rodents.

## Species/Strain

Rat/Crl:CDBR

## Route of Administration

Oral – diet

## Exposure Information

Total exposure days: 28 days;  
Dose regimen: 7 days per week;  
Post-exposure observation period: none

## Vehicle

Acetone

## Remarks - Method

No significant protocol deviations.

## RESULTS

<i>Group</i>	<i>Number and Sex of Animals</i>	<i>Dose ppm</i>	<i>Mortality</i>
I (control)	5 males, 5 females	0	0/10
II (low dose)	5 males, 5 females	500	0/10
III (mid dose)	5 males, 5 females	2000	0/10
IV (high dose)	5 males, 5 females	8000	0/10

*Mortality and Time to Death*

There were no mortalities in either sex at any dose level.

*Clinical Observations*

No treatment related systemic or neurologic effects were seen in the daily clinical observations, the Detailed Clinical Observations or Functional Observational Battery parameters, or motor activity in either sex at any time at any dose level. There were no treatment related effects on body weight, cumulative body weight gain,

or feed consumption in either sex at any dose level.

*Laboratory Findings – Clinical Chemistry, Haematology, Urinalysis*

No treatment related effects on haematology parameters, white blood cell differential counts, or clinical chemistry parameters were observed in either sex at any dose level.

*Effects in Organs*

There were no treatment related effects on organ weights in females at any dose level, or in males treated at 500 or 2000 ppm. A statistically significant increase in relative liver weight (13%) was observed in Group IV (8000 ppm) males. Absolute liver weight was also increased (15%) in this male group although not statistically significant. No treatment related gross or microscopic pathological findings were observed in either sex at any dose level.

*Remarks – Results*

Changes in the following parameters were recorded as statistically significant:

Platelets: 12% and 17% decreases in Groups II and III males respectively.

Haematocrit: 7% decrease in Group IV females

RBC: slight decrease in Group IV females (not significant)

Cholesterol: 49% increase in Group IV males

However, these changes were not considered treatment related since they were small in magnitude, observed only in one sex, no evidence of a dose response, and there were no corresponding changes in histopathology (bone marrow or spleen) or other haematologic parameters. Regarding cholesterol, a couple of males in the control group had cholesterol values at the low end of the range, which was expected to cause the high dose group to be flagged as statistically significant.

The observed effects in organs above were also not considered adverse since they were small in magnitude and there were no correlative gross or histopathological findings.

**CONCLUSION**

The No Observed Adverse Effect Level (NOAEL) was established as 8000 ppm (equivalent to 549.0 and 603.4 mg/kg bw/day in males and females, respectively), which is the highest dose tested in this study. The NOEL was 2000 ppm (equivalent to 134.1 and 155.0 mg/kg bw/day in males and females, respectively).

TEST FACILITY RHC (2001a)

**7.7b. Repeat dose toxicity – 90 day oral**

TEST SUBSTANCE Notified chemical

METHOD OECD TG 408 Repeated Dose 90-Day Oral Toxicity in Rodents.  
EC Directive 87/302/EEC B. Subchronic Oral Toxicity Test.  
US EPA OPPTS 870.3100: 90-Day Oral Toxicity in Rodents.  
Japan MAFF, 59 NohSan No. 4200: Subchronic Oral Toxicity Test.

Species/Strain Rat/Crl:CDBR

Route of Administration Oral – diet

Exposure Information Total exposure days: 90 days;  
Dose regimen: 7 days per week;  
Post-exposure observation period: none

Vehicle Acetone

Remarks - Method No significant protocol deviations.

**RESULTS**

Group	Number and Sex of Animals	Dose ppm/day	Mortality
I (control)	10 males, 10 females	0	0/10
II (low dose)	10 males, 10 females	1000	0/10
III (mid dose)	10 males, 10 females	3000	0/10

IV (high dose)	10 males, 10 females	10000	0/10
----------------	----------------------	-------	------

#### *Mortality and Time to Death*

There were no mortalities in either sex at any dose level.

#### *Clinical Observations*

No treatment related systemic or neurologic effects were seen in the daily clinical observations, the Detailed Clinical Observations or Functional Observational Battery parameters, or motor activity in either sex at any time at any dose level. There were no treatment related effects on body weight, cumulative body weight gain, or feed consumption in either sex at any dose level.

#### *Laboratory Findings – Clinical Chemistry, Haematology, Urinalysis*

No treatment related effects on haematology parameters, white blood cell differential counts, or clinical chemistry parameters were observed in either sex at any dose level.

#### *Effects in Organs*

There were no treatment related effects on organ weights in either sex treated at 1000 or 3000 ppm. A statistically significant increase in absolute (14%) and relative (9%) kidney weight was observed in Group IV (10000 ppm) females. Relative liver weight was significantly increased in Group IV (10000 ppm) males (10%) and females (8%). Absolute liver weight was also increased although not statistically significant in Group IV males (7%) and females (14%). No treatment related gross or microscopic pathological findings were observed in either sex at any dose level. All findings were low in incidence, occurred sporadically, and provided no evidence of a dose-response.

#### *Remarks – Results*

In Group IV (10000 ppm) males, statistically significant decreases in haematocrit (9%), haemoglobin (8%), and RBC count (11%) were observed. These changes were considered resulted from one male animal in the control (0 ppm) group whose values for haematocrit, haemoglobin, and RBC count were unusually high. Also, similar changes were not seen in the high dose (10000 ppm) females, where compound intake was greater (22% on average) than that observed in the high dose males.

Statistically significant decreases in total protein (6%), creatinine (18%), and globulin (13%) observed in Group IV (10000 ppm) males were judged incidental since they were small in magnitude, observed only in one sex, and there were no corresponding changes in histopathology or other clinical chemistry parameters.

The observed effects in organs above were also not considered adverse since they were small in magnitude and there were no correlative gross or histopathological findings.

Overall, it is noted that changes in liver weight, haematocrit, RBC count were seen in both 28- and 90-day studies, with haematology not being consistent by sex.

#### CONCLUSION

The No Observed Adverse Effect Level (NOAEL) was established as 10000 ppm (equivalent to 657.4 and 801.1 mg/kg bw/day in males and females, respectively), which is the highest dose tested in this study. The NOEL was 3000 ppm (equivalent to 193.5 and 236.9 mg/kg bw/day in males and females, respectively).

TEST FACILITY RHC (2002)

### 7.8. Genotoxicity – bacteria

TEST SUBSTANCE Notified chemical

METHOD OECD TG 471 Bacterial Reverse Mutation Test.  
EC Directive 92/69/EEC B.14 Bacterial Reverse Mutation Test.  
US EPA OPPTS 870.5100: Bacterial Reverse Mutation Test.  
Plate incorporation procedure.  
Species/Strain *S. typhimurium*: TA1535, TA1537, TA98, TA100, TA102.  
Metabolic Activation System S9 fraction from Aroclor 1254 induced rat liver.  
Concentration Range in a) With metabolic activation: 48.5 – 5000 µg/plate.

Main Test                                      b) Without metabolic activation: 48.5 – 5000 µg/plate.  
 Vehicle    Acetone  
 Remarks – Method                              Two independent tests were conducted in triplicate.

## RESULTS

<i>Metabolic Activation</i>	<i>Test Substance Concentration (µg/plate) Resulting in:</i>			
	<i>Cytotoxicity in Preliminary Test</i>	<i>Cytotoxicity in Main Test</i>	<i>Precipitation (Oily residue)</i>	<i>Genotoxic Effect</i>
<i>Absent</i>				
Test 1	Not performed	>5000	≥2000	Negative
Test 2	Not performed	>4800	≥1940	Negative
<i>Present</i>				
Test 1	Not performed	>5000	≥2000	Negative
Test 2	Not performed	>4800	≥1940	Negative

Remarks – Results                              The vehicle and positive controls responded appropriately.

CONCLUSION                                      The notified chemical was not mutagenic to bacteria under the conditions of the test.

TEST FACILITY                                    RHC (2001b)

**7.9a. Genotoxicity – in vitro (Chromosomal aberration)**

TEST SUBSTANCE                                Notified chemical

METHOD                                        OECD TG 473 In vitro Mammalian Chromosomal Aberration Test.  
 EC Directive 92/69/EEC B.10 Mutagenicity - In vitro Mammalian Cytogenetic Test.  
 US EPA OPPTS 870.5375: In vitro Mammalian Chromosomal Aberration Test.  
 Cell Type/Cell Line                              Chinese Hamster Ovary (CHO-WBL) cells  
 Metabolic Activation System                    S9 fraction from Aroclor 1254 induced rat liver.  
 Vehicle    Acetone  
 Remarks – Method                                No significant protocol deviations.

<i>Metabolic Activation</i>	<i>Test Substance Concentration (µg/mL)</i>	<i>Exposure Period</i>	<i>Harvest Time</i>
<i>Absent</i>			
Test 1	20.4, 29.2, 41.7, 59.5*, 85.0, 122, 173*, 248, 354, 505*, 720, 1030*, 1470, 2100, 3000	3.0 h	20.3 h
Test 2	31.8*, 63.5*, 127*, 253*, 505, 1010	17.6 h	20.0 h
<i>Present</i>			
Test 1	20.4, 29.2, 41.7, 59.5, 85.0, 122, 173*, 248*, 354, 505*, 720, 1030*, 1470, 2100, 3000	3.0 h	20.3 h
Test 2	63.5, 127*, 253*, 505*, 1010*	3.0 h	20.0 h

\*Cultures selected for metaphase analysis.

## RESULTS

<i>Metabolic Activation</i>	<i>Test Substance Concentration (µg/mL) Resulting in:</i>			
	<i>Cytotoxicity in Preliminary Test</i>	<i>Cytotoxicity in Main Test</i>	<i>Precipitation</i>	<i>Genotoxic Effect</i>
<i>Absent</i>				
Test 1	Not performed	>3000	≥1030	Negative
Test 2	Not performed	≥253	≥1010	Negative
<i>Present</i>				
Test 1	Not performed	≥20.4	≥1030	Negative

Test 2	Not performed	≥1010	≥1010	Negative
Remarks – Results	The vehicle, negative and positive controls responded appropriately.			
CONCLUSION	The notified chemical was not clastogenic to CHO cells treated in vitro under the conditions of the test			
TEST FACILITY	Covance (2001a)			

### 7.9b. Genotoxicity – in vitro (Gene mutation)

TEST SUBSTANCE	Notified chemical
METHOD	OECD TG 476 In vitro Mammalian Cell Gene Mutation Test. US EPA OPPTS 870.5300: In vitro Mammalian Cell Gene Mutation Test.
Cell Type/Cell Line	Chinese Hamster Ovary (CHO-K1-BH <sub>4</sub> ) cells
Metabolic Activation System	S9 fraction from Aroclor 1254 induced rat liver.
Vehicle	Acetone
Remarks – Method	No significant protocol deviations.

<i>Metabolic Activation</i>	<i>Test Substance Concentration (µg/mL)</i>	<i>Exposure Period</i>	<i>Expression Time</i>	<i>Selection Time</i>
<i>Absent</i>				
Preliminary Test	5.9, 11.8, 23.5, 47, 94, 188, 375, 750, 1500, 3000	4 h	6 days	--
Test 1	50, 75, 100, 200, 300*, 400*, 500*, 600*, 750*, 1000*, 1500, 2000, 3000	4 h	7 days	7 days
Test 2	25*, 50*, 100*, 200, 400*, 600, 800*, 1000, 1200*	4 h	7 days	7 days
<i>Present</i>				
Preliminary Test	5.9, 11.8, 23.5, 47, 94, 188, 375, 750, 1500, 3000	4 h	6 days	--
Test 1	125*, 250*, 500*, 750*, 1500*, 3000*	4 h	7 days	7 days
Test 2	31.3*, 62.5*, 125*, 250, 500*, 750*, 1500, 3000*	4 h	7 days	7 days

\*Cultures selected for metaphase analysis.

### RESULTS

<i>Metabolic Activation</i>	<i>Test Substance Concentration (µg/mL) Resulting in:</i>			
	<i>Cytotoxicity in Preliminary Test</i>	<i>Cytotoxicity in Main Test</i>	<i>Precipitation</i>	<i>Genotoxic Effect</i>
<i>Absent</i>				
Test 1	≥94	≥300	≥300	Negative
Test 2	--	≥1200	≥100	Negative
<i>Present</i>				
Test 1	>3000	>3000	≥1500	Negative
Test 2		>3000	≥3000	Negative

Remarks - Results	The vehicle, negative and positive controls responded appropriately. High cytotoxicity seen in the absence of metabolic activation in the preliminary test ≥94 µg/mL was not replicated in the main tests. Mutant frequencies in a number of cultures, both in the presence and absence of metabolic activation, showed significant increases compared with controls. However, no dose-response was seen in any case, and the increases were not reproducible. In addition, none of the treated cultures induced a mutant frequency higher than the criterion for a position response of 15x10 <sup>6</sup> .
CONCLUSION	The notified chemical was not clastogenic to CHO cells treated in vitro under the conditions of the test
TEST FACILITY	Covance (2001b)

## 8. ENVIRONMENT

### 8.1. Environmental fate

#### 8.1.1. Ready biodegradability

TEST SUBSTANCE	Notified chemical
METHOD	OECD TG 301 F Ready Biodegradability: Manometric Respirometry Test (Edition 1993). EC Directive 92/69/EEC Annex L 383 A C.4-D.
Inoculum	Activated sludge obtained from a communal wastewater treatment plant (a mixture of polyvalent bacteria)
Exposure Period	28 days
Auxiliary Solvent	None
Analytical Monitoring	Biochemical Oxygen Demand (BOD)
Remarks - Method	In addition to the test substance (100 mg/L), samples containing a reference substance (sodium benzoate at 100 mg/L) and inoculum, inhibition and abiotic sterile controls were measured.  The test substance was introduced directly to the test system as it was not completely soluble in the test medium.

#### RESULTS

Day	% degradation	
	Test substance	Sodium benzoate
2	7	51
4	32	58
8	39	66
10	42	66
14	45	74
22	48	83
28	48	85

Remarks - Results	The test substance degraded only up to 48% in 28 days and did not achieve the 60% biodegradability either within the 10-day window or after 28 days. Degradation of the reference substance up to 85% validates the test system.
CONCLUSION	The test substance is not readily biodegradable according to the OECD criteria.
TEST FACILITY	Solvias AG (2001a)

#### 8.1.2. Bioaccumulation

No bioaccumulation data were provided. The substance is a lipophilic, neutral organic molecule of relatively low molecular weight thus has a potential to bioaccumulate as it can be expected to passively diffuse across biological membranes. However, the notifier expects it will metabolise readily as it contains heteroatoms and ester functionality, which typically break down quickly.

## 8.2. Ecotoxicological investigations

### 8.2.1. Acute toxicity to fish

TEST SUBSTANCE	Notified chemical
----------------	-------------------



METHOD	OECD TG 203 Fish, Acute Toxicity Test EC Directive 92/69/EEC C.1 Acute Toxicity for Fish – Semi-static
Species	Rainbow trout ( <i>Oncorhynchus mykiss</i> )
Exposure Period	96 hours
Auxiliary Solvent	None
Water Hardness	142 mg CaCO <sub>3</sub> /L
Analytical Monitoring	Samples from test solutions and control medium were drawn from the approximate centre of the test vessels at the beginning and end of each renewal period (every 24 hours) and analysed by HPLC.
Remarks – Method	Based on preliminary test results that showed no mortality at 100 mg/L (nominal) the definitive test was carried out as a limit test at 100 mg/L. The stock solution (of 100 mg/L) was prepared by stirring 1 g of test substance in 10 L fish water continuously for about 48 hours and filtered through a 0.45 µm filter after equilibration. The stock solutions were changed every 24 hours due to the tendency of the test substance to form droplets in the test medium.
	The measured start concentrations of test media varied from 3.10 mg/L to 22.2 mg/L and the end concentrations varied from 1.55 mg/L to 10.2 mg/L. The fluctuations within the start values were stated to be due to small amounts of undissolved test substance that escaped through the filter. Attempts to use a smaller size filter (0.22 µm) were not successful due to clogging up of its pores. Since large volumes of test medium were required the use of the larger filter remained the practical option. The report indicated that the concentrations of the test solution always remained above the limit of water solubility of the test substance.

Oxygen content, pH and temperature were all satisfactorily maintained.

## RESULTS

Concentration mg/L Nominal	Number of Fish	Mortality				
		2-4 h	24 h	48 h	72 h	96 h
Control	10	0	0	0	0	0
100	10	0	0	0	0	0

LC50	>100 mg/L (nominal) or >9.3 mg/L mean measured concentration at 96 hours.
NOEC (or LOEC)	100 mg/L (nominal) or 9.3 mg/L mean measured concentration at 96 hours (the highest concentration tested).
Remarks – Results	No sublethal effects were observed in the control or in the test concentration of 100 mg/L.

CONCLUSION	The test substance is not toxic to fish up to the limit of its water solubility.
------------	--

TEST FACILITY	Solvias AG (2001b)
---------------	--------------------

### 8.2.2. Acute toxicity to aquatic invertebrates

TEST SUBSTANCE	Notified chemical
METHOD	OECD TG 202 Daphnia sp. Acute Immobilisation and Reproduction Test EC Directive 92/69/EEC C.2 Acute Toxicity for Daphnia – Static
Species	<i>Daphnia magna</i>
Exposure Period	48 hours
Auxiliary Solvent	None

Water Hardness 160 mg CaCO<sub>3</sub>/L

Analytical Monitoring Samples from test solutions and control medium were drawn from the approximate centre of the test vessels at the beginning and end of the exposure period and analysed by HPLC.

Remarks - Method A range finding test was performed with a nominal test concentration of 100 mg/L. The stock solution for the definitive test was prepared by dissolving 100.3 mg of test substance in 1000 mL of test medium, which was then homogenised by ultrasonic treatment for 20 minutes. The solution was stirred continuously for about 48 hours and filtered through a 0.45 µm filter after equilibration. The filtrate was used to prepare the diluted test solutions.

Oxygen content, pH and temperature were all satisfactorily maintained.

## RESULTS

Concentration mg/L Nominal	Number of <i>D. magna</i>	% Immobilised	
		24 h	48 h
Control	20	0	0
4.3	20	0	0
9.4	20	0	0
21	20	0	0
45	20	0	0
100	20	25	100

LC50 >45 mg/L (nominal)\* or >2.24 mg/L (measured concentration at 48 h)

NOEC >45 mg/L (nominal)\* or >2.24 mg/L (measured concentration at 48 h)

\*Considered as the functional water solubility of the test substance, see below.

Remarks - Results Small droplets of the test substance were observed at the surface of the water in the 100 mg/L nominal test concentration. The starting concentrations in tests with the nominal concentrations of 45 and 100 mg/L were measured to be 2.24 and 5.54 mg/L, respectively. After 48 hours, the concentration of the test substance could be determined only in the highest test concentration as 3.38 mg/L. The concentrations in the other test solutions and control were below the detection limit of the analytical method.

At the highest test concentration, all the daphnia were trapped in the test substance droplets formed at the surface of the test solution. Trapping of the test organism in droplets was considered as a physical effect, therefore the results of the highest test concentration were regarded as invalid and excluded from determination of the final results. The next highest test concentration of 45 mg/L (nominal) was considered as the functional water solubility of the test substance.

No sublethal effects were observed in the control or in any of the test concentrations after 48 hours.

CONCLUSION The test substance is not toxic to *Daphnia magna* up to the limit of its water solubility.

TEST FACILITY Solvias AG (2001c)

### 8.2.3. Algal growth inhibition – Test 1

TEST SUBSTANCE Notified chemical

METHOD OECD TG 201 Alga, Growth Inhibition Test

Species	EC Directive 92/69/EEC C.3 Algal Inhibition Test
Exposure Period	<i>Selenastrum capricornutum</i> ( <i>Pseudokirchneriella subcapitata</i> )
Concentration Range	72 hours
Nominal	0, 4.3, 9.4, 21, 45 and 100 mg/L (based on the results of a range finding test)
Auxiliary Solvent	None
Water Hardness	Not reported
Analytical Monitoring	Duplicate samples from test media (without algae) freshly prepared (at the start of test), or incubated under the same conditions as in the actual test without algae (at the end of test) of all test concentrations and the control were obtained for analysis by HPLC.
Remarks - Method	<p>The stock solution for the definitive test was prepared by dissolving 100.0 mg of test substance in 1000 mL of test medium, which was then homogenised by ultrasonic treatment for 15 minutes. The solution was stirred continuously for about 48 hours and filtered through a 0.45 µm filter after equilibration. The filtrate was used to prepare the test solutions. The highest test concentration was also tested without algae to determine the particle background.</p> <p>The lighting and temperature were satisfactorily maintained. The pH of the control increased from 7.7 at the start to a maximum of 10.1 at the end of the test exceeding the tolerance of 1 unit recommended by the guideline. This effect was attributed to the increased consumption of CO<sub>2</sub> due to the rapid growth within the 72 hours (increasing the cell density to 66.6 x 10<sup>4</sup> cells per mL).</p>

## RESULTS

<i>Biomass</i>		<i>Growth</i>	
<i>E<sub>b</sub>C50</i> mg/L at 72 h	<i>NOEC</i> mg/L at 72 h	<i>E<sub>r</sub>C50</i> mg/L at 72 h	<i>NOEC</i> mg/L at 72 h
>4.67*	2.02	≈4.67*	2.02

\* Confidence intervals not determined.

Remarks – Results	<p>The actual concentration of the highest test concentration at the start was measured as 4.67 mg/L and was considered to be the functional water solubility of the test item in algae medium. Only the two highest test concentrations (45 and 100 mg/L nominal) could be determined analytically at the start of the test (2.02 and 4.67 mg/L) due to the poor solubility and the relatively high limit of quantification of the test substance (1.1 mg/L).</p> <p>The measured concentration of 4.67 mg/L corresponded to the measured concentration of the stock solution. Using the dilution factor used in the test, the three lowest actual test concentrations at the start of test were estimated to be 0.20, 0.44 and 0.98 mg/L. The EC50 values are determined based on the measured concentrations.</p> <p>After 72 hours, no mis-shaped cells or cell debris were observed microscopically.</p>
-------------------	---

CONCLUSION The test substance is toxic to algae.

TEST FACILITY Solvias AG (2001d)

#### 8.2.4. Algal growth inhibition – Test 2

TEST SUBSTANCE Notified chemical

METHOD	OECD TG 201 Alga, Growth Inhibition Test EC Guideline Annex V - Part C.3 Algal Inhibition Test OPPTS Draft Guideline 850.5400
Species	<i>Selenastrum capricornutum</i> ( <i>Pseudokirchneriella subcapitata</i> )
Exposure Period	96 hours
Concentration Range	
Nominal	5.9, 12, 24, 47 and 94 mg/L (derived from a water accommodated fraction (WAF) of a 94 mg/L mixture).
Actual (geometric mean)	
72 hour	0.089, 0.22, 0.79, 1.5 and 3.3 mg/L
96 hour	0.058, 0.11, 0.37, 1.1 and 2.8 mg/L
Auxiliary Solvent	None
Water Hardness	Standard algal assay procedure (AAP) medium was used to prepare the test solutions.
Analytical Monitoring	Gas chromatography
Remarks - Method	<p>Due to the limited solubility of the test substance in the algal medium, the stock solution was prepared as a WAF. A 94 mg/L mixture was prepared by adding 0.4004 g of the C-3660 to 400 mL of algal medium and stirring for approximately 24 hours. The solution was cloudy white with fine particulates of undissolved test substance and was observed to be cloudy with test substance settled at the bottom after allowing to settle down to approximately 1.5 hours. The WAF was siphoned from just below the solution surface and centrifuged at 2500 rpm for 30 minutes. The solution removed by pipette (slightly cloudy white) was used to prepare the test solutions.</p> <p>An algistatic/algicidal recovery phase was initiated at the termination of the definitive test with a composite sample of the three replicate vessels at the 94 mg/L treatment. The sample was diluted with fresh AAP medium to a nominal concentration of 5.9 mg/L to prepare a subculture that was incubated for six days under conditions consistent with those maintained in the definitive test. The subculture was microscopically examined every other day to monitor cell growth.</p> <p>The lighting and temperature were satisfactorily maintained. The pH of the test and control solutions ranged from 7.1 to 7.2 at the start and from 7.0 to 7.9 at 96 hours; variation was considered to be due to photosynthesis.</p>

## RESULTS

<i>End Point</i>	<i>EC50</i> <i>mg/L</i>	<i>NOEC</i> <i>mg/L</i>
96 h cell density	0.34	0.11
95% Confidence limits	0.28–0.43	
72 h Biomass	E <sub>b</sub> C50 = 0.52	<0.089
95% Confidence limits	0.41–0.60	(EC10 = 0.069)
72 h Growth rate	E <sub>r</sub> C50 = 0.90	0.22
95% Confidence limits	0.73–1.0	

Remarks - Results	<p>The analysis of the WAF at the beginning of the test indicated that the amount of the test substance present in the solutions (3.9 mg/L) was representative of its water solubility limit. The EC50 and NOEC values were based on the geometric mean measured concentrations.</p> <p>A sample from the 24 mg/L (nominal) tested without algae present indicated that as the algal cell density increased, the concentration of the test substance decreased at faster rate. The recovery phase results indicated that the test substance has an algistatic, rather than an algicidal effect on the growth of <i>Selenastrum capricornutum</i> at a geometric mean</p>
-------------------	--

	concentration of 2.8 mg/L.
CONCLUSION	The test substance is very toxic to algae although the inhibition of cell density was determined to be algistatic rather than algicidal.
TEST FACILITY	Springborn Smithers (2002)

### 8.2.5. Inhibition of microbial activity

TEST SUBSTANCE	Notified chemical
METHOD	OECD TG 209 Activated Sludge, Respiration Inhibition Test EC Directive 67/548/EEC, Annex L 133 Part C (Edition 1988)
Inoculum	Activated sludge from a communal wastewater treatment plant
Exposure Period	3 hours
Concentration Range	
Nominal	25.6, 64, 160, 400 and 1000 mg/L
Remarks – Method	Test concentrations of the reference substance (3,5-dichlorophenol) were 3.2, 10 and 32 mg/L.
RESULTS	
IC50	> 1000 mg/L
NOEC	1000 mg/L (highest concentration tested)
Remarks – Results	The percentage inhibition of the respiration rate caused by the test substance was between 3.8 and 22.3. Therefore, an IC50 value for the test substance was not calculated. However, it was concluded as higher than the highest test concentration tested (1000 mg/L, which is far above the limit of water solubility of the test substance).
	The IC50 of the reference substance was 7.9 mg/L, thus validating the test.
CONCLUSION	The test substance was not toxic to bacteria in activated sludge.
TEST FACILITY	Solvias AG (2001e)

## 9. RISK ASSESSMENT

### 9.1. Environment

#### 9.1.1. Environment – exposure assessment

The majority of waste containing the notified chemical generated during formulation and extrusion or moulding is expected to be disposed of to landfill. Some of this may be recycled or incinerated. Up to 100 kg per annum of the notified chemical will be flushed to on-site water treatment plants during cleaning of import drums at the drum reconditioning facilities. The high log Pow and log Koc values and the low water solubility of the notified chemical indicates a high affinity for the organic phase and component of soils and sediments. Therefore, the majority of the notified chemical entering the treatment facility is expected to be adsorbed to sludge, which will be disposed of to landfill.

At the end of their serviceable lives it is expected that most of the PVC pipes and other construction materials would be placed into landfill. Some may be incinerated destroying the new chemical with production of water vapour and oxides of carbon and sulphur. Very little PVC is currently recycled due to the presence of additives. In landfill, the PVC matrix is expected to be slowly broken down through biological and abiotic processes and will release the new chemical. Even if released to the soil, the new chemical is expected to be relatively immobile due to being adsorbed to soils and sediments. Although not readily biodegradable, it is anticipated that prolonged residence in an active landfill environment would eventually degrade

the notified chemical due to abiotic or slow biotic processes to give water vapour and oxides of carbon and sulphur.

Some slow and continuing release of the notified chemical is also expected from the surfaces of PVC pipes and other articles during their service lives, and though difficult to quantify, it is not anticipated to be large. The results of an extraction study are summarised under Section 5.4. Based on the results of this study, the amount of the notified chemical leached into the water (as a percent of the amount present in the PVC plaques) was estimated to be  $6.9 \times 10^{-4}$  %. This suggests that the notified chemical is not very mobile in the PVC and that loss through leaching can be expected to be very low.

The lipophilic nature and the relatively low molecular weight of the notified chemical indicates a potential to bioaccumulate as it can be expected to passively diffuse across biological membranes. However, metabolism is expected to limit this potential.

#### 9.1.2. Environment – effects assessment

The results of the aquatic toxicity tests (all end points are based on measured concentrations) are listed below.

<i>Organism</i>	<i>Duration</i>	<i>End Point</i>	<i>mg/L</i>
Fish	96-h	LC50	> 9.3
Daphnia	48-h	EC50	> 2.24
Green algae - Test 1	72-h	E <sub>b</sub> C50	>4.67
	72-h	E <sub>r</sub> C50	4.67
Green algae - Test 2	96-h	EC50 Cell density	0.34
	72-h	E <sub>b</sub> C50	0.52
	72-h	E <sub>r</sub> C50	0.90

A predicted no effect concentration (PNEC - aquatic ecosystems) of  $3.4 \times 10^{-3}$  mg/L (3.4 µg/L) has been derived by dividing the end point value of 0.34 mg/L by a worst-case scenario uncertainty (safety) factor of 100 (as toxicity data are available for three trophic levels).

#### 9.1.3. Environment – risk characterisation

The majority of the notified chemical will eventually be disposed of to landfill, including the PVC products at the end of their useful lives. The majority of the small amount of residue chemical in empty containers is expected to be adsorbed to the sludge in the on-site wastewater treatment plants, thus limiting release to the aquatic environment

Considering the potential of the notified chemical to be released slowly and continuously from the surfaces of PVC pipes and other articles during their service lives, the following worst-case scenario was used to determine the predicted environmental concentrations (PECs). It is estimated that approximately 50% of the notified chemical will be used in PVC pipes and fittings of which the majority will be used in domestic and commercial sewerage and storm water pipes. It is assumed that 50% of the chemical (up to 15 tonnes) is used in sewerage pipes and pipe fittings and that 10% is released from the pipes to the sewer annually.

Assuming a national population of 19.5 million and that each person contributes an average 200 L/day to overall sewage flows, the daily release on a nationwide basis to receiving waters is estimated to be 4.11 kg/day, the predicted concentration in sewage effluent on a nationwide basis is estimated as 1.05 µg/L. Based on dilution factors of 1 and 10 for inland and ocean discharges of STP-treated effluents, the PECs of the notified chemical in freshwater and marine water may approximate 1.05 µg/L or 0.105 µg/L, respectively.

The risk quotient (PEC/PNEC ratio) for the aquatic environment assuming nationwide use, based on the worst-case assumptions given above is 0.31. The actual PEC and risk quotient values could be expected to be considerably lower, given that the level of exposure of the notified chemical will further reduce due to:

- the much lower (than the assumed values) release of the chemical to the sewer system via

- pipes and pipe fittings;
- the removal via treatment and/or degradation in sewerage treatment facilities; and
- the chemical adsorbing to the sediments in the aquatic environment.

The notified chemical is also used in storm water pipes and pipe fittings. Based on the results of the extraction study summarised under Section 5.4, the concentration of the notified chemical migrated to the water was less than the method detection limit of 0.953 µg/L. If it is assumed that the PEC of the notified chemical in stormwater is equal to 0.953 µg/L, the resulting risk quotient is 0.28. The concentration of the chemical can be expected to be considerably lower than the above due to dilution in the stormwater system, and due to lack of time for equilibration, thus reducing the quotient further.

Therefore, although the notified chemical has a potential to bioaccumulate, it is unlikely that it would exist at levels which could pose a threat to aquatic organisms or to bioaccumulate. Based on the proposed use pattern, the release of the notified chemical to the environment is expected to be very low. Abiotic or slow biotic processes are expected to be largely responsible for the eventual degradation of the notified polymer as it is not readily biodegradable.

## **9.2. Human health**

### **9.2.1. Occupational health and safety – exposure assessment**

During transport and storage, workers are unlikely to be exposed to the notified chemical. In the event of an accident, spills will be removed in accord with the MSDS and government regulations.

Inhalation, dermal and ocular exposure will potentially occur during certain formulation and plastics processing procedures due to spillages and possible splashes if the chemical is to be imported in a liquid form, particularly when it is presented as pure or in concentrated products. However, exposure to significant amounts of the notified chemical is limited because of the engineering controls and personal protective equipment worn by workers. Employers are responsible for maintaining the level of atmospheric nuisance dust below the NOHSC exposure standard of 10 mg/m<sup>3</sup> TWA (NOHSC, 1995). Personal protective equipment (impervious gloves, dust/vapour respirators, safety glasses and protective clothing) is also required for protection of workers against hot processes.

### **9.2.2. Public health – exposure assessment**

The notified chemical is intended only for use in the plastic manufacturing industry. It will not be sold to the public except in the form of finished articles, which is inert, chemically stable and unlikely to be bioavailable. The public exposure is therefore determined to be low.

With regard to the indirect exposure, the notified chemical has a low migration rate and will be diluted in a large volume of potable water (or others) circulating in pipes, thus the amounts can be assessed negligible. The results of an extraction test (Rohm and Haas, 2003) showing that the amounts of C-2330 in the water were well below the limits for food contact have substantiated this conclusion.

### **9.2.3. Human health - effects assessment**

The notified chemical has a low acute oral and dermal toxicity in rats (LD50>2000 mg/kg/bw). It is slightly irritating to the skin and eyes of the rabbit, and shows no sensitising activity at 1% solution in an adjuvant study in guinea pigs. The NOAEL were established to be 8000 ppm and 10000 ppm in a 28- and 90-day repeat dose oral study in rats respectively. Changes recorded in liver weight, haematocrit, RBC count were not considered adverse since they were small in magnitude and there were no correlative gross or histopathological findings, however these were noted in both studies, with haematology not being consistent by sex.

It was not a mutagenic in a bacterial reverse mutation assay, and did not reveal any genotoxic potential in vitro.

Based on the available data, the notified chemical will not be classified as hazardous in accordance with the NOHSC *Approved Criteria for Classifying Hazardous Substances* (NOHSC, 2002). However, the MSDS indicates that dust and/or mist generated from processing of the notified chemical may cause mechanical irritation to the eyes and respiratory tract if inhaled. Repeated or prolonged skin contact with the chemical may result in mild irritation.

#### **9.2.4. Occupational health and safety – risk characterisation**

The OHS risk presented by the notified chemical is expected to be low, given the low hazard of the chemical, the automated process and engineering controls, the good work practices and safety measures including use of appropriate personal protective equipment by workers.

The notified chemical may be present in formulations containing hazardous ingredients. If these formulations are classified as hazardous to health in accordance with the NOHSC *Approved Criteria for Classifying Hazardous Substances*, workplace practices and control procedures consistent with provisions of State and Territory hazardous substances legislation must be in operation.

#### **9.2.5. Public health – risk characterisation**

Members of the public may make dermal contact with plastic articles containing the notified chemical. However, the risk to public health will be negligible because the chemical is present at low concentrations, bound within a matrix and not bioavailable. Furthermore, it has a low toxicity profile.

### **10. CONCLUSIONS – ASSESSMENT LEVEL OF CONCERN FOR THE ENVIRONMENT AND HUMANS**

#### **10.1. Hazard classification**

Based on the available data the notified chemical is not classified as hazardous under the NOHSC *Approved Criteria for Classifying Hazardous Substances*.

As a comparison only, the classification of notified chemical using the Globally Harmonised System for the Classification and Labelling of Chemicals (GHS) (United Nations, 2003) is presented below. This system is not mandated in Australia and carries no legal status but is presented for information purposes.

According to the criteria of the GHS, the notified polymer is classified as Chronic I (very toxic to aquatic life with long lasting effects).

#### **10.2. Environmental risk assessment**

On the basis of the PEC/PNEC ratio, the chemical is not considered to pose a risk to the environment based on its reported use pattern.

#### **10.3. Human health risk assessment**

##### **10.3.1. Occupational health and safety**

There is Low Concern to occupational health and safety under the conditions of the occupational settings described.

##### **10.3.2. Public health**

There is Negligible Concern to public health when used in the proposed manner.

### **11. MATERIAL SAFETY DATA SHEET**

#### **11.1. Material Safety Data Sheet**

The MSDS of the notified chemical provided by the notifier was in accordance with the NOHSC *National Code of Practice for the Preparation of Material Safety Data Sheets* (NOHSC, 2003).



It is published here as a matter of public record. The accuracy of the information on the MSDS remains the responsibility of the applicant.

### 11.2. Label

The label for the notified chemical provided by the notifier was in accordance with the NOHSC *National Code of Practice for the Labelling of Workplace Substances* (NOHSC, 1994). The accuracy of the information on the label remains the responsibility of the applicant.

## 12. RECOMMENDATIONS

### CONTROL MEASURES

#### Occupational Health and Safety

- Employers should implement the following engineering controls to minimise occupational exposure to dust and mist of the notified chemical:
  - Enclosed and automated processes at the mixing and moulding/extrusion sites, including enclosed and automatic transfer lines/pumps for loading and emptying of the mixing and cooling vessels;
  - Adequate local exhaust ventilation for the plant operators.
- Employers should ensure that the following personal protective equipment is used by workers to minimise occupational exposure to dust and mist of the notified chemical:
  - Dust masks (or appropriate respirators) and safety glasses;
  - Industrial standard protective clothing and gloves.

Guidance in selection of personal protective equipment can be obtained from Australian, Australian/New Zealand or other approved standards.

- Occupational exposure to dust or decomposition products during formulation and extruding articles made from the notified chemical should be maintained below the NOHSC and ACGIH Exposure Standards (10 mg/m<sup>3</sup> TWA for nuisance dust and 3 mg/m<sup>3</sup> for respirable dust, respectively).
- A copy of the MSDS should be easily accessible to employees.
- If products and mixtures containing the notified chemical are classified as hazardous to health in accordance with the NOHSC *Approved Criteria for Classifying Hazardous Substances*, workplace practices and control procedures consistent with provisions of State and Territory hazardous substances legislation must be in operation.

#### Disposal

- The notified chemical should be disposed of in a licensed waste landfill or by incineration in accordance with local, state, and federal regulations.

#### Emergency procedures

- Spills/release of the notified chemical should be handled as outlined in the MSDS.

### 12.1. Secondary notification

The Director of Chemicals Notification and Assessment must be notified in writing within 28 days by the notifier, other importer or manufacturer:

- (1) Under Section 64(2) of the Act:
  - if any of the circumstances listed in the subsection arise.

The Director will then decide whether secondary notification is required.

No additional secondary notification conditions are stipulated.

### 13. BIBLIOGRAPHY

- Covance (2001a) Mutagenicity test on C-3660, measuring chromosomal aberration in Chinese Hamster Ovary (CHO) cells. Study no. 21885-0-437OECD. Vienna, VA, Covance Laboratories Inc. (unpublished report submitted by Rohm and Haas, Report no. 00RC-228A).
- Covance (2001b) CHO HGPRT Forward mutation assay with a confirmatory assay and duplicate cultures with C-3660. Study no. 21885-0-435OECD. Vienna, VA, Covance Laboratories Inc. (unpublished report submitted by Rohm and Haas, Report no. 00RC-229A).
- HLS (2000) C-3660 Water solubility and partition coefficient. Project no. RAS/212. Cambridgeshire, UK, Huntingdon Life Sciences Ltd (unpublished report submitted by Rohm and Haas).
- Lewis RJ (1996) Sax's dangerous properties of industrial materials, 9<sup>th</sup> ed. New York, Van Nostrand Reinhold, p. 1566.
- Mensink BJWG, Montforts M, Wijkhuizen-Maslankiewicz L, Tibosch H, & Linders JBHJ (1995) Manual for summarising and evaluating the environmental aspects of pesticides. Report No. 679101022. National Institute of Public Health and Environmental Protection, Bilthoven, The Netherlands.
- NOHSC (1994) National Code of Practice for the Labelling of Workplace Substances [NOHSC:2012(1994)]. National Occupational Health and Safety Commission, Canberra, Australian Government Publishing Service.
- NOHSC (1995) Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] & [NOHSC:1003(1995)]. National Occupational Health and Safety Commission, Canberra, Australian Government Publishing Service.
- NOHSC (2002) Approved Criteria for Classifying Hazardous Substances [NOHSC:1008(2002)]. National Occupational Health and Safety Commission, Canberra, AusInfo.
- NOHSC (2003) National Code of Practice for the Preparation of Material Safety Data Sheets, 2<sup>nd</sup> edn [NOHSC:2011(2003)]. National Occupational Health and Safety Commission, Canberra, Australian Government Publishing Service.
- RCC (2001a) Determination of NMR, IR and UV/VIS absorption spectra of C-3660. Study no. 812305. Itingen, Switzerland, Environmental Chemistry & Pharamalytics Division, RCC Ltd (unpublished report submitted by Rohm and Haas).
- RCC (2001b) Determination of the vapour pressure of C-3660. Study no. 812340. Itingen, Switzerland, Environmental Chemistry & Pharamalytics Division, RCC Ltd (unpublished report submitted by Rohm and Haas).
- RCC (2001c) Hydrolysis determination of C-3660 at different pH values. Study no. 812520. Itingen, Switzerland, Environmental Chemistry & Pharamalytics Division, RCC Ltd (unpublished report submitted by Rohm and Haas).
- RCC (2001d) The adsorption coefficient for soils and sediment of C-3660. Study no. 812417. Itingen, Switzerland, Environmental Chemistry & Pharamalytics Division, RCC Ltd (unpublished report submitted by Rohm and Haas).
- RCC (2001e) C-3660: Acute oral toxicity study in rats. Study no. 812428. Itingen, Switzerland, Toxicology Division, RCC Ltd (unpublished report submitted by Rohm and Haas).
- RCC (2001f) C-3660: Acute dermal toxicity study in rats. Study no. 812430. Itingen, Switzerland, Toxicology Division, RCC Ltd (unpublished report submitted by Rohm and Haas).
- RCC (2001g) C-3660: Primary skin irritation study in rabbits (4-hour semi-occlusive application). Study no. 812441. Itingen, Switzerland, Toxicology Division, RCC Ltd (unpublished report submitted by Rohm and Haas).
- RCC (2001h) C-3660: Primary eye irritation study in rabbits. Study no. 812452. Itingen, Switzerland, Toxicology Division, RCC Ltd (unpublished report submitted by Rohm and Haas).
- RCC (2001i) C-3660: Contact hypersensitivity in albino guinea pigs – Maximization test. Study no. 812463. Fullinsdorf, Switzerland, Toxicology Division, RCC Ltd (unpublished report submitted by Rohm and Haas).

- RHC (2001a) C-3660: 28-day dietary toxicity study in rats. Report no. 01R-133. Spring House, PA, Toxicology Department, Rohm and Haas Company (unpublished report submitted by Rohm and Haas).
- RHC (2001b) *Salmonella typhimurium* Reverse Mutation Test for C-3660. Report no. 00R-227. Spring House, PA, Toxicology Department, Rohm and Haas Company (unpublished report submitted by Rohm and Haas).
- RHC (2002) C-3660: Three-month dietary toxicity study in rats. Report no. 01R-124. Spring House, PA, Toxicology Department, Rohm and Haas Company (unpublished report submitted by Rohm and Haas).
- Rohm and Haas (2003) Extraction and analysis of PVC plaques made with C-3660. Cincinnati Facility, Rohm and Haas Pty Ltd (unpublished report submitted by Rohm and Haas).
- Solvias AG (2001a) Ready biodegradability of C-3660 (Manometric Respirometry Test). Study no. L01-002768. Basel, Switzerland, GLP Test Facility Solvias, Solvias AG (unpublished report submitted by Rohm and Haas).
- Solvias AG (2001b) Acute toxicity of C-3660 to rainbow trout (*Oncorhynchus mykiss*) under semi-static conditions. Study no. L01-002764. Basel, Switzerland, GLP Test Facility Solvias, Solvias AG (unpublished report submitted by Rohm and Haas).
- Solvias AG (2001c) Acute toxicity of C-3660 to *Daphnia magna* (Immobilisation Test). Study no. L01-002765. Basel, Switzerland, GLP Test Facility Solvias, Solvias AG (unpublished report submitted by Rohm and Haas).
- Solvias AG (2001d) Toxicity of C-3660 to green algae (Growth Inhibition Test). Study no. L01-002766. Basel, Switzerland, GLP Test Facility Solvias, Solvias AG (unpublished report submitted by Rohm and Haas).
- Solvias AG (2001e) Bacteria toxicity of C-3660 (Activated Sludge Respiration Inhibition Test). Study no. L01-002767. Basel, Switzerland, GLP Test Facility Solvias, Solvias AG (unpublished report submitted by Rohm and Haas).
- Springborn Smithers (2002) C-3660 – Toxicity to the freshwater green alga, *Pseudokirchneriella subcapitata*. Study no. 86.6249. Massachusetts, USA, Springborn Smithers Laboratories (unpublished report submitted by Rohm and Haas).
- United Nations (2003) Globally Harmonised System of Classification and Labelling of Chemicals (GHS). United Nations Economic Commission for Europe (UN/ECE), New York and Geneva.