

## NATIONAL INDUSTRIAL CHEMICALS NOTIFICATION AND ASSESSMENT SCHEME (NICNAS)

### POLYMER OF LOW CONCERN PUBLIC REPORT

#### Polymer in Z-171

This Assessment has been compiled in accordance with the provisions of the *Industrial Chemicals (Notification and Assessment) Act 1989* (the Act) and Regulations. The National Industrial Chemicals Notification and Assessment Scheme (NICNAS) is administered by the Australian Government Department of Health, and conducts the risk assessment for public health and occupational health and safety. The assessment of environmental risk is conducted by the Australian Government Department of the Environment and Energy.

This Public Report is available for viewing and downloading from the NICNAS website or available on request, free of charge, by contacting NICNAS. For requests and enquiries please contact the NICNAS Administration Coordinator at:

Street Address:	Level 7, 260 Elizabeth Street, SURRY HILLS NSW 2010, AUSTRALIA.
Postal Address:	GPO Box 58, SYDNEY NSW 2001, AUSTRALIA.
TEL:	+ 61 2 8577 8800
FAX:	+ 61 2 8577 8888
Website:	<a href="http://www.nicnas.gov.au">www.nicnas.gov.au</a>

**Director  
NICNAS**

September 2016

### Table of Contents

SUMMARY .....	2
CONCLUSIONS AND REGULATORY OBLIGATIONS.....	2
ASSESSMENT DETAILS.....	4
1. APPLICANT AND NOTIFICATION DETAILS.....	4
2. IDENTITY OF POLYMER .....	4
3. PLC CRITERIA JUSTIFICATION .....	4
4. PHYSICAL AND CHEMICAL PROPERTIES.....	4
5. INTRODUCTION AND USE INFORMATION .....	4
6. HUMAN HEALTH RISK ASSESSMENT.....	5
7. ENVIRONMENTAL RISK ASSESSMENT .....	5

## SUMMARY

The following details will be published in the NICNAS *Chemical Gazette*:

ASSESSMENT REFERENCE	APPLICANT(S)	CHEMICAL OR TRADE NAME	HAZARDOUS SUBSTANCE	INTRODUCTION VOLUME	USE
PLC/1367	Lubrizol International, Inc.	Polymer in Z-171	No	≤ 100 tonnes per annum	Component of interior wood finishing

## CONCLUSIONS AND REGULATORY OBLIGATIONS

### **Human Health Risk Assessment**

Based on the assumed low hazard and the assessed use pattern, the notified polymer is not considered to pose an unreasonable risk to the health of workers and the public.

### **Environmental Risk Assessment**

Based on the assumed low hazard and the assessed use pattern, the notified polymer is not considered to pose an unreasonable risk to the environment.

### **Health and Safety Recommendations**

- No specific engineering controls, work practices or personal protective equipment are required for the safe use of the notified polymer itself. However, these should be selected on the basis of all ingredients in the formulation.

Guidance in selection of personal protective equipment can be obtained from Australian, Australian/New Zealand or other approved standards.

- A copy of the (M)SDS should be easily accessible to employees.
- If products and mixtures containing the notified polymer are classified as hazardous to health in accordance with the *Globally Harmonised System of Classification and Labelling of Chemicals (GHS)*, as adopted for industrial chemicals in Australia, workplace practices and control procedures consistent with provisions of State and Territory hazardous substances legislation should be in operation.

### **Disposal**

- Where reuse or recycling are not appropriate, dispose of the notified polymer in an environmentally sound manner in accordance with relevant Commonwealth, state, territory and local government legislation.

### **Emergency Procedures**

- Spills and/or accidental release of the notified polymer should be handled by physical containment, collection and subsequent safe disposal.

### **Secondary Notification**

This risk assessment is based on the information available at the time of notification. The Director may call for the reassessment of the polymer under secondary notification provisions based on changes in certain circumstances. Under Section 64 of the *Industrial Chemicals (Notification and Assessment) Act (1989)* the notifier, as well as any other importer or manufacturer of the notified polymer, have post-assessment regulatory obligations to notify NICNAS when any of these

circumstances change. These obligations apply even when the notified polymer is listed on the Australian Inventory of Chemical Substances (AICS).

Therefore, the Director of NICNAS must be notified in writing within 28 days by the notifier, other importer or manufacturer:

- (1) Under Section 64(1) of the Act; if
  - the notified polymer is introduced in a chemical form that does not meet the PLC criteria;or
- (2) Under Section 64(2) of the Act; if
  - the function or use of the notified polymer has changed from a component of interior wood finishing, or is likely to change significantly;
  - the amount of notified polymer being introduced has increased, or is likely to increase, significantly;
  - the notified polymer has begun to be manufactured in Australia;
  - additional information has become available to the person as to an adverse effect of the notified polymer on occupational health and safety, public health, or the environment.

The Director will then decide whether a reassessment (i.e. a secondary notification and assessment) is required.

**(Material) Safety Data Sheet**

The (M)SDS of the product containing the notified polymer was provided by the applicant. The accuracy of the information on the (M)SDS remains the responsibility of the applicant.

## ASSESSMENT DETAILS

### 1. APPLICANT AND NOTIFICATION DETAILS

#### Applicants

Lubrizol International, Inc. (ABN: 52 073 495 603)  
28 River Street  
SILVERWATER NSW 2128

#### Exempt Information (Section 75 of the Act)

Data items and details claimed exempt from publication: chemical name, CAS number, molecular and structural formulae, molecular weight, polymer constituents, residual monomers/impurities and import volume.

### 2. IDENTITY OF POLYMER

#### Marketing Name(s)

Z-171 (contains the notified polymer at 10-15% concentration)

#### Molecular weight

Number Average Molecular Weight (Mn) is > 10,000 Da

### 3. PLC CRITERIA JUSTIFICATION

<i>Criterion</i>	<i>Criterion met</i>
Molecular Weight Requirements	Yes
Functional Group Equivalent Weight (FGEW) Requirements	Yes
Low Charge Density	Yes
Approved Elements Only	Yes
Stable Under Normal Conditions of Use	Yes
Not Water Absorbing	Yes
Not a Hazard Substance or Dangerous Good	Yes

The notified polymer meets the PLC criteria.

### 4. PHYSICAL AND CHEMICAL PROPERTIES

Appearance at 20 °C and 101.3 kPa	Yellow to amber liquid*
Melting Point/Glass Transition Temp	Not determined
Density	1,000 kg/m <sup>3</sup> at 24 °C (estimated)*
Water Solubility	Insoluble
Dissociation Constant	Not determined. The notified polymer does not contain dissociable groups.

\*For the product Z-171 containing the notified polymer at 10-15% concentration

### 5. INTRODUCTION AND USE INFORMATION

#### Maximum Introduction Volume of Notified Chemical (100%) Over Next 5 Years

<i>Year</i>	<i>1</i>	<i>2</i>	<i>3</i>	<i>4</i>	<i>5</i>
Tonnes	20-25	30-35	40-50	60-75	75-100

**Use**

The notified polymer will not be manufactured in Australia. The notified polymer will be imported at 10-15 % concentration in the product Z-171 for reformulation of interior wood finishes. The finished product containing the notified polymer at ~8 % concentration will be applied to surfaces with a brush or roller. The finished products containing the notified polymer will be used by both professional and Do-It-Yourself (DIY) users.

**6. HUMAN HEALTH RISK ASSESSMENT**

No toxicological data were submitted. The notified polymer meets the PLC criteria and is therefore assumed to be of low hazard. The risk of the notified polymer to occupational and public health is not considered to be unreasonable given the assumed low hazard and the assessed use pattern.

**7. ENVIRONMENTAL RISK ASSESSMENT**

No ecotoxicological data were submitted.

The notified polymer will be imported into Australia as a component of a product for reformulation into finished coating formulations for wood substrates. During reformulation, the product containing the notified polymer will be blended with other ingredients at industrial sites and packaged for retail. Release of the notified polymer to the environment during import, reformulation, storage, and transport is expected to be limited to accidental spills or leaks and residue in import packaging. Spills or accidental release of the products containing the notified polymer are expected to be collected with adsorbents, and disposed of to landfill in accordance with local government regulations.

Products containing the notified polymer will be used in a commercial setting (> 90%), industrial settings (< 5%) and Do-It-Yourself (DIY) users (< 5%). During use, the products containing the notified polymer are expected to be applied by brush and roller techniques. During use, the notified polymer may be released to the environment as accidental spills and container residues. These releases are expected to be collected and disposed of to landfill in accordance with local government regulations.

Residues containing the notified polymer on brushes and rollers are expected to be rinsed into containers, and then allowed to cure before disposal as solid wastes to landfill. As a worst case scenario, it is assumed that up to 5% of the coatings containing the notified polymer used by DIY users may be incorrectly disposed of to the sewer, drains, or ground from waste and washing of application equipment. However, based on its limited expected aquatic release, the notified polymer is not expected to be released to surface waters at ecotoxicologically significant concentrations.

The notified polymer in coatings will share the fate of the coated article, which ultimately is expected to be disposed of to landfill. In landfill, the notified polymer will be present as cured solids, which will be neither bioavailable nor mobile. Based on its high molecular weight, the notified polymer is not expected to cross biological membranes, and is therefore unlikely to bioaccumulate. In landfill the notified polymer is expected to eventually degrade via biotic and abiotic processes to form water and oxides of carbon and nitrogen.

Therefore, based on its assumed low hazard and reported use pattern, the notified polymer is not considered to pose an unreasonable risk to the environment.