File No PLC/1202

NATIONAL INDUSTRIAL CHEMICALS NOTIFICATION AND ASSESSMENT SCHEME (NICNAS)

POLYMER OF LOW CONCERN PUBLIC REPORT

Polymer in V162

This Assessment has been compiled in accordance with the provisions of the *Industrial Chemicals (Notification and Assessment) Act 1989* (the Act) and Regulations. The National Industrial Chemicals Notification and Assessment Scheme (NICNAS) is administered by the Australian Government Department of Health, and conducts the risk assessment for public health and occupational health and safety. The assessment of environmental risk is conducted by the Australian Government Department of the Environment.

For the purposes of subsection 78(1) of the Act, this Public Report may be inspected at our NICNAS office by appointment only at Level 7, 260 Elizabeth Street, Surry Hills NSW 2010.

This Public Report is also available for viewing and downloading from the NICNAS website or available on request, free of charge, by contacting NICNAS. For requests and enquiries please contact the NICNAS Administration Coordinator at:

Street Address:	Level 7, 260 Elizabeth Street, SURRY HILLS NSW 2010, AUSTRALIA.
Postal Address:	GPO Box 58, SYDNEY NSW 2001, AUSTRALIA.
TEL:	+ 61 2 8577 8800
FAX:	+ 61 2 8577 8888
Website:	www.nicnas.gov.au

Director
NICNAS

August 2014

Table of Contents

SUMMARY

The following details will be published in the NICNAS *Chemical Gazette:*

ASSESSMENT REFERENCE	APPLICANT(S)	CHEMICAL OR TRADE NAME	HAZARDOUS SUBSTANCE	INTRODUCTION VOLUME	USE
PLC/1202	Endeavour Chemicals and Plastics	Polymer in V162	No	≤ 100 tonnes per annum	Component of coatings

CONCLUSIONS AND REGULATORY OBLIGATIONS

Human Health Risk Assessment
Based on the assumed low hazard and the assessed use pattern, the notified polymer is not considered to pose an unreasonable risk to the health of workers and the public.

Environmental Risk Assessment
Based on the assumed low hazard and the assessed use pattern, the notified polymer is not considered to pose an unreasonable risk to the environment.

Health and Safety Recommendations

- No specific engineering controls, work practices or personal protective equipment are required for the safe use of the notified polymer itself.

  Guidance in selection of personal protective equipment can be obtained from Australian, Australian/New Zealand or other approved standards.

- A copy of the (M)SDS should be easily accessible to employees.

- Spray applications should be carried out in accordance with the Safe Work Australia Code of Practice for *Spray Painting and Powder Coating* (Safe Work Australia, 2012) or relevant State or Territory Code of Practice.

- If products and mixtures containing the notified polymer are classified as hazardous to health in accordance with the *Globally Harmonised System for the Classification and Labelling of Chemicals (GHS),* as adopted for industrial chemicals in Australia, workplace practices and control procedures consistent with provisions of State and Territory hazardous substances legislation should be in operation.

Disposal

- The notified polymer should be disposed to landfill.

Emergency Procedures

- Spills and/or accidental release of the notified polymer should be handled by physical containment, collection and subsequent safe disposal.

Secondary Notification
This risk assessment is based on the information available at the time of notification. The Director may call for the reassessment of the polymer under secondary notification provisions based on changes in certain circumstances. Under Section 64 of the *Industrial Chemicals (Notification and Assessment) Act (1989)* the notifier, as well as any other importer or manufacturer of the notified polymer, have post-assessment regulatory obligations to notify NICNAS when any of these

circumstances change. These obligations apply even when the notified polymer is listed on the Australian Inventory of Chemical Substances (AICS).

Therefore, the Director of NICNAS must be notified in writing within 28 days by the notifier, other importer or manufacturer:

(1) Under Section 64(1) of the Act; if
- the notified polymer is introduced in a chemical form that does not meet the PLC criteria.

or

(2) Under Section 64(2) of the Act; if
- the function or use of the notified polymer has changed from component of coatings, or is likely to change significantly;
- the amount of notified polymer being introduced has increased, or is likely to increase, significantly;
- the notified polymer has begun to be manufactured in Australia;
- additional information has become available to the person as to an adverse effect of the notified polymer on occupational health and safety, public health, or the environment.

The Director will then decide whether a reassessment (i.e. a secondary notification and assessment) is required.

(Material) Safety Data Sheet

The (M)SDS of the product containing the notified polymer was provided by the applicant. The accuracy of the information on the (M)SDS remains the responsibility of the applicant.

ASSESSMENT DETAILS

1. APPLICANT AND NOTIFICATION DETAILS

Applicants
Endeavour Chemicals and Plastics (ABN: 31 383 320 179)
Suite 6, 423 King Georges Road
BEVERLEY HILLS NSW 2209

Exempt Information (Section 75 of the Act)
Data items and details claimed exempt from publication: chemical name, CAS number, molecular formula, structural formula, molecular weight, polymer constituents, and residual monomers/impurities.

2. IDENTITY OF POLYMER

Marketing Name(s)
V162 (contains the notified polymer at 50-60% concentration in organic solvent)

Molecular Weight
Number Average Molecular Weight (Mn) is > 1,000 Da

3. PLC CRITERIA JUSTIFICATION

Criterion	*Criterion met*
Molecular Weight Requirements	Yes
Functional Group Equivalent Weight (FGEW) Requirements	Not applicable
Low Charge Density	Not applicable
Approved Elements Only	Yes
Stable Under Normal Conditions of Use	Yes
Not Water Absorbing	Yes
Not a Hazard Substance or Dangerous Good	Yes

The notified polymer meets the PLC criteria.

4. PHYSICAL AND CHEMICAL PROPERTIES

Appearance at 20 °C and 101.3 kPa	High viscous, yellowish liquid
Melting Point/Glass Transition Temp	Not applicable
Density	1,000 – 1,100 kg/m^3 at 20 °C
Water Solubility	Not determined. Expected to be low based on the predominantly hydrophobic structure and high molecular weight of the notified polymer.
Reactivity	Stable under normal environmental conditions
Degradation Products	None under normal conditions of use

5. INTRODUCTION AND USE INFORMATION

Maximum Introduction Volume of Notified Chemical (100%) Over Next 5 Years

Year	*1*	*2*	*3*	*4*	*5*
Tonnes	50-100	50-100	50-100	50-100	50-100

Use
The notified polymer will not be manufactured in Australia. The notified polymer will be imported at 50-60% concentration in organic solvent which will be used in the formulation of paints and varnishes. The finished coatings will contain the notified polymer at 25-50% concentration.

The finished products will be used in industrial applications (mainly metal surfaces), with some DIY applications expected.

6. HUMAN HEALTH RISK ASSESSMENT

No toxicological data were submitted. The notified polymer meets the PLC criteria and is therefore assumed to be of low hazard. The risk of the notified polymer to occupational and public health is not considered to be unreasonable given the assumed low hazard and the assessed use pattern.

7. ENVIRONMENTAL RISK ASSESSMENT

No ecotoxicological data were submitted. Polymers without significant ionic functionality are generally of low concern to the environment.

During reformulation of paints and varnishes, the notified polymer may be released to the environment as spills and container residues. These releases are expected to be collected, cured and sent to landfill.

The notified polymer will be used by both industrial and Do-It-Yourself (DIY) users. During use, coatings containing the notified polymer will be applied by brush, roller and spray techniques. It is expected some of the coating product will be in the form of overspray during spraying operations and will typically entail landfill disposal, after being collected. Residues containing the notified polymer on brushes and rollers are expected to be rinsed into containers and then allowed to cure before disposal, as solid wastes, to landfill. Up to 5% of the notified polymer used by DIY users may be incorrectly disposed of to the sewer, drains or ground from waste and washing of application equipment. Assuming the releases occurs nationwide and over the entire year, this is unlikely to lead to ecotoxicologically relevant concentrations of the notified polymer in the aquatic environment.

The fate of the coating cured on the substrate will be shared with the fate of the coated article, which ultimately is expected to be sent to landfill. In landfill, the notified polymer will be present as cured solids which will be neither bioavailable nor mobile. Furthermore, the notified polymer is not expected to bioaccumulate due to its high molecular weight. It is expected to eventually degrade in the environment to form oxides of carbon, and water vapour. Therefore, based on its assumed low hazard and assessed use pattern, the notified polymer is not considered to pose an unreasonable risk to the environment.