egliphia AEI

India, amount, Ai,

India, amount, Ai,

India, amount, Ain,

India, Ain,

India,

Before

[DIN tig. derived\_dimate dd\_1 ON h.fiscal\_year = dd\_1.fiscals dd\_1.fiscalmorthylear AND dd\_1.salantdayofmorth = Yt:bpchar GRDUP BY b.sidc\_account\_j.id, b.sidc\_account\_pame, dd\_1.andofmonth,

b.split\_decision pref AS (
SELECT
b. slids, account, id,
b. slids, account, name,
dd, l. anderfmonth AS period, and, di
sum(b.bbl), amount AS bill, amount
EROM
brglow i-

FROM
bylku b

JON Nity derhved, dimdate dd., 1 ON b.fiscal, ywer = dd, 1.fiscalyear AND b.fiscal\_mo
dd.). Incaknortholyear AND dd.; Jalestdeyofmorth = Y'.bpchar

GROUP BY
bylds, Account\_ld.

b.sfdc\_account\_name, dd\_1.endofmonth

side part of the second of the

Express Land date, you a served Land date, yet it served Land date, yet it served Land date, yet it served Land date, amount, if, folice, amount, if, folice, amount, if, folice, amount, if means, if the land date, if the land date is the land date, if the land date, if the land date is the land date is the land date in the land date, if the land date is the land date is the land date in the land date is the land date. In the land date, if the land date is the land date is the land date is the land date in the land date is the land date. In the land date is the land date in the land date is the

speriod and, date, pre-most = f, period, and, f SELT enrylle.olde\_section(\_id=n), arrylle.olde\_section(\_id=n), arrylle.olde\_date\_flag, arrylle.olde\_date\_flag, arrylle.olde\_date\_flag, arrylle.olde\_date\_flag, arrylle.olde\_section(\_id=n), arrylle.olde

ADO aniated, dynatrace, accourt, c. 15. I UNION
SELECT DOTTNET
discourt, AS vide, account, Id,
discourt, C. AS vide, greatent, Id,
discourt, C. AS vide, dynatrace, account, Id,
disha, account, vide, I.,
disha, account, vide, I.,
disha, managed, account, Id,
disha, managed, account, Iname
SIGN
UNION discourt, III
UN

salesforcepro.oynatrace\_account\_c o JOIN salesforceprd.account a ON d.account\_c:text = a.account\_id\_18\_c:text WHERE
1 = 1
AND claccount\_c IS NOT NULL
UNION

SELECT DISTINCT SELECT DISTRICT

SENSOR (J. M., E. A. Mill, ACMORT), M.

diffeld Self approves, account, M.

diffeld Self approves, account, M.

diffeld, account, M.

dif

WHERE 1 = 1

1 = 1
SILETORINET
SALETORINET, AS SÓS, SIGURI, M.
SALETORINE, M. T., AS SÓS, SIGURI, M.
Anima S. SÓS, SIGURI, M.
ANIMA S.

d.name A5 dt\_account\_name
FROM
salesforceprd.account a
LETT\_ION salesforceprd.dynatrace\_account\_c d ON d.account\_c:hext =
account\_d; IIa\_c:hext
WHER 1 = 1

- ext\_zendesk.zendesk\_tickets\_ci360\_vw\_source

CREATE OR REPLACE VIEW ext\_zendesk.zendesk\_tickets\_ci360\_vw AS SELECT zt.id AS ticket\_id,

zusernal AS requester, emsal, zicreated, at AS ticket, operand, at, zi updated, at AS ticket, updated, at, zi fields. Semethy AS ticket, severity, zi subject AS ticket, subject. NULL-best AS ticket, subject. SPOM Int., pendesk-mendesk, tickets, current, mww.xt

FIROM Int., andenk.zendenk, lukses, current, mow st. IEET FIGN Int., redonk.zendenk.pdf = zu.kf.:tte FIF FIGN Int., remodesk.zendesk.uneck.current, based zu CN zt.respenter jdf = zu.kf.:tte LEET FIGN Int., zendesk.zendesk.organization, current zeo CN zt.organization, jdf = zu.kf. WHITEZ zt.status of belefact-track AND jurgus jagf = ALL, LABONT j500002004621\*-inent 7500002046421\*-inent 7500002046401\*-inent 75000002046401\*-inent 7500002046401\*-inent 75000002046401\*-inent 7500000046401\*-inent 7500000046401\*-inent 7500000046401\*-inent 7500000046401\*-inent 7500000046401\*-inent 7500000046401\*-inent 7500000046401\*-inent 7500000046401\*-inent 7500000046401\*-inent 75000000046401\*-inent 7500000046401\*-inent 750000004640

- int\_zendesk.zendesk\_organizations\_current source

The control banded programming control tower

SERS of SERS AND SERS OF SERS OF

convert from from devidended or generation. You greate the first dependence of the Conference of the C

androit of grounders. Trigination for his family a year days to the control of th

- int zendesk zendesk organizations definition

CREATE TABLE int, pendesk pendesk organizations

CREAT TABLE Int\_models.cer created, at ten NULL, details toot NULL, details toot NULL, esternal jid teet NULL, esternal jid teet NULL, jid teet NULL, noise seet NULL, noise seet NULL, shared\_commence seet NULL, shared\_commence seet NULL, updated\_at best NULL, updated\_at best NULL, updated\_at best NULL,

register, for an NALL

STREET, and NALL

STREET,

## AFTER

```
Company
Compan
                                                                                                                                                                                                                                                                                                                                                                                         The state of the s
```

zendesk.zendesk\_tickets stg cendesk tickets int zendesk tickets current zendesk zendesk users basef4 stg.zendesk.users.base64 int zendesk users current base64 zendesk tickets d360 zendesk zendesk organizations stg zendenk organizations Int andesk organizations current