

Enhancing Metaheuristics for Pistachio Supply Chain Optimization

Raissa Gonçalves Diniz* André Costa Batista**

* *Operations Research and Complex Systems Laboratory, Universidade Federal de Minas Gerais, Brazil (e-mail: raissagd@ufmg.br).*

** *Department of Electrical Engineering, Universidade Federal de Minas Gerais, Av. Antônio Carlos 6627, Belo Horizonte, 31270-010, Minas Gerais, Brazil (e-mail: andre-costa@ufmg.br).*

Abstract: Supply chains play a crucial role in the agricultural industry, especially for high-value crops such as pistachios, where effective management can drive economic growth and promote sustainability. While previous research has explored optimization strategies for pistachio supply chains, the majority of these studies predominantly rely on population-based algorithms to tackle these challenges. In this work, we introduce the use of a Variable Neighborhood Search (VNS) algorithm and evaluate its performance in comparison to a population-based metaheuristic, specifically the Genetic Algorithm (GA). The results indicate that VNS consistently achieves better performance than GA, both in terms of computational efficiency and solution quality, particularly for larger problem instances. As a result, the proposed method demonstrates to be an effective approach for addressing supply chain optimization problems.

Keywords: Supply Chain Optimization, Metaheuristics, Variable Neighborhood Search, Sustainability

1. INTRODUCTION

Agriculture plays a crucial role in economic development, contributing not only to food security but also to exports and industrial growth. Among high-value crops, pistachios are particularly significant in international trade, with the US, Turkey, and Iran leading global production (Statista, 2023). Efficient supply chain management is essential to maintaining product quality, reducing environmental impact, and ensuring effective distribution. One key challenge in pistachio production is handling by-products such as hulls and shells, which, if mismanaged, can degrade soil quality and pose health risks due to mold-induced aflatoxin contamination (Dronavalli and Kang, 2019). Sustainable waste management strategies, such as composting and biogas production, have been explored to mitigate these issues, as discussed by Cheraghalipour and Roghanian (2022).

Supply chain inefficiencies can impact both product quality and trade. Prior studies, such as Rajabi-Kafshgar et al. (2023), have explored optimization techniques using Genetic Algorithms (GA) and other evolutionary metaheuristics for pistachio logistics. However, these comparisons often rely on best-found solutions without strong statistical validation of superior performance. Additionally, debates persist on whether differences in bio-inspired metaheuristics significantly affect solution quality.

Building upon this foundation, this study aims to optimize pistachio supply chains using Variable Neighborhood Search (VNS), a heuristic well-suited for large combinatorial problems with minimal parameter tuning. We address the mixed linear model proposed in Rajabi-Kafshgar et al.

(2023) for forward and reverse logistics, incorporating by-product reuse to minimize costs and environmental impact. Our results demonstrate that VNS outperforms GA in objective function evaluation while achieving competitive solutions with significantly lower computational time compared to an exact method.

The remainder of this paper is structured as follows: Section 2 defines the problem, describing the supply chain network and optimization objectives. Section 3 presents the heuristic approach, detailing the VNS methodology and its implementation. Section 4 compares experimental results between VNS and GA. Finally, Section 5 concludes with key findings and future research directions.

2. PROBLEM DEFINITION

The network proposed by Rajabi-Kafshgar et al. (2023), as depicted in Figure 1, consists of producers, processing centers, pistachio factories, oil extraction centers, composting centers, and customers. Pistachios are transported from orchards to processing centers, where they are processed into open-mouth pistachios, raw kernels, and waste. These outputs are then sent to factories, oil extraction centers, and composting centers, respectively. Open-mouth pistachios are roasted, packaged, and delivered to customers, while pistachio oil is supplied to oil customers and cosmetic factories. Waste is converted into compost for distribution. Although the compost is returned to the producers, ideally creating a closed-loop system, the mathematical model does not establish a direct connection between the compost customers and the producers who supply pistachios to the processing centers. Strictly speaking, the mathematical flow model does not implement a closed-loop. Instead, it

interprets the flow of compost to its respective customers as feedback, even though these customers are not necessarily linked to the variables associated with the producers. Similar approaches have been adopted in other studies (Pishvae et al., 2010; Ahmadi and Amin, 2019; Banasik et al., 2016), and the strict implementation of a feedback loop could be a promising direction for future research.

The mixed-integer linear problem aims to minimize total costs (1), including opening, transportation, production costs, under the following capacity and demand constraints with no allowed shortages (see further details regarding the variables in the Table 5 of Rajabi-Kafshgar et al. (2023)):

$$\min z_1 + z_2 + z_3 \quad (1)$$

$$\text{s.t.: } \sum_{j=1}^J X_{ij} \leq Cpa_i, \quad \forall i \in I \quad (2)$$

$$\sum_{i=1}^I X_{ij} \leq Cpu_j \times U_j, \quad \forall j \in J \quad (3)$$

$$\sum_{e=1}^E Ow_{eq} + \sum_{j=1}^J Gw_{jq} \leq Cpy_q \times Y_q, \quad \forall q \in Q \quad (4)$$

$$\sum_{j=1}^J Go_{jk} \leq Cpw_k \times W_k, \quad \forall k \in K \quad (5)$$

$$\sum_{j=1}^J Gr_{je} \leq Cpr_e \times R_e, \quad \forall e \in E \quad (6)$$

$$\sum_{e=1}^E Oen_2 \leq Cpv_s \times V_s, \quad \forall s \in S \quad (7)$$

$$\sum_{k=1}^K Go_{jk} + \sum_{e=1}^E Gr_{je} + \sum_{q=1}^Q Gw_{jq} \leq \sum_{i=1}^I X_{ij}, \quad \forall j \in J \quad (8)$$

$$\sum_{k=1}^K Go_{jk} = (1 - \beta) \sum_{i=1}^I X_{ij} \theta_1, \quad \forall j \in J \quad (9)$$

$$\sum_{e=1}^E Gr_{je} = (1 - \beta) \sum_{i=1}^I X_{ij} \theta_2, \quad \forall j \in J \quad (10)$$

$$\sum_{q=1}^Q Gw_{jq} = \sum_{i=1}^I X_{ij} \theta_3, \quad \forall j \in J \quad (11)$$

$$\theta_1 + \theta_2 + \theta_3 = 1 \quad (12)$$

$$\sum_{n_1=1}^{N_1} P_{kn_1} \leq \sum_{j=1}^J Go_{jk} \times \gamma k, \quad \forall k \in K \quad (13)$$

$$\sum_{n_2=1}^{N_2} Oen_2 + \sum_{s=1}^S Oc_{es} \leq \sum_{j=1}^J Gr_{je} \times (1 - \lambda), \quad \forall e \in E \quad (14)$$

$$\sum_{q=1}^Q Ow_{eq} \leq \sum_{j=1}^J Gr_{je} \times \lambda, \quad \forall e \in E \quad (15)$$

$$\sum_{n_3=1}^{N_3} L_{sn_3} \leq \sum_{e=1}^E Oc_{es} \times \gamma s, \quad \forall s \in S \quad (16)$$




Figure 1. Proposed pistachio supply chain network

$$\sum_{m=1}^M D_{qm} \leq \left(\sum_{j=1}^J Gw_{jq} + \sum_{e=1}^E Ow_{eq} \right) \times \gamma q, \quad \forall q \in Q \quad (17)$$

$$\sum_{k=1}^K P_{kn_1} \geq Dp_{n_1}, \quad \forall n_1 \in N_1 \quad (18)$$

$$\sum_{e=1}^E Oen_2 \geq Du_{n_2}, \quad \forall n_2 \in N_2 \quad (19)$$

$$\sum_{s=1}^S L_{sn_3} \geq Ds_{n_3}, \quad \forall n_3 \in N_3 \quad (20)$$

$$\sum_{q=1}^Q D_{qm} \leq Dc_m, \quad \forall m \in M \quad (21)$$

- The objective function (1) minimizes the total costs of the supply chain, including opening, transportation, and production costs. The costs are divided into three components: z_1 (22), z_2 (23), and z_3 (24), which represent the costs of opening facilities, transportation, and production, respectively as shown in the following equations:

$$z_1 = \sum_{j=1}^J Fu_j \cdot U_j + \sum_{q=1}^Q Fy_q \cdot Y_q + \sum_{k=1}^K Fw_k \cdot W_k + \sum_{e=1}^E Fr_e \cdot R_e + \sum_{s=1}^S Fv_s \cdot V_s \quad (22)$$

$$z_2 = \sum_{i=1}^I \sum_{j=1}^J CI_i \cdot X_{ij} + \sum_{j=1}^J \sum_{k=1}^K Cu_{1j} \cdot Go_{jk} + \sum_{j=1}^J \sum_{e=1}^E Cu_{2j} \cdot Gr_{je} + \sum_{q=1}^Q \sum_{m=1}^M Cy_q \cdot D_{qm} + \sum_{k=1}^K \sum_{n_1=1}^{N_1} Cw_k \cdot P_{kn_1} \quad (23)$$

$$\begin{aligned}
z_3 = & \sum_{i=1}^I \sum_{j=1}^J CX_{ij} \cdot X_{ij} + \sum_{j=1}^J \sum_{k=1}^K CK_{jk} \cdot Go_{jk} \\
& + \sum_{j=1}^J \sum_{q=1}^Q CJ_{jq} \cdot Gw_{jq} + \sum_{e=1}^E \sum_{s=1}^S CS_{es} \cdot Oc_{es} \\
& + \sum_{e=1}^E \sum_{q=1}^Q CQ_{eq} \cdot Ow_{eq}
\end{aligned} \quad (24)$$

- The variables R_j , Y_q , W_k , Z_e , and V_s are binary decision variables that determine whether specific elements in the model are active. For instance, $R_j = 1$ indicates that facility j is operational, and $R_j = 0$ otherwise. The remaining variables in the model are continuous and non-negative, representing real values greater than or equal to zero. These variables are used to model flows, quantities, and other measurable factors within the system.
- Constraints (2)-(7) address the capacity and demand limitations of each facility in the supply chain. Specifically, constraint (2) restricts the amount of products transported from producers to distribution centers. Constraints (3)-(7) ensure that the quantities of products sent to processing centers, composting centers, pistachio factories, oil extraction centers, and cosmetic factories do not exceed the capacities of these facilities.
- The quantity of products shipped from any facility must not surpass the orders received by that facility. Accordingly, constraint (8) states that the amount of products dispatched from a processing center must be less than or equal to the quantity received by other facilities. Constraints (9)-(12) define the quantities of open-mouth pistachios, raw kernels, and waste generated during the dehulling process at each processing center. Similarly, constraints (13)-(17) govern the flows within pistachio factories, oil extraction centers, cosmetic factories, and composting centers.
- Finally, to ensure that customer demand is satisfied, constraints (18)-(21) ensure that the quantities of products delivered to pistachio customers, pistachio oil customers, cosmetic customers, and compost markets meet or exceed their respective demands.

3. HEURISTIC APPROACH

This section presents the methodology for solving the optimization problem using priority-based encoding (Gen et al., 2006) and VNS. Priority-based encoding ranks decision variables to explore the solution space while maintaining feasibility, while VNS shifts between neighborhood structures to escape local optima. The approach includes tailored neighborhood operators and parameter configurations.

3.1 Solution Representation

Following Rajabi-Kafshgar et al. (2023) and Gen et al. (2006), we employ priority-based encoding to represent solutions. Each source-depot pair is treated as a gene, with priorities guiding the construction of the transportation tree. The decoding process iteratively selects the highest-

priority node, connecting it to the lowest-cost counterpart while ensuring feasibility constraints are met.

Unlike Rajabi-Kafshgar et al. (2023), which uses real numbers between 0 and 1, we use integers from 1 to Z to enhance interpretability and facilitate neighborhood operations. The effectiveness of this encoding has been already demonstrated in supply chain optimization (Pishvae et al., 2010; Altiparmak et al., 2006; Liu et al., 2023).

The decoding process ensures compliance with constraints (1)-(21) by sequentially determining flows from producers to processing centers, factories, and consumers while minimizing transportation costs. Adjustments prioritize entities with the greatest need, maintaining feasibility. Similarly, composting and waste management follow strict capacity and demand constraints to optimize distribution.

Figure 2 illustrates the decoding process, which begins with pistachio product flow from factories to consumers, ensuring all constraints are met. Oil and cosmetic product flows follow similar principles. Processing centers regulate pistachio allocation, considering production losses and ensuring feasible distribution. Harvested pistachios are proportionally allocated to factories and oil extraction centers, prioritizing demand fulfillment while minimizing transportation costs. Producer-to-processing center flows must not exceed production capacity, ensuring feasibility. Waste and fertilizer flows are managed similarly, respecting processing and composting capacity limits while minimizing costs.




Figure 2. Decodification steps of the transportation tree

3.2 Variable Neighborhood Search (VNS)

VNS explores the solution space by systematically altering neighborhood structures (Gendreau et al., 2010). It iterates through shaking and local search phases, accepting new solutions only if they improve the objective function. This approach has been effective in solving constrained optimization problems (Imran et al., 2009; Fleszar and Hindi, 2008; Burke et al., 2010).

The implementation of the VNS algorithm used in this study is outlined in Algorithm 1.

3.3 Neighborhood Structures

Four classic neighborhood operators (Devika et al., 2014), illustrated in Figure 3, enhance solution diversity:

Algorithm 1 Variable Neighborhood Search (VNS)

Require: Initial solution x , max neighborhood size $k_{\max}$, time limit $t_{\max}$

```
1: Output: Best solution  $x^*$ 
2:  $x \leftarrow x$ 
3: repeat
4:    $k \leftarrow 1$ 
5:   repeat
6:      $x' \leftarrow \text{Shake}(x, k)$ 
7:      $x'' \leftarrow \text{LocalSearch}(x')$ 
8:     if  $f(x'') < f(x)$  then
9:        $x \leftarrow x''$ ,  $k \leftarrow 1$ 
10:    else
11:       $k \leftarrow k + 1$ 
12:    end if
13:  until  $k > k_{\max}$ 
14:   $t \leftarrow \text{CpuTime}()$ 
15: until  $t > t_{\max}$ 
```

- **Swap:** Exchanges two elements in the chromosome.
- **Reversion:** Reverses a sequence between two selected indices (Vahdani and Zandieh, 2010).
- **Insertion:** Moves an element to a new position, shifting others accordingly (Rabiee et al., 2012).
- **Slide:** Removes an element, shifts others, and reinserts it at a new position.

Each operation is applied to a randomly selected priority vector within the solution set, maintaining feasibility and enhancing search efficiency.




Figure 3. Neighborhood structures used in the VNS Algorithm

4. COMPUTATIONAL EXPERIMENTS

The proposed heuristic method was tested on instances of varying sizes, defined by the number of elements in each problem entity (I , J , K , E , S , Q , N_1 , N_2 , N_3 , and M). The tested sizes were 100, 200, 400, 800, and 1600, leading to total variable counts of 100,500; 401,000; 1,602,000; 6,404,000; and 25,608,000, respectively. However, algorithms using priority-based encoding have significantly fewer variables, as they only sum the priorities of source-depot pairs. In these cases, the variable counts were reduced to 1,700; 3,400; 6,800; 13,600; and 27,200.

Instance parameters, such as capacities and demands, were randomly generated following Table 7 in Rajabi-Kafshgar et al. (2023). The proposed VNS-based approach

was compared against a Genetic Algorithm (GA), which was one of the evolutionary algorithms used in the considered reference. The GA utilized swap-based mutations and subsequence-exchanging crossovers, with randomly selected vectors, a population size of 100, and a Binary Tournament selection strategy.

Both VNS and GA were run 30 times per instance, with a stopping criterion of 100,000 evaluations. Experiments were conducted on a system with Ubuntu 24.04.1 LTS, an Intel Xeon E3-1240 V2 (8 cores), and 32 GB RAM.

4.1 Comparison between VNS and GA

The comparison with GA aligns with methodologies from Rajabi-Kafshgar et al. (2023), though an exact match was infeasible due to differences in decoding. Table 1 presents the average performance of the 30 best solutions for each algorithm. For small instances (100 entities), VNS and GA performed similarly, with only a 0.71% improvement in VNS. However, for larger instances, VNS consistently outperformed GA, achieving improvements between 3.4% and 5.3%.

Boxplots in Fig. 4 illustrate solution distributions, showing significant differences in the 800 and 1600-instance cases. The p-values obtained from the Independent Samples T-test (Welch Test) for these instances are below 0.05, demonstrating that the observed differences are statistically significant, assuming normality and unequal variances. These findings suggest that VNS performs significantly better than GA for large-scale problems from a statistical standpoint. Additionally, GA had longer execution times, likely due to increased computational costs of its evolutionary operations as problem size grew.

In summary, although GA performs comparably in small-scale instances, its scalability is limited. In contrast, VNS consistently delivers better solutions and demonstrates greater efficiency in handling larger problems, establishing it as a more robust and scalable optimization method.

5. CONCLUSION

This study presents an optimization model for the pistachio supply chain network, addressing the complexities of managing pistachio products and by-products across multiple stages. By integrating production, transportation, and facility operations, the model ensures efficient resource allocation while meeting capacity and demand constraints. Formulated as a Mixed-Integer Linear Programming (MILP) problem, it is solved using a Variable Neighborhood Search (VNS) algorithm, which explores the solution space through Swap, Reversion, Insertion, and Slide neighborhood structures.

Comparative analysis highlights VNS's superiority over Genetic Algorithms (GA) in both solution quality and computational efficiency, especially for large-scale instances where exact methods become impractical due to memory and time limitations.

Future research could explore problem-specific neighborhood operators to enhance VNS performance further. Additionally, a hybrid approach combining VNS with exact




Figure 4. Boxplot visualizations comparing the performance of the VNS algorithm and a population-based metaheuristic (genetic algorithm) across different problem sizes, based on objective function values.

Table 1. Comparison of the VNS algorithm and a population-based metaheuristic (Genetic Algorithm) in terms of the average objective function value of the best solutions and the average execution time.

Instance	Objective function evaluation (average)			Execution time (average)	
	VNS	GA	Difference (%)	VNS	GA
100	7.41×10^6	7.46×10^6	0.71	241s	6,595s
200	1.50×10^8	1.55×10^8	3.37	714s	
400	3.08×10^8	3.24×10^8	5.31	2,016s	
800	6.57×10^8	6.92×10^8	5.26	5,538s	82,687s
1600	1.36×10^9	1.43×10^9	4.64	17,767s	217,958s

algorithms could improve both accuracy and efficiency, making the methodology more adaptable across industries.

The code and dataset used in this study are available at https://github.com/raissagd/Pistachio_CLSC.

REFERENCES

- Ahmadi, S. and Amin, S.H. (2019). An integrated chance-constrained stochastic model for a mobile phone closed-loop supply chain network with supplier selection. *Journal of cleaner production*, 226, 988–1003.
- Altıparmak, F., Gen, M., Lin, L., and Paksoy, T. (2006). A genetic algorithm approach for multi-objective optimization of supply chain networks. *Computers & industrial engineering*, 51(1), 196–215.
- Banasik, M., Stanisławska-Sachadyn, A., and Sachadyn, P. (2016). A simple modification of pcr thermal profile applied to evade persisting contamination. *Journal of Applied Genetics*, 57, 409–415.
- Burke, E.K., Li, J., and Qu, R. (2010). A hybrid model of integer programming and variable neighbourhood search for highly-constrained nurse rostering problems. *European Journal of Operational Research*, 203(2), 484–493.
- Cheraghalipour, A. and Roghanian, E. (2022). A bi-level model for a closed-loop agricultural supply chain considering biogas and compost. *Environment, Development and Sustainability*, 1–47.
- Devika, K., Jafarian, A., and Nourbakhsh, V. (2014). Designing a sustainable closed-loop supply chain network based on triple bottom line approach: A comparison of metaheuristics hybridization techniques. *European journal of operational research*, 235(3), 594–615.
- Dronavalli, S. and Kang, M.S. (2019). Microgametophytic selection for identifying maize with resistance to aspergillus spp. and aflatoxin. *Journal of Crop Improvement*, 33(3), 363–371.
- Fleszar, K. and Hindi, K.S. (2008). An effective vns for the capacitated p-median problem. *European Journal of Operational Research*, 191(3), 612–622.
- Gen, M., Altıparmak, F., and Lin, L. (2006). A genetic algorithm for two-stage transportation problem using priority-based encoding. *OR spectrum*, 28, 337–354.
- Gendreau, M., Potvin, J.Y., et al. (2010). *Handbook of metaheuristics*, volume 2. Springer.
- Imran, A., Salhi, S., and Wassan, N.A. (2009). A variable neighborhood-based heuristic for the heterogeneous fleet vehicle routing problem. *European Journal of Operational Research*, 197(2), 509–518.
- Liu, J., Sun, B., Li, G., and Chen, Y. (2023). An integrated scheduling approach considering dispatching strategy and conflict-free route of amrs in flexible job shop. *The International Journal of Advanced Manufacturing Technology*, 127(3), 1979–2002.
- Pishvaei, M.S., Farahani, R.Z., and Dullaert, W. (2010). A memetic algorithm for bi-objective integrated forward/reverse logistics network design. *Computers & operations research*, 37(6), 1100–1112.
- Rabiee, M., Zandieh, M., and Jafarian, A. (2012). Scheduling of a no-wait two-machine flow shop with sequence-dependent setup times and probable rework using robust meta-heuristics. *International Journal of Production Research*, 50(24), 7428–7446.
- Rajabi-Kafshgar, A., Gholian-Jouybari, F., Seyedi, I., and Hajiaghahi-Keshteli, M. (2023). Utilizing hybrid meta-heuristic approach to design an agricultural closed-loop supply chain network. *Expert Systems with Applications*, 217, 119504.
- Statista (2023). Leading producers of pistachios worldwide in 2022 and 2023. URL <https://www.statista.com/statistics/933042/global-pistachio-production-by-country/>. Accessed: 2023-10-05.
- Vahdani, B. and Zandieh, M. (2010). Scheduling trucks in cross-docking systems: Robust meta-heuristics. *Computers & Industrial Engineering*, 58(1), 12–24.