```
Program-8:
Apply EM algorithm to cluster a set of data stored in a .CSV file. Use the same data
set for clustering using k-Means algorithm. Compare the results of these two
algorithms and comment on the quality of clustering. You can add Java/Python ML
library classes/API in the program.
```

In [4]:

```
from sklearn.cluster import KMeans
from sklearn import preprocessing
from sklearn.mixture import GaussianMixture
from sklearn.datasets import load_iris
import sklearn.metrics as sm
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
```

In [5]:

```
dataset=load_iris()
print(dataset)
```

```
{'data': array([[5.1, 3.5, 1.4, 0.2],
       [4.9, 3. , 1.4, 0.2],
       [4.7, 3.2, 1.3, 0.2],
       [4.6, 3.1, 1.5, 0.2],
       [5. , 3.6, 1.4, 0.2],
       [5.4, 3.9, 1.7, 0.4],
       [4.6, 3.4, 1.4, 0.3],
       [5. , 3.4, 1.5, 0.2],
       [4.4, 2.9, 1.4, 0.2],
       [4.9, 3.1, 1.5, 0.1],
       [5.4, 3.7, 1.5, 0.2],
       [4.8, 3.4, 1.6, 0.2],
       [4.8, 3. , 1.4, 0.1],
       [4.3, 3. , 1.1, 0.1],
       [5.8, 4. , 1.2, 0.2],
       [5.7, 4.4, 1.5, 0.4],
       [5.4, 3.9, 1.3, 0.4],
       [5.1, 3.5, 1.4, 0.3],
       [5.7, 3.8, 1.7, 0.3],
```

In [6]:

```
X=pd.DataFrame(dataset.data)
X.columns=['Sepal_Length','Sepal_Width','Petal_Length','Petal_Width']
y=pd.DataFrame(dataset.target)
y.columns=['Targets']
print(X)
print(y)
```

```
     Sepal_Length  Sepal_Width  Petal_Length  Petal_Width
0             5.1          3.5           1.4          0.2
1             4.9          3.0           1.4          0.2
2             4.7          3.2           1.3          0.2
3             4.6          3.1           1.5          0.2
4             5.0          3.6           1.4          0.2
..            ...          ...           ...          ...
145           6.7          3.0           5.2          2.3
146           6.3          2.5           5.0          1.9
147           6.5          3.0           5.2          2.0
148           6.2          3.4           5.4          2.3
149           5.9          3.0           5.1          1.8

[150 rows x 4 columns]
     Targets
0          0
1          0
2          0
3          0
4          0
..       ...
145        2
146        2
147        2
148        2
149        2

[150 rows x 1 columns]
```

In [17]:

```
plt.figure(figsize=(14,7))
colormap=np.array(['red','purple','orange'])
# REAL PLOT
plt.subplot(1,3,1)
plt.scatter(X.Petal_Length,X.Petal_Width,c=colormap[y.Targets],s=10)
plt.title('Real')# K-PLOT
plt.subplot(1,3,2)
model=KMeans(n_clusters=3)
model.fit(X)#Compute k-means clustering.
predY=np.choose(model.labels_,[0,1,2]).astype(np.int64)
plt.scatter(X.Petal_Length,X.Petal_Width,c=colormap[predY],s=40)
plt.title('KMeans')

# GMM PLOT
scaler=preprocessing.StandardScaler()
scaler.fit(X)#Compute k-means clustering.
xsa=scaler.transform(X)
xs=pd.DataFrame(xsa,columns=X.columns)
gmm=GaussianMixture(n_components=3)
gmm.fit(xs)#Compute k-means clustering.
y_cluster_gmm=gmm.predict(xs)
plt.subplot(1,3,3)
plt.scatter(X.Petal_Length,X.Petal_Width,c=colormap[y_cluster_gmm],s=40)
plt.title('GMM Classification')
```

Out[17]:

```
Text(0.5, 1.0, 'GMM Classification')
```



In [ ]:

```
1
```