```
import csv

import sqlite3


class DatabaseConnector:

# """

# Manages a connection to a sqlite database.

# """

def __init__(self, database_file):

self.connection = sqlite3.connect(database_file)

self.cursor = self.connection.cursor()


def populate(self, spreadsheet_folder):

# """

# Populate the database with data imported from each spreadsheet.

# """

# open the spreadsheets
```

```
with open(f"{spreadsheet_folder}/shipping_data_0.csv", "r") as spreadsheet_file_0:

with open(f"{spreadsheet_folder}/shipping_data_1.csv", "r") as spreadsheet_file_1:

with open(f"{spreadsheet_folder}/shipping_data_2.csv", "r") as spreadsheet_file_2:

# prepare the csv readers

csv_reader_0 = csv.reader(spreadsheet_file_0)

csv_reader_1 = csv.reader(spreadsheet_file_1)

csv_reader_2 = csv.reader(spreadsheet_file_2)

# populate first spreadsheet

self.populate_first_shipping_data(csv_reader_0)

self.populate_second_shipping_data(csv_reader_1, csv_reader_2)


def populate_first_shipping_data(self, csv_reader_0):

"""

Populate the database with data imported from the first spreadsheet.

"""

for row_index, row in enumerate(csv_reader_0):

# ignore the header row
```

```
if row_index > 0:
# extract each required field
product_name = row[2]
product_quantity = row[4]
origin = row[0]
destination = row[1]
# insert the data into the database
self.insert_product_if_it_does_not_already_exist(product_name)
self.insert_shipment(product_name, product_quantity, origin, destination)
# give an indication of progress
print(f"inserted product {row_index} from shipping_data_0")


def populate_second_shipping_data(self, csv_reader_1, csv_reader_2):
# """
# Populate the database with data imported from the second and third spreadsheets.
# """
```

```
# collect shipment info
shipment_info = {}
for row_index, row in enumerate(csv_reader_2):
# ignore the header row
if row_index > 0:
# extract each required field
shipment_identifier = row[0]
origin = row[1]
destination = row[2]
# store them for later use
shipment_info[shipment_identifier] = {
"origin": origin,
"destination": destination,
"products": {}
}
# read in product information
for row_index, row in enumerate(csv_reader_1):
```

```
# ignore the header row
if row_index > 0:
# extract each required field
shipment_identifier = row[0]
product_name = row[1]
# populate intermediary data structure
products = shipment_info[shipment_identifier]["products"]
if products.get(product_name, None) is None:
products[product_name] = 1
else:
products[product_name] += 1
# insert the data into the database
count = 0
for shipment_identifier, shipment in shipment_info.items():
# collect origin and destination
origin = shipment_info[shipment_identifier]["origin"]
```

```
destination = shipment_info[shipment_identifier]["destination"]
for product_name, product_quantity in shipment["products"].items():
# iterate through products and insert into database
self.insert_product_if_it_does_not_already_exist(product_name)
self.insert_shipment(product_name, product_quantity, origin, destination)
# give an indication of progress
print(f"inserted product {count} from shipping_data_1")
count += 1


def insert_product_if_it_does_not_already_exist(self, product_name):
"""
Insert a new product into the database.
If a product already exists in the database with the given name,
ignore it.
"""
query = """
INSERT OR IGNORE INTO product (name)
```

```
VALUES (?);
"""
self.cursor.execute(query, (product_name,))
self.connection.commit()


def insert_shipment(self, product_name, product_quantity, origin, destination):
"""
Insert a new shipment into the database.
"""
# collect the product id
query = """
SELECT id
FROM product
WHERE product.name = ?;
"""
self.cursor.execute(query, (product_name,))
```

```
product_id = self.cursor.fetchone()[0]
# insert the shipment
query = """
INSERT OR IGNORE INTO shipment (product_id, quantity, origin, destination)
VALUES (?, ?, ?, ?);
"""
self.cursor.execute(query, (product_id, product_quantity, origin, destination))
self.connection.commit()

def close(self):
self.connection.close()

if __name__ == '__main__':
database_connector = DatabaseConnector("shipment_database.db")
database_connector.populate("./data")
database_connector.close()
```