

# CSS3 2D Transforms


## CSS3 Transforms

CSS3 transforms allow you to translate, rotate, scale, and skew elements.

A transformation is an effect that lets an element change shape, size and position.

CSS3 supports 2D and 3D transformations.


Mouse over the elements below to see the difference between a 2D and a 3D transformation:



## Browser Support for 2D Transforms

The numbers in the table specify the first browser version that fully supports the property.

Numbers followed by -ms-, -webkit-, -moz-, or -o- specify the first version that worked with a prefix.

Property					
transform	36.0 4.0 -webkit-	10.0 9.0 -ms-	16.0 3.5 -moz-	9.0 3.2 -webkit-	23.0 15.0 -webkit- 12.1 10.5 -o- 
transform-origin (two-value syntax)	36.0 4.0 -webkit-	10.0 9.0 -ms-	16.0 3.5 -moz-	9.0 3.2 -webkit-	23.0 15.0 -webkit- 12.1 10.5 -o-

[HTML](#) [CSS](#) [MORE](#)


## CSS3 2D TRANSFORMS

In this chapter you will learn about the following 2D transformation methods:

- `translate()`
- `rotate()`
- `scale()`
- `skewX()`
- `skewY()`
- `matrix()`

**Tip:** You will learn about 3D transformations in the next chapter.

## The translate() Method



The `translate()` method moves an element from its current position (according to the parameters given for the X-axis and the Y-axis).

The following example moves the `<div>` element 50 pixels to the right, and 100 pixels down from its current position:

### Example

```
div {  
  -ms-transform: translate(50px, 100px); /* IE 9 */  
  -webkit-transform: translate(50px, 100px); /* Safari */  
  transform: translate(50px, 100px);  
}
```

[Try it Yourself »](#)

[HTML](#) [CSS](#) [MORE](#)

The `rotate()` method rotates an element clockwise or counter-clockwise according to a given degree.

The following example rotates the `<div>` element clockwise with 20 degrees:

## Example

```
div {  
  -ms-transform: rotate(20deg); /* IE 9 */  
  -webkit-transform: rotate(20deg); /* Safari */  
  transform: rotate(20deg);  
}
```

[Try it Yourself »](#)

Using negative values will rotate the element counter-clockwise.

The following example rotates the `<div>` element counter-clockwise with 20 degrees:

## Example

```
div {  
  -ms-transform: rotate(-20deg); /* IE 9 */  
  -webkit-transform: rotate(-20deg); /* Safari */  
  transform: rotate(-20deg);  
}
```

[Try it Yourself »](#)

---

## The scale() Method



[HTML](#) [CSS](#) [MORE](#)

The following example increases the <div> element to be two times of its original width, and three times of its original height:

## Example

```
div {  
  -ms-transform: scale(2, 3); /* IE 9 */  
  -webkit-transform: scale(2, 3); /* Safari */  
  transform: scale(2, 3);  
}
```

[Try it Yourself »](#)

The following example decreases the <div> element to be half of its original width and height:

## Example

```
div {  
  -ms-transform: scale(0.5, 0.5); /* IE 9 */  
  -webkit-transform: scale(0.5, 0.5); /* Safari */  
  transform: scale(0.5, 0.5);  
}
```

[Try it Yourself »](#)

---

## The skewX() Method

The `skewX()` method skews an element along the X-axis by the given angle.

The following example skews the <div> element 20 degrees along the X-axis:

## Example

```
div {  
  -ms-transform: skewX(20deg); /* IE 9 */  
  -webkit-transform: skewX(20deg); /* Safari */  
  transform: skewX(20deg);  
}
```

[Try it Yourself »](#)

[HTML](#) [CSS](#) [MORE](#)

## THE SKEWY() METHOD

The `skewY()` method skews an element along the Y-axis by the given angle.

The following example skews the `<div>` element 20 degrees along the Y-axis:

### Example

```
div {  
  -ms-transform: skewY(20deg); /* IE 9 */  
  -webkit-transform: skewY(20deg); /* Safari */  
  transform: skewY(20deg);  
}
```

[Try it Yourself »](#)

---

## The skew() Method

The `skew()` method skews an element along the X and Y-axis by the given angles.

The following example skews the `<div>` element 20 degrees along the X-axis, and 10 degrees along the Y-axis:

### Example

```
div {  
  -ms-transform: skew(20deg, 10deg); /* IE 9 */  
  -webkit-transform: skew(20deg, 10deg); /* Safari */  
  transform: skew(20deg, 10deg);  
}
```

[Try it Yourself »](#)

If the second parameter is not specified, it has a zero value. So, the following example skews the `<div>` element 20 degrees along the X-axis:

### Example

```
div {  
  -ms-transform: skew(20deg); /* IE 9 */  
  -webkit-transform: skew(20deg); /* Safari */  
  transform: skew(20deg);  
}
```

[HTML](#) [CSS](#) [MORE](#)[Try it Yourself »](#)

## The matrix() Method



The `matrix()` method combines all the 2D transform methods into one.

The `matrix()` method takes six parameters, containing mathematical functions, which allows you to rotate, scale, move (translate), and skew elements.

The parameters are as follows: `matrix(scaleX(),skewY(),skewX(),scaleY(),translateX(),translateY())`

### Example

```
div {  
  -ms-transform: matrix(1, -0.3, 0, 1, 0, 0); /* IE 9 */  
  -webkit-transform: matrix(1, -0.3, 0, 1, 0, 0); /* Safari */  
  transform: matrix(1, -0.3, 0, 1, 0, 0);  
}
```

[Try it Yourself »](#)

## Test Yourself with Exercises!

[Exercise 1 »](#)[Exercise 2 »](#)[Exercise 3 »](#)[Exercise 4 »](#)

## CSS3 Transform Properties

The following table lists all the 2D transform properties:

Property	Description
<u><a href="#">transform</a></u>	Applies a 2D or 3D transformation to an element
<u><a href="#">transform-origin</a></u>	Allows you to change the position on transformed elements


[HTML](#) [CSS](#) [MORE](#)

Function	Description
<code>matrix(<i>n,n,n,n,n,n</i>)</code>	Defines a 2D transformation, using a matrix of six values
<code>translate(<i>x,y</i>)</code>	Defines a 2D translation, moving the element along the X- and the Y-axis
<code>translateX(<i>n</i>)</code>	Defines a 2D translation, moving the element along the X-axis
<code>translateY(<i>n</i>)</code>	Defines a 2D translation, moving the element along the Y-axis
<code>scale(<i>x,y</i>)</code>	Defines a 2D scale transformation, changing the elements width and height
<code>scaleX(<i>n</i>)</code>	Defines a 2D scale transformation, changing the element's width
<code>scaleY(<i>n</i>)</code>	Defines a 2D scale transformation, changing the element's height
<code>rotate(<i>angle</i>)</code>	Defines a 2D rotation, the angle is specified in the parameter
<code>skew(<i>x-angle,y-angle</i>)</code>	Defines a 2D skew transformation along the X- and the Y-axis
<code>skewX(<i>angle</i>)</code>	Defines a 2D skew transformation along the X-axis
<code>skewY(<i>angle</i>)</code>	Defines a 2D skew transformation along the Y-axis

[< Previous](#)[Next >](#)

[HTML](#) [CSS](#) [MORE](#)

## COLOR PICKER



## LEARN MORE

[Tabs](#)  
[Dropdowns](#)  
[Accordions](#)  
[Convert Weights](#)  
[Animated Buttons](#)  
[Side Navigation](#)  
[Top Navigation](#)  
[JS Animations](#)  
[Modal Boxes](#)  
[Progress Bars](#)  
[Parallax](#)  
[Login Form](#)  
[HTML Includes](#)  
[Google Maps](#)  
[Loaders](#)



[HTML](#) [CSS](#) [MORE](#)

[Filter List](#)  
[Sort List](#)

SHARE



CERTIFICATES

HTML, CSS, JavaScript, PHP, jQuery, Bootstrap and XML.

[Read More »](#)