Given an array of integers, find the sum of its elements.

For example, if the array ar = [1, 2, 3], 1 + 2 + 3 = 6, so return 6.

Function Description

Complete the simpleArraySum function in the editor below. It must return the sum of the array elements as an integer.

simpleArraySum has the following parameter(s):

· ar: an array of integers

Alice and Bob each created one problem for HackerRank. A reviewer rates the two challenges, awarding points on a scale from 1 to 100 for three categories: problem clarity, originality, and difficulty.

The rating for Alice's challenge is the triplet a = (a[0], a[1], a[2]), and the rating for Bob's challenge is the triplet b = (b[0], b[1], b[2]).

The task is to find their comparison points by comparing a[0] with b[0], a[1] with b[1], and a[2] with b[2].

- If a[i] > b[i], then Alice is awarded 1 point.
- If a[i] < b[i], then Bob is awarded 1 point.
- If a[i] = b[i], then neither person receives a point.

Comparison points is the total points a person earned.

Given a and b, determine their respective comparison points.

Example

a = [1, 2, 3]

b = [3, 2, 1]

- For elements *0*, Bob is awarded a point because a[0] .
- For the equal elements a[1] and b[1], no points are earned.
- Finally, for elements 2, a[2] > b[2] so Alice receives a point.

The return array is [1, 1] with Alice's score first and Bob's second.

```
10 vdef compareTriplets(a, b):
11
         alice=0
12
         bob=0
         for i in range(3):
13 ∨
14 ~
              if a[i]>b[i]:
                 alice+=1
15
              elif a[i]<b[i]:</pre>
16 V
                  bob+=1
17
              else:
18 ∨
19
                  pass
         return alice, bob
20
```