

# Oracle Certified Professional Java SE 17 Developer (1Z0-829)

## Mock Exam 5 - Questions 1 to 10 (No Answers or Explanations)

Q1. What is the output?

```
public class Test {  
    public static void main(String[] args) {  
        int x = 5;  
        int y = x++ + ++x;  
        System.out.println(y);  
    }  
}
```

- A. 10
- B. 11
- C. 12
- D. Compilation fails

Q2. Given the following code:

```
class Animal {  
    void sound() { System.out.print("Animal "); }  
}  
class Dog extends Animal {  
    void sound() { System.out.print("Dog "); }  
}  
public class Test {  
    public static void main(String[] args) {  
        Animal a = new Dog();  
        a.sound();  
    }  
}
```

- A. Animal
- B. Dog
- C. Animal Dog
- D. Compilation fails

Q3. What is the output?

```
public class Test {  
    public static void main(String[] args) {  
        String s1="Java";  
        String s2="Ja" + "va";  
        System.out.println(s1==s2);  
    }  
}
```

- A. true
- B. false
- C. null
- D. Compilation fails

Q4. Given:

```
import java.util.*;
public class Test {
    public static void main(String[] args) {
        List list = List.of("A", "B", "C");
        list.set(1, "D");
        System.out.println(list);
    }
}
```

- A. [A, D, C]
- B. UnsupportedOperationException
- C. IndexOutOfBoundsException
- D. Compilation fails

Q5. Which statement about interfaces in Java 17 is correct?

- A. Interfaces cannot contain private methods.
- B. Interfaces may contain private instance methods.
- C. Interfaces may contain protected methods.
- D. Interfaces cannot declare static methods.

Q6. Given:

```
public class Test {
    static void print(Number n){System.out.print("Number ");}
    static void print(Integer n){System.out.print("Integer ");}
    public static void main(String[] args){ print(10); }
}
```

- A. Number
- B. Integer
- C. Number Integer
- D. Compilation fails

Q7. What is the output?

```
public class Test {
    public static void main(String[] args){
        try{
            System.out.print("A");
            throw new RuntimeException();
        }catch(Exception e){
            System.out.print("B");
        }finally{
            System.out.print("C");
        }
    }
}
```

- A. A
- B. AB
- C. ABC
- D. Compilation fails

Q8. Given:

```
import java.util.stream.*;
public class Test{
public static void main(String[] args){
Stream.of(4,2,5,1)
.sorted()
.limit(3)
.forEach(System.out::print);
}
}
```

- A. 124
- B. 125
- C. 245
- D. 421

Q9. Given:

```
record Employee(String name,int id){}

public class Test{
public static void main(String[] args){
Employee e1=new Employee("John",101);
Employee e2=new Employee("John",101);
System.out.println(e1.equals(e2));
}
}
```

- A. true
- B. false
- C. Compilation fails
- D. Runtime Exception

Q10. Given:

```
public class Test{
static int count=0;
public static void main(String[] args){
Runnable r=()->count++;
r.run();
r.run();
System.out.println(count);
}
}
```

- A. 0
- B. 1
- C. 2
- D. Compilation fails

# Oracle Certified Professional Java SE 17 Developer (1Z0-829)

## Mock Exam 5 – Questions 11–20 (No Answers or Explanations)

Q11. What is the output?

```
public class Test{
public static void main(String[] args){
int a=10;
System.out.println(a-- - --a);
}
}
```

- A. 0
- B. 1
- C. 2
- D. Compilation fails

Q12. Given:

```
class Parent{
static void show(){ System.out.print("P"); }
}
class Child extends Parent{
static void show(){ System.out.print("C"); }
}
public class Test{
public static void main(String[] args){
Parent p=new Child();
p.show();
}
}
```

- A. P
- B. C
- C. PC
- D. Compilation fails

Q13. Which statement about records is correct?

- A. Record fields are mutable.
- B. Records can extend any class.
- C. Records implicitly extend java.lang.Record.
- D. Records cannot implement interfaces.

Q14. What is the output?

```
StringBuilder sb=new StringBuilder("Java");
sb.reverse();
System.out.println(sb);
```

- A. Java
- B. avaJ
- C. JAVA

D. Compilation fails

Q15. Which collection keeps elements sorted?

- A. ArrayList
- B. LinkedHashSet
- C. TreeSet
- D. HashMap

Q16. What is the output?

```
var list=java.util.List.of(1,2,3);  
System.out.println(list.contains(2));
```

- A. true
- B. false
- C. Exception
- D. Compilation fails

Q17. Which exception is thrown?

```
int[] a={1,2};  
System.out.println(a[2]);
```

- A. NullPointerException
- B. ArrayIndexOutOfBoundsException
- C. IOException
- D. ArithmeticException

Q18. What is the output?

```
java.util.stream.Stream.of("a","b","c")  
.map(String::toUpperCase)  
.forEach(System.out::print);
```

- A. abc
- B. ABC
- C. AbC
- D. Compilation fails

Q19. Which keyword allows a subclass constructor to invoke its superclass constructor?

- A. this
- B. super
- C. extends
- D. parent

Q20. What is the output?

```
public class Test{  
    static int x=1;  
    public static void main(String[] args){  
        Runnable r=()->System.out.print(++x);  
        r.run();  
        System.out.print(x);  
    }  
}
```

```
}  
}
```

- A. 11
- B. 22
- C. 23
- D. Compilation fails

# Oracle Certified Professional Java SE 17 Developer (1Z0-829)

## Mock Exam 5 – Questions 21–30 (No Answers or Explanations)

Q21. What is the output?

```
public class Test{  
    public static void main(String[] args){  
        System.out.println(10 % 3 + 2 * 4);  
    }  
}
```

- A. 8
- B. 9
- C. 10
- D. 11

Q22. Which declaration is valid?

- A. var x = null;
- B. var x = 10;
- C. var x;
- D. var int x = 10;

Q23. What is the output?

```
String s = "Java";  
s.concat("17");  
System.out.println(s);
```

- A. Java17
- B. Java
- C. 17
- D. Compilation fails

Q24. Which interface is a functional interface?

- A. List
- B. Comparator
- C. Map
- D. Set

Q25. Given:

```
List list = List.of(5,2,9,1);
```

Which Stream pipeline produces the values in ascending order?

- A. list.stream().sorted()
- B. list.stream().reverse()
- C. list.stream().order()
- D. list.stream().shuffle()

Q26. What is the output?

```
try{
int x=10/0;
}catch(ArithmeticException e){
System.out.print("A");
}finally{
System.out.print("B");
}
```

- A. A
- B. B
- C. AB
- D. Compilation fails

Q27. Which collection allows duplicate elements?

- A. TreeSet
- B. HashSet
- C. ArrayList
- D. EnumSet

Q28. Which access modifier provides visibility only within the same class?

- A. protected
- B. public
- C. private
- D. package-private

Q29. What is the output?

```
record Person(String name){}

public class Test{
public static void main(String[] args){
System.out.println(new Person("Tom"));
}
}
```

- A. Person
- B. Person[name=Tom]
- C. Tom
- D. Compilation fails

Q30. What is the output?

```
public class Test{
static int value=1;
public static void main(String[] args){
value+=2;
System.out.println(value);
}
}
```

- A. 1
- B. 2

C. 3

D. Compilation fails

# Oracle Certified Professional Java SE 17 Developer (1Z0-829)

## Mock Exam 5 – Questions 41–50 (No Answers or Explanations)

Q41. What is the output?

```
public class Test{  
    public static void main(String[] args){  
        int x = 10;  
        System.out.println(x++ + ++x + x--);  
    }  
}
```

- A. 31
- B. 32
- C. 33
- D. Compilation fails

Q42. Which modifier must appear on every subclass of a sealed class?

- A. static
- B. final, sealed, or non-sealed
- C. abstract
- D. synchronized

Q43. What is the output?

```
var list = java.util.List.of(10,20,30);  
System.out.println(list.get(2));
```

- A. 20
- B. 30
- C. 10
- D. IndexOutOfBoundsException

Q44. Which Stream operation is intermediate?

- A. count()
- B. collect()
- C. map()
- D. forEach()

Q45. What is the output?

```
String text = "Oracle";  
System.out.println(text.charAt(3));
```

- A. a
- B. c
- C. r
- D. Compilation fails

Q46. Which interface is used as the target type for a lambda expression?

- A. Marker interface
- B. Functional interface
- C. Serializable
- D. Comparable

Q47. What is the output?

```
int[] nums = {2,4,6};
int sum = 0;
for(int n: nums){
    sum += n;
}
System.out.println(sum);
```

- A. 10
- B. 12
- C. 14
- D. 16

Q48. Which method converts a Stream into a List in Java 17?

- A. toArray()
- B. collect()
- C. toList()
- D. list()

Q49. What is the output?

```
record Student(String name){}

public class Test{
    public static void main(String[] args){
        Student s = new Student("Alex");
        System.out.println(s.name());
    }
}
```

- A. Student
- B. Alex
- C. name
- D. Compilation fails

Q50. Which statement about switch expressions in Java 17 is correct?

- A. They cannot return values.
- B. They always require break statements.
- C. They can use the yield keyword.
- D. They are available only for enum types.

# Oracle Certified Professional Java SE 17 Developer (1Z0-829)

## Mock Exam 5 – Questions 41–50 (No Answers or Explanations)

Q41. What is the output?

```
public class Test{  
    public static void main(String[] args){  
        int x = 10;  
        System.out.println(x++ + ++x + x--);  
    }  
}
```

- A. 31
- B. 32
- C. 33
- D. Compilation fails

Q42. Which modifier must appear on every subclass of a sealed class?

- A. static
- B. final, sealed, or non-sealed
- C. abstract
- D. synchronized

Q43. What is the output?

```
var list = java.util.List.of(10,20,30);  
System.out.println(list.get(2));
```

- A. 20
- B. 30
- C. 10
- D. IndexOutOfBoundsException

Q44. Which Stream operation is intermediate?

- A. count()
- B. collect()
- C. map()
- D. forEach()

Q45. What is the output?

```
String text = "Oracle";  
System.out.println(text.charAt(3));
```

- A. a
- B. c
- C. r
- D. Compilation fails

Q46. Which interface is used as the target type for a lambda expression?

- A. Marker interface
- B. Functional interface
- C. Serializable
- D. Comparable

Q47. What is the output?

```
int[] nums = {2,4,6};
int sum = 0;
for(int n: nums){
    sum += n;
}
System.out.println(sum);
```

- A. 10
- B. 12
- C. 14
- D. 16

Q48. Which method converts a Stream into a List in Java 17?

- A. toArray()
- B. collect()
- C. toList()
- D. list()

Q49. What is the output?

```
record Student(String name){}

public class Test{
    public static void main(String[] args){
        Student s = new Student("Alex");
        System.out.println(s.name());
    }
}
```

- A. Student
- B. Alex
- C. name
- D. Compilation fails

Q50. Which statement about switch expressions in Java 17 is correct?

- A. They cannot return values.
- B. They always require break statements.
- C. They can use the yield keyword.
- D. They are available only for enum types.