Exercise 10I - Create Behavior Definition

SAP Partner Workshop



5 min

Description

In this exercise, you'll learn how:

• Create Behavior Definition.

Prerequisites

• You have completed the steps mentioned until Exercise 10G.


Target group

- Developers
- People interested in learning about development in ABAP env in SAP Cloud Platform with focus on RAP model.

Goal

The goal of this exercise is to create a behavior definition is created and determines the create, update and delete functionality.

Right-click on your data definition ZI TRAVEL M XXX and select New Behavior Definition.



Replace the generated code with the following code,

```
managed implementation in class ZCL_BP_I_TRAVEL_M_XXX unique;
define behavior for ZI_Travel_M_XXX alias Travel
persistent table ztravel_xxx
etag last_changed_at
lock master
// administrative fields (read only)
field ( readonly ) last_changed_at, last_changed_by, created_at, created_by;
// mandatory fields that are required to create a travel
field ( mandatory ) agency_id, overall_status, booking_fee, currency_code;
// dynamic field control
field (features : instance ) travel_id;
// standard operations for travel entity
create;
update;
delete;
```

Replace XXX with the name with actual name in the code copied.

Example:

```
managed implementation in class ZCL_BP I TRAVEL M CVP9 unique;

define behavior for ZI_Travel_M_CVP9 alias Travel
persistent table ztravel_cvp9
etag last_changed_at
lock master
{
// administrative fields (read only)
field ( readonly ) last_changed_at, last_changed_by, created_at, created_by;

// mandatory fields that are required to create a travel
field ( mandatory ) agency_id, overall_status, booking_fee, currency_code;

// dynamic field control
field (features : instance ) travel_id;

// standard operations for travel entity
create;
update;
delete;
}
```

Click Save (Ctrl-S) and Activate (Ctrl-F3).

