Exercise 10G - Create Service Binding

SAP Partner Workshop



5 min

Description

In this exercise, you'll learn how:

• Create Service Binding.

Prerequisites

• You have completed the steps mentioned until Exercise 10G.


Target group

- Developers
- People interested in learning about development in ABAP env in SAP Cloud Platform with focus on RAP model.

Goal

The goal of this exercise is to create a Service Binding to bind the service definition to an OData protocol and check the UI application.


Right-click on your service definition ZUI C TRAVEL M XXX, select New Service Binding.



Click Next and Name and Description as follows.


• Name: zui_c_travel_m_xxx

• Description: Service definition for travel




Click on Next and Finish.

Activate your service Binding




You can see the service information after activation.




Double-click on ${\tt TravelProcessor}$ to see the application on the UI.

Logon to your ABAP system.




Click on Settings and add the columns.




	_		r0		rū					
View Settings										
	Columns		Sort	Filter		Group				
			Search		Q Show	Selected	☆	^	~	*
✓	Select All (10/10)									
✓	Travel ID									
✓	Agency ID									
✓	Customer ID									
✓	Starting Date									
✓	End Date									
✓	Total Price									
✓	Booking Status									
✓	Agency Name									
✓	Currency Code									
~	Description									
							ОК	Cancel	Re	estore

Click on OK and Go.



You can see the list of Travel records.



Congratulations. You have created a Fiori App based on ABAP RAP and successfully visualized the data on UI.