HTML Code - index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>Student Attendance Tracker</title>
<link rel="stylesheet" href="style.css">
</head>
<body>
<header class="topbar">
  <div class="brand">
    <span class="brand-icon">&#10003;</span>
    <h1>Student Attendance Tracker</h1>
  </div>
  <nav>
    <button class="nav-btn active" data-view="students">Students</button>
    <button class="nav-btn" data-view="attendance">Mark Attendance</button>
  </nav>
</header>

<main>
  <!-- Attendance summary -->
  <section class="summary" id="summary"></section>

  <!-- Students view -->
  <section id="view-students" class="view">
    <div class="toolbar">
      <input type="text" id="searchInput" placeholder="Search by name or student ID">
      <select id="deptFilter"><option value="">All Departments</option></select>
      <select id="statusFilter">
        <option value="">All Students</option>
        <option value="low">Low Attendance</option>
        <option value="Present">Present (selected date)</option>
        <option value="Absent">Absent (selected date)</option>
        <option value="Late">Late (selected date)</option>
        <option value="On Duty">On Duty (selected date)</option>
      </select>
      <label class="threshold">Threshold %
        <input type="number" id="thresholdInput" min="1" max="100" value="75">
      </label>
      <button class="btn primary" id="addStudentBtn">+ Add Student</button>
    </div>
    <div class="table-wrap">
      <table>
        <thead>
          <tr><th>Student ID</th><th>Name</th><th>Department</th><th>Attended / Total</th><th>Attendance
            %</th><th>Status</th><th>Actions</th></tr>
        </thead>
        <tbody id="studentBody"></tbody>
      </table>
      <p id="emptyMsg" class="empty" hidden>No students found.</p>
    </div>
  </section>

  <!-- Attendance view -->
  <section id="view-attendance" class="view" hidden>
    <div class="toolbar">
      <label>Date <input type="date" id="attDate"></label>
      <select id="attDept"><option value="">All Departments</option></select>
      <button class="btn" id="markAllBtn">Mark All Present</button>
      <button class="btn primary" id="saveAttBtn">Save Attendance</button>
    </div>
    <div id="attBanner" class="banner" hidden></div>
    <div class="table-wrap">
      <table>
        <thead><tr><th>Student ID</th><th>Name</th><th>Department</th><th>Status</th></tr></thead>
        <tbody id="attBody"></tbody>
      </table>
    </div>
  </section>
</main>

<!-- Add / Edit student modal -->
<div class="modal" id="studentModal" hidden>
  <div class="modal-box">
    <h2 id="studentModalTitle">Add Student</h2>
    <label>Student ID <input type="text" id="stuId" placeholder="e.g. BAI101"></label>
    <label>Student Name <input type="text" id="stuName" placeholder="Full name"></label>
    <label>Department <input type="text" id="stuDept" list="deptList" placeholder="e.g. BSc AI"></label>
```

```
    <datalist id="deptList"></datalist>
    <p class="error" id="stuError"></p>
    <div class="modal-actions">
      <button class="btn" id="cancelStudent">Cancel</button>
      <button class="btn primary" id="saveStudent">Save</button>
    </div>
  </div>
</div>

<!-- History modal -->
<div class="modal" id="historyModal" hidden>
  <div class="modal-box">
    <h2 id="historyTitle"></h2>
    <div class="stats" id="historyStats"></div>
    <div class="table-wrap history-wrap">
      <table>
        <thead><tr><th>Date</th><th>Day</th><th>Status</th></tr></thead>
        <tbody id="historyBody"></tbody>
      </table>
    </div>
    <div class="modal-actions">
      <button class="btn" id="closeHistory">Close</button>
    </div>
  </div>
</div>

<div id="toast" class="toast" hidden></div>

<script src="script.js"></script>
</body>
</html>
```