

[SCC-4179](#)

Restrict CPNI field access to permission set only

Description

Remove FLS access to CPNI fields; delegate via permission set only

Per review with Matt Evrates... System Admin, System Admin API, and Standard User profiles should no longer have Field Level Security access to the two CPNI fields: **CPNI Pin** and **CPNI Password** .

- Remove FLS (read/ and or write) on both CPNI fields for: System Admin, System Admin API, Standard User profiles (Admin to remove from other profiles if this was configured for other profiles in UAT/Prod).
- Access to these fields will be granted **exclusively** through the permission set **"Contact Encrypted CPNI Read/Write Access."**
- This permission set allows assigned users to view the fields on the page layout without profile-level FLS.

Attached is an example

Field Label		CPNI Password	
Data Type		Text (Encrypted/S&S)	
Field Level Security for Profile		☐ Visible	☐ Read-Only
Analytics Cloud Integration User		☐	☐
Analytics Cloud Security User		☐	☐
Anypoint Integration		☐	☐
Contract Manager		☐	☐
CPQ Integration User		☐	☐
Customer Community Plus Login User		☐	☐
Customer Community Plus User		☐	☐
End User		☐	☐
Executive Sponsor		☐	☐
GPC-BI & Reporting		☐	☐
GPC-Billing		☐	☐
GPC-Customer Service		☐	☐
GPC-Fraud/loss		☐	☐
GPC - Integration API User		☐	☐
GPC-Int. Engineering		☐	☐
GPC-PMO		☐	☐
GPC-Product Sales Consulting Support		☐	☐
GPC-Residential GPC Team		☐	☐
GPC Sales		☐	☐
Identity User		☐	☐
Marketing User		☐	☐
Minicloud Access - JSP Only Integrations		☐	☐
Minicloud Access - Subscribers		☐	☐
Partner Community User		☐	☐
Read Only		☐	☐
Salesforce API Only System Integrations		☐	☐
Sales Insights Integration User		☐	☐
Solution Manager		☐	☐
Standard User		☐	☐
System Administrator		☐	☐
System Administrator - API Only		☐	☐

As A

Devops

I Want

Additional CPNI Security

Acceptance Criteria

CPNI FLS is removed from the three profiles listed above + any SF admin has configured. Only users with the "Contact Encrypted CPNI Read/Write Access" permission set can view/edit the CPNI fields.

OH Requirement ID Field

None

Architecture

Solution Review

Remove FLS on CPNI fields, delegate access to these fields via permission set only.

Solution Type

Declarative Only

Architectural Status

Approved

Public Label CPNI Password	
Data Type Text (Encrypted/SF)	
Field-Level Security for Profile	
Analytics Cloud Integration User	☐ Write ☐ Read Only
Analytics Cloud Security User	☐ ☐
Anypoint Integration	☐ ☐
Contract Manager	☐ ☐
CPQ Integration User	☐ ☐
Customer Community Plus Login User	☐ ☐
Customer Community Plus User	☐ ☐
End User	☐ ☐
Executive Sponsor	☐ ☐
GPC-BI & Reporting	☐ ☐
GPC-Billing	☐ ☐
GPC-Customer Service	☐ ☐
GPC-Executive	☐ ☐
GPC - Integration API User	☐ ☐
GPC-Int. Engineering	☐ ☐
GPC-PMO	☐ ☐
GPC-Product/Case Support	☐ ☐
GPC-Residential GPC Team	☐ ☐
GPC-Sales	☐ ☐
Identity User	☐ ☐
Marketing User	☐ ☐
Minimum Access - API Only Integrations	☐ ☐
Minimum Access - Sublicense	☐ ☐
Partner Community User	☐ ☐
Read Only	☐ ☐
Sublicense API Only System Integrations	☐ ☐
Sales Ingestible Integration User	☐ ☐
Sales Manager	☐ ☐
Standard User	☐ ☐
System Administrator	☐ ☐
System Administrator - API Only	☐ ☐

Deployment

Testing Recommendation

Test Case 1: Confirm profile users cannot see CPNI Pin or CPNI Password without the permission set 1. Log in to Salesforce (devA) as a System Administrator who does not have Contact Encrypted CPNI Read/Write Access. 2. Open a Contact that has values in CPNI Pin and CPNI Password (or any Contact using the Vlocity Contact layout). 3. Review the Contact page layout and Edit page for CPNI Pin and CPNI Password. 4. Repeat steps 1–3 as a Standard User who does not have the permission set. Expected: CPNI Pin and CPNI Password are not visible on the layout or edit page for either profile. The user cannot read or update those fields. Test Case 2: Confirm the permission set grants view and edit access 1. Log in to Salesforce (devA) as a System Administrator or Standard User. 2. Assign Contact Encrypted CPNI Read/Write Access to that user (or use a user who already has it). 3. Open the same Contact from Test Case 1. 4. Confirm CPNI Pin and CPNI Password appear on the page layout. 5. Edit both fields (for example, Pin 123456, Password TestCPNI1), save, and reopen the record. Expected: Both fields are visible and editable. The new values save and display (masked as encrypted text). Users without this permission set still cannot see the fields.

Pre-Deployment

None

Deployment

None

Post-Deployment

None

DevOps Assignee

None

DevOps Required

Yes

Board

Development

Attachments

1

Technical Documentation

Libraries/Packages Used

None

APIs

None

Triggers or Automations

None

New or Updated Objects/Fields

None

Components

New- None Updated- 1. Profile - System Administrator 2. Profile - System Administrator - API Only 3. Profile - Standard User 4. Permission Set - Contact Encrypted CPNI Read/Write Access

Settings Modifications

None

Error Logging

None

Temporal Changes

None