

SALESFORCE DEVELOPMENT GUIDE

SCC-4023

Standardize Fiber Installation Method across Premise, Work Order, and Service Appointment

Item	Detail
Document type	Development implementation guide
Prepared for	Salesforce delivery and peer review
Prepared on	September 1, 2026
Change type	Metadata configuration; no Apex expected
Source	SCC-4023 ticket export

Executive summary

SCC-4023 should be implemented as one shared, restricted global picklist named Fiber Installation Method. The same value set must be referenced by the existing fields on Premise, Work Order, and Service Appointment.

Target result: Users and integrations can save only Aerial, Buried, Conduit, or Temporary. Fixed Wireless and Unknown must no longer be selectable. Existing records require an agreed data treatment before the restriction is enabled.

Required outcome

Object	Field	Target configuration
Premise	vlocity_cmt__Premises__c.Fiber_Installation_Method__c	Restricted; shared global value set
Work Order	WorkOrder.Fiber_Installation_Method__c	Restricted; shared global value set
Service Appointment	ServiceAppointment.Fiber_Installation_Method__c	Restricted; shared global value set

Implementation position: Use metadata only unless the dependency review finds hard-coded legacy values in Flow, Apex, OmniStudio, or integration mappings. Do not recreate the fields; update the existing field metadata in place.

Ticket corrections and decisions

The ticket describes the business outcome clearly, but the technical section should be corrected before development is considered complete.

Finding	Required correction
Work Order is missing from Components	Add WorkOrder.Fiber_Installation_Method__c to the component list.
Global value set is missing	Add GlobalValueSet:Fiber_Installation_Method as a new or updated component.
Objects/fields says None	Replace with the three updated custom fields and the global value set.
Testing says Restrict picklist is unchecked	Treat this as the current-state defect. The target state is restricted on all three fields.
Legacy data treatment is undefined	Agree whether Fixed Wireless and Unknown will be mapped, cleared, or retained temporarily before restriction.

Decision required before build

- ☐ **Data owner decision:** define the replacement for records currently holding Fixed Wireless or Unknown.
- ☐ **Integration owner decision:** confirm that Vetro will send only the four approved values after the Salesforce change is released.
- ☐ **Release decision:** Salesforce must be ready before Vetro begins sending the new values, or record creation may fail.

Planned metadata inventory

Metadata type	API name	Action
GlobalValueSet	Fiber_Installation_Method	Create or update with four approved values
CustomField	vlocity_cmt__Premises__c.Fiber_Installation_Method__c	Point to shared set; restricted = true
CustomField	WorkOrder.Fiber_Installation_Method__c	Point to shared set; restricted = true
CustomField	ServiceAppointment.Fiber_Installation_Method__c	Point to shared set; restricted = true

Current-state verification: Retrieve the latest metadata from the development org before editing. This guide is based on the ticket export and a workspace dependency snapshot; it does not replace a current-org retrieve.

Development procedure

Complete the following sequence in a development sandbox and a source-controlled branch. Do not develop directly in the Merge sandbox.

Retrieve the current fields

Start by retrieving the three existing fields. This protects any current labels, descriptions, required settings, formulas, or other field properties that are not part of SCC-4023.

```
sf project retrieve start `
--metadata "CustomField:ServiceAppointment.Fiber_Installation_Method__c" `
--metadata "CustomField:WorkOrder.Fiber_Installation_Method__c" `
--metadata "CustomField:vlocity_cmt__Premises__c.Fiber_Installation_Method__c" `
--target-org <development-alias>
```

Check whether a suitable global value set already exists before creating a new one:

```
sf org list metadata `
--metadata-type GlobalValueSet `
--target-org <development-alias> `
--json
```

Stop condition: If an existing global value set has the same business meaning, confirm ownership and downstream use before reusing it. Do not introduce a second similarly named set without review.

Audit existing data

Run a distinct-value count for each object. Save the results in the work item or PR so reviewers can see whether legacy values exist and how many records are affected.

```
SELECT Fiber_Installation_Method__c, COUNT(Id)
FROM ServiceAppointment
WHERE Fiber_Installation_Method__c != NULL
GROUP BY Fiber_Installation_Method__c
```

Repeat the same query for WorkOrder and vlocity_cmt__Premises__c. If Fixed Wireless, Unknown, or any unexpected value is present, do not enable the restriction until the data decision is approved.

Build the shared value set

Create the following metadata file if no approved shared set already exists:

```
force-app/main/default/globalValueSets/Fiber_Installation_Method.globalValueSet-meta.xml

<?xml version="1.0" encoding="UTF-8"?>
<GlobalValueSet xmlns="http://soap.sforce.com/2006/04/metadata">
  <customValue>
    <fullName>Aerial</fullName>
    <default>false</default>
    <label>Aerial</label>
  </customValue>
  <customValue>
    <fullName>Buried</fullName>
    <default>false</default>
    <label>Buried</label>
  </customValue>
  <customValue>
    <fullName>Conduit</fullName>
    <default>false</default>
    <label>Conduit</label>
  </customValue>
  <customValue>
    <fullName>Temporary</fullName>
    <default>false</default>
    <label>Temporary</label>
  </customValue>
  <masterLabel>Fiber Installation Method</masterLabel>
  <sorted>false</sorted>
</GlobalValueSet>
```

Value rule: The set contains exactly four active values: Aerial, Buried, Conduit, and Temporary. Do not add Fixed Wireless or Unknown to the new set.

Update the three existing fields

In each existing field file, preserve all unrelated properties and replace only the picklist value-set definition with the shared value-set reference:

```
<type>Picklist</type>
<valueSet>
  <restricted>true</restricted>
  <valueSetName>Fiber_Installation_Method</valueSetName>
</valueSet>
```

Apply the change to these exact field files:

- ☐ objects/vlocity_cmt__Premises__c/fields/Fiber_Installation_Method__c.field-meta.xml
- ☐ objects/WorkOrder/fields/Fiber_Installation_Method__c.field-meta.xml
- ☐ objects/ServiceAppointment/fields/Fiber_Installation_Method__c.field-meta.xml

Dependency and integration review

A restricted picklist can reject values that previously saved successfully. Review every producer, transformer, and consumer of Fiber Installation Method before merging.

Workspace dependency snapshot

The available workspace snapshot identifies the following references. Verify the current org and branch because the snapshot may not reflect the latest configuration.

Category	Components to verify
Field Set	FSL_WorkOrder_Mobile
Flows	Create Ad hoc Work Order Screen Flow; Service Appointment - After Save - Create Update; ServiceAppointment_OrderLookup
Layouts	Field Service Dispatcher Service Appointment Layout; Field Service Dispatcher Work Order Layout; Field Service Technician Service Appointment Layout; Field Service Technician Work Order Layout
Layouts	Service Appointment Layout; Serviceability Request Layout; System Administrator Service Appointment Layout; System Administrator Work Order Layout; Work Order Layout

What to inspect

- ☐ Flow decisions, assignments, formulas, and choice resources that compare or assign Fixed Wireless or Unknown.
- ☐ Apex, OmniStudio, DataRaptors, Integration Procedures, validation rules, and formulas with hard-coded picklist values.
- ☐ FSL mobile experiences, layouts, and permission/profile entries that expose the fields.
- ☐ Any automation that copies the value from Premise to Work Order or from Work Order to Service Appointment.

Vetro contract check

Contract item	Required evidence
Outbound values	Vetro sends only Aerial, Buried, Conduit, or Temporary after cutover.
Case and spelling	Exact API values and capitalization match Salesforce.
Null behavior	Blank values are either permitted by the field design or handled before insert/update.
Error handling	Rejected records are logged, alerted, and replayable.
Sequence	Salesforce metadata is released before Vetro starts sending the new values.

Merge blocker: Do not merge until hard-coded legacy values are removed or deliberately handled, and the integration owner confirms the four-value contract.

PR and validation package

Minimum PR scope

- ☐ One GlobalValueSet metadata file: Fiber_Installation_Method.
- ☐ Three CustomField metadata files, one for each object.
- ☐ Only automations or integration metadata that genuinely require a change after dependency review.
- ☐ Data audit results and the approved treatment for legacy values.
- ☐ Validation output and focused functional-test evidence.

Recommended Jira technical documentation

Section	Recommended entry
New components	GlobalValueSet - Fiber_Installation_Method
Updated fields	Premise, Work Order, and Service Appointment Fiber_Installation_Method__c
Triggers or automations	None, unless dependency review requires a specific Flow/Apex/OmniStudio update
Deployment	Deploy value set and all three field references in the same release unit
Post-deployment	Read-back metadata, run smoke tests, and monitor integration failures

Check-only deployment

Run validation against the intended validation org. Use the actual project paths if the repository structure differs.

```
sf project deploy start --dry-run `
  --source-dir force-app/main/default/globalValueSets/Fiber_Installation_Method.globalValueSet-
  meta.xml `
  --source-dir force-
  app/main/default/objects/vlocity_cmt__Premises__c/fields/Fiber_Installation_Method__c.field-
  meta.xml `
  --source-dir force-
  app/main/default/objects/WorkOrder/fields/Fiber_Installation_Method__c.field-meta.xml `
  --source-dir force-
  app/main/default/objects/ServiceAppointment/fields/Fiber_Installation_Method__c.field-meta.xml
  `
  --target-org <validation-alias>
```

Validation gate: A successful dry run proves metadata deployability only. It does not prove runtime propagation, FSL mobile behavior, profile visibility, or Vetro compatibility.

Functional verification

Use focused tests that directly prove the acceptance criteria and the highest-risk integration behavior.

Test	Action	Expected result
Approved values - Premise	Save each of the four approved values on a Premise.	Every value saves; no extra values are selectable.
Approved values - Work Order	Save each approved value on a Work Order.	Every value saves; no extra values are selectable.
Approved values - Service Appointment	Save each approved value on a Service Appointment.	Every value saves; no extra values are selectable.
Invalid value	Attempt to load Fixed Wireless, Unknown, and a random string through an integration-style update.	Salesforce rejects the invalid values and the failure is logged.
Propagation	Create or update the source Premise and progress through Work Order and Service Appointment creation.	The selected value is copied without transformation or loss.
FSL mobile	Open and update the affected record in the technician mobile experience.	The field is visible as designed and only four values appear.
Legacy records	Open and update a record included in the data audit.	Behavior matches the approved mapping or cleanup decision.
Security	Test with representative dispatcher, technician, and administrator access.	Existing field-level security and layout visibility remain correct.

Release sequence

Phase	Required actions
Pre-deployment	Freeze the integration cutover window; rerun the data audit; complete approved legacy cleanup; confirm Vetro payload values and rollback contacts.
Deployment	Deploy the global value set and all three field references as one release unit. Include automation changes only when dependency review proves they are necessary.
Post-deployment	Read back all four metadata components, perform the end-to-end smoke test, monitor failed API records, and confirm Vetro cutover.
Rollback	Pause inbound writes that send unsupported values, restore the prior metadata version if required, and replay failed records after correction.

Completion checklist

- ☐ ☐ Current field metadata retrieved from the development org.
- ☐ ☐ Existing values counted on Premise, Work Order, and Service Appointment.
- ☐ ☐ Legacy-value treatment approved by the business/data owner.
- ☐ ☐ Global value set contains exactly Aerial, Buried, Conduit, and Temporary.
- ☐ ☐ All three fields reference the same global value set and are restricted.
- ☐ ☐ Dependencies reviewed for hard-coded Fixed Wireless and Unknown values.
- ☐ ☐ Vetro contract and release order confirmed by the integration owner.
- ☐ ☐ PR contains one global value set and three field changes at minimum.
- ☐ ☐ Check-only deployment succeeds in the validation org.
- ☐ ☐ Functional tests pass across the three objects and FSL mobile.
- ☐ ☐ Jira technical documentation lists the complete component scope.
- ☐ ☐ Post-deployment monitoring and rollback ownership are assigned.

Definition of done

Done: SCC-4023 is complete when the three fields share one restricted global value set with exactly four approved values, legacy records have an approved treatment, dependent automation and integrations are verified, and the PR includes successful validation and functional evidence.

Sources and evidence

Primary requirement: SCC-4023.docx - provided Jira ticket export

Salesforce Metadata API coverage: <https://developer.salesforce.com/docs/success/metadata-coverage-report/references/metadata-types/v67.0>

Dependency evidence: Workspace custom-field dependency snapshot; verify against the current org before implementation

No Salesforce metadata was changed or deployed while preparing this guide.