



GLOSSY RANDOM COLLECTION

600 X1200 MM

OCTOBER-”25-SERIES





Our Focus

Excellence in Every
Detail, Commitment
in Every Tile.

We Produce 600x1200mm Tiles

Our tiles are more than just a beautiful addition to your space—they are a lasting investment in quality. Each tile is carefully crafted to combine sophisticated design with unmatched strength, ensuring that your floors and walls remain stunning for years to come. Whether you're creating a lavish bathroom, a stylish kitchen, or an elegant living area, our tiles are built to withstand the test of time. Experience the perfect balance of luxury and durability, where every step you take is on a surface that embodies both beauty and resilience.

**Step into Luxury,
Stay for the Durability.**





Application Area

Tiles are versatile and suitable for a wide range of applications, enhancing both functionality and aesthetics, adding a touch of elegance and durability to homes and commercial spaces. Ideal for kitchens, bathrooms, living rooms, and outdoor patios, tiles provide a seamless and stylish finish for any area.



Office Area



Hospital Area



Restaurant



Living Area




Airport Area



Reception Area





UV Resistant



Chemical Resistant



Easy To Clean



Eco Friendly



Temperature Resistance



Bacteria Free

Technical Features

Tiles are versatile and suitable for a wide range of applications, enhancing both functionality and aesthetics, adding a touch of elegance and durability to homes and commercial spaces. Ideal for kitchens, bathrooms, living rooms, and outdoor patios, tiles provide a seamless and stylish finish for any area. The smooth surface enhances light reflection.



PRODUCT INDEX

👉 IT'S CLICKABLE CATALOGS






TERAA
PEARL



TERAA
BROWN



TERAA
CREMA



TERAA
NERO



TERAA
SMOKE



LOGAN
GREY



LOGAN
HONEY




OLID
WHITE



OLID
NERO



OLID
BROWN

**AKOTA BROWN**

600X1200MM
GLOSSY SURFACE
04 RANDOM

**AKOTA CREMA**

600X1200MM
GLOSSY SURFACE
04 RANDOM






AKOTA BROWN

 **EAGLE**
CERAMIC

**AKOTA GREY**

600X1200MM
GLOSSY SURFACE
04 RANDOM

**AKOTA GRIS**

600X1200MM
GLOSSY SURFACE
04 RANDOM

[BACK TO INDEX](#)



AKOTA GRIS

EAGLE
CERAMIC



BONITA CREMA

**600X1200MM
GLOSSY SURFACE
04 RANDOM**



BONITA GREY

**600X1200MM
GLOSSY SURFACE
04 RANDOM**



**BRECCIA GOLD**

600X1200MM
GLOSSY SURFACE
04 RANDOM

**DOLLO CREMA**

600X1200MM
GLOSSY SURFACE
04 RANDOM





BRECCIA GOLD

EAGLE
CERAMIC



DOLLO GOLD

**600X1200MM
GLOSSY SURFACE
04 RANDOM**



DOLLO GREY

**600X1200MM
GLOSSY SURFACE
04 RANDOM**





DOLLO GREY

EAGLE
CERAMIC

**ENDURA BEIGE**

**600X1200MM
GLOSSY SURFACE
04 RANDOM**

**ENDURA CAFE**

**600X1200MM
GLOSSY SURFACE
04 RANDOM**

[BACK TO INDEX](#)



ENDURA CAFE

EAGLE
CERAMIC

**ENDURA BIANCO**

600X1200MM
GLOSSY SURFACE
04 RANDOM


**ENDURA GERY**

600X1200MM
GLOSSY SURFACE
04 RANDOM



**FLAGE WHITE**

**600X1200MM
GLOSSY SURFACE
04 RANDOM**

**GIVOK**

**600X1200MM
GLOSSY SURFACE
05 RANDOM**



EAGLE
CERAMIC



GIVOK

**ITALIO CREMA**

600X1200MM
GLOSSY SURFACE
04 RANDOM

**ITALIO COCO**

600X1200MM
GLOSSY SURFACE
05 RANDOM



**ITALIO GREY**

600X1200MM
GLOSSY SURFACE
04 RANDOM

**ITALIO NORA**


600X1200MM
GLOSSY SURFACE
05 RANDOM

[BACK TO INDEX](#)



ITALIO GREY

EAGLE
CERAMIC

**KRAFTON BEIGE**

600X1200MM
GLOSSY SURFACE
06 RANDOM

**KRAFTON BIANCO**

600X1200MM
GLOSSY SURFACE
06 RANDOM





KRAFTON BIANCO


EAGLE
CERAMIC

**KRAFTON BROWN**

600X1200MM
GLOSSY SURFACE
06 RANDOM

**KRAFTON CREMA**

600X1200MM
GLOSSY SURFACE
06 RANDOM



**KRAFTON GREY**

600X1200MM
GLOSSY SURFACE
06 RANDOM

**NATROS**

600X1200MM
GLOSSY SURFACE
03 RANDOM





KRAFTON GREY




EAGLE
CERAMIC


**NULICO GREY**

600X1200MM
GLOSSY SURFACE
04 RANDOM

**NULICO MID**


600X1200MM
GLOSSY SURFACE
04 RANDOM





NULICO MID

 **EAGLE**
CERAMIC

**ODIN CREMA**

600X1200MM
GLOSSY SURFACE
04 RANDOM



Easy to clean Frost resistant Scratch resistant Chemical resistant

**ODIN GREY**

600X1200MM
GLOSSY SURFACE
04 RANDOM



[BACK TO INDEX](#)

**PENTAGO**

600X1200MM
GLOSSY SURFACE
04 RANDOM

**SOVANI**

600X1200MM
GLOSSY SURFACE
04 RANDOM





PENTAGO

 **EAGLE**
CERAMIC

**QUROS BEIGE**

600X1200MM
GLOSSY SURFACE
04 RANDOM

**QUROS GREY**


600X1200MM
GLOSSY SURFACE
04 RANDOM

[BACK TO INDEX](#)



SPERON

**600X1200MM
GLOSSY SURFACE
04 RANDOM**



YAJOK

**600X1200MM
GLOSSY SURFACE
04 RANDOM**




**TESLA BEIGE**

600X1200MM
GLOSSY SURFACE
04 RANDOM

**TESLA GREY**

600X1200MM
GLOSSY SURFACE
04 RANDOM





TESLA GREY

EAGLE
CERAMIC


**URECO CREMA**

600X1200MM
GLOSSY SURFACE
05 RANDOM


**URECO NERO**

600X1200MM
GLOSSY SURFACE
05 RANDOM



**URECO WHITE**

600X1200MM
GLOSSY SURFACE
05 RANDOM

**WELEX**

600X1200MM
GLOSSY SURFACE
04 RANDOM





URECO WHITE

EAGLE
CERAMIC

**YETINA CREMA**

**600X1200MM
GLOSSY SURFACE
04 RANDOM**

**YETINA GREY**

**600X1200MM
GLOSSY SURFACE
04 RANDOM**

[BACK TO INDEX](#)



ALURE GOLD


 **EAGLE**
CERAMIC


**CUBA SELVA**

600X1200MM
GLOSSY SURFACE
04 RANDOM

**TERAA PEARL**

600X1200MM
GLOSSY SURFACE
04 RANDOM



**TERAA BROWN**

600X1200MM
GLOSSY SURFACE
04 RANDOM

**TERAA CREMA**

600X1200MM
GLOSSY SURFACE
04 RANDOM





TERAA BROWN

 **EAGLE**
CERAMIC

**TERAA NERO**

600X1200MM
GLOSSY SURFACE
04 RANDOM


**TERAA SMOKE**

600X1200MM
GLOSSY SURFACE
04 RANDOM




**LOGAN GREY**

**600X1200MM
GLOSSY SURFACE
04 RANDOM**

**LOGAN HONEY**

**600X1200MM
GLOSSY SURFACE
04 RANDOM**

[BACK TO INDEX](#)




LOGAN HONEY


EAGLE
CERAMIC


**OLID WHITE**

600X1200MM
GLOSSY SURFACE
03 RANDOM

**OLID NERO**

600X1200MM
GLOSSY SURFACE
03 RANDOM





OLID BROWN

600X1200MM
GLOSSY SURFACE
0 RANDOM



[BACK TO INDEX](#)

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE<1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cm³	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm²	Min. 35.0 N/mm²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4*/ Satin, Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm³	Max. 132mm³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 × 10⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF -WET PENDULUM)##	as per mfg.	Glossy P0(<12), Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVER AREA / BOX	WEIGHT
GVT-PGVT	600X 1200mm	9mm (Approx)	2pcs.	1.44 sq. mtr	27 KG (Approx)

Instruction

This is for all our customers to inform you that in bookmatch & 3d designs that will not be 100% joint free
There will be a minimum variation around 5 mm due to some technical reasons. So we will not entertain any complain regarding this



ADDRESS

Shop No 13,Second
Floor,Survey No 63
Paiki1/paiki2, Plot No 1 Paiki
Prabhat Chamber, Halvad Road,
Mahendranagar,Morbi
MORBI-363641
GUJRAT-INDIA

eagleceramic24@gmail.com