



# SNP COLLECTION

OCTOBER-"25-SERIES

600 X1200 MM







## Our Focus

Excellence in Every  
Detail, Commitment  
in Every Tile.

## We Produce 600x1200mm Tiles

Our tiles are more than just a beautiful addition to your space—they are a lasting investment in quality. Each tile is carefully crafted to combine sophisticated design with unmatched strength, ensuring that your floors and walls remain stunning for years to come. Whether you're creating a lavish bathroom, a stylish kitchen, or an elegant living area, our tiles are built to withstand the test of time. Experience the perfect balance of luxury and durability, where every step you take is on a surface that embodies both beauty and resilience.

**Step into Luxury,  
Stay for the Durability.**

[www.superagranito.com](http://www.superagranito.com)





## Application Area

---

Tiles are versatile and suitable for a wide range of applications, enhancing both functionality and aesthetics. Adding a touch of elegance and durability to homes and commercial spaces. Ideal for kitchens, bathrooms, living rooms, and outdoor patios, tiles provide a seamless and stylish finish for any area.



Office Area



Hospital Area




Restaurant



Living Area



Airport Area



Reception Area





UV Resistant



Chemical Resistant



Easy To Clean



Eco Friendly



Temperature Resistance



Bacteria Free

## Technical Features

---

Tiles are versatile and suitable for a wide range of applications, enhancing both functionality and aesthetics, adding a touch of elegance and durability to homes and commercial spaces. Ideal for kitchens, bathrooms, living rooms, and outdoor patios, tiles provide a seamless and stylish finish for any area. The smooth surface enhances light reflection.




## PRODUCT INDEX

 **IT'S CLICKABLE CATALOGS**

														
AETLI BIANCO	AETLI COCO	AETLI GREY	AETLI GRIS	ALZY BEIGE	ALZY BLUE	ALZY CREMA	ALZY OLIVE	BONY CREMA	BONY GREY	BONY WHITE	COLASO CLAY	COLASO MUD	COLASO ROSSA	COLASO TURKY
														
CRIMSON	GLORY WHITE	JECOP CREMA	JECOP GLORY	JECOP SILVER	MERLOT	MILTON AMBER	NOVARA	PERITON BROWN	PERITON NERO	PERITON SILVER	PERITON TUN	PISA ASH		





BACK TO INDEX

## AETLI BIANCO

**600x**  
1200mm

**Glossy**  
Finish

**04**  
Random



UV  
Resistant



Chemical  
Resistant



Easy to  
Clean



Eco  
Friendly




Temperature  
Resistance



Bacteria  
Free



**AETLI BIANCO**



AETLI  
**COCO**



BACK TO INDEX

**600x**  
1200mm

**Glossy**  
Finish

**04**  
Random



UV  
Resistant



Chemical  
Resistant



Easy to  
Clean



Eco  
Friendly



Temperature  
Resistance



Bacteria  
Free





BACK TO INDEX

AETLI  
GREY

600x  
1200mm

Glossy  
Finish

04  
Random



UV  
Resistant



Chemical  
Resistant



Easy to  
Clean




Eco  
Friendly



Temperature  
Resistance



Bacteria  
Free



BACK TO INDEX

## AETLI GRIS

**600x**  
1200mm

**Glossy**  
Finish

**04**  
Random



UV  
Resistant



Chemical  
Resistant



Easy to  
Clean



Eco  
Friendly



Temperature  
Resistance



Bacteria  
Free





**AETLI GRIS**



**ALZY  
BEIGE**



BACK TO INDEX

**600x  
1200mm**

**Glossy  
Finish**

**04  
Random**



UV  
Resistant



Chemical  
Resistant



Easy to  
Clean



Eco  
Friendly



Temperature  
Resistance



Bacteria  
Free





BACK TO INDEX

ALZY  
BLUE

600x  
1200mm

Glossy  
Finish

04  
Random



UV  
Resistant



Chemical  
Resistant



Easy to  
Clean



Eco  
Friendly



Temperature  
Resistance



Bacteria  
Free



BACK TO INDEX

## ALZY CREMA

**600x**  
1200mm

**Glossy**  
Finish

**04**  
Random



UV  
Resistant



Chemical  
Resistant



Easy to  
Clean



Eco  
Friendly



Temperature  
Resistance




Bacteria  
Free





**ALZY CREMA**



[BACK TO INDEX](#)

## ALZY OLIVE

**600x**  
1200mm

**Glossy**  
Finish

**04**  
Random



UV  
Resistant



Chemical  
Resistant



Easy to  
Clean



Eco  
Friendly



Temperature  
Resistance



Bacteria  
Free





**BONY  
CREMA**



BACK TO INDEX

**600x  
1200mm**

**Glossy  
Finish**

**04  
Random**



UV  
Resistant



Chemical  
Resistant



Easy to  
Clean



Eco  
Friendly




Temperature  
Resistance



Bacteria  
Free





BONY  
GREY

600x  
1200mm

Glossy  
Finish

04  
Random


 UV  
Resistant

 Chemical  
Resistant

 Easy to  
Clean

 Eco  
Friendly


 Temperature  
Resistance

 Bacteria  
Free



**BONY GREY**





## BONY WHITE



**600x**  
1200mm

**Glossy**  
Finish

**04**  
Random



UV  
Resistant



Chemical  
Resistant



Easy to  
Clean




Eco  
Friendly



Temperature  
Resistance



Bacteria  
Free



BACK TO INDEX

## COLASO CLAY

**600x**  
1200mm

**Glossy**  
Finish

**04**  
Random



UV  
Resistant



Chemical  
Resistant



Easy to  
Clean




Eco  
Friendly



Temperature  
Resistance



Bacteria  
Free



BACK TO INDEX

## COLASO MUD

**600x**  
1200mm

**Glossy**  
Finish

**04**  
Random



UV  
Resistant



Chemical  
Resistant



Easy to  
Clean



Eco  
Friendly



Temperature  
Resistance




Bacteria  
Free





COLASO MUD



**COLASO  
ROSSA**



BACK TO INDEX

**600x  
1200mm**

**Glossy  
Finish**

**04  
Random**



UV  
Resistant



Chemical  
Resistant



Easy to  
Clean



Eco  
Friendly



Temperature  
Resistance



Bacteria  
Free



**COLASO  
TURKY**



BACK TO INDEX

**600x  
1200mm**

**Glossy  
Finish**

**04  
Random**



UV  
Resistant



Chemical  
Resistant



Easy to  
Clean



Eco  
Friendly



Temperature  
Resistance



Bacteria  
Free





BACK TO INDEX

CRIMSON

600x  
1200mm

Glossy  
Finish

04  
Random



UV  
Resistant



Chemical  
Resistant



Easy to  
Clean



Eco  
Friendly



Temperature  
Resistance




Bacteria  
Free



Hiesen THAL

CRIMSON



BACK TO INDEX

## GLORY WHITE

**600x**  
1200mm

**Glossy**  
Finish

**04**  
Random



UV  
Resistant



Chemical  
Resistant



Easy to  
Clean



Eco  
Friendly




Temperature  
Resistance



Bacteria  
Free





JECOP  
CREMA


600x  
1200mm

Glossy  
Finish

04  
Random


 UV  
Resistant

 Chemical  
Resistant

 Easy to  
Clean

 Eco  
Friendly

 Temperature  
Resistance

 Bacteria  
Free



BACK TO INDEX

JECOP  
GLORY

600x  
1200mm

Glossy  
Finish

04  
Random



UV  
Resistant



Chemical  
Resistant



Easy to  
Clean



Eco  
Friendly



Temperature  
Resistance



Bacteria  
Free



**JECOP GLORY**





BACK TO INDEX


JECOP  
SILVER


600x  
1200mm

Glossy  
Finish

04  
Random


UV  
Resistant

Chemical  
Resistant

Easy to  
Clean

Eco  
Friendly

Temperature  
Resistance

Bacteria  
Free



BACK TO INDEX

MERLOT

**600x**  
1200mm

**Glossy**  
Finish

**04**  
Random



UV  
Resistant



Chemical  
Resistant



Easy to  
Clean



Eco  
Friendly



Temperature  
Resistance



Bacteria  
Free





MILTON  
AMBER


600x  
1200mm

Glossy  
Finish

04  
Random


 UV  
Resistant

 Chemical  
Resistant

 Easy to  
Clean

 Eco  
Friendly


 Temperature  
Resistance

 Bacteria  
Free





MILTON **AMBER**



## NOVARA



BACK TO INDEX

**600x**  
1200mm

**Glossy**  
Finish

**04**  
Random



UV  
Resistant



Chemical  
Resistant



Easy to  
Clean



Eco  
Friendly




Temperature  
Resistance



Bacteria  
Free



BACK TO INDEX



PERITON  
BROWN

600x  
1200mm

Glossy  
Finish

04  
Random



UV  
Resistant



Chemical  
Resistant



Easy to  
Clean



Eco  
Friendly



Temperature  
Resistance



Bacteria  
Free





BACK TO INDEX

PERITON  
NERO

600x  
1200mm

Glossy  
Finish

04  
Random



UV  
Resistant



Chemical  
Resistant



Easy to  
Clean



Eco  
Friendly




Temperature  
Resistance



Bacteria  
Free



PERITON **NERO**



BACK TO INDEX

## PERITON SILVER

**600x**  
1200mm

**Glossy**  
Finish

**04**  
Random



UV  
Resistant



Chemical  
Resistant



Easy to  
Clean



Eco  
Friendly



Temperature  
Resistance



Bacteria  
Free





BACK TO INDEX

PERITON  
TUN

600x  
1200mm

Glossy  
Finish

04  
Random



UV  
Resistant



Chemical  
Resistant



Easy to  
Clean




Eco  
Friendly



Temperature  
Resistance



Bacteria  
Free



PISA  
**ASH**





**600x**  
1200mm


**Glossy**  
Finish

**04**  
Random

 UV  
Resistant

 Chemical  
Resistant

 Easy to  
Clean

 Eco  
Friendly

 Temperature  
Resistance

 Bacteria  
Free



PISA **ASH**



## TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE	TEST METHOD
<b>Regulatory Properties</b>			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	$\Delta E < 1.00$	$\Delta E < 0.30$	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Polish)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
<b>Structural Properties</b>			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cm <sup>3</sup>	ISO 10545-3
<b>Massive Mechanical Properties</b>			
Modulus of rupture	Min. 30.0 N/mm <sup>2</sup>	Min. 35.0 N/mm <sup>2</sup>	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
<b>Surface Mechanical Properties</b>			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin, Polish & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Polish Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm <sup>3</sup>	Max. 132mm <sup>3</sup>	ISO 10545-6
<b>Thermal Hydrometric Properties</b>			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 <sup>-6</sup>	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
<b>Chemical Properties</b>			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
<b>Safety Properties</b>			
Skid resistance (COF -WET PENDULAM)##	as per mfg.	Glossy P0(<12), Satin, Polish ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

## PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERED AREA / BOX	WEIGHT
<b>GVT-PGVT</b>	<b>600X 1200mm</b>	<b>9mm (Approx)</b>	<b>2pcs</b>	<b>1.44 sq. mtr</b>	<b>27 KG (Approx)</b>

### Instruction

This is for all our customers to inform you that in bookmatch & 3d designs that will not be 100% joint free

There will be a minimum variation around 5 mm due to some technical reasons. So we will not entertain any complain regarding this



## ADDRESS

Shop No 13,Second  
Floor,Survey No 63  
Paiki1/paiki2, Plot No 1 Paiki  
Prabhat Chamber,Halvad Road,  
Mahendranagar,Morbi  
MORBI-363641  
GUJRAT-INDIA

[eagleceramic24@gmail.com](mailto:eagleceramic24@gmail.com)