

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
truva/
|-- .venv/
|   |-- Lib/
|       |-- site-packages/
|           |-- __pycache__/
|               |-- _virtualenv.cpython-314.pyc
|           |-- defusedxml/
|               |-- __pycache__/
|                   |-- __init__.cpython-314.pyc
|                   |-- common.cpython-314.pyc
|                   |-- ElementTree.cpython-314.pyc
|                   |-- __init__.py
|                   |-- cElementTree.py
|                   |-- common.py
|                   |-- ElementTree.py
|                   |-- expatbuilder.py
|                   |-- expatreader.py
|                   |-- lxml.py
|                   |-- minidom.py
|                   |-- pulldom.py
|                   |-- sax.py
|                   |-- xmlrpc.py
|           |-- defusedxml-0.7.1.dist-info/
|               |-- INSTALLER
|               |-- LICENSE
|               |-- METADATA
|               |-- RECORD
|               |-- REQUESTED
|               |-- top_level.txt
|               |-- WHEEL
|           |-- fontTools/
|               |-- __pycache__/
|                   |-- __init__.cpython-314.pyc
|                   |-- unicode.cpython-314.pyc
|               |-- cffLib/
|                   |-- __pycache__/
|                       |-- __init__.cpython-314.pyc
|                       |-- CFF2ToCFF.cpython-314.pyc
|                       |-- specializer.cpython-314.pyc
|                       |-- transforms.cpython-314.pyc
|                       |-- width.cpython-314.pyc
|                   |-- __init__.py
|                   |-- CFF2ToCFF.py
|                   |-- CFFToCFF2.py
|                   |-- specializer.py
|                   |-- transforms.py
|                   |-- width.py
|           |-- colorLib/
```

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
| | | | | |-- __pycache__/
| | | | | | |-- __init__.cpython-314.pyc
| | | | | | |-- builder.cpython-314.pyc
| | | | | | |-- errors.cpython-314.pyc
| | | | | | |-- geometry.cpython-314.pyc
| | | | | | |-- table_builder.cpython-314.pyc
| | | | | | `-- unbuilder.cpython-314.pyc
| | | | | |-- __init__.py
| | | | | |-- builder.py
| | | | | |-- errors.py
| | | | | |-- geometry.py
| | | | | |-- table_builder.py
| | | | | `-- unbuilder.py
| | | | |-- config/
| | | | | |-- __pycache__/
| | | | | | `-- __init__.cpython-314.pyc
| | | | | `-- __init__.py
| | | | |-- cu2qu/
| | | | | |-- __init__.py
| | | | | |-- __main__.py
| | | | | |-- benchmark.py
| | | | | |-- cli.py
| | | | | |-- cu2qu.c
| | | | | |-- cu2qu.cp314-win_amd64.pyd
| | | | | |-- cu2qu.py
| | | | | |-- errors.py
| | | | | `-- ufo.py
| | | | |-- designspaceLib/
| | | | | |-- __pycache__/
| | | | | | |-- __init__.cpython-314.pyc
| | | | | | |-- split.cpython-314.pyc
| | | | | | |-- statNames.cpython-314.pyc
| | | | | | `-- types.cpython-314.pyc
| | | | | |-- __init__.py
| | | | | |-- __main__.py
| | | | | |-- split.py
| | | | | |-- statNames.py
| | | | | `-- types.py
| | | | |-- diff/
| | | | | |-- __init__.py
| | | | | |-- __main__.py
| | | | | |-- color.py
| | | | | |-- diff.py
| | | | | `-- utils.py
| | | | |-- encodings/
| | | | | |-- __pycache__/
| | | | | | |-- __init__.cpython-314.pyc
| | | | | | `-- codecs.cpython-314.pyc
```

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
| | | | | |-- __init__.py
| | | | | |-- codecs.py
| | | | | |-- MacRoman.py
| | | | | `-- StandardEncoding.py
| | | | | |-- feaLib/
| | | | | | |-- __pycache__/
| | | | | | | |-- __init__.cpython-314.pyc
| | | | | | | |-- ast.cpython-314.pyc
| | | | | | | |-- error.cpython-314.pyc
| | | | | | | |-- location.cpython-314.pyc
| | | | | | | `-- lookupDebugInfo.cpython-314.pyc
| | | | | |-- __init__.py
| | | | | |-- __main__.py
| | | | | |-- ast.py
| | | | | |-- builder.py
| | | | | |-- error.py
| | | | | |-- lexer.c
| | | | | |-- lexer.cp314-win_amd64.pyd
| | | | | |-- lexer.py
| | | | | |-- location.py
| | | | | |-- lookupDebugInfo.py
| | | | | |-- parser.py
| | | | | `-- variableScalar.py
| | | | | |-- merge/
| | | | | | |-- __init__.py
| | | | | | |-- __main__.py
| | | | | | |-- base.py
| | | | | | |-- cmap.py
| | | | | | |-- layout.py
| | | | | | |-- options.py
| | | | | | |-- tables.py
| | | | | | |-- unicode.py
| | | | | | `-- util.py
| | | | | |-- misc/
| | | | | | |-- __pycache__/
| | | | | | | |-- __init__.cpython-314.pyc
| | | | | | | |-- arrayTools.cpython-314.pyc
| | | | | | | |-- classifyTools.cpython-314.pyc
| | | | | | | |-- cliTools.cpython-314.pyc
| | | | | | | |-- configTools.cpython-314.pyc
| | | | | | | |-- dictTools.cpython-314.pyc
| | | | | | | |-- encodingTools.cpython-314.pyc
| | | | | | | |-- enumTools.cpython-314.pyc
| | | | | | | |-- etree.cpython-314.pyc
| | | | | | | |-- filenames.cpython-314.pyc
| | | | | | | |-- fixedTools.cpython-314.pyc
| | | | | | | |-- intTools.cpython-314.pyc
| | | | | | | |-- iterTools.cpython-314.pyc
```

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
| | | | | |-- lazyTools.cpython-314.pyc
| | | | | |-- loggingTools.cpython-314.pyc
| | | | | |-- psCharStrings.cpython-314.pyc
| | | | | |-- roundTools.cpython-314.pyc
| | | | | |-- sstruct.cpython-314.pyc
| | | | | |-- textTools.cpython-314.pyc
| | | | | |-- timeTools.cpython-314.pyc
| | | | | |-- transform.cpython-314.pyc
| | | | | |-- treeTools.cpython-314.pyc
| | | | | |-- vector.cpython-314.pyc
| | | | | |-- visitor.cpython-314.pyc
| | | | | `-- xmlWriter.cpython-314.pyc
| | | | |-- filesystem/
| | | | | |-- __init__.py
| | | | | |-- _base.py
| | | | | |-- _copy.py
| | | | | |-- _errors.py
| | | | | |-- _info.py
| | | | | |-- _osfs.py
| | | | | |-- _path.py
| | | | | |-- _subfs.py
| | | | | |-- _tempfs.py
| | | | | |-- _tools.py
| | | | | |-- _walk.py
| | | | | `-- _zipfs.py
| | | | |-- plistlib/
| | | | | |-- __pycache__/
| | | | | | `-- __init__.cpython-314.pyc
| | | | | |-- __init__.py
| | | | | `-- py.typed
| | | | |-- __init__.py
| | | | |-- arrayTools.py
| | | | |-- bezierTools.c
| | | | |-- bezierTools.cp314-win_amd64.pyd
| | | | |-- bezierTools.py
| | | | |-- classifyTools.py
| | | | |-- cliTools.py
| | | | |-- configTools.py
| | | | |-- cython.py
| | | | |-- dictTools.py
| | | | |-- eexec.py
| | | | |-- encodingTools.py
| | | | |-- enumTools.py
| | | | |-- etree.py
| | | | |-- filenames.py
| | | | |-- fixedTools.py
| | | | |-- intTools.py
| | | | |-- iterTools.py
```

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
| | | | | |-- lazyTools.py
| | | | | |-- loggingTools.py
| | | | | |-- macCreatorType.py
| | | | | |-- macRes.py
| | | | | |-- psCharStrings.py
| | | | | |-- psLib.py
| | | | | |-- psOperators.py
| | | | | |-- py23.py
| | | | | |-- roundTools.py
| | | | | |-- sstruct.py
| | | | | |-- symfont.py
| | | | | |-- testTools.py
| | | | | |-- textTools.py
| | | | | |-- timeTools.py
| | | | | |-- transform.py
| | | | | |-- treeTools.py
| | | | | |-- vector.py
| | | | | |-- visitor.py
| | | | | |-- xmlReader.py
| | | | | `-- xmlWriter.py
| | | | |-- mtiLib/
| | | | | |-- __init__.py
| | | | | `-- __main__.py
| | | | |-- otLib/
| | | | | |-- __pycache__/
| | | | | | |-- __init__.cpython-314.pyc
| | | | | | |-- builder.cpython-314.pyc
| | | | | | |-- error.cpython-314.pyc
| | | | | | `-- maxContextCalc.cpython-314.pyc
| | | | |-- optimize/
| | | | | |-- __pycache__/
| | | | | | |-- __init__.cpython-314.pyc
| | | | | | | `-- gpos.cpython-314.pyc
| | | | | |-- __init__.py
| | | | | |-- __main__.py
| | | | | `-- gpos.py
| | | | |-- __init__.py
| | | | |-- builder.py
| | | | |-- error.py
| | | | `-- maxContextCalc.py
| | | |-- pens/
| | | | |-- __pycache__/
| | | | | |-- __init__.cpython-314.pyc
| | | | | |-- basePen.cpython-314.pyc
| | | | | |-- boundsPen.cpython-314.pyc
| | | | | |-- filterPen.cpython-314.pyc
| | | | | |-- pointPen.cpython-314.pyc
| | | | | |-- recordingPen.cpython-314.pyc
```

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
| | | | | |-- transformPen.cpython-314.pyc
| | | | | `-- ttGlyphPen.cpython-314.pyc
| | | | |-- __init__.py
| | | | |-- areaPen.py
| | | | |-- basePen.py
| | | | |-- boundsPen.py
| | | | |-- cairoPen.py
| | | | |-- cocoaPen.py
| | | | |-- cu2quPen.py
| | | | |-- explicitClosingLinePen.py
| | | | |-- filterPen.py
| | | | |-- freetypePen.py
| | | | |-- hashPointPen.py
| | | | |-- momentsPen.c
| | | | |-- momentsPen.cp314-win_amd64.pyd
| | | | |-- momentsPen.py
| | | | |-- perimeterPen.py
| | | | |-- pointInsidePen.py
| | | | |-- pointPen.py
| | | | |-- qtPen.py
| | | | |-- qu2cuPen.py
| | | | |-- quartzPen.py
| | | | |-- recordingPen.py
| | | | |-- reportLabPen.py
| | | | |-- reverseContourPen.py
| | | | |-- roundingPen.py
| | | | |-- statisticsPen.py
| | | | |-- svgPathPen.py
| | | | |-- t2CharStringPen.py
| | | | |-- teePen.py
| | | | |-- transformPen.py
| | | | |-- ttGlyphPen.py
| | | | `-- wxPen.py
| | | | |-- qu2cu/
| | | | | |-- __init__.py
| | | | | |-- __main__.py
| | | | | |-- benchmark.py
| | | | | |-- cli.py
| | | | | |-- qu2cu.c
| | | | | |-- qu2cu.cp314-win_amd64.pyd
| | | | | `-- qu2cu.py
| | | | |-- subset/
| | | | | |-- __pycache__/
| | | | | | |-- __init__.cpython-314.pyc
| | | | | | |-- cff.cpython-314.pyc
| | | | | | |-- svg.cpython-314.pyc
| | | | | | `-- util.cpython-314.pyc
| | | | |-- __init__.py
```

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
| | | | | |-- __main__.py
| | | | | |-- cff.py
| | | | | |-- svg.py
| | | | | `-- util.py
| | | | |-- svgLib/
| | | | | |-- __pycache__/
| | | | | | `-- __init__.cpython-314.pyc
| | | | |-- path/
| | | | | |-- __pycache__/
| | | | | | |-- __init__.cpython-314.pyc
| | | | | | |-- arc.cpython-314.pyc
| | | | | | |-- parser.cpython-314.pyc
| | | | | | `-- shapes.cpython-314.pyc
| | | | | |-- __init__.py
| | | | | |-- arc.py
| | | | | |-- parser.py
| | | | | `-- shapes.py
| | | | `-- __init__.py
| | | |-- t1Lib/
| | | | `-- __init__.py
| | | |-- ttLib/
| | | | |-- __pycache__/
| | | | | |-- __init__.cpython-314.pyc
| | | | | |-- sfnt.cpython-314.pyc
| | | | | |-- standardGlyphOrder.cpython-314.pyc
| | | | | |-- ttCollection.cpython-314.pyc
| | | | | |-- ttFont.cpython-314.pyc
| | | | | |-- ttGlyphSet.cpython-314.pyc
| | | | | `-- ttVisitor.cpython-314.pyc
| | | |-- tables/
| | | | |-- __pycache__/
| | | | | |-- __init__.cpython-314.pyc
| | | | | |-- _a_n_k_r.cpython-314.pyc
| | | | | |-- _b_s_l_n.cpython-314.pyc
| | | | | |-- _c_m_a_p.cpython-314.pyc
| | | | | |-- _f_v_a_r.cpython-314.pyc
| | | | | |-- _g_l_y_f.cpython-314.pyc
| | | | | |-- _g_v_a_r.cpython-314.pyc
| | | | | |-- _h_d_m_x.cpython-314.pyc
| | | | | |-- _h_e_a_d.cpython-314.pyc
| | | | | |-- _h_m_t_x.cpython-314.pyc
| | | | | |-- _k_e_r_n.cpython-314.pyc
| | | | | |-- _l_c_a_r.cpython-314.pyc
| | | | | |-- _m_a_x_p.cpython-314.pyc
| | | | | |-- _n_a_m_e.cpython-314.pyc
| | | | | |-- _o_p_b_d.cpython-314.pyc
| | | | | |-- _p_o_s_t.cpython-314.pyc
| | | | | `-- _p_r_o_p.cpython-314.pyc
```

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

						-- _s_b_i_x.cpython-314.pyc
						-- _v_m_t_x.cpython-314.pyc
						-- BitmapGlyphMetrics.cpython-314.pyc
						-- C_F_F_.cpython-314.pyc
						-- C_O_L_R_.cpython-314.pyc
						-- C_P_A_L_.cpython-314.pyc
						-- D_S_I_G_.cpython-314.pyc
						-- DefaultTable.cpython-314.pyc
						-- E_B_D_T_.cpython-314.pyc
						-- E_B_L_C_.cpython-314.pyc
						-- G_D_E_F_.cpython-314.pyc
						-- G_P_O_S_.cpython-314.pyc
						-- G_S_U_B_.cpython-314.pyc
						-- H_V_A_R_.cpython-314.pyc
						-- M_A_T_H_.cpython-314.pyc
						-- otBase.cpython-314.pyc
						-- otConverters.cpython-314.pyc
						-- otData.cpython-314.pyc
						-- otTables.cpython-314.pyc
						-- otTraverse.cpython-314.pyc
						-- S_V_G_.cpython-314.pyc
						-- sbixGlyph.cpython-314.pyc
						-- sbixStrike.cpython-314.pyc
						-- ttProgram.cpython-314.pyc
						-- TupleVariation.cpython-314.pyc
						-- V_A_R_C_.cpython-314.pyc
						-- V_O_R_G_.cpython-314.pyc
						`-- V_V_A_R_.cpython-314.pyc
						-- __init__.py
						-- _a_n_k_r.py
						-- _a_v_a_r.py
						-- _b_s_l_n.py
						-- _c_i_d_g.py
						-- _c_m_a_p.py
						-- _c_v_a_r.py
						-- _c_v_t.py
						-- _f_e_a_t.py
						-- _f_p_g_m.py
						-- _f_v_a_r.py
						-- _g_a_s_p.py
						-- _g_c_i_d.py
						-- _g_l_y_f.py
						-- _g_v_a_r.py
						-- _h_d_m_x.py
						-- _h_e_a_d.py
						-- _h_h_e_a.py
						-- _h_m_t_x.py
						-- _k_e_r_n.py

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
| | | | | |-- _l_c_a_r.py
| | | | | |-- _l_o_c_a.py
| | | | | |-- _l_t_a_g.py
| | | | | |-- _m_a_x_p.py
| | | | | |-- _m_e_t_a.py
| | | | | |-- _m_o_r_t.py
| | | | | |-- _m_o_r_x.py
| | | | | |-- _n_a_m_e.py
| | | | | |-- _o_p_b_d.py
| | | | | |-- _p_o_s_t.py
| | | | | |-- _p_r_e_p.py
| | | | | |-- _p_r_o_p.py
| | | | | |-- _s_b_i_x.py
| | | | | |-- _t_r_a_k.py
| | | | | |-- _v_h_e_a.py
| | | | | |-- _v_m_t_x.py
| | | | | |-- asciiTable.py
| | | | | |-- B_A_S_E_.py
| | | | | |-- BitmapGlyphMetrics.py
| | | | | |-- C_B_D_T_.py
| | | | | |-- C_B_L_C_.py
| | | | | |-- C_F_F_.py
| | | | | |-- C_F_F__2.py
| | | | | |-- C_O_L_R_.py
| | | | | |-- C_P_A_L_.py
| | | | | |-- D__e_b_g.py
| | | | | |-- D_S_I_G_.py
| | | | | |-- DefaultTable.py
| | | | | |-- E_B_D_T_.py
| | | | | |-- E_B_L_C_.py
| | | | | |-- F__e_a_t.py
| | | | | |-- F_F_T_M_.py
| | | | | |-- G__l_a_t.py
| | | | | |-- G__l_o_c.py
| | | | | |-- G_D_E_F_.py
| | | | | |-- G_P_O_S_.py
| | | | | |-- G_S_U_B_.py
| | | | | |-- G_V_A_R_.py
| | | | | |-- grUtils.py
| | | | | |-- H_V_A_R_.py
| | | | | |-- J_S_T_F_.py
| | | | | |-- L_T_S_H_.py
| | | | | |-- M_A_T_H_.py
| | | | | |-- M_V_A_R_.py
| | | | | |-- O_S_2f_2.py
| | | | | |-- otBase.py
| | | | | |-- otConverters.py
| | | | | |-- otData.py
```

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
| | | | | |-- otTables.py
| | | | | |-- otTraverse.py
| | | | | |-- S__i_l_f.py
| | | | | |-- S__i_l_l.py
| | | | | |-- S_T_A_T.py
| | | | | |-- S_V_G_.py
| | | | | |-- sbixGlyph.py
| | | | | |-- sbixStrike.py
| | | | | |-- T_S_I__0.py
| | | | | |-- T_S_I__1.py
| | | | | |-- T_S_I__2.py
| | | | | |-- T_S_I__3.py
| | | | | |-- T_S_I__5.py
| | | | | |-- T_S_I_B_.py
| | | | | |-- T_S_I_C_.py
| | | | | |-- T_S_I_D_.py
| | | | | |-- T_S_I_J_.py
| | | | | |-- T_S_I_P_.py
| | | | | |-- T_S_I_S_.py
| | | | | |-- T_S_I_V_.py
| | | | | |-- T_T_F_A_.py
| | | | | |-- table_API_readme.txt
| | | | | |-- ttProgram.py
| | | | | |-- TupleVariation.py
| | | | | |-- V_A_R_C_.py
| | | | | |-- V_D_M_X_.py
| | | | | |-- V_O_R_G_.py
| | | | | |-- `-- V_V_A_R_.py
| | | | |-- __init__.py
| | | | |-- __main__.py
| | | | |-- macUtils.py
| | | | |-- removeOverlaps.py
| | | | |-- reorderGlyphs.py
| | | | |-- scaleUpem.py
| | | | |-- sfnt.py
| | | | |-- standardGlyphOrder.py
| | | | |-- ttCollection.py
| | | | |-- ttFont.py
| | | | |-- ttGlyphSet.py
| | | | |-- ttVisitor.py
| | | | |-- woff2.py
| | | | |-- ufoLib/
| | | | |-- __init__.py
| | | | |-- converters.py
| | | | |-- errors.py
| | | | |-- etree.py
| | | | |-- filenames.py
| | | | |-- glifLib.py
```

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
| | | | |-- kerning.py
| | | | |-- plistlib.py
| | | | |-- pointPen.py
| | | | |-- utils.py
| | | | `-- validators.py
| | | | |-- unicodedata/
| | | | | |-- __pycache__/
| | | | | | |-- __init__.cpython-314.pyc
| | | | | | |-- Blocks.cpython-314.pyc
| | | | | | |-- Mirrored.cpython-314.pyc
| | | | | | |-- OTTags.cpython-314.pyc
| | | | | | |-- ScriptExtensions.cpython-314.pyc
| | | | | | `-- Scripts.cpython-314.pyc
| | | | |-- __init__.py
| | | | |-- Blocks.py
| | | | |-- Mirrored.py
| | | | |-- OTTags.py
| | | | |-- ScriptExtensions.py
| | | | `-- Scripts.py
| | | | |-- varLib/
| | | | | |-- __pycache__/
| | | | | | |-- __init__.cpython-314.pyc
| | | | | | |-- builder.cpython-314.pyc
| | | | | | |-- errors.cpython-314.pyc
| | | | | | |-- featureVars.cpython-314.pyc
| | | | | | |-- merger.cpython-314.pyc
| | | | | | |-- models.cpython-314.pyc
| | | | | | |-- multiVarStore.cpython-314.pyc
| | | | | | |-- mvar.cpython-314.pyc
| | | | | | |-- stat.cpython-314.pyc
| | | | | | `-- varStore.cpython-314.pyc
| | | | |-- avar/
| | | | | |-- __init__.py
| | | | | |-- __main__.py
| | | | | |-- build.py
| | | | | |-- map.py
| | | | | |-- plan.py
| | | | | `-- unbuild.py
| | | | |-- instancer/
| | | | | |-- __pycache__/
| | | | | | |-- __init__.cpython-314.pyc
| | | | | | |-- featureVars.cpython-314.pyc
| | | | | | |-- names.cpython-314.pyc
| | | | | | `-- solver.cpython-314.pyc
| | | | |-- __init__.py
| | | | |-- __main__.py
| | | | |-- featureVars.py
| | | | |-- names.py
```

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
| | | `-- solver.py
| | | |-- __init__.py
| | | |-- __main__.py
| | | |-- avarPlanner.py
| | | |-- builder.py
| | | |-- cff.py
| | | |-- errors.py
| | | |-- featureVars.py
| | | |-- hvar.py
| | | |-- interpolatable.py
| | | |-- interpolatableHelpers.py
| | | |-- interpolatablePlot.py
| | | |-- interpolatableTestContourOrder.py
| | | |-- interpolatableTestStartingPoint.py
| | | |-- interpolate_layout.py
| | | |-- iup.c
| | | |-- iup.cp314-win_amd64.pyd
| | | |-- iup.py
| | | |-- merger.py
| | | |-- models.py
| | | |-- multiVarStore.py
| | | |-- mutator.py
| | | |-- mvar.py
| | | |-- plot.py
| | | |-- stat.py
| | | |-- varStore.py
| | | |-- voltLib/
| | | | |-- __init__.py
| | | | |-- __main__.py
| | | | |-- ast.py
| | | | |-- error.py
| | | | |-- lexer.py
| | | | |-- parser.py
| | | | |-- voltToFea.py
| | | | |-- __init__.py
| | | | |-- __main__.py
| | | | |-- afmLib.py
| | | | |-- agl.py
| | | | |-- annotations.py
| | | | |-- fontBuilder.py
| | | | |-- help.py
| | | | |-- tfmLib.py
| | | | |-- ttx.py
| | | | |-- unicode.py
| | | |-- fonttools-4.62.1.dist-info/
| | | |-- licenses/
| | | | |-- LICENSE
| | | | |-- LICENSE.external
```

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
| | | |-- entry_points.txt
| | | |-- INSTALLER
| | | |-- METADATA
| | | |-- RECORD
| | | |-- REQUESTED
| | | |-- top_level.txt
| | | `-- WHEEL
| | |-- fpdf/
| | | |-- __pycache__/
| | | | |-- __init__.cpython-314.pyc
| | | | |-- actions.cpython-314.pyc
| | | | |-- annotations.cpython-314.pyc
| | | | |-- bidi.cpython-314.pyc
| | | | |-- deprecation.cpython-314.pyc
| | | | |-- drawing.cpython-314.pyc
| | | | |-- drawing_primitives.cpython-314.pyc
| | | | |-- encryption.cpython-314.pyc
| | | | |-- enums.cpython-314.pyc
| | | | |-- errors.cpython-314.pyc
| | | | |-- font_type_3.cpython-314.pyc
| | | | |-- fonts.cpython-314.pyc
| | | | |-- fpdf.cpython-314.pyc
| | | | |-- graphics_state.cpython-314.pyc
| | | | |-- html.cpython-314.pyc
| | | | |-- image_datastructures.cpython-314.pyc
| | | | |-- image_parsing.cpython-314.pyc
| | | | |-- line_break.cpython-314.pyc
| | | | |-- linearization.cpython-314.pyc
| | | | |-- outline.cpython-314.pyc
| | | | |-- output.cpython-314.pyc
| | | | |-- pattern.cpython-314.pyc
| | | | |-- prefs.cpython-314.pyc
| | | | |-- recorder.cpython-314.pyc
| | | | |-- sign.cpython-314.pyc
| | | | |-- structure_tree.cpython-314.pyc
| | | | |-- svg.cpython-314.pyc
| | | | |-- syntax.cpython-314.pyc
| | | | |-- table.cpython-314.pyc
| | | | |-- template.cpython-314.pyc
| | | | |-- text_region.cpython-314.pyc
| | | | |-- transitions.cpython-314.pyc
| | | | |-- unicode_script.cpython-314.pyc
| | | | `-- util.cpython-314.pyc
| | |-- data/
| | | |-- color_profiles/
| | | | |-- __init__.py
| | | | |-- sRGB2014.icc
| | | | `-- sRGB2014.icc.LICENSE
```

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
| | | `-- __init__.py
| | | |-- __init__.py
| | | |-- actions.py
| | | |-- annotations.py
| | | |-- bidi.py
| | | |-- deprecation.py
| | | |-- drawing.py
| | | |-- drawing_primitives.py
| | | |-- encryption.py
| | | |-- enums.py
| | | |-- errors.py
| | | |-- font_type_3.py
| | | |-- fonts.py
| | | |-- fpdf.py
| | | |-- graphics_state.py
| | | |-- html.py
| | | |-- image_datastructures.py
| | | |-- image_parsing.py
| | | |-- line_break.py
| | | |-- linearization.py
| | | |-- outline.py
| | | |-- output.py
| | | |-- pattern.py
| | | |-- prefs.py
| | | |-- py.typed
| | | |-- recorder.py
| | | |-- sign.py
| | | |-- structure_tree.py
| | | |-- svg.py
| | | |-- syntax.py
| | | |-- table.py
| | | |-- template.py
| | | |-- text_region.py
| | | |-- transitions.py
| | | |-- unicode_script.py
| | | `-- util.py
| | |-- fpdf2-2.8.7.dist-info/
| | | |-- licenses/
| | | | |-- LICENSE
| | | |-- entry_points.txt
| | | |-- INSTALLER
| | | |-- METADATA
| | | |-- RECORD
| | | |-- REQUESTED
| | | |-- top_level.txt
| | | `-- WHEEL
| | |-- PIL/
| | | |-- __pycache__/
```

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

				-- __init__.cpython-314.pyc
				-- _binary.cpython-314.pyc
				-- _deprecate.cpython-314.pyc
				-- _typing.cpython-314.pyc
				-- _util.cpython-314.pyc
				-- _version.cpython-314.pyc
				-- ExifTags.cpython-314.pyc
				-- features.cpython-314.pyc
				-- GimpGradientFile.cpython-314.pyc
				-- GimpPaletteFile.cpython-314.pyc
				-- Image.cpython-314.pyc
				-- ImageCms.cpython-314.pyc
				-- ImageColor.cpython-314.pyc
				-- ImageFile.cpython-314.pyc
				-- ImageMode.cpython-314.pyc
				-- ImageOps.cpython-314.pyc
				-- ImagePalette.cpython-314.pyc
				-- PaletteFile.cpython-314.pyc
				-- TiffImagePlugin.cpython-314.pyc
				`-- TiffTags.cpython-314.pyc
			-- __init__.py	
			-- __main__.py	
			-- _avif.cp314-win_amd64.pyd	
			-- _avif.pyi	
			-- _binary.py	
			-- _deprecate.py	
			-- _imaging.cp314-win_amd64.pyd	
			-- _imaging.pyi	
			-- _imagingcms.cp314-win_amd64.pyd	
			-- _imagingcms.pyi	
			-- _imagingft.cp314-win_amd64.pyd	
			-- _imagingft.pyi	
			-- _imagingmath.cp314-win_amd64.pyd	
			-- _imagingmath.pyi	
			-- _imagingmorph.cp314-win_amd64.pyd	
			-- _imagingmorph.pyi	
			-- _imagingtk.cp314-win_amd64.pyd	
			-- _imagingtk.pyi	
			-- _tkinter_finder.py	
			-- _typing.py	
			-- _util.py	
			-- _version.py	
			-- _webp.cp314-win_amd64.pyd	
			-- _webp.pyi	
			-- AvifImagePlugin.py	
			-- BdfFontFile.py	
			-- BlpImagePlugin.py	
			-- BmpImagePlugin.py	

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
| | | |-- BufrStubImagePlugin.py
| | | |-- ContainerIO.py
| | | |-- CurImagePlugin.py
| | | |-- DcxImagePlugin.py
| | | |-- DdsImagePlugin.py
| | | |-- EpsImagePlugin.py
| | | |-- ExifTags.py
| | | |-- features.py
| | | |-- FitsImagePlugin.py
| | | |-- FliImagePlugin.py
| | | |-- FontFile.py
| | | |-- FpxImagePlugin.py
| | | |-- FtexImagePlugin.py
| | | |-- GbrImagePlugin.py
| | | |-- GdImageFile.py
| | | |-- GifImagePlugin.py
| | | |-- GimpGradientFile.py
| | | |-- GimpPaletteFile.py
| | | |-- GribStubImagePlugin.py
| | | |-- Hdf5StubImagePlugin.py
| | | |-- IcnsImagePlugin.py
| | | |-- IcoImagePlugin.py
| | | |-- Image.py
| | | |-- ImageChops.py
| | | |-- ImageCms.py
| | | |-- ImageColor.py
| | | |-- ImageDraw.py
| | | |-- ImageDraw2.py
| | | |-- ImageEnhance.py
| | | |-- ImageFile.py
| | | |-- ImageFilter.py
| | | |-- ImageFont.py
| | | |-- ImageGrab.py
| | | |-- ImageMath.py
| | | |-- ImageMode.py
| | | |-- ImageMorph.py
| | | |-- ImageOps.py
| | | |-- ImagePalette.py
| | | |-- ImagePath.py
| | | |-- ImageQt.py
| | | |-- ImageSequence.py
| | | |-- ImageShow.py
| | | |-- ImageStat.py
| | | |-- ImageText.py
| | | |-- ImageTk.py
| | | |-- ImageTransform.py
| | | |-- ImageWin.py
| | | |-- ImImagePlugin.py
```


Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
| | | |-- ImtImagePlugin.py
| | | |-- IptcImagePlugin.py
| | | |-- Jpeg2KImagePlugin.py
| | | |-- JpegImagePlugin.py
| | | |-- JpegPresets.py
| | | |-- McIDASImagePlugin.py
| | | |-- MicImagePlugin.py
| | | |-- MpegImagePlugin.py
| | | |-- MpoImagePlugin.py
| | | |-- MspImagePlugin.py
| | | |-- PaletteFile.py
| | | |-- PalmImagePlugin.py
| | | |-- PcdImagePlugin.py
| | | |-- PcfFontFile.py
| | | |-- PcxImagePlugin.py
| | | |-- PdfImagePlugin.py
| | | |-- PdfParser.py
| | | |-- PixarImagePlugin.py
| | | |-- PngImagePlugin.py
| | | |-- PpmImagePlugin.py
| | | |-- PsdImagePlugin.py
| | | |-- PSDraw.py
| | | |-- py.typed
| | | |-- QoiImagePlugin.py
| | | |-- report.py
| | | |-- SgiImagePlugin.py
| | | |-- SpiderImagePlugin.py
| | | |-- SunImagePlugin.py
| | | |-- TarIO.py
| | | |-- TgaImagePlugin.py
| | | |-- TiffImagePlugin.py
| | | |-- TiffTags.py
| | | |-- WalImageFile.py
| | | |-- WebPImagePlugin.py
| | | |-- WmfImagePlugin.py
| | | |-- XbmImagePlugin.py
| | | |-- XpmImagePlugin.py
| | | |-- XVThumbImagePlugin.py
| | |-- pillow-12.2.0.dist-info/
| | |-- licenses/
| | | |-- LICENSE
| | | |-- INSTALLER
| | | |-- METADATA
| | | |-- RECORD
| | | |-- REQUESTED
| | | |-- top_level.txt
| | | |-- WHEEL
| | | |-- zip-safe
```

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

				-- pip/
				-- _internal/
				-- cli/
				-- __init__.py
				-- autocompletion.py
				-- base_command.py
				-- cmdoptions.py
				-- command_context.py
				-- index_command.py
				-- main.py
				-- main_parser.py
				-- parser.py
				-- progressBars.py
				-- req_command.py
				-- spinners.py
				-- status_codes.py
				-- commands/
				-- __init__.py
				-- cache.py
				-- check.py
				-- completion.py
				-- configuration.py
				-- debug.py
				-- download.py
				-- freeze.py
				-- hash.py
				-- help.py
				-- index.py
				-- inspect.py
				-- install.py
				-- list.py
				-- lock.py
				-- search.py
				-- show.py
				-- uninstall.py
				-- wheel.py
				-- distributions/
				-- __init__.py
				-- base.py
				-- installed.py
				-- sdist.py
				-- wheel.py
				-- index/
				-- __init__.py
				-- collector.py
				-- package_finder.py
				-- sources.py
				-- locations/

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
| | | | | |-- __init__.py
| | | | | |-- _distutils.py
| | | | | |-- _sysconfig.py
| | | | | `-- base.py
| | | | |-- metadata/
| | | | | |-- importlib/
| | | | | | |-- __init__.py
| | | | | | |-- _compat.py
| | | | | | |-- _dists.py
| | | | | | |-- _envs.py
| | | | | |-- __init__.py
| | | | | |-- _json.py
| | | | | |-- base.py
| | | | | `-- pkg_resources.py
| | | | |-- models/
| | | | | |-- __init__.py
| | | | | |-- candidate.py
| | | | | |-- direct_url.py
| | | | | |-- format_control.py
| | | | | |-- index.py
| | | | | |-- installation_report.py
| | | | | |-- link.py
| | | | | |-- release_control.py
| | | | | |-- scheme.py
| | | | | |-- search_scope.py
| | | | | |-- selection_prefs.py
| | | | | |-- target_python.py
| | | | | `-- wheel.py
| | | | |-- network/
| | | | | |-- __init__.py
| | | | | |-- auth.py
| | | | | |-- cache.py
| | | | | |-- download.py
| | | | | |-- lazy_wheel.py
| | | | | |-- session.py
| | | | | |-- utils.py
| | | | | `-- xmlrpc.py
| | | | |-- operations/
| | | | | |-- build/
| | | | | | |-- __init__.py
| | | | | | |-- build_tracker.py
| | | | | | |-- metadata.py
| | | | | | |-- metadata_editable.py
| | | | | | |-- wheel.py
| | | | | | `-- wheel_editable.py
| | | | | |-- install/
| | | | | | |-- __init__.py
| | | | | | `-- wheel.py
```

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
| | | | | |-- __init__.py
| | | | | |-- check.py
| | | | | |-- freeze.py
| | | | | `-- prepare.py
| | | | |-- req/
| | | | | |-- __init__.py
| | | | | |-- constructors.py
| | | | | |-- pep723.py
| | | | | |-- req_dependency_group.py
| | | | | |-- req_file.py
| | | | | |-- req_install.py
| | | | | |-- req_set.py
| | | | | `-- req_uninstall.py
| | | | |-- resolution/
| | | | | |-- legacy/
| | | | | | |-- __init__.py
| | | | | | `-- resolver.py
| | | | | |-- resolvelib/
| | | | | | |-- __init__.py
| | | | | | |-- base.py
| | | | | | |-- candidates.py
| | | | | | |-- factory.py
| | | | | | |-- found_candidates.py
| | | | | | |-- provider.py
| | | | | | |-- reporter.py
| | | | | | |-- requirements.py
| | | | | | `-- resolver.py
| | | | | |-- __init__.py
| | | | | `-- base.py
| | | | |-- utils/
| | | | | |-- __init__.py
| | | | | |-- _jaraco_text.py
| | | | | |-- _log.py
| | | | | |-- appdirs.py
| | | | | |-- compat.py
| | | | | |-- compatibility_tags.py
| | | | | |-- datetime.py
| | | | | |-- deprecation.py
| | | | | |-- direct_url_helpers.py
| | | | | |-- egg_link.py
| | | | | |-- entrypoints.py
| | | | | |-- filesystem.py
| | | | | |-- filetypes.py
| | | | | |-- glibc.py
| | | | | |-- hashes.py
| | | | | |-- logging.py
| | | | | |-- misc.py
| | | | | |-- packaging.py
```

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
| | | | | |-- pylock.py
| | | | | |-- retry.py
| | | | | |-- subprocess.py
| | | | | |-- temp_dir.py
| | | | | |-- unpacking.py
| | | | | |-- urls.py
| | | | | |-- virtualenv.py
| | | | | `-- wheel.py
| | | | |-- vcs/
| | | | | |-- __init__.py
| | | | | |-- bazaar.py
| | | | | |-- git.py
| | | | | |-- mercurial.py
| | | | | |-- subversion.py
| | | | | `-- versioncontrol.py
| | | | |-- __init__.py
| | | | |-- build_env.py
| | | | |-- cache.py
| | | | |-- configuration.py
| | | | |-- exceptions.py
| | | | |-- main.py
| | | | |-- pyproject.py
| | | | |-- self_outdated_check.py
| | | | `-- wheel_builder.py
| | | |-- _vendor/
| | | | |-- cachecontrol/
| | | | | |-- caches/
| | | | | | |-- __init__.py
| | | | | | |-- file_cache.py
| | | | | | `-- redis_cache.py
| | | | | |-- __init__.py
| | | | | |-- _cmd.py
| | | | | |-- adapter.py
| | | | | |-- cache.py
| | | | | |-- controller.py
| | | | | |-- filewrapper.py
| | | | | |-- heuristics.py
| | | | | |-- LICENSE.txt
| | | | | |-- py.typed
| | | | | |-- serialize.py
| | | | | `-- wrapper.py
| | | |-- certifi/
| | | | |-- __init__.py
| | | | |-- __main__.py
| | | | |-- cacert.pem
| | | | |-- core.py
| | | | |-- LICENSE
| | | | `-- py.typed
```

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
| | | | |-- dependency_groups/
| | | | |-- __init__.py
| | | | |-- __main__.py
| | | | |-- _implementation.py
| | | | |-- _lint_dependency_groups.py
| | | | |-- _pip_wrapper.py
| | | | |-- _toml_compat.py
| | | | |-- LICENSE.txt
| | | | `-- py.typed
| | | | |-- distlib/
| | | | |-- __init__.py
| | | | |-- compat.py
| | | | |-- LICENSE.txt
| | | | |-- resources.py
| | | | |-- scripts.py
| | | | |-- t32.exe
| | | | |-- t64-arm.exe
| | | | |-- t64.exe
| | | | |-- util.py
| | | | |-- w32.exe
| | | | |-- w64-arm.exe
| | | | `-- w64.exe
| | | | |-- distro/
| | | | |-- __init__.py
| | | | |-- __main__.py
| | | | |-- distro.py
| | | | |-- LICENSE
| | | | `-- py.typed
| | | | |-- idna/
| | | | |-- __init__.py
| | | | |-- codec.py
| | | | |-- compat.py
| | | | |-- core.py
| | | | |-- idnadata.py
| | | | |-- intranges.py
| | | | |-- LICENSE.md
| | | | |-- package_data.py
| | | | |-- py.typed
| | | | `-- uts46data.py
| | | | |-- msgpack/
| | | | |-- __init__.py
| | | | |-- COPYING
| | | | |-- exceptions.py
| | | | |-- ext.py
| | | | `-- fallback.py
| | | | |-- packaging/
| | | | |-- licenses/
| | | | | |-- __init__.py
```

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
| | | | | `-- _spdx.py
| | | | | |-- __init__.py
| | | | | |-- _elffile.py
| | | | | |-- _manylinux.py
| | | | | |-- _musllinux.py
| | | | | |-- _parser.py
| | | | | |-- _structures.py
| | | | | |-- _tokenizer.py
| | | | | |-- LICENSE
| | | | | |-- LICENSE.APACHE
| | | | | |-- LICENSE.BSD
| | | | | |-- markers.py
| | | | | |-- metadata.py
| | | | | |-- py.typed
| | | | | |-- pylock.py
| | | | | |-- requirements.py
| | | | | |-- specifiers.py
| | | | | |-- tags.py
| | | | | |-- utils.py
| | | | | `-- version.py
| | | | |-- pkg_resources/
| | | | | |-- __init__.py
| | | | | `-- LICENSE
| | | | |-- platformdirs/
| | | | | |-- __init__.py
| | | | | |-- __main__.py
| | | | | |-- android.py
| | | | | |-- api.py
| | | | | |-- LICENSE
| | | | | |-- macos.py
| | | | | |-- py.typed
| | | | | |-- unix.py
| | | | | |-- version.py
| | | | | `-- windows.py
| | | | |-- pygments/
| | | | |-- filters/
| | | | | |-- __init__.py
| | | | |-- formatters/
| | | | | |-- __init__.py
| | | | | |-- _mapping.py
| | | | |-- lexers/
| | | | | |-- __init__.py
| | | | | |-- _mapping.py
| | | | | |-- python.py
| | | | |-- styles/
| | | | | |-- __init__.py
| | | | | |-- _mapping.py
| | | | |-- __init__.py
```

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
| | | | | |-- __main__.py
| | | | | |-- console.py
| | | | | |-- filter.py
| | | | | |-- formatter.py
| | | | | |-- lexer.py
| | | | | |-- LICENSE
| | | | | |-- modeline.py
| | | | | |-- plugin.py
| | | | | |-- regexopt.py
| | | | | |-- scanner.py
| | | | | |-- sphinxext.py
| | | | | |-- style.py
| | | | | |-- token.py
| | | | | |-- unistring.py
| | | | | `-- util.py
| | | | |-- pyproject_hooks/
| | | | | |-- _in_process/
| | | | | | |-- __init__.py
| | | | | | `-- _in_process.py
| | | | | |-- __init__.py
| | | | | |-- _impl.py
| | | | | |-- LICENSE
| | | | | `-- py.typed
| | | | |-- requests/
| | | | | |-- __init__.py
| | | | | |-- __version__.py
| | | | | |-- _internal_utils.py
| | | | | |-- adapters.py
| | | | | |-- api.py
| | | | | |-- auth.py
| | | | | |-- certs.py
| | | | | |-- compat.py
| | | | | |-- cookies.py
| | | | | |-- exceptions.py
| | | | | |-- help.py
| | | | | |-- hooks.py
| | | | | |-- LICENSE
| | | | | |-- models.py
| | | | | |-- packages.py
| | | | | |-- sessions.py
| | | | | |-- status_codes.py
| | | | | |-- structures.py
| | | | | `-- utils.py
| | | | |-- resolvelib/
| | | | | |-- resolvers/
| | | | | | |-- __init__.py
| | | | | | |-- abstract.py
| | | | | | |-- criterion.py
```


Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

					-- exceptions.py
					`-- resolution.py
					-- __init__.py
					-- LICENSE
					-- providers.py
					-- py.typed
					-- reporters.py
					`-- structs.py
				-- rich/	
					-- __init__.py
					-- __main__.py
					-- _cell_widths.py
					-- _emoji_codes.py
					-- _emoji_replace.py
					-- _export_format.py
					-- _extension.py
					-- _fileno.py
					-- _inspect.py
					-- _log_render.py
					-- _loop.py
					-- _null_file.py
					-- _palettes.py
					-- _pick.py
					-- _ratio.py
					-- _spinners.py
					-- _stack.py
					-- _timer.py
					-- _win32_console.py
					-- _windows.py
					-- _windows_renderer.py
					-- _wrap.py
					-- abc.py
					-- align.py
					-- ansi.py
					-- bar.py
					-- box.py
					-- cells.py
					-- color.py
					-- color_triplet.py
					-- columns.py
					-- console.py
					-- constrain.py
					-- containers.py
					-- control.py
					-- default_styles.py
					-- diagnose.py
					-- emoji.py
					-- errors.py

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
| | | | | |-- file_proxy.py
| | | | | |-- filesize.py
| | | | | |-- highlighter.py
| | | | | |-- json.py
| | | | | |-- jupyter.py
| | | | | |-- layout.py
| | | | | |-- LICENSE
| | | | | |-- live.py
| | | | | |-- live_render.py
| | | | | |-- logging.py
| | | | | |-- markup.py
| | | | | |-- measure.py
| | | | | |-- padding.py
| | | | | |-- pager.py
| | | | | |-- palette.py
| | | | | |-- panel.py
| | | | | |-- pretty.py
| | | | | |-- progress.py
| | | | | |-- progress_bar.py
| | | | | |-- prompt.py
| | | | | |-- protocol.py
| | | | | |-- py.typed
| | | | | |-- region.py
| | | | | |-- repr.py
| | | | | |-- rule.py
| | | | | |-- scope.py
| | | | | |-- screen.py
| | | | | |-- segment.py
| | | | | |-- spinner.py
| | | | | |-- status.py
| | | | | |-- style.py
| | | | | |-- styled.py
| | | | | |-- syntax.py
| | | | | |-- table.py
| | | | | |-- terminal_theme.py
| | | | | |-- text.py
| | | | | |-- theme.py
| | | | | |-- themes.py
| | | | | |-- traceback.py
| | | | | |-- tree.py
| | | | | |-- tomli/
| | | | | |-- __init__.py
| | | | | |-- _parser.py
| | | | | |-- _re.py
| | | | | |-- _types.py
| | | | | |-- LICENSE
| | | | | |-- py.typed
| | | | | |-- tomli_w/
```

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
| | | | | |-- __init__.py
| | | | | |-- _writer.py
| | | | | |-- LICENSE
| | | | | `-- py.typed
| | | | |-- truststore/
| | | | | |-- __init__.py
| | | | | |-- _api.py
| | | | | |-- _macos.py
| | | | | |-- _openssl.py
| | | | | |-- _ssl_constants.py
| | | | | |-- _windows.py
| | | | | |-- LICENSE
| | | | | `-- py.typed
| | | | |-- urllib3/
| | | | | |-- contrib/
| | | | | | |-- _securetransport/
| | | | | | | |-- __init__.py
| | | | | | | |-- bindings.py
| | | | | | | `-- low_level.py
| | | | | | |-- __init__.py
| | | | | | |-- _appengine_environ.py
| | | | | | |-- appengine.py
| | | | | | |-- ntlmpool.py
| | | | | | |-- pyopenssl.py
| | | | | | |-- securetransport.py
| | | | | | `-- socks.py
| | | | | |-- packages/
| | | | | | |-- backports/
| | | | | | | |-- __init__.py
| | | | | | | |-- makefile.py
| | | | | | | `-- weakref_finalize.py
| | | | | | |-- __init__.py
| | | | | | `-- six.py
| | | | | |-- util/
| | | | | | |-- __init__.py
| | | | | | |-- connection.py
| | | | | | |-- proxy.py
| | | | | | |-- queue.py
| | | | | | |-- request.py
| | | | | | |-- response.py
| | | | | | |-- retry.py
| | | | | | |-- ssl_.py
| | | | | | |-- ssl_match_hostname.py
| | | | | | |-- ssltransport.py
| | | | | | |-- timeout.py
| | | | | | |-- url.py
| | | | | | `-- wait.py
| | | | |-- __init__.py
```

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
| | | | | |-- _collections.py
| | | | | |-- _version.py
| | | | | |-- connection.py
| | | | | |-- connectionpool.py
| | | | | |-- exceptions.py
| | | | | |-- fields.py
| | | | | |-- filepost.py
| | | | | |-- LICENSE.txt
| | | | | |-- poolmanager.py
| | | | | |-- request.py
| | | | | `-- response.py
| | | | |-- __init__.py
| | | | |-- README.rst
| | | | `-- vendor.txt
| | | |-- __init__.py
| | | |-- __main__.py
| | | |-- __pip-runner__.py
| | | |-- py.typed
| | |-- pip-26.0.1.dist-info/
| | |-- licenses/
| | | |-- src/
| | | | |-- pip/
| | | | | |-- _vendor/
| | | | | |-- cachecontrol/
| | | | | | |-- LICENSE.txt
| | | | | |-- certifi/
| | | | | | |-- LICENSE
| | | | | |-- dependency_groups/
| | | | | | |-- LICENSE.txt
| | | | | |-- distlib/
| | | | | | |-- LICENSE.txt
| | | | | |-- distro/
| | | | | | |-- LICENSE
| | | | | |-- idna/
| | | | | | |-- LICENSE.md
| | | | | |-- msgpack/
| | | | | | |-- COPYING
| | | | | |-- packaging/
| | | | | | |-- LICENSE
| | | | | | |-- LICENSE.APACHE
| | | | | | |-- LICENSE.BSD
| | | | | |-- pkg_resources/
| | | | | | |-- LICENSE
| | | | | |-- platformdirs/
| | | | | | |-- LICENSE
| | | | | |-- pygments/
| | | | | | |-- LICENSE
| | | | | |-- pyproject_hooks/
```

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
| | | | | | `-- LICENSE
| | | | | | |-- requests/
| | | | | | | `-- LICENSE
| | | | | | |-- resolvelib/
| | | | | | | `-- LICENSE
| | | | | | |-- rich/
| | | | | | | `-- LICENSE
| | | | | | |-- tomli/
| | | | | | | `-- LICENSE
| | | | | | |-- tomli_w/
| | | | | | | `-- LICENSE
| | | | | | |-- truststore/
| | | | | | | `-- LICENSE
| | | | | | |-- urllib3/
| | | | | | | `-- LICENSE.txt
| | | | | | |-- AUTHORS.txt
| | | | | | | `-- LICENSE.txt
| | | | | | |-- entry_points.txt
| | | | | | |-- INSTALLER
| | | | | | |-- METADATA
| | | | | | |-- RECORD
| | | | | | |-- REQUESTED
| | | | | | | `-- WHEEL
| | | | | | |-- _virtualenv.pth
| | | | | | | `-- _virtualenv.py
| |-- Scripts/
| | |-- activate
| | |-- activate.bat
| | |-- activate.csh
| | |-- activate.fish
| | |-- activate.nu
| | |-- activate.ps1
| | |-- activate_this.py
| | |-- deactivate.bat
| | |-- fonttools.exe
| | |-- pip.exe
| | |-- pip3.14.exe
| | |-- pip3.exe
| | |-- pydoc.bat
| | |-- pyftmerge.exe
| | |-- pyftsubset.exe
| | |-- python.exe
| | |-- pythonw.exe
| | | `-- ttx.exe
| |-- share/
| | | `-- man/
| | | | `-- man1/
| | | | | `-- ttx.1
```

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
| |-- .gitignore
| |-- .lock
| |-- CACHEDIR.TAG
| `-- pyvenv.cfg
|-- app/
|   |-- app/
|   |   |-- agent/
|   |   |   `-- [pubkey]/
|   |   |       `-- page.tsx
|   |   |-- demo/
|   |   |   `-- page.tsx
|   |   |-- globals.css
|   |   |-- layout.tsx
|   |   `-- page.tsx
|   |-- components/
|   |   |-- AgentCard.tsx
|   |   |-- Architecture.tsx
|   |   |-- CodeDemo.tsx
|   |   |-- Footer.tsx
|   |   |-- HeroCTA.tsx
|   |   |-- Leaderboard.tsx
|   |   |-- LiveSidebar.tsx
|   |   |-- Navbar.tsx
|   |   |-- RealTimeLogs.tsx
|   |   |-- SolanaProvider.tsx
|   |   |-- SpotlightBar.tsx
|   |   |-- TickerBar.tsx
|   |   |-- TopAgents.tsx
|   |   |-- TrustBadge.tsx
|   |   `-- TrustTiers.tsx
|   |-- hooks/
|   |   `-- useTrustGate.ts
|   |-- lib/
|   |   |-- mockData.ts
|   |   `-- solana.ts
|   |-- public/
|   |   |-- logo.png
|   |   `-- mainlogo.png
|   |-- next-env.d.ts
|   |-- next.config.js
|   |-- package-lock.json
|   |-- package.json
|   |-- postcss.config.js
|   |-- tailwind.config.js
|   |-- tailwind.config.ts
|   `-- tsconfig.json
|-- backend/
|   `-- reputation-engine/
```

Truva - Codebase File Structure

Generated on April 9, 2026 | Excludes: target, node_modules, .git, .next

```
|      |-- mock-data.ts
|      `-- scorer.ts
|-- programs/
|   |-- trustgate/
|   |   |-- src/
|   |   |   |-- instructions/
|   |   |   |   |-- initialize_passport.rs
|   |   |   |   |-- mod.rs
|   |   |   |   |-- process_payment.rs
|   |   |   |   `-- update_trust.rs
|   |   |   |-- state/
|   |   |   |   |-- mod.rs
|   |   |   |   `-- passport.rs
|   |   |   |-- errors.rs
|   |   |   `-- lib.rs
|   |   `-- Cargo.toml
|-- scripts/
|   |-- seedAgents.ts
|   `-- simulateTransactions.ts
|-- sdk/
|   |-- src/
|   |   |-- index.ts
|   |   |-- package.json
|   |   `-- tsconfig.json
|-- tests/
|   |-- trustgate.test.ts
|-- .gitignore
|-- agent-passport-README.md
|-- Anchor.toml
|-- Cargo.lock
|-- Cargo.toml
|-- generate_structure_pdf.py
|-- logo.png
|-- mainlogo.png
|-- package-lock.json
|-- package.json
|-- README.md
`-- tsconfig.json
```