

Logout (/logou

PRACTICE (/PROBLEMS/SCHOOL)

COMPETE (/CONTESTS)

DISCUSS (HTTP://DISCUSS.CODECHEF.COM/)

COMMUNITY (/COMMUNITY)

(CODECHEF Certified)
Data Structure & Algorithms Programme

HELP (/HELP)

ABOUT (/ABOUTUS)

EXAM DATE

Early Bird Ends on 22 Jan 2020

KNOW MORE

(https://www.codechef.com/certification/data-structures-and-algorithms/about?itm_campaign=adstrip)

Encoding Message

Problem Code: ENCMSG

Submit (/submit/ENCMSG)

Tweet

Like

3 people like this. Sign Up to see what your friends

All submissions for this problem are available.

My Submissions All Submissions (/status/ENCMSG,rajansh87)/status/ENCMSG)

Read problems statements in Mandarin chinese

(http://www.codechef.com/download/translated/COOK96/mandarin/ENCMSS.pdf), ubmissions

Russian

(http://www.codechef.com/download/translated/COOK96/russian/ENCMSG.pdf)

and Vietnamese

(http://www.codechef.com/download/translated/COOK96/vietnamese/ENCMSG.pdf) as well.

Chef recently graduated Computer Science in university, so he was looking for a job. He applied for several job offers, but he eventually settled for a software engineering job at ShareChat. Chef was very enthusiastic about his new job and the first mission assigned to him was to implement a message encoding feature to ensure the chat is private and secure.

Chef has a message, which is a string S with length N containing only lowercase English letters. It should be encoded in two steps as follows:

- ullet Swap the first and second character of the string S , then swap the 3rd and 4th character, then the 5th and 6th character and so on. If the length of S is odd, the last character should not be swapped with any other.
- · Replace each occurrence of the letter 'a' in the message obtained after the first step by the letter 'z', each occurrence of 'b' by 'y', each occurrence of 'c' by 'x', etc, and each occurrence of 'z' in the message obtained after the first step by

The string produced in the second step is the encoded message. Help Chef and find this message.

Input

- ullet The first line of the input contains a single integer T denoting the number of test cases. The description of T test cases follows.
- The first line of each test case contains a single integer N.
- ullet The second line contains the message string S .

Output

For each test case, print a single line containing one string — the encoded message.

Constraints

- $1 \le T \le 1,000$
- $1 \le N \le 100$
- |S|=N
- ullet S contains only lowercase English letters

Example Input



Example Output

shizxvzsg	
sxuv	

Explanation

Example case 1: The original message is "sharechat". In the first step, we swap four pairs of letters (note that the last letter is not swapped), so it becomes "hsraceaht". In the second step, we replace the first letter ('h') by 's', the second letter ('s') by 'h', and so on, so the resulting encoded message is "shizxvzsg".

Author: 6* kingofnumbers (/users/kingofnumbers)

Editorial: https://discuss.codechef.com/problems/ENCMSG

(https://discuss.codechef.com/problems/ENCMSG)

Tags: cook96 (/tags/problems/cook96), implementation

(/tags/problems/implementation), kingofnumbers

(/tags/problems/kingofnumbers), string (/tags/problems/string)

Date Added: 20-07-2018

Time Limit: 1 secs

Source Limit: 50000 Bytes

Languages: C, CPP14, JAVA, PYTH, PYTH 3.6, PYPY, CS2, PAS fpc, PAS

gpc, RUBY, PHP, GO, NODEJS, HASK, rust, SCALA, swift, D, PERL, FORT, WSPC, ADA, CAML, ICK, BF, ASM, CLPS, PRLG, ICON, SCM qobi, PIKE, ST, NICE, LUA, BASH, NEM, LISP sbcl, LISP clisp, SCM guile, JS, ERL, TCL, kotlin, PERL6,

TEXT, SCM chicken, PYP3, CLOJ, COB, FS

Submit (/submit/ENCMSG)

Comments ▶

The time now is: 04:49:55 PM Your IP: 157.34.109.188

Bug Bounty Program (/bug-bounty-program)

CodeChef (/) - A Platform for Aspiring Programmers

CodeChef was created as a platform to help programmers make it big in the world of algorithms, computer programming, and programming contests. At CodeChef we work hard to revive the geek in you by hosting a programming contest at the start of the month and two smaller programming challenges at the middle and end of the month. We also aim to have training sessions and discussions related to algorithms, binary search, technicalities like array size and the likes. Apart from providing a platform for programming competitions, CodeChef also has various algorithm tutorials and forum discussions to help those who are new to the world of computer programming.

<u>Practice Section (/problems/easy)</u> - A Place to hone your 'Computer Programming Skills'

Try your hand at one of our many practice problems and submit your solution in the language of your choice. Our **programming contest** judge accepts solutions in over 55+ programming languages. Preparing for coding contests were never this much fun! Receive points, and move up through the CodeChef ranks. Use our practice section to better prepare yourself for the multiple **programming challenges** that take place through-out the month on CodeChef.

Compete (/problems/easy) - Monthly Programming Contests, Cook-off and Lunchtime

Here is where you can show off your **computer programming skills**. Take part in our 10 days long monthly coding contest and the shorter format Cook-off and Lunchtime **coding contests**. Put yourself up for recognition and win great prizes. Our **programming contests** have prizes worth up to INR 20,000 (for Indian Community), \$700 (for Global Community) and lots more CodeChef goodies up for grabs.

Programming Tools	Practice Problems	<u>Initiatives</u>
Online IDE (/ide)	Easy (/problems/easy)	Go for Gold (/goforgold)
<u>Upcoming Coding Contests (/contests#FutureContests)</u>	Medium (/problems/medium)	CodeChef for Schools (/school)
Contest Hosting (/hostyourcontest)	Hard (/problems/Hard)	Campus Chapters (/campus_chapter/about)
Problem Setting (/problemsetting)	<u>Challenge (/problems/challenge)</u>	CodeChef for Business (/corporates)
CodeChef Tutorials (/wiki/tutorials)	Peer (/problems/extcontest)	
CodeChef Wiki (/wiki)	School (/problems/school)	<u>Policy</u>
	FAQ's (/wiki/faq)	Terms of Service (/terms)
		Privacy Policy (/privacy-policy)
		Refund Policy (/refund-policy)
		Code of Conduct (/codeofconduct)