

Task 3: KQL Analytics

- Create a KQL Database in Fabric

The screenshot shows the Microsoft Fabric Eventhouse interface. On the left, a sidebar contains navigation options: Home, Workspace, Copilot, OneLake catalog, Monitor, Real-Time, and Workloads. The main area displays the 'myeventhouse' database, which is currently empty. A large plus sign in a circle is centered, with the text 'This database is empty' and 'Get data to start exploring. Learn more'. A 'Get data' button is at the bottom. On the right, a 'Database details' panel shows 'Compressed' and 'Original' sizes as '0B'. It also includes an 'Overview' section with metadata: Created by (Rajan Marvaniya), Created on (May 22, 2026), Region (Southeast Asia), Database source (Eventhouse), Query URI, MCP Server URI, Last ingestion (Data was not ingested), Ingestion URI, Caching policy (Unlimited), and Retention policy (Unlimited). A 'Related elements' section at the bottom allows searching by name.

- Load data

The screenshot shows the 'Get data' summary window in Microsoft Fabric. The left sidebar has steps: Source, Configure, Inspect, and Summary. The main area is titled 'Get data Summary' and shows a 'Local file' source pointing to 'myeventhouse/demo'. A status bar indicates '1 blobs: 1 succeeded, 0 failed'. Below this, a table lists data preparation steps: 'Create table (demo)', 'Create mapping (demo_mapping)', and 'Data queuing', all with green checkmarks. A second table shows the ingested data:

Name	Status	Details
activity.csv	✓	Successfully ingested

Below the table, a section titled 'What can you do with the data?' provides instructions: 'Now that you've ingested data, you can explore, run queries, and visualize the data using the dashboard'. Three action cards are shown: 'Explore the results' (with an 'Explore' button), 'Undo ingestion' (with 'Delete the data you've just ingested' and 'Delete ingested data' options), and 'Create new dashboard' (with 'View your ingested data's key metrics, sample records, and ingestion history' and a 'Create dashboard' button). A 'Close' button is at the bottom right.

Write KQL queries to analyze

18	
19	demo
20	count
	Table 1
	Add visual
	Stats
Count ▾ ⋮	
>	20

22	demo
23	summarize TotalEvents=count() by ActivityType
	Table 1
	Add visual
	Stats
ActivityType ▾ ⋮	TotalEvents ▾ ⋮
> Login	10
> FileUpload	3
> FileDownload	2
> Logout	5

```
25 demo
26 | where ActivityType == "Login"
27 | count
```

 **Table 1**  Add visual  Stats

Count	
-------	--

>	10
---	----