

d) Calculate Function

Create a new measure named Bike Returns to calculate the total quantity of bikes returned

```
1 Bike Returns =  
2 CALCULATE(  
3     SUM('AdventureWorks Returns Data'[ReturnQuantity]),  
4     'AdventureWorks Product Categories Lookup 2'[ProductCategoryKey]= 1  
5 )
```

Bike Returns	Month
26	January
34	February
44	March
57	April
57	May
46	June
15	July
20	August
24	September
37	October
30	November
39	December
429	

Create a matrix to show Bike Returns (values) by Start of Month (rows). What do you notice about the volume of bike returns over time?

Month	Bike Returns
January	26
February	34
March	44
April	57
May	57
June	46
July	15
August	20
September	24
October	37
November	30
December	39
Total	429

Create a new measure named Bike Sales to calculate the total quantity of bikes sold and add it to the matrix. What do you notice?

```

1 Bike Sales =
2 CALCULATE(
3     SUM(Combined_Sales[OrderQuantity]),
4     'AdventureWorks Product Subcategories Lookup 2'[ProductCategoryKey]= 1
5 )

```

Month	Bike Sales
① January	1192
① February	1238
① March	1352
① April	1450
① May	1651
① June	1681
① July	753
① August	763
① September	771
① October	835
① November	879
① December	1364
Total	13929

Create a new measure named Bike Return Rate using either CALCULATE or DIVIDE, and add it to the matrix

```
1 Bike Return Rate =  
2 DIVIDE(  
3     [Bike Returns],  
4     [Bike Sales],  
5     0)
```

Month	Bike Return Rate
January	0.02
February	0.03
March	0.03
April	0.04
May	0.03
June	0.03
July	0.02
August	0.03
September	0.03
October	0.04
November	0.03
December	0.03
Total	0.03