

1. Create a branch from the develop

```
rajan.marvaniya@SF-CPU-533 MINGW64 ~/git-exercise (develop)
$ git branch
* develop
  master
  task1
```

2. Add a commit message hook to the repo.

- Don't know about this command

3. Perform multiple commits in the new branch

```
rajan.marvaniya@SF-CPU-533 MINGW64 ~/git-exercise (task1)
$ git push origin -f task1
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (5/5), 347 bytes | 347.00 KiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/rajansimformsolutions/git-exercise
+ 340974d...10967d8 task1 -> task1 (forced update)
```

4. Create PR to develop.

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#) or [learn more about diff comparisons](#).

 base: develop  compare: task1  **Able to merge.** These branches can be automatically merged.

Discuss and review the changes in this comparison with others. [Learn about pull requests](#) [Create pull request](#)

 1 commit  2 files changed  1 contributor

 Commits on Jan 29, 2026

error fixed  10967d8 

 rajansimformsolutions committed 28 minutes ago

 Showing 2 changed files with 2 additions and 0 deletions. Split Unified

 1  git-exercise/task3.txt  ...

... ... @@ -0,0 +1 @@

1 + 14:00

 1  git-exercise/task3o1.txt  ...

... ... @@ -0,0 +1 @@

1 + 14:02

- PR should be small in size, It's recommended to do one commit per PR. However, based on the situation we can have multiple commits in PR. e.g. if someone is doing 10 bug fixes which are one-liner fixes in such cases instead of 10 different PRs you can do 10 commits in a single PR.
- Create another branch from develop given your previous PR is still in review state

TASK4 #1

 **Merged** rajansimformsolutions merged 1 commit into `develop` from `task1`  now

 Conversation **0**  Commits **1**  Checks **0**  Files changed **2**



rajansimformsolutions commented 12 minutes ago

Owner

...

MERGE TASK1 INTO DEVELOP



error fixed

10967d8



rajansimformsolutions merged commit 53fc2bc into `develop`

Revert

now

Pull request successfully merged and closed

Delete branch

You're all set — the `task1` branch can be safely deleted.



Add a comment

Write

Preview

H

B

I

≡

<>



≡

:≡

≡

...


7. Now commit something in your current branch and push it

```
rajan.marvaniya@SF-CPU-533 MINGW64 ~/git-exercise (task6)
$ git push origin task6
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'task6' on GitHub by visiting:
remote:   https://github.com/rajansimformsolutions/git-exercise/pull/new/task6
remote:
To https://github.com/rajansimformsolutions/git-exercise
* [new branch]   task6 -> task6
```

8. In the meantime, your previous PR has been merged to develop
9. Create a PR for the current branch given your branch should be up to date with develop branch

The screenshot shows the GitHub interface for a repository named 'git-exercise'. At the top, there's a header with the repository name, a 'Public template' badge, and buttons for 'Unpin', 'Watch' (0), 'Fork' (0), and 'Star' (0). A green button 'Use this template' is also present. Below the header, a yellow banner indicates that 'task6' had recent pushes 15 seconds ago, with a 'Compare & pull request' button. The main content area shows the repository's status: 'This branch is 4 commits ahead of and 1 commit behind main'. It also displays a merge pull request #2 from 'rajan...' by 'rajansimformsolutions' with commit hash '336b435' and a timestamp 'now'. Below this, a commit for 'git-exercise' is shown with the message 'error fixed' and a timestamp '1 hour ago'. The 'README' section is visible, featuring a book icon and the text 'Add a README' with a subtext 'Help people interested in this repository understand your project.' and a green 'Add a README' button. On the right sidebar, the 'About' section states 'No description, website, or topics provided.' and lists 'Activity' with '0 stars', '0 watching', and '0 forks'. The 'Releases' section shows 'No releases published' with a link to 'Create a new release'. The 'Packages' section shows 'No packages published' with a link to 'Publish your first package'.

10. For any new build release add a version tag to that specific commit to keep track of each version.



```
MINGW64/c:/Users/rajan.marvaniya/git-exercise
master
task1
task6

rajan.marvaniya@SF-CPU-533 MINGW64 ~/git-exercise (develop)
$ git tag v1.0

rajan.marvaniya@SF-CPU-533 MINGW64 ~/git-exercise (develop)
$ git log
commit 0c349f8dbdce04de4ca6a9801f0a878c9ac5a444 (HEAD -> develop, tag: v1.0, origin/task6, origin/develop, task6, master)
Author: rajansimformsolutions <rajan.marvaniya@simformsolutions.com>
Date: Thu Jan 29 11:15:57 2026 +0530

    Initial commit

rajan.marvaniya@SF-CPU-533 MINGW64 ~/git-exercise (develop)
$ git push origin v1.0
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/rajanmarvaniya/git-exercise
 * [new tag]          v1.0 -> v1.0

rajan.marvaniya@SF-CPU-533 MINGW64 ~/git-exercise (develop)
$
```

11. Create 2 another branch (3rd and 4th) from develop, push read me changes to 3rd branch.

```
rajan.marvaniya@SF-CPU-533 MINGW64 ~/git-exercise (3rd)
$ git commit -m "read me change to 3rd branch"
[3rd 5e56d1a] read me change to 3rd branch
1 file changed, 1 insertion(+)
create mode 100644 git-exercise/task11.txt

rajan.marvaniya@SF-CPU-533 MINGW64 ~/git-exercise (3rd)
$ git log
commit 5e56d1a48bae7b10c5d40d00c9f5a9eb248bd2a7 (HEAD -> 3rd)
Author: rajansimformsolutions <rajan.marvaniya@simformsolutions.com>
Date: Thu Jan 29 15:32:29 2026 +0530

    read me change to 3rd branch
```

12. Cherry pick 3rd branch's commit to 4th branch.

```
rajan.marvaniya@SF-CPU-533 MINGW64 ~/git-exercise (4th)
$ git cherry-pick 5e56d1a48bae7b10c5d40d00c9f5a9eb248bd2a7
[4th a96b2a3] read me change to 3rd branch
Date: Thu Jan 29 15:32:29 2026 +0530
1 file changed, 1 insertion(+)
create mode 100644 git-exercise/task11.txt
```

13. Change commit message in 4th branch

```
rajan.marvaniya@SF-CPU-533 MINGW64 ~/git-exercise (4th)
$ git commit --amend -m "new commit change"
[4th 39ab14d] new commit change
Date: Thu Jan 29 15:32:29 2026 +0530
1 file changed, 1 insertion(+)
create mode 100644 git-exercise/task11.txt

rajan.marvaniya@SF-CPU-533 MINGW64 ~/git-exercise (4th)
$ git log
commit 39ab14d4551407189657bfa33756e59e6874d3b0 (HEAD -> 4th)
Author: rajansimformsolutions <rajan.marvaniya@simformsolutions.com>
Date: Thu Jan 29 15:32:29 2026 +0530

    new commit change

commit 0c349f8dbdce04de4ca6a9801f0a878c9ac5a444 (tag: v1.0, origin/task6, origin/develop, task6, master, develop)
Author: rajansimformsolutions <rajan.marvaniya@simformsolutions.com>
Date: Thu Jan 29 11:15:57 2026 +0530

    Initial commit
```

14. add 3 commit to 4th branch and delete last commit.

```
rajan.marvaniya@SF-CPU-533 MINGW64 ~/git-exercise (4th)
$ git log
commit 436215e07469c92657121eeb724f14a4b76503e8 (HEAD -> 4th)
Author: rajansimformsolutions <rajan.marvaniya@simformsolutions.com>
Date: Thu Jan 29 16:55:02 2026 +0530

    commit 3

commit d829d2fb16ba17a512bee8a637dbf484694867b4
Author: rajansimformsolutions <rajan.marvaniya@simformsolutions.com>
Date: Thu Jan 29 16:52:52 2026 +0530

    commit2

commit fc9f123c4b78ef632873731ec57ede14e9dc3010
Author: rajansimformsolutions <rajan.marvaniya@simformsolutions.com>
Date: Thu Jan 29 16:50:41 2026 +0530

    commit 1
```