PeakForm — Design System

Doc 02 of 08 · Version 1.0 · This is the source of truth for every visual value. Design tools and code both copy from here.

1. Design concept: the training logbook

A coach's logbook is a ruled page of numbers: sets, reps, weights, dates. PeakForm borrows that language:

- **Numbered sections** (`01` , `02` …) and small monospace labels that read like log headings
- **Hairline rules** instead of boxes and shadows
- **Tabular numbers** for stats, prices and results
- **Heavy, tight display type** against calm body text
- **One signal color** (orange) used like a highlighter on the page, never as decoration

The page should feel like a confident, slightly dry strength coach wrote and laid it out, not like a template. The test: cover the logo and the page should still be recognizably *this* brand.

2. Color tokens

All colors live in `globals.css` . Brand-level colors are CSS variables so `site-config.ts` can override them for other niches.

Token	Hex	Use
`bone`	`#F3F0E8`	Default page background
`paper`	`#FBF9F4`	Form fields, raised light surfaces
`ink`	`#141412`	Primary text; dark sections
`ink-2`	`#1F1E1B`	Raised panels on dark sections
`stone`	`#5E5B52`	Secondary text on light
`stone-dark`	`#A8A498`	Secondary text on dark
`line`	`#D9D4C7`	Hairline rules on light

Token	Hex	Use
`line-dark`	`#34322D`	Hairline rules on dark
`field-border`	`#8A8678`	Input borders (passes 3:1 against `paper`)
`accent`	`#FF4B1F`	Buttons, highlights, key numerals (always with `ink` text on top)
`accent-deep`	`#B5330A`	Accent-colored *text* or links on light backgrounds
`error`	`#B42318`	Form errors on light

Contrast pairs (approximate; re-verify with a contrast checker during QA)

Text on background	Ratio	Verdict
`ink` on `bone`	~16:1	Pass (all sizes)
`stone` on `bone`	~5.9:1	Pass (body text)
`ink` on `accent`	~5.5:1	Pass (button text)
`accent-deep` on `bone`	~5.3:1	Pass (small links)
`bone` on `ink`	~16:1	Pass
`stone-dark` on `ink`	~7.4:1	Pass
`accent` on `ink`	~5.5:1	Pass (large and small text on dark)
`bone` on `accent`	~2.9:1	**Fail. Never put light text on orange**
`accent` on `bone`	~2.9:1	**Fail for text. Use only as a fill or a 4px+ rule**

Semantic surface tokens

Sections use semantic tokens so a section can flip between light and dark with one class:

Semantic token	Light section	Dark section (`.surface-ink`)
`surface`	`bone`	`ink`
`on-surface`	`ink`	`bone`

Semantic token	Light section	Dark section (`.surface-ink`)
`muted`	`stone`	`stone-dark`
`rule`	`line`	`line-dark`
`focus`	`ink`	`accent`

Color rule: **no gradients, no transparency tricks, no glow.** Opacity may be used only on disabled states.

3. Typography

Role	Font	Notes
Display	**Archivo** (Google Fonts, weights 700 and 800)	Headlines, card titles, buttons, prices
Body	**Instrument Sans** (400, 500, 600)	Paragraphs, form text, nav
Label / numerals	**JetBrains Mono** (400, 500)	Section labels, tags, stats, small data

Load all three with `next/font/google`, `display: 'swap'`, Latin subset only, exposed as `--font-archivo`, `--font-instrument`, `--font-mono`. Always provide a fallback stack.

Type scale

Token	Size	Line height	Tracking	Weight	Use
`display-xl`	`clamp(2.5rem, 1.4rem + 4.6vw, 5.5rem)`	0.98	-0.03em	800	Hero H1 only
`display-lg`	`clamp(2rem, 1.2rem + 3vw, 3.75rem)`	1.02	-0.025em	800	Section H2
`display-md`	`clamp(1.375rem, 1.1rem + 1vw, 2rem)`	1.1	-0.015em	700	Card titles, program names
`body-lg`	1.1875rem (19px)	1.55	0	400	Hero subtext, section intros
`body`	1rem (16px)	1.6	0	400	Default

Token	Size	Line height	Tracking	Weight	Use
`body-sm`	0.875rem (14px)	1.5	0	400	Captions, footers, helper text
`label`	0.75rem (12px)	1.3	0.08em	500	Mono, uppercase
`numeral-xl`	`clamp(2.25rem, 1.6rem + 2.4vw, 3.75rem)`	1	-0.02em	500	Mono, tabular-nums, stats and prices

Typography rules:

- Headlines are **sentence case**, not ALL CAPS. Only mono labels are uppercase
- Use `text-wrap: balance` on headlines and `text-wrap: pretty` on paragraphs
- Maximum paragraph width is 62 characters (`max-w-[62ch]`)
- Never go below 16px for body copy on mobile; 12px is allowed only for mono labels
- Minimum two levels of size contrast between a headline and the text under it
- Use `font-variant-numeric: tabular-nums` on every number that sits in a column or row

4. Layout, grid and spacing

- **Container:** max width 1280px, horizontal padding 20px (mobile), 32px (`md`), 40px (`xl`)
- **Grid:** 4 columns on mobile, 12 columns from `lg` (1024px), gutter 24px
- **Breakpoints:** Tailwind defaults (`sm` 640, `md` 768, `lg` 1024, `xl` 1280, `2xl` 1536). Design and test at 360, 390, 768, 1280 and 1536
- **Base unit:** 4px (Tailwind default scale). Use values 2, 3, 4, 6, 8, 12, 16, 24 (units of 4px) for component spacing
- **Layout bias:** left-aligned and asymmetric. Centered text is allowed only in the final CTA's button row, nowhere else
- **Dividers between sections:** a 1px full-bleed rule plus a label row (`01 — Programs`), not a wave, blob or gradient

Vertical rhythm (deliberately uneven)

Section	Mobile padding (top/bottom)	Desktop padding
Hero	32 / 64	56 / 112

Section	Mobile padding (top/bottom)	Desktop padding
Stats strip	40 / 40	56 / 56
Programs	72 / 72	128 / 112
About	72 / 96	128 / 144
Results	72 / 72	112 / 112
Pricing	80 / 96	144 / 144
Testimonials	72 / 72	112 / 96
FAQ	72 / 72	112 / 112
Final CTA	80 / 80	128 / 128
Contact	72 / 96	112 / 128
Footer	56 / 32	80 / 40

5. Shape, borders and depth

- **Border radius: 0 everywhere.** Buttons, inputs, panels and images are square. Set `--radius-*: initial` so rounded utilities cannot sneak in
- **Depth is made with rules and color blocks only.** No box-shadows, no blur, no glassmorphism
- **Hairlines:** 1px `rule`. Emphasis rule: 2px `on-surface` for table tops and the active nav item
- **Photographs:** square corners, no borders, no shadows

6. Photography treatment

- All photos render in **monochrome**: `filter: grayscale(1) contrast(1.08)`. This is controlled by `imageTreatment: 'mono' | 'natural'` in the config
- Aspect ratios: hero 4:5, about 4:5, divider 21:9 (4:3 on mobile). Crops always use `object-fit: cover` with a defined `object-position`
- A **log tag** may sit on one photo: a small ink rectangle with bone mono text and a 6px orange square bullet (for example "WEEK 08 — SQUAT 82.5 KG × 5"). Use it on the hero photo only

- No fake-person photos in testimonials. Authors are shown with initials in mono
- Every photo needs real alt text describing the scene; decorative duplicates use `alt=""`
- All photos use `next/image` with explicit `sizes`; only the hero image uses `priority`

7. Components

Buttons

Variant	Light section	Dark section
Primary	bg `accent`, text `ink`; hover bg `ink`, text `bone`	bg `accent`, text `ink`; hover bg `bone`, text `ink`
Secondary	1.5px `ink` border, transparent; hover bg `ink`, text `bone`	1.5px `bone` border; hover bg `bone`, text `ink`
Text link	`accent-deep`, 2px underline, 4px offset	`accent`, same underline

Shared rules: height 52px (never below 44px tap target); horizontal padding 24px; Archivo 700 at 16px; radius 0; a 18px `ArrowUpRight` icon on the right that shifts 2px up and right on hover; active state `translateY(1px)`; disabled state at 50% opacity with `cursor-not-allowed`; transitions 150ms on `color, background-color, transform` only. No scale-up on hover.

Section label

A row at the top of every section: mono label `NN — NAME` on the left, a 1px rule filling the rest of the row. Example: `02 — PROGRAMS`.

Program row (replaces feature cards)

A full-width list row separated by hairlines: number, title (`display-md`), "for" line, short description, duration, arrow. On hover the row fills `ink` with `bone` text (150ms). On mobile the row stacks and the description stays visible.

Panel

Used for pricing tiers and client results. Square, 1px `rule` border, 24–32px padding, no shadow. Highlighted variants use `ink` fill instead of a border.

Form fields

Height 52px (textarea min 140px), bg `paper`, 1px `field-border`, radius 0, 16px text. Labels sit **above** the field in `body-sm` weight 600 (never placeholder-only). Focus: border `ink` plus a 3px outline in `focus` color with 2px offset. Error: border and message in `error`, an `aria-describedby` message below the field, and `aria-invalid="true"`.

FAQ item

Native `<details>`. The summary row is 64px minimum, with a `Plus` icon that rotates 45° on open (CSS only). The answer is `body` in `muted`.

Nav

Sticky, height 72px, bg `bone`, bottom hairline that appears only after the user scrolls (CSS `scroll-timeline` or a small IntersectionObserver; no blur). Active/hover link: 2px underline. On mobile, a full-screen menu panel with large `display-md` links, focus trapped, `Esc` closes it, and the body is scroll-locked while open.

8. Motion

- **Only two animations exist:** (1) the hero text and image enter once on load (opacity 0→1, translateY 12px→0, 450ms, `ease-out`, 80ms stagger across at most 4 elements), and (2) hover and focus transitions of 150ms
- Everything else is static. No scroll-triggered reveals, no parallax, no counters, no marquee, no bouncing arrows
- `@media (prefers-reduced-motion: reduce)`: disable both, including smooth scroll
- Smooth scroll for anchor links only when reduced-motion is not requested; `scroll-margin-top: 88px` on every section

9. Icons

Lucide, stroke width 2, size 18 or 20. Allowed icons: `ArrowUpRight`, `ArrowRight`, `Menu`, `X`, `Plus`, `Check`, `Instagram`, `Youtube`, `Mail`. **No icons in colored squares or circles. No icons as card decoration.**

10. The ban list (paste into any AI prompt)

Visual: gradients of any kind; glassmorphism or backdrop blur; glowing blobs; drop shadows; rounded-xl/2xl/full on cards, buttons or images; centered hero; three-identical-cards rows; icon tiles; emoji; `hover:scale-*`; fade-up on every element; gray placeholder boxes; stock photos in different color grades; dark-mode toggle.

Copy: "unlock", "elevate", "transform your journey", "seamless", "cutting-edge", "take your X to the next level", "your journey starts here", "empower", "holistic"; testimonials like "John D., satisfied client"; headline-plus-three-benefits patterns repeated in every section; perfectly parallel three-item lists everywhere; em dashes as the default connector.

Code: content hardcoded in components; `<img>` instead of `next/image`; `"use client"` on components that do not need it; one giant `page.tsx`; links to `#`; a form that does not send; leftover "Create Next App" title, favicon or metadata; `any` types; unused dependencies.

11. Tailwind v4 token starter (`app/globals.css`)

The AI must adapt this to the installed Tailwind version and check Tailwind's current docs. Fall back to `@utility` classes if a `--text-*--letter-spacing` or `--text-*--font-weight` modifier is not supported.

```
@import "tailwindcss";

:root {
  /* Brand-level values: overridden from site-config.ts */
  --brand-bone: #F3F0E8;
  --brand-ink: #141412;
  --brand-accent: #FF4B1F;
  --brand-accent-deep: #B5330A;

  /* Semantic surface (light default) */
```

```
  --surface: var(--brand-bone);
  --on-surface: var(--brand-ink);
  --muted: #5E5B52;
  --rule: #D9D4C7;
  --focus: var(--brand-ink);
}

.surface-ink {
  --surface: var(--brand-ink);
  --on-surface: var(--brand-bone);
  --muted: #A8A498;
  --rule: #34322D;
  --focus: var(--brand-accent);
}

@theme inline {
  --radius-*: initial;

  --color-bone: var(--brand-bone);
  --color-ink: var(--brand-ink);
  --color-accent: var(--brand-accent);
  --color-accent-deep: var(--brand-accent-deep);
  --color-paper: #FBF9F4;
  --color-ink-2: #1F1E1B;
  --color-field-border: #8A8678;
  --color-error: #B42318;
  --color-surface: var(--surface);
  --color-on-surface: var(--on-surface);
  --color-muted: var(--muted);
  --color-rule: var(--rule);
  --color-focus: var(--focus);

  --font-display: var(--font-archivo), ui-sans-serif, system-ui, sans-serif;
  --font-sans: var(--font-instrument), ui-sans-serif, system-ui, sans-serif;
  --font-mono: var(--font-mono-jb), ui-monospace, SFMono-Regular, monospace;

  --text-display-xl: clamp(2.5rem, 1.4rem + 4.6vw, 5.5rem);
  --text-display-xl--line-height: 0.98;
  --text-display-lg: clamp(2rem, 1.2rem + 3vw, 3.75rem);
  --text-display-lg--line-height: 1.02;
  --text-display-md: clamp(1.375rem, 1.1rem + 1vw, 2rem);
  --text-display-md--line-height: 1.1;
  --text-body-lg: 1.1875rem;
```

```
  --text-body-lg--line-height: 1.55;
  --text-label: 0.75rem;
  --text-label--line-height: 1.3;
}

body {
  background: var(--surface);
  color: var(--on-surface);
  font-family: var(--font-sans);
}

:focus-visible {
  outline: 3px solid var(--focus);
  outline-offset: 2px;
}

section[id] { scroll-margin-top: 88px; }

@media (prefers-reduced-motion: no-preference) {
  html { scroll-behavior: smooth; }
}
```