

All Scenarios

2

Passed Scenarios

0


Failed Scenarios

0

Skipped Scenarios


2

2 Features



Skipped

2 Scenarios



Skipped

Execution Time: < 1ms

[Expand All](#) | [Collapse All](#)

▼ Metadata

Test Environment: Playwright + Node.js v20**Browser:** Chromium**Platform:** win32

▼ Feature: Borrowing Power Calculation

< 1ms

1

▼ Scenario:

Calculate borrowing power

< 1ms

3

Before Show Error +

5s 71ms

```
Error: function timed out, ensure the promise resolves within 5000 milliseconds
at Timeout.(anonymous) (E:\playwright\test\node_modules\@cucumber\cucumber\lib\ti
at listOnTimeout (node:internal/timers:581:17)
at process.processTimers (node:internal/timers:519:7)
```

 Given I open the ANZ borrowing power calculator < 1ms When I fill the form with valid data < 1ms

status	single
dependants	0
purpose	home to live in
income	100000
otherIncome	10000
expenses	2000
currentHomeLoan	0
otherLoan	100
commitments	0
totalCredit	10000

 Then the borrowing estimate should be displayed < 1ms

▼ Feature: Start Over Button

< 1ms 1

▼ Scenario:

< 1ms 4

Clicking Start over clears the form

 Before Show Error +

5s 8ms

```
Error: function timed out, ensure the promise resolves within 5000 milliseconds
at Timeout.(anonymous) (E:\playwright\test\node_modules\@cucumber\cucumber\lib\ti
at listOnTimeout (node:internal/timers:581:17)
at process.processTimers (node:internal/timers:519:7)
```



- Given I open the ANZ borrowing power calculator < 1ms
- When I fill the form with some data < 1ms

status	single
income	100000



- And I click the "Start over" button < 1ms
- Then all input fields should be empty or reset < 1ms
- After Show Error + 5s 7ms

```
Error: function timed out, ensure the promise resolves within 5000 milliseconds
at Timeout.(anonymous) (E:\playwright\test\node_modules\@cucumber\cucumber\lib\ti
at listOnTimeout (node:internal/timers:581:17)
at process.processTimers (node:internal/timers:519:7)
```

