

```
import pandas as pd
rt = pd.read_csv('/content/mRateData.csv')
```

New Section

▼ New Section

rt.head

```
<bound method NDFrame.head of Unnamed: 0 accomod account action activ addit adjust agenc \
0 1 3 1 2 3 0 0 3
1 2 0 1 1 3 1 2 1
2 3 0 0 2 2 1 1 2
3 4 3 1 1 2 1 1 1
4 5 2 0 2 1 1 0 3
.. ...
145 146 4 1 1 2 0 0 6
146 147 1 0 2 0 0 1 3
147 148 0 0 1 0 0 0 0
148 149 2 0 3 0 0 0 3
149 150 0 1 1 2 0 1 0

anticip appropri ... unemploy vice vote warrant wide will \
0 3 4 ... 1 1 2 1 1 6
1 0 1 ... 0 1 0 0 1 8
2 3 0 ... 0 1 1 2 0 8
3 0 3 ... 0 1 1 0 1 7
4 3 0 ... 2 1 2 2 0 4
.. ...
145 2 4 ... 1 1 1 1 1 13
146 4 1 ... 2 1 2 2 0 4
147 0 0 ... 0 0 1 0 0 2
148 3 1 ... 2 1 1 1 0 2
149 0 0 ... 1 1 0 0 1 4

william year yellen tone
0 1 0 1 0
1 1 0 0 0
2 1 1 0 0
3 1 1 0 0
4 2 4 1 0
.. ...
145 1 0 1 0
146 2 0 1 0
147 0 2 0 0
148 2 6 1 0
149 1 1 0 1

[150 rows x 142 columns]>
```

```
y= rt['tone']
```

```
X=rt.iloc[:, 0:190]
```

X.head

```
<bound method NDFrame.head of Unnamed: 0 accomod account action activ addit adjust agenc \
0 1 3 1 2 3 0 0 3
1 2 0 1 1 3 1 2 1
2 3 0 0 2 2 1 1 2
3 4 3 1 1 2 1 1 1
4 5 2 0 2 1 1 0 3
.. ...
145 146 4 1 1 2 0 0 6
146 147 1 0 2 0 0 1 3
147 148 0 0 1 0 0 0 0
148 149 2 0 3 0 0 0 3
149 150 0 1 1 2 0 1 0

anticip appropri ... unemploy vice vote warrant wide will \
0 3 4 ... 1 1 2 1 1 6
1 0 1 ... 0 1 0 0 1 8
2 3 0 ... 0 1 1 2 0 8
3 0 3 ... 0 1 1 0 1 7
4 3 0 ... 2 1 2 2 0 4
.. ...
145 2 4 ... 1 1 1 1 1 13
146 4 1 ... 2 1 2 2 0 4
147 0 0 ... 0 0 1 0 0 2
```

```

148      3      1 ...      2      1      1      1      0      2
149      0      0 ...      1      1      0      0      1      4

```

```

      william year yellen tone
0          1      0      1      0
1          1      0      0      0
2          1      1      0      0
3          1      1      0      0
4          2      4      1      0
..      ...      ...      ...      ...
145         1      0      1      0
146         2      0      1      0
147         0      2      0      0
148         2      6      1      0
149         1      1      0      1

```

```
[150 rows x 142 columns]>
```

```

from sklearn.model_selection import train_test_split
from sklearn import svm
from sklearn.metrics import accuracy_score
#y_train=y.iloc[1:140,]
#y_test=y.iloc[145:150,]
#X_train=X.iloc[1:140,]
#X_test=X.iloc[145:150,]
X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.2, random_state=42, stratify=y)
clf = svm.SVC(kernel='linear')
clf.fit(X, y)
y_pred = clf.predict(X)
accuracy = accuracy_score(y, y_pred)
print("Accuracy:", accuracy)

```

```
Accuracy: 1.0
```

Economic growth

```

import pandas as pd
Ec = pd.read_csv('/content/EcoData.csv')
y= Ec['egrowth']
X=Ec.iloc[:, 0:190]
#y_train=y.iloc[1:140,]
#y_test=y.iloc[145:150,]
#X_train=X.iloc[1:140,]
#X_test=X.iloc[145:150,]
from sklearn.model_selection import train_test_split
from sklearn import svm
from sklearn.metrics import accuracy_score
X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.2, random_state=42, stratify=y)
clf = svm.SVC(kernel='linear')
clf.fit(X_train, y_train)
y_pred = clf.predict(X_test)
accuracy = accuracy_score(y_test, y_pred)
print("Accuracy:", accuracy)

```

```
Accuracy: 0.7666666666666667
```

Employee data

```

import pandas as pd
Em = pd.read_csv('/content/EmpData.csv')
y= Em['empGrowth']
X=Em.iloc[:, 0:190]
#y_train=y.iloc[1:140,]
#y_test=y.iloc[145:150,]
#X_train=X.iloc[1:140,]
#X_test=X.iloc[145:150,]
from sklearn.model_selection import train_test_split
from sklearn import svm
from sklearn.metrics import accuracy_score
X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.2, random_state=42, stratify=y)
clf = svm.SVC(kernel='linear')
clf.fit(X_train, y_train)
y_pred = clf.predict(X_test)
accuracy = accuracy_score(y_test, y_pred)
print("Accuracy:", accuracy)

```

```
Accuracy: 0.9666666666666667
```

PO

```
import pandas as pd
po = pd.read_csv('/content/PoData.csv')
y=po['policy']
X=po.iloc[:, 0:190]
#y_train=y.iloc[1:140,]
#y_test=y.iloc[145:150,]
#X_train=X.iloc[1:140,]
#X_test=X.iloc[145:150,]
from sklearn.model_selection import train_test_split
from sklearn import svm
from sklearn.metrics import accuracy_score
X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.2, random_state=42, stratify=y)
clf = svm.SVC(kernel='linear')
clf.fit(X_train, y_train)
y_pred = clf.predict(X_test)
accuracy = accuracy_score(y_test, y_pred)
print("Accuracy:", accuracy)
```

Accuracy: 0.9666666666666667

```
import pandas as pd
po = pd.read_csv('/content/EInflaData.csv')
y=po['inflation']
X=po.iloc[:, 0:190]
#y_train=y.iloc[1:140,]
#y_test=y.iloc[145:150,]
#X_train=X.iloc[1:140,]
#X_test=X.iloc[145:150,]
from sklearn.model_selection import train_test_split
from sklearn import svm
from sklearn.metrics import accuracy_score
X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.2, random_state=42, stratify=y)
clf = svm.SVC(kernel='linear')
clf.fit(X_train, y_train)
y_pred = clf.predict(X_test)
accuracy = accuracy_score(y_test, y_pred)
print("Accuracy:", accuracy)
```

Accuracy: 0.6666666666666666