

Shell Scripting

Multiple Choice And Theory Question

1] How can you find out how long the system has been running?

- a. Command “uptime”
- b. Command “time”
- c. Command “datetime”
- d. None

2] How to get input from the terminal for shell script?

- a. 'input' command
- b. 'read' command
- c. 'echo' command
- d. None

3] What is the use of “\$?” sign in shell script?

- a. Print the name of the shell.
- b. No. of arguments to a shell script.
- c. Check whether previous command is executed successfully or not
- d. None

4] What are the redirect options to use for sending both standard output and standard error to the same location?

- a. 2 >&
- b. &>
- c. 2>&1
- d. Both b and c

5] How to display all array indexes at once?

- a. echo \${!array[@]}
- b. echo \${array[*]}
- c. echo \${array[@]}
- d. None

6] What is the difference between \$\$ and \$!?

- a. \$\$ gives the last error code of the currently executing process whereas \$! returns the exit code of the process that recently went into background.
- b. \$\$ gives the no. of arguments of the currently executing process whereas \$! holds the list of arguments of the process that recently went into background.
- c. \$\$ gives the process id of the currently executing process whereas \$! shows the process id of the process that recently went into background.**
- d. None

7] Given a file find the count of lines containing word "ABC"

- a. grep c- "ABC" file1
- b. grep -c "ABC" file1**
- c. grep c "ABC" file1
- d. None

8] How to remove array element with id 3?

- a. remove array[2]
- b. unset array[2]
- c. remove array[1]
- d. unset array[3]**

9] How to add new array element with id 99?

- a. array[98]="New_element"
- b. set array[99]="New_element"
- c. array[99]="New_element"**
- d. None

10] How can you set the default rwx permission to all users on every file which is created in the current shell?

- a. umask 555
- b. umask 666
- c. umask 777**
- d. Umask 888

11] What is the use of \$# in shell scripting?

- a. Exit code of the shell script.
- b. Error code of the command last executed.
- c. Count of the arguments passed to a shell script**
- d. None

12] How to display the first element of an array?

- a. echo array[1]
- b. echo \${array[1]}
- c. echo \${array[0]}**
- d. echo array[0]

13] How to define array in shell script?

- a. array=["Hello" "We" "are" "TechBeamers"]
- b. array=("Hello" "We" "are" "TechBeamers")**
- c. array="Hello","We" "are","TechBeamers"
- d. array={"Hello" "We" "are" "TechBeamers"}

14] How to debug a shell script?

- a. sh -x testscript.sh
- b. sh -d testscript.sh
- c. sh -nv testscript.sh
- d. Both a and c**

15] What is the correct comparison statement in Linux shell Scripting?

- a. if (\$x -gt \$y)
- b. if [\$x -gt \$y]**
- c. if \$x -gt \$y
- d. None

Theory Question

- 1] Write a program to find prime number between 1 to 100 using shell scripting
- 2] Write a calculator program using switch case [Addition , Substraction , division ,and Multiplication].
- 3] Write a program to find the given number is palindrome or not using shell scripting.
- 4] Write a program to sort a array in asending order using shell scripting.
- 5] Write a program to find the number of words in a string using shell scripting.
- 6] Wite a program to reverse a array elements using shell scripting.
- 7] Write a program to delete repeating elements in array.
- 8] What is Bash ? What is chmod ? What are all possible modes ? How to chnage the mode ?
- 9] Write a program to reverse a string using shell scripting
- 10] Write a program to find factorial of given number using shell scripting

Solution

1] Write a program to find prime number between 1 to 100 using shell scripting

```
#!/bin/bash

echo "Enter the min Start of range:"
read -p "Min=>" min

echo "Enetr the max range:"
read -p "Max=>" max

for((index1=1;index1<=$max;index1++))
do
    flag=0

    for((index2=2;index2<=`expr $i / 2`;index2++))
    do
        if [ `expr $index % $index` -eq 0 ]
        then
            flag=1
        fi
    done

    if [ $flag -eq 0 ]
    then
        echo "$index1"
    fi
done
```

2] Write a calculator program using switch case [Addition , Substraction , division ,and Multiplication].

```
#!/bin/bash
```

```
echo "Enetr the two number to do mathematical operation:"
```

```
read -p "Number1=>" number1
```

```
read -p "Number2=>" number2
```

```
echo "Enetr the choice 1] Add 2]Sub 3]mul 4]Div "
```

```
read -p "Choice=>" choice
```

```
case "$choice" in
```

```
    Add | add) echo "Addtion = `expr $number1 + $number2`";;
```

```
    Sub | sub) echo "Substraction= `expr $number1 - $number2`";;
```

```
    Mul| mul) echo " Multiplication= `expr $number1 \* $number2`";;
```

```
    Div | div) echo "Division= `expr $number1 / $number2`";;
```

```
    *) echo "Answer not recognized";;
```

```
esac
```

3] Write a program to find the given number is palindrome or not using shell scripting.

```
#!/bin/bash
```

```
echo "Enter a number:"
```

```
read -p "Number=>" number
```

```
temp=$number
```

```
reverse=0
```

```
while [ $temp -ne 0 ]
```

```
do
```

```
    modulus=`expr $temp % 10`
```

```
    mul=`expr $reverse \* 10`
```

```
    reverse=`expr $mul + $modulus`
```

```
    temp=`expr $temp / 10`
```

```
done
```

```
if [ $number -eq $reverse ]
```

```
then
```

```
    echo "Palindrome"
```

```
else
```

```
    echo "Not a palindrome"
```

```
fi
```

4] Write a program to sort a array in asending order using shell scripting.

```
#!/bin/bash
```

```
echo "Enetr the length of array:"
```

```
read -p "length=>" length
```

```
for(( index1=0;index1< $length;index1++))
```

```
do
```

```
    echo "Enetr `expr $index1 + 1`"
```

```
    read array[$index1]
```

```
done
```

```
for(( index1=0;index1< $length;index1++))
```

```
do
```

```
    for(( index2=`expr $index2 + 1`;index2< $length;index2++))
```

```
    do
```

```
        if [ ${array[$index1]} -gt ${array[$index2]} ]
```

```
        then
```

```
            temp=${array[$index1]}
```

```
            array[$index1]=${array[$index2]}
```

```
            array[$index2]=$temp
```

```
        fi
```

```
    done
```

```
done
```

```
echo "Array asendig order :"
```

```
for(( index1=0;index1< $length;index1++))
```

```
do
```

```
    echo array[$index1] = ${array[$index1]}
```

```
done
```


5] Write a program to find the number of words in a string using shell scripting.

```
#!/bin/bash
```

```
echo "Enetr the input string:"
```

```
read -p "string=>" string
```

```
echo $string | wc -w
```

6] Wite a program to reverse a array elements using shell scripting.

```
#!/bin/bash
```

```
echo "Enter the array length:"
```

```
read -p "length=>" length
```

```
echo "Enetr the array element:"
```

```
for (( index1=0;index1< $length;index1++ ))
```

```
do
```

```
    echo "Enter `expr $index1 + 1`:"
```

```
    read array[$index1]
```

```
done
```

```
for(( index1=0, index2=`expr $length - 1` ; index2 > index1;index1++,index2-- ))
```

```
do
```

```
    temp=${array[$index1]}
```

```
    array[$index1]=${array[$index2]}
```

```
    array[$index2]=$temp
```

```
done
```

```
echo "reverse array element:"
```

```
for((index1=0;index1< $length ; index1++))
```

```
do
```

```
    echo "array[$index1]=${array[$index1]}"
```

```
done
```

7] Write a program to delete repeating elements in array.

```
#!/bin/bash
```

```
echo "Enter array length:"
```

```
read -p "length=>" length
```

```
echo "Enetr the array element:"
```

```
for((index1=0;index1< $length;index1++))
```

```
do
```

```
    echo "Enetr array [$index1]:"
```

```
    read array[$index1]
```

```
done
```

```
flag=0
```

```
for((index1=0;index1< $length;index1++))
```

```
do
```

```
    for((index2=`expr $index1 + 1`;index2 < $length;index2++))
```

```
    do
```

```
        if [ ${array[$index1]} -eq ${array[$index2]} ]
```

```
        then
```

```
            flag=1
```

```
            length=`expr $length - 1`
```

```
            for((index3=$index2 ; index3 < $length ; index3++))
```

```
            {
```

```
                array[$index3]=${array[`expr $index3 + 1`]}
```

```
            }
```

```
        else
```

```
            index2= `expr $index2 + 1`
```

```
        fi
```

```
    done
```

```
done
```

```
if [ $flag -eq 0 ]
```

```
then
```

```
    echo "No duplicate"
```

```
else
    for((index1=0;index1<`expr $length - 1`; index1++))
    do
        echo "array[$index1]={array[$index1]}"
    done
fi
```

8] What is Bash ? What is chmod ? What are all possible modes ? How to change the mode ?

9] Write a program to reverse a string using shell scripting.

```
#!/bin/bash
reverse= ""
read -p "Enter string:" string
length=${#string}
for (( index=$length-1; index>=0; index-- ))
do
    reverse="$reverse${string:$index:1}"
done
echo "$reverse"
```

10] Write a program to find factorial of given number using shell scripting

```
#!/bin/bash
echo "Enter number:"
read -p "Number" number
fact=1
var=1
while (( $var <= $number ))
do
    fact=$(( $var * $fact ))
    var=`expr $var + 1`
done

echo "factorial= $fact"
```

