

Team Name	SEA	Assessment Item	11C
-----------	-----	-----------------	-----

The use of the following is permitted on this course only with full disclosure of how it was used and with proper attribution, you must make clear what is your teams and/or your own work:

- Open-source code and libraries (excluding previous DECO projects).
- Open data sets.
- Royalty free, free to use icons, images.
- Use of generative AI code generation tools such as Copilot and others.
- Use of generative AI tools such as ChatGPT to assist with essay writing (but only with a complete list of the prompts used).
- Use of AI grammar checkers.

We declare that:

1. All team members confirm and acknowledge they have signed off on the submission of this work. Each team member agrees that:
 - The work submitted accurately represents the work of the team.
 - Changes to the final submission have not been made without approval from the entire team.
2. This work, except where otherwise indicated and fully attributed, is our own original work.
3. This work has not been submitted for any degree or examination at any other university and/or for any other course at UQ (*except where explicitly permitted*).
4. Third party material – code/data/tutorials/work
 - This work **does not** contain any other persons' work, open-source work, and/or generative artificial intelligence code, data, images, graphs, tables, or any other information.
 - This work **does** contain work inspired by, drawn from, copied from, derived from (or similar) other persons' work, open-source work, and/or generative artificial intelligence (Gen-AI) code, data, images, graphs, tables, or any other information. Such instances have been indicated below AND are appropriately disclosed and attributed in place

where the work occurs (in-text citations, reference list, code comments/braces, etc). For Gen-AI, such as ChatGPT, acknowledge below and include the full set of prompts and responses within the appendix.

5. Third party material - writing

- This work **does not** contain other persons’ and/or Gen-AI writing.

☒

○ This work **does** contain other persons’ writing and their words have been re-written, but the general information has been attributed and referenced to them as an in-text citation and in the reference list.

☐

○ This work **does** contain other persons’ writing and their exact words have been used within quotation marks and has been attributed and referenced to them as an in-text citation and in the reference list.

☐

○ This work **does** contain Gen-AI work (with or without modification). Gen-AI has been used to aid writing. The sections it has been used in are listed below. Include the full set of prompts and responses within the appendix.

☒ 

○ This work **has not** been refined, revised, translated, transformed, or similar by any AI tool.

☐

○ This work **has** been refined, revised, translated, transformed, or similar by any AI tool. The tools and description of use are listed below.

☒ 

6. We have checked this work to ensure that there are no instances of academic misconduct, including plagiarism herein.

☒

The University defines Academic Misconduct as involving ‘a range of unethical behaviours that are designed to give a student an unfair and unearned advantage over their peers’. The University takes Academic Misconduct very seriously and any suspected cases will be investigated through the University’s standard [policy](#).

We hereby declare that we understand the meaning of academic misconduct and recognise that the submission of work for assessment that includes instances of academic misconduct is an offence that may result in disciplinary action being taken against us.

Name	Signature	Date
Su Yi Tong		24/10/2025

Hui Ying Chia		24/10/2025
Rae Lynn Tan	Raelynn	24/10/2025
Fayza Aqila Bachtiar		24/10/2025
Ralfazza Rajariandhana		24/10/2025
Max Taylor		24/10/2025

Team SEA Documentation

Product Name: HereToo

Fayza Bachtiar, Hui Ying Chia, Max Taylor, Rae Lynn Tan,
Ralfazza Rajariandhana, Su Yi Tong

Table of Contents

- Table of Contents..... 1
- Part A.....2
- 1 Overview.....2
 - 1.1 Introduction of Product..... 2
 - 1.2 Functional specification..... 3
 - 1.3 README – Getting Started..... 4
- 2 Additional Documentation.....5
 - 2.1.1 Frontend Overview..... 5
 - 2.1.2 User Flows.....5
 - Participant Flow..... 5
 - Host Flow.....5
 - 2.1.3 Core Features & Components.....5
 - 2.2.1 Backend Overview.....6
 - 2.2.2 Interests & Expertise Matching Algorithm.....6
 - 2.2.3 Database Model Configuration..... 7
 - Games Table.....7
 - Players Table..... 7
 - Expertises Table..... 8
 - Interests Table..... 8
 - PlayerInterests Table..... 8
 - 2.2.4 API Routes/Endpoints..... 8
- Part B..... 10
- 3 Ethics, Security, and Privacy.....10
 - 3.1 Ethics..... 10
 - 3.2 Security..... 10
 - 3.3 Privacy..... 11
- Appendix – Artificial Intelligence (AI) Usage Transcripts.....12

Part A

1 Overview

1.1 Introduction of Product

Today, events and meetings have a tendency to be hosted across a hybrid audience. This means that a portion of participants attend online while the rest attend in person. Our product is a website that aims to bridge the communication gap between those online and those in-person. Our website connects this hybrid audience better by enabling online participants to interact more meaningfully with those in-person, vice-versa. Such convenience of organic interactions can prevent online users from feeling left out or feeling as if they are unable to network with others. This will also help prevent participants attending in-person from feeling as though they do not have the means to interact with those online.

Our website achieves this by acting as an ice-breaking platform. As an ice-breaking platform, participants have opportunities to network and get to know one another before deciding if they wish to further share contact information on their own. Our website serves as the intermediate step between being complete strangers to considering the exchange of contact information. To expedite this ice-breaking process, our website matches users according to their shared interests and area of expertise. This way, users (regardless of their mode of attendance) will have a common ground when conversing with one another. This eases most of the initial awkwardness and tension.

In addition, our website has a lobby feature. While waiting for the remaining participants to join the website, existing participants can roam freely in a virtual lobby and engage with others. Subsequently, they will be grouped accordingly and put into breakout rooms where they participate in a Bingo networking game. This Bingo networking game provides multiple opportunities for users to converse with others that have similar interests and areas of expertise. For users that are offline, they will be prompted to meet face to face. Otherwise, a Zoom meeting will commence. As mentioned earlier, what separates our product from a typical hybrid meeting platform is the interest-based matching of users. Instead of having to find a topic to strike up a conversation with someone completely unknown, users get to interact directly with their matches.

Through these Bingo networking games, users will be able to earn points and check the live scoreboard. Our website will work particularly well if all parties want to network. This scoring system simply further acts as an incentive for participants to engage fully in the Bingo networking game. After completing these interactions, users will then be able to decide for themselves if they wish to share professional (or even personal) contact information. This sharing of contact information is not enforced and will be according to their own will. Our platform does not directly facilitate this process but serves as a networking platform to reach said stage of sharing contacts.

Our team is aware that there will always be a portion of participants who do not wish to network with others. Although our website attempts to incentivise this group of users to interact with other users, our goal is not to force these people to engage in interactions that they do not wish upon themselves. Our team recognises that this is not a plight to be fixed by us because these participants can genuinely be uncomfortable with interacting with other people in a meeting or event setting. Instead, our product focuses on the participants in a hybrid setting who want to network and provide them with many opportunities to do so in a fun, engaging, and meaningful manner.

1.2 Functional specification

Firstly, participants will be given a code to be entered into the website. Once the host has enabled the start of the interactive session, participants will be prompted to fill in a survey. This survey consists of their name, interest(s), area of expertise, mode of attendance (whether they are participating online or in-person), and a checkbox indicating if they are willing to share this information that they have just filled in with other participants. Once this survey has been filled in, participants will be able to customise their avatar for inclusivity and personalisation purposes.

Subsequently, participants will be moved to a virtual lobby where they can roam freely on their own device. Participants will be able to see one another's virtual character and click on it. When users click on another character, they will be able to see the other participant's details (name, interest(s), faculty, and mode of attendance). They will also be able to chat with one another while waiting for the Bingo networking game to start. The start of this Bingo networking game will be triggered by the host.

Once the Bingo game has started, participants will be automatically put into rooms with their top five user recommendations (according to shared interest(s) and area of expertise). In this room, users have to click on another user. If that user is available (currently not talking to another user), they will be put in a separate breakout room. If both users are offline, they will be prompted to meet in real life. Otherwise, a Zoom meeting will commence for users to interact with one another.

After completing their conversations, there will be a question prompt regarding content that these users have talked about. Participants will need to answer these question prompts in order to increase their score. Participants will have to complete this interaction with everyone else in their breakout room to "Bingo" and increase their score by an even higher amount. There will be a live scoreboard available. Any ties in scores will be sorted according to alphabetical order.

The following image presents the user-flow diagram of our product.




Figure 1: User Flow Diagram of our application.

1.3 README – Getting Started

ngrok

1. Go to `ngrok.com`, login
2. Follow the setup for your laptop
3. Go to Dashboard -> Domains -> get a new domain
4. Go to `frontend/.env` and `backend/.env`, change my ngrok domain with your ngrok domain, "electric-sure-sawfish.ngrok-free.app" into your "something.ngrok-free.app"

Zoom

1. Go to `https://marketplace.zoom.us/`, login
2. Develop -> Build App -> General App -> Top left rename your app "Bingo"
3. Basic Information:
 - a. Choose User-managed
 - b. OAuth Redirect URL -> `https://{YOUR_NGROK_DOMAIN}/auth`
4. Features -> Surface:
 - a. Home URL -> `https://{YOUR_NGROK_DOMAIN}`
 - b. Domain Allow List -> `appssdk.zoom.us, {YOUR_NGROK_DOMAIN}` (don't use https here, add reason "local development")
 - c. Select where to use your app: Meetings, Rooms
 - d. In-client App Features:
 - i. Zoom App SDK -> toggle to True
 - ii. Add APIs -> fill according to `frontend/src/zoominit.js` capabilities list
5. Add your app to your zoom app

ollama

1. Download and install ollama from `https://ollama.com/`
2. Download ollama model `llama3.2:1b` in ollama app interface
 - a. if not available in interface run in terminal ``ollama pull llama2:7b``
3. make sure ollama running, (default: `http://localhost:11434`)
 - a. if not, run manual using the command ``ollama serve`` -> wait until it stay "stasis"

In according to the ai wrapper usage within the code, as long as ollama is running, `questions.py` will be able to run and return according to which endpoint you hit

Install libraries

```
```sh
For frontend
cd frontend
npm i

For backend
cd backend
pip install -r requirements.txt
```
```

Running – You have to run 3 terminals

```
cd frontend
npm run build # must be run manually every time frontend code changes
npm run dev # won't work in Zoom and cannot do any API calls, only for quick editing and see the result
```

```
cd backend
uvicorn main:app --host 0.0.0.0 --port 8000
```

```
# change according to your ngrok link (For ngrok reverse proxy)
ngrok http --url=electric-sure-sawfish.ngrok-free.app 8000
```
```

Now you can open either from web browser (Google, Safari, etc) by opening  
`https://electric-sure-sawfish.ngrok-free.app` or through zoom by first installing from  
`https://marketplace.zoom.us/apps/LFrnaV6SRLWOi9EYhsYxuA`



## 2 Additional Documentation

We have been writing documentation throughout the project in our README.md file at the root of our project files. For documentation submission we have created this document as we needed to add figures and PART B for the submission. Please refer to README.md in our project files for more detailed specifications that we have been writing for team members to refer to along the way.

### 2.1.1 Frontend Overview

The frontend is a react-based web application designed to facilitate meaningful connections between online and offline participants during hybrid meetings. It uses React Router for navigation and is hosted inside the Zoom application. Users on zoom are able to interact with it without leaving the application itself. React Router v6 is used for client-side routing and navigation while React State is used for local state management for game logic, modals, and scores. The frontend is designed to have mobile-friendly layouts with media queries.

### 2.1.2 User Flows

#### Participant Flow

(Home) → /entercode (user code) → /survey → /avatar → /eventmap → /bingo

#### Host Flow

/ (Home) → /entercode (host code) → /schedule → /host → Zoom App Integration

### 2.1.3 Core Features & Components

Feature	Route	Purpose	Key Functions	User Experience
Interest Survey	/survey	Gather participant information	Collects interests, sends data to backend, stores normalized results	Guided form with validation, redirects to Event Map
Avatar Creator	/avatar	Personalize user identity	Integrates Ready Player Me for 3D customization	Real-time preview, avatar saved before moving to map
Event Map	/eventmap	Explore participants	Shows avatars, profiles, and proximity; allows filtering	Interactive visual layout to discover connections
Bingo Game	/bingo	Facilitate social interaction	Displays 5 matches, conversation prompts, scoring	Icebreaker gameplay that tracks progress and rewards

## 2.2.1 Backend Overview




Figure 2: Initial Sketch of backend layout and query connections.

The backend is a python based API using the FastAPI framework. FastAPI was used due to our preference for and experience with python programming. In addition, FastAPI is a highly respected, well-documented, and mature framework. These are necessary for a seamless API implementation and integration with the frontend.

The interest-based matching algorithm uses Jaccard similarity to compute a score that signifies the amount of similarity between two users based on both their interests and expertise. With this, we can derive the top  $k$  recommendations of any users with those recommendations being sorted according to the similarity score.

As our database ORM, we are using SQLAlchemy to interact with our database. SQLAlchemy was chosen as it is also a mature and well-documented Python library. In development, the backend used SQLite as a test database that is stored in our repository. This eased our transition from SQLite to a PostgreSQL database in deployment. Moving to a production server enabled concurrent read, write support, and other production database features. Our database contains the following tables that our routes interact with, and their attributes.

## 2.2.2 Interests & Expertise Matching Algorithm

This algorithm heavily uses Pandas for computationally efficient handling of DataFrames with respect to the expected size of the total number of participants at any one time.

This algorithm takes the Jaccard similarity between the interests of any two users and calculates a similarity score. This similarity score is then multiplied with its respective weight which can be adjusted by us. This algorithm also finds any similar area of expertise shared between said two users and likewise, derives a score. This score, multiplied with its respective weight, is then added to the already weighted interest score. Currently, interests have been given a weight of 0.6, while areas of expertise have been given a weight of 0.4.

Pertaining to the area of expertise, specific faculties will be matched to one another if they fall under a similar bigger category. For example, Medicine, Dentistry, and Nursing all fall under Health Sciences. As such, users will be able to be matched to others in the same or similar field.

The final resulting score through addition signifies the amount of similarity between two users based on both their interests and expertise. With this, we can derive the top k recommendations of any users with those recommendations being sorted according to the similarity score.

This algorithm is integrated into our bingo networking game algorithm whereby users are put into breakout rooms with their top five recommendations. Note that the number of recommendations can be adjusted.

## 2.2.3 Database Model Configuration

The tables below show an outline of our database's configuration. SQLAlchemy was used to write our models and field attributes.

### Meetings Table

Field	Type	Description
id	string	Unique meeting identifier
user_code	string	Code for attendees to join
admin_code	string	Code for admin operations
title	string	Meeting title
description	text	Optional description
host	string	Host name
scheduled_time	datetime	Meeting time
duration_minutes	integer	Duration in minutes
physical_location	string	Optional physical location
online_link	string	Optional online meeting link
created_at	datetime	Meeting created at
updated_at	datetime	Meeting last updated at

### Games Table – Note that games can have many players

Field	Type	Description
id	string	Unique game identifier
zoom_host_id	string	Zoom host ID
zoom_meet_id	string	Zoom meeting ID
zoom_join_url	String	Zoom join url
status	string	Status of game
time_start	datetime	Start time of game
time_end	datetime	End time of game
expertise	JSON	Expertise data, JSON format
created_at	datetime	Game created at
updated_at	datetime	Game last updated at

### Players Table – Players have one expertise each from the expertise table; can have many interests

Field	Type	Description
id	integer	Unique player identifier
zoom_participant_id	string	Zoom participant ID
name	string	Player's name
game_id	string	game
expertise_id	int	Expertise
score	integer	Player's score
time_finished	datetime	When player is done
matches	MutableList	List of a players matches (k = 5)
Interacted_with	MutableList	List of a players interactions so far in the bingo game.
created_at	datetime	Player created at
updated_at	datetime	Player last updated at
role	String	role

Expertises Table

Field	Type	Description
id	string	Unique expertise identifier
name	string	Expertise's name

Interests Table

Field	Type	Description
id	string	Unique interest identifier
name	string	Interest's name

PlayerInterests Table

Field	Type	Description
player_id	integer	Player ID
interest_id	string	Interest reference

2.2.4 API Routes/Endpoints

Below is a summary of the backend database routes. Due to time constraints, not all databases have full RESTful endpoints setup.

DB Routes

Route	Description
GET /api/db/	Output DB rows
POST /api/db/drop	Drop and recreate tables
GET /api/db/expertises	Get list of expertise

Expertise Routes

Route	Description
GET /api/expertise/	Get list of expertise

Games Routes

Route	Description
GET /api/games/random	Create random game for testing
POST /api/games/{game_id}/status	Change status of game from ["OPEN", "CLOSED", "PLAYING", "FINISHED"] list. Computers all player matches.
GET /api/games/{game_id}/players	Get all players in a game
GET /api/games/{game_id}/scores	Get all player scores
GET /api/games/{game_id}/status	Get game status
GET /api/games/{game_id}	Get game info.

Host Routes

Route	Description
GET /api/host/{host_id}/games	Get games from host id
POST /api/host/{host_id}/create	Create Game
GET /api/host/games/all	Get all games

Matching Routes

Route	Description
GET /api/matching/{game_id}/matches	Compute all matches for players in a game

Players Routes

Route	Description
POST /api/players/join/{game_id}	Join game on game id
POST /api/players/zoom-uuids	Returns zoom uuids for all players
POST /api/players/pair-add-score	Increases the pair score for a player and opponent
POST /api/players/{player_id}/add-score	Increases player score
GET /api/players/{player_id}/matches	Gets match details for a player

Questions Routes

Route	Description
GET /api/ai/generate/{player_id}	Generates AI question for player
POST /api/ai/check	Check the question answers using AI. The body contains questions and responses.

Websockets Routes

Route	Description
GET /api/ws/games/{game_id}	Endpoint for connecting players via websockets. Used in our bingo application to connect players.

# Part B

## 3 Ethics, Security, and Privacy

### 3.1 Ethics

The interests of our group members, our industry mentor, and the targeted users regarding the development of our product are moderated and equally accounted for. Possible conflicts of interest have been flagged out (with professional objectivity) to those whom they may concern. One such example was having inadequate time to add additional features into our product which was pointed out to our industry mentor who, in turn, acknowledged this time constraint of ours. Our team was very honest with what we could achieve and what we realistically could not. Additionally, our team will keep private any confidential information learnt from or about our industry mentor.

Our product aims to morally maximise the greater good by better connecting a hybrid audience and thus stimulating meaningful interactions. It is of low cost with minimal geographical boundaries and an inability to harm people. Our product was never meant to be exclusive to certain groups of people. Our product is ultimately a website that is free to access from any country, albeit with a relatively stable level of internet connection. This mostly allows the majority of the public with access to technology to reap the benefits of our product. In the future, if given the opportunity to continue working on this project, we will take into consideration those that may not have access to technology nor the internet.

In all documentations, public statements, and presentations, our team does not condone deception. All statements regarding the development of our product and the product itself that have been made thus far are true and fair. Our team is very honest about the limitations of our product as a result of our skillsets and experience. All team members were informed of standards held to them prior to the start of our product development. No software that our team used (such as the Zoom Software Development Kit) was obtained illegally nor in a financially corrupt manner. We do not and will never claim any public software framework that we have used as our own.

Each of our team members take responsibility for the work we have produced and do not claim unwarranted credit. All team members are fully credited for their work. Throughout the development of our product, our team also ensured that there exists a collective agreement regarding professional decisions such as the assignment of workload, our weekly plans, the layout of our website, the removal of an agenda feature, and the finalisation of our ice-breaking game. All disclosures of ethical concerns were never dismissed. They were always taken seriously and worked through to obtain the necessary solutions.

Our product has artificial intelligence (AI) embedded into it. The Bingo Networking Game appropriately uses AI from a respected source to generate conversation prompts between users. Users can easily discern whenever they interact with this AI system. The comprehensive range of risks and benefits have been identified and researched upon. This AI system is unable to cause harm to users, even with unintentional misuse. Potential biases of the AI model are known and have been weighed against its benefits. This AI system remains reliable in providing accurate and relatively speedy conversation prompts while ensuring that our team can monitor, control, and deactivate if necessary.

### 3.2 Security

Our website utilises a form to collect information of users. However, this form is not identity verified. This is because our product endorses users using dummy names for privacy reasons. This allows users to remain anonymous if they wish. This benefit will be further elaborated on in section 3.3. However, having no form of identity verification also imposes a risk whereby users can impersonate an actual person for obscure immoral purposes. Users may also have the intention of ridiculing our platform by messing with other users. Such acts are unacceptable. In order to reduce such risks and repudiation, our team enforces a stern warning by

educating all users about the strict lawful consequences of using this form to intentionally (or even playfully) harm another person.

As a strategy to reduce the risk of information disclosures or the tampering of data, our product will in future use a highly-respected database, PostgreSQL. PostgreSQL is a very regularly patched system with an active team that swiftly fixes vulnerabilities. It also provides strong access control, enabling our team to properly manage who gets permissions to read and modify data. Furthermore, PostgreSQL has encryption support. This helps protect stored data in the database. Data also gets protected when in transition. In addition to PostgreSQL, our team uses Ngrok (which is a secure tunneling service). Likewise, Ngrok provides encrypted connections and comes with built-in access controls. Currently the demo product is using SQLite however due to time constraints and deployment limitations as PostgreSQL needs to run on its own server instance. Further we have not limited access to endpoints yet due to time constraints and increased scope significantly. The time constraints arose mainly due to switching project design half way through the semester and thus some parts of security are limited in the demonstration.

Our product only uses well-respected and mature software. More specifically, such include: React, FastAPI, ngrok, and PostgreSQL. Although these do not necessarily mitigate the risk of Denial of Service (DoS) nor Elevation of Privilege (EoP), our team exhaustively made sure that everything was configured to a proper standard. This does rudimentarily help reduce the risk of potential DoS and EoP attacks on the surface level. Our team did not have adequate time to implement firewalls nor authentication. We are very aware of this. If given more time, our team would definitely have built firewalls, mutli-factor authentication, and secured configuration for both our frontend and backend.

### 3.3 Privacy

As our website collects the personal information of a user and shares it with other users, our team communicates this policy through the information form itself. At the bottom of the page, there is a checkbox indicating if the user is comfortable and aware that information he or she just filled in is going to be public within the website. Our website also does not enforce identity verification. This means that users can enter a nickname if they are uncomfortable with sharing their real name. If any users still do not wish to proceed, they can simply not join the website nor the game. This is acceptable because our platform serves as an ice-breaking platform to encourage and facilitate meaningful interactions. If users are uncomfortable with socialising, it would be very unethical and unnecessary to force them to do so.

During the Bingo Networking Game, if an online user is matched to an in-person user or if both users are online, they are directed to a Zoom meeting. In this Zoom meeting, they can adjust their camera and mic settings accordingly. If users are uncomfortable with showing their face, they can switch off the camera on their end. Likewise, if users are uncomfortable with speaking, they can simply use the chatbox instead. For offline users, they will be prompted to meet directly. If they truly are uncomfortable talking one on one in real life, they can simply not agree to meet the other user. This freedom ensures that participants are not forced into pushing their boundaries regarding their own privacy just to conform to the intended usage of our product. Although our team aims for users to engage in meaningful interactions, our product will definitely not work for each and every individual; no product does. That said, our team has put in the effort to ensure that those willing to network get many opportunities to do so and those who are uncomfortable with interacting get the freedom to adjust accordingly without penalties.

As mentioned in the earlier section 3.2, the personal information of users is stored securely on our servers. Only the required information about users is asked for. Apart from interests and areas of expertise being shown to other users, only our team members can access all of this information. None of this information will be shared with other parties outside our platform. Additionally, such information will only be retained as long as technically needed to serve as an ice-breaking platform as intended. Although our team treads very carefully when dealing with users' privacy, there remains a risk that such information can be misused. Thus, participants are always encouraged to practice discretion when they voluntarily share personal information on our platform. Information can and will be deleted upon request from the users themselves. Our team will also take action if we deem certain information vulgar, unsafe, inappropriate, or too personal to be shared with other users.

# Appendix – Artificial Intelligence (AI) Usage Transcripts

1. Determining AI wrapper model for the product was helped by ChatGPT  
<https://chatgpt.com/share/68fb04b6-92f4-8004-a967-15cb4c5a4877>
2. ChatGPT was used to debug a matching issue caused by not using a mutable list in the player model.  
<https://chatgpt.com/share/68fb064f-a2f8-8005-b6f4-180fa5e37b5a>
3. ChatGPT was used to debug an issue with the zoom\_meeting\_url being null  
<https://chatgpt.com/share/68fb0698-a21c-8005-8f09-866f6194170c>
4. ChatGPT was used to help update the matching algorithm to be called once when you started the game: <https://chatgpt.com/share/68fb0724-a194-8005-bfb4-e026fb7efcc5>
5. ChatGPT was used to try and fix a CORS issue in [main.py](#):  
<https://chatgpt.com/share/68fb082c-5810-8005-afc5-f5cc581f377a>
6. ChatGPT was used to help modify the interests matching code written earlier and use it in the FastAPI backend: <https://chatgpt.com/share/68fb0851-01f0-8005-a1d5-6d7dd955acba>. The outputs from ChatGPT were modified quite a bit to work with new design decisions and matching decisions.
7. Some backend documentation was generated and summarised by ChatGPT:  
<https://chatgpt.com/share/68fb08c5-ec60-8005-b91b-83d84049b5be> so other team members could quickly see what was implemented so far.
8. ChatGPT was used to debug an autoincremented id issue in the sqlalchemy:  
<https://chatgpt.com/share/68fb0919-3b50-8005-8d67-ae59ccbb9851>
9. ChatGPT was used to help initially connect the backend API for the enter code and survey components on the frontend. It was then used to debug several errors and bugs along the way. This process was repeated elsewhere after this initial connection help:  
<https://chatgpt.com/share/68fb0a79-1a80-8005-b7a3-f40f0be87f3a>
10. The player model was generated by ChatGPT initially and some routes created for it initially to comply with the new game design requirements:  
<https://chatgpt.com/share/68fb10c6-7808-8005-a516-f1462f6750d6>
11. ChatGPT was used to try and debug a networking error and CORS error that was had with several requests: <https://chatgpt.com/share/68fb0f63-0c6c-8005-b225-0c6410496dbd>
12. ChatGPT was used to help solve my avatar visibility problems:  
<https://chatgpt.com/share/68fb18c3-b874-8012-afe8-861913634565>
13. ChatGPT was used to help integrate multiplayer functionality into my map  
<https://chatgpt.com/share/68fb1821-cdf0-8012-ab6a-233926597cfc>
14. ChatGPT was used to help summarise frontend notes  
<https://chatgpt.com/share/68fb1903-bc44-8003-be2f-6064f996c554>