Status	Finished
Started	Friday, 30 October 2026, 1:47 AM
Completed	Friday, 30 October 2026, 1:51 AM
Duration	4 mins 6 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which method is used to write data to a file?

- a. write() ✓
- b. read()
- c. insert()
- d. append()

The correct answer is: write()

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for writing in binary format?

a. r+
b. rb
c. wb ✓
d. w

The correct answer is: wb

Question **3**

Correct

Mark 1.00 out of 1.00

Which method is used to write a list of strings to a file?

a. write()
b. write_list()
c. writelines() ✓
d. write_all()

The correct answer is: writelines()

Question **4**

Correct

Mark 1.00 out of 1.00

What is the result of the following code?

```
with open("example.txt", "r") as f:
    data = f.read()
print(data)
```

a. Prints the first 10 characters of the file

b. Prints the entire content of the file ✓

c. Prints an error message

d. Prints each line of the file

The correct answer is: Prints the entire content of the file

Question **5**

Correct

Mark 1.00 out of 1.00

Select the incorrect file access mode

a. rw+ ✓

b. ab+

c. r

d. wb+

The correct answer is: rw+

Question **6**

Correct

Mark 1.00 out of 1.00

What does the seek() method do in file handling?

a. Reads the file line by line
b. Deletes the file
c. Moves the file cursor to the specified position ✓
d. Writes data to the file

The correct answer is: Moves the file cursor to the specified position

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following is data file?

a. Binary file
b. none of the given choices
c. Both text and binary file ✓
d. Text file

The correct answer is: Both text and binary file

Question **8**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in write mode ('w') and the file already exists?

a. It does nothing
b. It appends data to the file
c. It raises an error
d. It clears the old data and starts fresh ✓

The correct answer is: It clears the old data and starts fresh

Question **9**

Correct

Mark 1.00 out of 1.00

What is the purpose of the with statement in Python file handling?

a. To write data to a file
b. To automatically close the file after its suite finishes ✓
c. To read data from a file
d. To delete a file

The correct answer is: To automatically close the file after its suite finishes

Question **10**

Incorrect

Mark 0.00 out of 1.00

What is the use of seek() method in files?

a. sets the file's current position at the offset

b. sets the file's current position within the file ✗

c. none of the mentioned

d. sets the file's previous position at the offset

The correct answer is:
sets the file's current position at the offset

Question **11**

Correct

Mark 1.00 out of 1.00

Default EOL character of text file in python is ,

a. \n ✓

b. ,

c. \t

d. space

The correct answer is:
\n

Question **12**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
f = open("test.txt", "w")
f.write("Hello, world!")
f.close()
f = open("test.txt", "r")
print(f.read())
f.close()
```

a. world

b. Hello, world! ✓

c. Hello

d. An error is raised

The correct answer is: Hello, world!

Question **13**

Correct

Mark 1.00 out of 1.00

What is the difference between r+ and w+ modes in file handling?

a. r+ is for read and append, w+ is for read and write

b. r+ is for read and write without truncating, w+ is for read and write with truncating ✓

c. r+ is for binary read and write, w+ is for text read and write

d. r+ is for read and write, w+ is for append only

The correct answer is: r+ is for read and write without truncating, w+ is for read and write with truncating

Question **14**

Correct

Mark 1.00 out of 1.00

Which of the following methods is used to read a single line from a file?

- a. readline() ✓
- b. readlines()
- c. read()
- d. readline(size)

The correct answer is: readline()

Question **15**

Correct

Mark 1.00 out of 1.00

file_object.seek(offset [, reference_point])

What is the default, the value of reference_point?

- a. null
- b. 2
- c. 0 ✓
- d. 1
- e. garbage

The correct answer is:
0