Status	Finished
Started	Friday, 30 October 2026, 2:11 AM
Completed	Friday, 30 October 2026, 2:14 AM
Duration	3 mins 20 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

_____sort is the simplest sorting algorithm that works by repeatedly swapping the adjacent elements in case they are unordered in n-1 passes.

a. Selection

b. Insertion

c. Complexity

d. Bubble ✓

Question **2**

Correct

Mark 1.00 out of 1.00

What is searching in the context of computer science?

a. Sorting elements in a list
b. Determining whether an element is present in a list ✓
c. Deleting elements from a list
d. Inserting elements into a list

Question **3**

Correct

Mark 1.00 out of 1.00

What is the advantage of binary search over linear search?

a. Binary search has a lower time complexity on large, sorted lists ✓
b. Binary search works on unsorted lists
c. Binary search does not require dividing the list
d. Binary search can find multiple instances of the target element

Question **4**

Correct

Mark 1.00 out of 1.00

Which of the following scenarios is best suited for applying binary search?

a. When the list is unsorted
b. When the list is very small
c. When the list contains duplicate elements
d. When the list is sorted ✓

Question **5**

Correct

Mark 1.00 out of 1.00

What type of search would be most appropriate for finding an element in a list that is frequently updated?

a. Hash search
b. Linear search ✓
c. Interpolation search
d. Binary search

Question **6**

Correct

Mark 1.00 out of 1.00

If a list contains 1000 elements, how many comparisons would a binary search typically make in the worst case?

a. 100
b. 500
c. 1000
d. 10 ✓

Question **7**

Correct

Mark 1.00 out of 1.00

In a linear search, how many comparisons are made in the worst-case scenario to find an element in a list of size n?

a. 1
b. log n
c. n/2
d. n ✓

Question **8**

Incorrect

Mark 0.00 out of 1.00

What happens in a binary search if the list has an even number of elements?

- a. The search stops
- b. The middle element is chosen randomly
- c. The lower middle element is chosen as the middle element ✗
- d. The higher middle element is chosen as the middle element

Question **9**

Correct

Mark 1.00 out of 1.00

Finding the location of a given item in a collection of items is called

- a. Searching ✓
- b. Finding
- c. Mining
- d. Discovering

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following is a conventional searching technique?

- a. Linear search ✓
- b. Binary search
- c. Hashing
- d. Dynamic search

Question **11**

Incorrect

Mark 0.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 100; What are the mid values(corresponding array elements) generated in the first and second iterations?

a. 90 and 100

b. 89 and 94

c. 90 and 99

d. 94 and 99 ✗

Question **12**

Correct

Mark 1.00 out of 1.00

During a binary search, what happens if the target element matches the middle element?

a. The list is sorted

b. The search ends successfully ✓

c. The search continues in the right sublist

d. The search continues in the left sublist

Question **13**

Correct

Mark 1.00 out of 1.00

Which of the following is a limitation of binary search?

a. It can only be applied to large lists

b. It requires the list to be sorted ✓

c. It does not work with negative numbers

d. It is slower than linear search for small lists

Question **14**

Correct

Mark 1.00 out of 1.00

Which of the following best describes the process of a linear search?

- a. Checking each element sequentially ✓
- b. Sorting the list before searching
- c. Skipping every second element
- d. Dividing the list in half repeatedly

Question **15**

Correct

Mark 1.00 out of 1.00

In which situation is linear search more efficient than binary search?

- a. When the list is large and unsorted
- b. When the list is small and sorted
- c. When the list is small and unsorted ✓
- d. When the list is large and sorted