VERITRACE INDUSTRIAL DOSSIER

Forensic Investigation Case: **INV-2026-IND-001** | Case ID: `inv_5929d759286545c499c0b68612e270eb`

Generated: 2026-11-07T09:43:02	**Risk Evaluation:** **UNDETERMINED** (Score: 0.00)
Documents Ingested: 4	**Total Anomalies Flagged:** 7

1. Document Overview & Ingestion Ledger

Document ID	Filename	Type	Pages	SHA-256 Digest
`doc_83fb8d777e86...`	PO-2026-IND-001.pdf	PURCHASE_ORDER	1	`2bf2c400e5dc2f66...`
`doc_d110c33d6fdb...`	DC-98741.pdf	DELIVERY_CHALLAN	1	`a28f6dbf8ea67742...`
`doc_195fd9ddf679...`	MTC-H8821.pdf	MILL_TEST_CERT	1	`272eee01f0585c21...`
`doc_7c1bca9251d7...`	INV-88992.pdf	COMMERCIAL_INVOICE	1	`963ef76664908228...`

2. Key Extracted Information & OCR Confidence

Field Name	Extracted Value	Language	Confidence
order_date	2026-03-01	eng	99.0%
material_grade	SS 316L	eng	98.0%
purchase_order_number	PO-2026-IND-001	eng	99.0%
total_amount	450000.00	eng	99.0%
ordered_quantity	1000 KG	eng	99.0%
vendor_name	Apex Heavy Engineering Ltd	eng	98.0%
unit_rate	450.00	eng	99.0%
line_total	450000.00	eng	99.0%
material_grade	SS 304	eng	97.0%
delivered_quantity	800 KG	eng	99.0%

3. Contextual, Arithmetic & Chronological Analysis

Rule	Category	Discrepancy Explanation	Variance
SUBTOTAL_TAX_GRAND_TOTAL	ARITHMETIC_MISMATCH	Grand total mismatch: expected 531000.00, observed 536000.00 (diff: 5000.00)	5000.00

4. Visual Forensic Findings & Anomaly Detection

Category	Epistemic Tier	Severity	Finding Title & Description

CROSS_DOC_MISMATCH	DETECTED_INCONSISTENCY	CRITICAL	**Material Grade Contradiction: SS 316L vs SS 304** Metallurgical specification contradiction: PURCHASE_ORDER ordered material grade 'SS 316L' (SS316L), but MILL_TEST_CERT specifies 'SS 304' (SS304). Grade substitution may compromise structural or chemical compliance.
CROSS_DOC_MISMATCH	DETECTED_INCONSISTENCY	CRITICAL	**Material Grade Contradiction: SS 316L vs SS 304** Metallurgical specification contradiction: PURCHASE_ORDER ordered material grade 'SS 316L' (SS316L), but DELIVERY_CHALLAN specifies 'SS 304' (SS304). Grade substitution may compromise structural or chemical compliance.
CROSS_DOC_MISMATCH	DETECTED_INCONSISTENCY	HIGH	**Quantity Discrepancy: COMMERCIAL_INVOICE exceeds DELIVERY_CHALLAN by 200.00 KG (25.00%)** COMMERCIAL_INVOICE claims 1000.00 KG ('1000.0 KG'), which exceeds DELIVERY_CHALLAN baseline of 800.00 KG ('800.0 KG') by 200.00 KG (25.00%). Requires investigation for excess billing or dispatch overrun.
CROSS_DOC_MISMATCH	DETECTED_INCONSISTENCY	CRITICAL	**Material Grade Contradiction: SS 316L vs SS 304** Metallurgical specification contradiction: PURCHASE_ORDER ordered material grade 'SS 316L' (SS316L), but MILL_TEST_CERT specifies 'SS 304' (SS304). Grade substitution may compromise structural or chemical compliance.
CROSS_DOC_MISMATCH	DETECTED_INCONSISTENCY	CRITICAL	**Material Grade Contradiction: SS 316L vs SS 304** Metallurgical specification contradiction: PURCHASE_ORDER ordered material grade 'SS 316L' (SS316L), but DELIVERY_CHALLAN specifies 'SS 304' (SS304). Grade substitution may compromise structural or chemical compliance.
CROSS_DOC_MISMATCH	DETECTED_INCONSISTENCY	LOW	**Delivery Shortfall on Closed Order: DELIVERY_CHALLAN short by 200.00 KG (20.00%)** DELIVERY_CHALLAN delivered only 800.00 KG ('800.0 KG') against closed PURCHASE_ORDER requirement of 1000.00 KG ('1000.0 KG'). Shortfall of 200.00 KG (20.00%) on closed case.
CROSS_DOC_MISMATCH	DETECTED_INCONSISTENCY	HIGH	**Quantity Discrepancy: COMMERCIAL_INVOICE exceeds DELIVERY_CHALLAN by 200.00 KG (25.00%)** COMMERCIAL_INVOICE claims 1000.00 KG ('1000.0 KG'), which exceeds DELIVERY_CHALLAN baseline of 800.00 KG ('800.0 KG') by 200.00 KG (25.00%). Requires investigation for excess billing or dispatch overrun.

5. Evidence Traceability & Coordinate Grounding

Evidence Anchor: evd_13546128770d4258bcfaac125499abf2 (Page 1 | Box: [0.252, 0.521, 0.276, 0.639])
Grounding: Extracted field 'billed_quantity': '1000 KG'

Evidence Anchor: evd_18275301fa10495aa5fd707941f37f21 (Page 1 | Box: [0.252, 0.731, 0.276, 0.857])
Grounding: Extracted field 'delivered_quantity': '800 KG'

Evidence Anchor: evd_19d22a9adc324fe79035a23a81c580fc (Page 1 | Box: [0.252, 0.361, 0.276, 0.471])
Grounding: Extracted field 'material_grade': 'SS 316L'

Evidence Anchor: evd_352c68f4e8134fc8894c06b32ebb3aeb (Page 1 | Box: [0.252, 0.529, 0.276, 0.639])
Grounding: Extracted field 'ordered_quantity': '1000 KG'

6. Investigation Summary & Epistemic Conclusions

Investigation concluded with 7 forensic finding(s) identified across physical, mathematical, and chronological verification dimensions: Epistemic Guidance: In accordance with forensic standards, machine observations constitute empirical evidence and must be reviewed by a human investigator.

Forensic Adjudication:	**Auditor Attestation:**
Findings compiled strictly downstream of deterministic computer vision, arithmetic rules, and reference verification models.	Examiner: Lead Forensic Document Examiner Review Timestamp: 2026-11-07T09:43:02 Status: **VERIFIED RECORD**