

Introduction to Java

Rajasekaran. S
Assistant Professor
Dept of IT

Java

- ♦ It is programming language created by sun microsystems.
- ♦ Developed by *James Gosling* and team.
- ♦ It is a general purpose object oriented programming language.
- ♦ Most of the syntax derived from C and C++.
- ♦ Java is now acquired and maintained by Oracle Corporation.


Creator of Java

James Gosling


- ♦ Initially named as Oak.
- ♦ Later it renamed to Java.
- ♦ Later Java is realised as Free Open Source Software (**FOSS**) under GNU General Public Licence.



Architecture of Java




How Java Code Works



Java Compiler [*Compile Time*]

- ♦ Java Compiler Compiles the Java Source Code [*Main.java*].
- ♦ It checks for syntax errors and if none found then compiler generates Byte code [*Intermediate Code called Main.class*] as class file.
- ♦ This class file targeted to JVM not the actual operating system of target machine.
- ♦ This class file can run by any OS which has a JVM.

Inside JVM [*Runtime*]



Java Interpretation

- ♦ ***Classloader***

- ♦ It is the subsystem of JVM that is used to load class files.

- ♦ ***Bytecode Verifier***

- ♦ Checks the code fragments for illegal code that can violate access right to objects.

- ♦ ***Interpreter***

- ♦ read bytecode stream then execute the instructions in a native code.