

Tuples

```
In [3]: t=()
        t1=(10,20,30)
        t3=(1.2,3.4,4.5)
        t4=('one','two','three')
        t5=('raj',7,3.3,(44,55))
        t6=(2,'hi',4.4,[44,22],{'bond','james'},(84,3,54))
        len(t6)
```

Out[3]: 6

Tuple Indexing

```
In [5]: t1[0],t4[2],t3[2],
```

Out[5]: (10, 'three', 4.5)

```
In [6]: t6
```

Out[6]: (2, 'hi', 4.4, [44, 22], {'bond', 'james'}, (84, 3, 54))

```
In [8]: t6[2:]      #slicing
```

Out[8]: (4.4, [44, 22], {'bond', 'james'}, (84, 3, 54))

```
In [9]: t6[1:5]     # Slicing
```

Out[9]: ('hi', 4.4, [44, 22], {'bond', 'james'})

```
In [12]: t6[:-3]
```

Out[12]: (2, 'hi', 4.4)

```
In [13]: r=('ome','two','three','four','five','six','seven')
```

```
In [15]: del t1[2]
```

```
-----
TypeError                                Traceback (most recent call last)
Cell In[15], line 1
----> 1 del t1[2]

TypeError: 'tuple' object doesn't support item deletion
```

```
In [16]: r[0]
```

Out[16]: 'ome'

```
In [17]: r[0]=1
```

```
-----  
TypeError                                Traceback (most recent call last)  
Cell In[17], line 1  
----> 1 r[0]=1  
  
TypeError: 'tuple' object does not support item assignment
```

```
In [18]: del t1
```

```
In [19]: t1
```

```
-----  
NameError                                Traceback (most recent call last)  
Cell In[19], line 1  
----> 1 t1  
  
NameError: name 't1' is not defined
```

```
In [22]: print(type(t6))
```

```
<class 'tuple'>
```

```
In [23]: list <class 'tuple'>
```

```
Cell In[23], line 1  
    list <class 'tuple'>  
      ^  
SyntaxError: invalid syntax
```

```
In [32]: l=[1,2,3,]  
        type(l)
```

```
Out[32]: list
```

```
In [25]: num_lists, num_tuples, num_sets = count_data_types()
```

```
In [34]: print(f"Number of lists: {num_lists}")  
        print(f"Number of tuples: {num_tuples}")  
        print(f"Number of sets: {num_sets}")
```

```
Number of lists: 6  
Number of tuples: 14  
Number of sets: 1
```

```
In [35]: print(f"Number of lists: {num_lists}")
```

```
Number of lists: 6
```

Loop through a tuple

```
In [36]: r
```

```
Out[36]: ('ome', 'two', 'three', 'four', 'five', 'six', 'seven')
```

```
In [37]: for i in r:  
        print(i)
```

```
ome
two
three
four
five
six
seven
```

```
In [38]: for i in l:
         print(i)
```

```
1
2
3
```

```
In [39]: for i in enumerate(r):
         print(i)
```

```
(0, 'ome')
(1, 'two')
(2, 'three')
(3, 'four')
(4, 'five')
(5, 'six')
(6, 'seven')
```

tuple membership

```
In [40]: r
```

```
Out[40]: ('ome', 'two', 'three', 'four', 'five', 'six', 'seven')
```

```
In [41]: 'two' in r
```

```
Out[41]: True
```

```
In [42]: 'one' in r , 'fine' in r
```

```
Out[42]: (False, False)
```

```
In [43]: if 'six' in r :
         print('six is present')
         else:
         print('six is absent')
```

six is present

index poaiton

```
In [46]: r.index('two')
```

```
Out[46]: 1
```

print(r)

```
In [47]: t3
```

```
Out[47]: (1.2, 3.4, 4.5)
```

```
In [48]: r
```

```
Out[48]: ('ome', 'two', 'three', 'four', 'five', 'six', 'seven')
```

Sorting

```
In [49]: sorted(r)
```

```
Out[49]: ['five', 'four', 'ome', 'seven', 'six', 'three', 'two']
```

set

```
In [52]: s={11,33,2,4,2,4,11,566,7,6,555,}
s
```

```
Out[52]: {2, 4, 6, 7, 11, 33, 555, 566}
```

```
In [54]: s1={'add','ded','sfce','qqq'}
s1
s3 = {10,20, "Hola", (11, 22, 32)}

s3,s1
```

```
Out[54]: ((11, 22, 32), 10, 20, 'Hola'), {'add', 'ded', 'qqq', 'sfce'})
```

```
In [55]: s2={}
s2
```

```
Out[55]: {}
```

```
In [56]: s2=s
s2
```

```
Out[56]: {2, 4, 6, 7, 11, 33, 555, 566}
```

```
In [57]: s2=s1
s2
```

```
Out[57]: {'add', 'ded', 'qqq', 'sfce'}
```

```
In [58]: print(s2)

{'sfce', 'ded', 'qqq', 'add'}
```

```
In [62]: s2
```

```
Out[62]: {2, 4, 6, 7, 11, 33, 555, 566}
```

```
In [60]: s2=s.copy()
```

```
In [63]: s2
```

```
Out[63]: {2, 4, 6, 7, 11, 33, 555, 566}
```

```
In [66]: s2.add('s1')
s2
```

Out[66]: {11, 2, 33, 4, 555, 566, 6, 7, 's1'}

In [68]: `type(s2)`

Out[68]: set

In [72]: `s2.update('one','three')`
s2

Out[72]: {11, 2, 33, 4, 555, 566, 6, 7, 'e', 'h', 'n', 'o', 'r', 's1', 't'}

In [74]: s

Out[74]: {2, 4, 6, 7, 11, 33, 555, 566}

In [75]: s1

Out[75]: {'add', 'ded', 'qqq', 'sfce'}

In [76]: `s9=s`
s9

Out[76]: {2, 4, 6, 7, 11, 33, 555, 566}

In [77]: `id(s),id(s9)`

Out[77]: (2207294272928, 2207294272928)

SET OPERATION

UNION

In [78]:

```
A = {1,2,3,4,5}
B = {4,5,6,7,8}
C = {8,9,10}
```

In [79]: `A | B`

Out[79]: {1, 2, 3, 4, 5, 6, 7, 8}

In [81]: `B.union(C)`

Out[81]: {4, 5, 6, 7, 8, 9, 10}

In [82]: `A,B,C`

Out[82]: ({1, 2, 3, 4, 5}, {4, 5, 6, 7, 8}, {8, 9, 10})

INTERSECTION

In [83]: `A&B`

Out[83]: {4, 5}

```
In [84]: A-B # DIFFERENCE
```

```
Out[84]: {1, 2, 3}
```

```
In [85]: B-A
```

```
Out[85]: {6, 7, 8}
```

```
In [86]:
```

```
A = {1,2,3,4,5}
B = {4,5,6,7,8}
A ^ B # Symmetric difference (Set of elements in A and B but not in both. "EXCLU
```

```
Out[86]: {1, 2, 3, 6, 7, 8}
```

```
In [87]: A.symmetric_difference_update(B)
A
```

```
Out[87]: {1, 2, 3, 6, 7, 8}
```

Subset , Superset & Disjoint

```
In [88]: A,C,B
```

```
Out[88]: ({1, 2, 3, 6, 7, 8}, {8, 9, 10}, {4, 5, 6, 7, 8})
```

```
In [89]:
```

```
A = {1,2,3,4,5,6,7,8,9}
B = {3,4,5,6,7,8}
C = {10,20,30,40}
B.issubset(A)
```

```
Out[89]: True
```

```
In [90]: A.issuperset(B)
```

```
Out[90]: True
```

```
In [91]:
```

```
C.isdisjoint(A)# NO COMMEN ELEMENTES
```

```
Out[91]: True
```

Dictionary

Create Dictionary

```
In [92]: D={}
type(D)
```

```
Out[92]: dict
```

```
In [94]: D1={1:5,2:5,3:6,4:8,5:10}
print(D1)
```

```
print(type(D1))
```

```
{1: 5, 2: 5, 3: 6, 4: 8, 5: 10}
<class 'dict'>
```

```
In [97]: D2 = {1:'one' , 2:'two' , 'A':{'Name':'asif' , 'Age' :20}, 'B':('Bat' , 'ca')}
D2
```

```
Out[97]: {1: 'one', 2: 'two', 'A': {'Name': 'asif', 'Age': 20}, 'B': ('Bat', 'ca')}
```

```
In [98]: keys = {'a' , 'b' , 'c' , 'd'}
D3=dict.fromkeys(keys)
D3
```

```
Out[98]: {'a': None, 'c': None, 'd': None, 'b': None}
```

```
In [100... D3=dict.fromkeys(keys,values)
D3
```

```
Out[100... {'a': 7, 'c': 7, 'd': 7, 'b': 7}
```

```
In [108... keys = {'a' , 'b' , 'c' , 'd'}
values=[3,5,3,9]
D3=dict.fromkeys(keys,values)
```

```
In [104... D3
```

```
Out[104... {'a': {3, 5, 9}, 'c': {3, 5, 9}, 'd': {3, 5, 9}, 'b': {3, 5, 9}}
```

```
In [110... values.append(50)
D3
```

```
Out[110... {'a': [3, 5, 3, 9, 50],
'c': [3, 5, 3, 9, 50],
'd': [3, 5, 3, 9, 50],
'b': [3, 5, 3, 9, 50]}
```

Accessing Items

```
In [111... D
```

```
Out[111... {}
```

```
In [112... D2
```

```
Out[112... {1: 'one', 2: 'two', 'A': {'Name': 'asif', 'Age': 20}, 'B': ('Bat', 'ca')}
```

```
In [116... D2[1]
```

```
Out[116... 'one'
```

```
In [118... D3['d']
```

```
Out[118... [3, 5, 3, 9, 50]
```

```
In [122... for i in D3:
    print (i,':',D3[i])
```

```
a : [3, 5, 3, 9, 50]
c : [3, 5, 3, 9, 50]
d : [3, 5, 3, 9, 50]
b : [3, 5, 3, 9, 50]
```

In [127... D2

Out[127... {1: 'one', 2: 'two', 'A': {'Name': 'asif', 'Age': 20}, 'B': ('Bat', 'ca')}

In [132... `for i in D2:`
`print(i,':',D2[i])`

```
1 : one
2 : two
A : {'Name': 'asif', 'Age': 20}
B : ('Bat', 'ca')
```

In [133... D2[i]

Out[133... ('Bat', 'ca')

In [134... D3[i]

```
-----
KeyError                                Traceback (most recent call last)
Cell In[134], line 1
----> 1 D3[i]

KeyError: 'B'
```

Dictionary Membership

In [135... `r1= {'Name':'Asif' , 'ID': 12345 , 'DOB': 1991 , 'Job': 'Analyst'}`
`r1`

Out[135... {'Name': 'Asif', 'ID': 12345, 'DOB': 1991, 'Job': 'Analyst'}

In [136... `'name' in r1`

Out[136... False

In [137... `'Name' in r1`

Out[137... True

In [139... `all(r1)` *#will return false as one value is false(0)*

Out[139... True

In [140... `pip install notebook`

Requirement already satisfied: notebook in c:\users\kraja\anaconda3\lib\site-packages (7.3.2)

Requirement already satisfied: jupyter-server<3,>=2.4.0 in c:\users\kraja\anaconda3\lib\site-packages (from notebook) (2.15.0)

Requirement already satisfied: jupyterlab-server<3,>=2.27.1 in c:\users\kraja\anaconda3\lib\site-packages (from notebook) (2.27.3)

Requirement already satisfied: jupyterlab<4.4,>=4.3.4 in c:\users\kraja\anaconda3\lib\site-packages (from notebook) (4.3.4)

Requirement already satisfied: notebook-shim<0.3,>=0.2 in c:\users\kraja\anaconda3\lib\site-packages (from notebook) (0.2.4)

Requirement already satisfied: tornado>=6.2.0 in c:\users\kraja\appdata\roaming\python\python313\site-packages (from notebook) (6.5.2)

Requirement already satisfied: anyio>=3.1.0 in c:\users\kraja\anaconda3\lib\site-packages (from jupyter-server<3,>=2.4.0->notebook) (4.7.0)

Requirement already satisfied: argon2-cffi>=21.1 in c:\users\kraja\anaconda3\lib\site-packages (from jupyter-server<3,>=2.4.0->notebook) (21.3.0)

Requirement already satisfied: jinja2>=3.0.3 in c:\users\kraja\anaconda3\lib\site-packages (from jupyter-server<3,>=2.4.0->notebook) (3.1.6)

Requirement already satisfied: jupyter-client>=7.4.4 in c:\users\kraja\appdata\roaming\python\python313\site-packages (from jupyter-server<3,>=2.4.0->notebook) (8.6.3)

Requirement already satisfied: jupyter-core!=5.0.*,>=4.12 in c:\users\kraja\appdata\roaming\python\python313\site-packages (from jupyter-server<3,>=2.4.0->notebook) (5.9.1)

Requirement already satisfied: jupyter-events>=0.11.0 in c:\users\kraja\anaconda3\lib\site-packages (from jupyter-server<3,>=2.4.0->notebook) (0.12.0)

Requirement already satisfied: jupyter-server-terminals>=0.4.4 in c:\users\kraja\anaconda3\lib\site-packages (from jupyter-server<3,>=2.4.0->notebook) (0.5.3)

Requirement already satisfied: nbconvert>=6.4.4 in c:\users\kraja\anaconda3\lib\site-packages (from jupyter-server<3,>=2.4.0->notebook) (7.16.6)

Requirement already satisfied: nbformat>=5.3.0 in c:\users\kraja\anaconda3\lib\site-packages (from jupyter-server<3,>=2.4.0->notebook) (5.10.4)

Requirement already satisfied: overrides>=5.0 in c:\users\kraja\anaconda3\lib\site-packages (from jupyter-server<3,>=2.4.0->notebook) (7.4.0)

Requirement already satisfied: packaging>=22.0 in c:\users\kraja\appdata\roaming\python\python313\site-packages (from jupyter-server<3,>=2.4.0->notebook) (25.0)

Requirement already satisfied: prometheus-client>=0.9 in c:\users\kraja\anaconda3\lib\site-packages (from jupyter-server<3,>=2.4.0->notebook) (0.21.1)

Requirement already satisfied: pywinpty>=2.0.1 in c:\users\kraja\anaconda3\lib\site-packages (from jupyter-server<3,>=2.4.0->notebook) (2.0.15)

Requirement already satisfied: pyzmq>=24 in c:\users\kraja\appdata\roaming\python\python313\site-packages (from jupyter-server<3,>=2.4.0->notebook) (27.1.0)

Requirement already satisfied: send2trash>=1.8.2 in c:\users\kraja\anaconda3\lib\site-packages (from jupyter-server<3,>=2.4.0->notebook) (1.8.2)

Requirement already satisfied: terminado>=0.8.3 in c:\users\kraja\anaconda3\lib\site-packages (from jupyter-server<3,>=2.4.0->notebook) (0.17.1)

Requirement already satisfied: traitlets>=5.6.0 in c:\users\kraja\appdata\roaming\python\python313\site-packages (from jupyter-server<3,>=2.4.0->notebook) (5.14.3)

Requirement already satisfied: websocket-client>=1.7 in c:\users\kraja\anaconda3\lib\site-packages (from jupyter-server<3,>=2.4.0->notebook) (1.8.0)

Requirement already satisfied: async-lru>=1.0.0 in c:\users\kraja\anaconda3\lib\site-packages (from jupyterlab<4.4,>=4.3.4->notebook) (2.0.4)

Requirement already satisfied: httpx>=0.25.0 in c:\users\kraja\anaconda3\lib\site-packages (from jupyterlab<4.4,>=4.3.4->notebook) (0.28.1)

Requirement already satisfied: ipykernel>=6.5.0 in c:\users\kraja\appdata\roaming\python\python313\site-packages (from jupyterlab<4.4,>=4.3.4->notebook) (7.1.0)

Requirement already satisfied: jupyter-lsp>=2.0.0 in c:\users\kraja\anaconda3\lib\site-packages (from jupyterlab<4.4,>=4.3.4->notebook) (2.2.5)

Requirement already satisfied: setuptools>=40.8.0 in c:\users\kraja\anaconda3\lib

```

\site-packages (from jupyterlab<4.4,>=4.3.4->notebook) (72.1.0)
Requirement already satisfied: babel>=2.10 in c:\users\kraja\anaconda3\lib\site-p
ackages (from jupyterlab-server<3,>=2.27.1->notebook) (2.16.0)
Requirement already satisfied: json5>=0.9.0 in c:\users\kraja\anaconda3\lib\site-
packages (from jupyterlab-server<3,>=2.27.1->notebook) (0.9.25)
Requirement already satisfied: jsonschema>=4.18.0 in c:\users\kraja\anaconda3\lib
\site-packages (from jupyterlab-server<3,>=2.27.1->notebook) (4.23.0)
Requirement already satisfied: requests>=2.31 in c:\users\kraja\anaconda3\lib\sit
e-packages (from jupyterlab-server<3,>=2.27.1->notebook) (2.32.3)
Requirement already satisfied: idna>=2.8 in c:\users\kraja\anaconda3\lib\site-pac
kages (from anyio>=3.1.0->jupyter-server<3,>=2.4.0->notebook) (3.7)
Requirement already satisfied: sniffio>=1.1 in c:\users\kraja\anaconda3\lib\site-
packages (from anyio>=3.1.0->jupyter-server<3,>=2.4.0->notebook) (1.3.0)
Requirement already satisfied: argon2-cffi-bindings in c:\users\kraja\anaconda3\l
ib\site-packages (from argon2-cffi>=21.1->jupyter-server<3,>=2.4.0->notebook) (2
1.2.0)
Requirement already satisfied: certifi in c:\users\kraja\anaconda3\lib\site-packa
ges (from httpx>=0.25.0->jupyterlab<4.4,>=4.3.4->notebook) (2025.11.12)
Requirement already satisfied: httpcore==1.* in c:\users\kraja\anaconda3\lib\site
-packages (from httpx>=0.25.0->jupyterlab<4.4,>=4.3.4->notebook) (1.0.9)
Requirement already satisfied: h11>=0.16 in c:\users\kraja\anaconda3\lib\site-pac
kages (from httpcore==1.*->httpx>=0.25.0->jupyterlab<4.4,>=4.3.4->notebook) (0.1
6.0)
Requirement already satisfied: comm>=0.1.1 in c:\users\kraja\appdata\roaming\pyth
on\python313\site-packages (from ipykernel>=6.5.0->jupyterlab<4.4,>=4.3.4->notebo
ok) (0.2.3)
Requirement already satisfied: debugpy>=1.6.5 in c:\users\kraja\appdata\roaming\p
ython\python313\site-packages (from ipykernel>=6.5.0->jupyterlab<4.4,>=4.3.4->not
ebook) (1.8.17)
Requirement already satisfied: ipython>=7.23.1 in c:\users\kraja\appdata\roaming
\python\python313\site-packages (from ipykernel>=6.5.0->jupyterlab<4.4,>=4.3.4->n
otebook) (9.7.0)
Requirement already satisfied: matplotlib-inline>=0.1 in c:\users\kraja\appdata\r
oaming\python\python313\site-packages (from ipykernel>=6.5.0->jupyterlab<4.4,>=4.
3.4->notebook) (0.2.1)
Requirement already satisfied: nest-asyncio>=1.4 in c:\users\kraja\appdata\roamin
g\python\python313\site-packages (from ipykernel>=6.5.0->jupyterlab<4.4,>=4.3.4->
notebook) (1.6.0)
Requirement already satisfied: psutil>=5.7 in c:\users\kraja\appdata\roaming\pyth
on\python313\site-packages (from ipykernel>=6.5.0->jupyterlab<4.4,>=4.3.4->notebo
ok) (7.1.3)
Requirement already satisfied: colorama>=0.4.4 in c:\users\kraja\appdata\roaming
\python\python313\site-packages (from ipython>=7.23.1->ipykernel>=6.5.0->jupyterl
ab<4.4,>=4.3.4->notebook) (0.4.6)
Requirement already satisfied: decorator>=4.3.2 in c:\users\kraja\appdata\roaming
\python\python313\site-packages (from ipython>=7.23.1->ipykernel>=6.5.0->jupyterl
ab<4.4,>=4.3.4->notebook) (5.2.1)
Requirement already satisfied: ipython-pygments-lexers>=1.0.0 in c:\users\kraja\ap
pdata\roaming\python\python313\site-packages (from ipython>=7.23.1->ipykernel>=
6.5.0->jupyterlab<4.4,>=4.3.4->notebook) (1.1.1)
Requirement already satisfied: jedi>=0.18.1 in c:\users\kraja\appdata\roaming\pyt
hon\python313\site-packages (from ipython>=7.23.1->ipykernel>=6.5.0->jupyterlab<
4.4,>=4.3.4->notebook) (0.19.2)
Requirement already satisfied: prompt_toolkit<3.1.0,>=3.0.41 in c:\users\kraja\ap
pdata\roaming\python\python313\site-packages (from ipython>=7.23.1->ipykernel>=6.
5.0->jupyterlab<4.4,>=4.3.4->notebook) (3.0.52)
Requirement already satisfied: pygments>=2.11.0 in c:\users\kraja\appdata\roaming
\python\python313\site-packages (from ipython>=7.23.1->ipykernel>=6.5.0->jupyterl
ab<4.4,>=4.3.4->notebook) (2.19.2)
Requirement already satisfied: stack_data>=0.6.0 in c:\users\kraja\appdata\roamin

```

g\python\python313\site-packages (from ipython>=7.23.1->ipykernel>=6.5.0->jupyterlab<4.4,>=4.3.4->notebook) (0.6.3)

Requirement already satisfied: wcwidth in c:\users\kraja\appdata\roaming\python\python313\site-packages (from prompt_toolkit<3.1.0,>=3.0.41->ipython>=7.23.1->ipykernel>=6.5.0->jupyterlab<4.4,>=4.3.4->notebook) (0.2.14)

Requirement already satisfied: parso<0.9.0,>=0.8.4 in c:\users\kraja\appdata\roaming\python\python313\site-packages (from jedi>=0.18.1->ipython>=7.23.1->ipykernel>=6.5.0->jupyterlab<4.4,>=4.3.4->notebook) (0.8.5)

Requirement already satisfied: MarkupSafe>=2.0 in c:\users\kraja\anaconda3\lib\site-packages (from jinja2>=3.0.3->jupyter-server<3,>=2.4.0->notebook) (3.0.2)

Requirement already satisfied: attrs>=22.2.0 in c:\users\kraja\anaconda3\lib\site-packages (from jsonschema>=4.18.0->jupyterlab-server<3,>=2.27.1->notebook) (24.3.0)

Requirement already satisfied: jsonschema-specifications>=2023.03.6 in c:\users\kraja\anaconda3\lib\site-packages (from jsonschema>=4.18.0->jupyterlab-server<3,>=2.27.1->notebook) (2023.7.1)

Requirement already satisfied: referencing>=0.28.4 in c:\users\kraja\anaconda3\lib\site-packages (from jsonschema>=4.18.0->jupyterlab-server<3,>=2.27.1->notebook) (0.30.2)

Requirement already satisfied: rpds-py>=0.7.1 in c:\users\kraja\anaconda3\lib\site-packages (from jsonschema>=4.18.0->jupyterlab-server<3,>=2.27.1->notebook) (0.22.3)

Requirement already satisfied: python-dateutil>=2.8.2 in c:\users\kraja\appdata\roaming\python\python313\site-packages (from jupyter-client>=7.4.4->jupyter-server<3,>=2.4.0->notebook) (2.9.0.post0)

Requirement already satisfied: platformdirs>=2.5 in c:\users\kraja\appdata\roaming\python\python313\site-packages (from jupyter-core!=5.0.*,>=4.12->jupyter-server<3,>=2.4.0->notebook) (4.5.0)

Requirement already satisfied: python-json-logger>=2.0.4 in c:\users\kraja\anaconda3\lib\site-packages (from jupyter-events>=0.11.0->jupyter-server<3,>=2.4.0->notebook) (3.2.1)

Requirement already satisfied: pyyaml>=5.3 in c:\users\kraja\anaconda3\lib\site-packages (from jupyter-events>=0.11.0->jupyter-server<3,>=2.4.0->notebook) (6.0.2)

Requirement already satisfied: rfc3339-validator in c:\users\kraja\anaconda3\lib\site-packages (from jupyter-events>=0.11.0->jupyter-server<3,>=2.4.0->notebook) (0.1.4)

Requirement already satisfied: rfc3986-validator>=0.1.1 in c:\users\kraja\anaconda3\lib\site-packages (from jupyter-events>=0.11.0->jupyter-server<3,>=2.4.0->notebook) (0.1.1)

Collecting fqdn (from jsonschema[format-nongpl]>=4.18.0->jupyter-events>=0.11.0->jupyter-server<3,>=2.4.0->notebook)

Downloading fqdn-1.5.1-py3-none-any.whl.metadata (1.4 kB)

Collecting isoduration (from jsonschema[format-nongpl]>=4.18.0->jupyter-events>=0.11.0->jupyter-server<3,>=2.4.0->notebook)

Downloading isoduration-20.11.0-py3-none-any.whl.metadata (5.7 kB)

Requirement already satisfied: jsonpointer>1.13 in c:\users\kraja\anaconda3\lib\site-packages (from jsonschema[format-nongpl]>=4.18.0->jupyter-events>=0.11.0->jupyter-server<3,>=2.4.0->notebook) (2.1)

Collecting uri-template (from jsonschema[format-nongpl]>=4.18.0->jupyter-events>=0.11.0->jupyter-server<3,>=2.4.0->notebook)

Downloading uri-template-1.3.0-py3-none-any.whl.metadata (8.8 kB)

Collecting webcolors>=24.6.0 (from jsonschema[format-nongpl]>=4.18.0->jupyter-events>=0.11.0->jupyter-server<3,>=2.4.0->notebook)

Downloading webcolors-25.10.0-py3-none-any.whl.metadata (2.2 kB)

Requirement already satisfied: beautifulsoup4 in c:\users\kraja\anaconda3\lib\site-packages (from nbconvert>=6.4.4->jupyter-server<3,>=2.4.0->notebook) (4.12.3)

Requirement already satisfied: bleach!=5.0.0 in c:\users\kraja\anaconda3\lib\site-packages (from bleach[css]!=5.0.0->nbconvert>=6.4.4->jupyter-server<3,>=2.4.0->notebook) (6.2.0)

Requirement already satisfied: defusedxml in c:\users\kraja\anaconda3\lib\site-pa

ckages (from nbconvert>=6.4.4->jupyter-server<3,>=2.4.0->notebook) (0.7.1)
 Requirement already satisfied: jupyterlab-pygments in c:\users\kraj\anaconda3\lib\site-packages (from nbconvert>=6.4.4->jupyter-server<3,>=2.4.0->notebook) (0.3.0)
 Requirement already satisfied: mistune<4,>=2.0.3 in c:\users\kraj\anaconda3\lib\site-packages (from nbconvert>=6.4.4->jupyter-server<3,>=2.4.0->notebook) (3.1.2)
 Requirement already satisfied: nbclient>=0.5.0 in c:\users\kraj\anaconda3\lib\site-packages (from nbconvert>=6.4.4->jupyter-server<3,>=2.4.0->notebook) (0.10.2)
 Requirement already satisfied: pandocfilters>=1.4.1 in c:\users\kraj\anaconda3\lib\site-packages (from nbconvert>=6.4.4->jupyter-server<3,>=2.4.0->notebook) (1.5.0)
 Requirement already satisfied: webencodings in c:\users\kraj\anaconda3\lib\site-packages (from bleach!=5.0.0->bleach[css]!=5.0.0->nbconvert>=6.4.4->jupyter-server<3,>=2.4.0->notebook) (0.5.1)
 Requirement already satisfied: tinycss2<1.5,>=1.1.0 in c:\users\kraj\anaconda3\lib\site-packages (from bleach[css]!=5.0.0->nbconvert>=6.4.4->jupyter-server<3,>=2.4.0->notebook) (1.4.0)
 Requirement already satisfied: fastjsonschema>=2.15 in c:\users\kraj\anaconda3\lib\site-packages (from nbformat>=5.3.0->jupyter-server<3,>=2.4.0->notebook) (2.20.0)
 Requirement already satisfied: six>=1.5 in c:\users\kraj\appdata\roaming\python\python313\site-packages (from python-dateutil>=2.8.2->jupyter-client>=7.4.4->jupyter-server<3,>=2.4.0->notebook) (1.17.0)
 Requirement already satisfied: charset-normalizer<4,>=2 in c:\users\kraj\anaconda3\lib\site-packages (from requests>=2.31->jupyterlab-server<3,>=2.27.1->notebook) (3.3.2)
 Requirement already satisfied: urllib3<3,>=1.21.1 in c:\users\kraj\anaconda3\lib\site-packages (from requests>=2.31->jupyterlab-server<3,>=2.27.1->notebook) (2.3.0)
 Requirement already satisfied: executing>=1.2.0 in c:\users\kraj\appdata\roaming\python\python313\site-packages (from stack_data>=0.6.0->ipython>=7.23.1->ipykernel>=6.5.0->jupyterlab<4.4,>=4.3.4->notebook) (2.2.1)
 Requirement already satisfied: asttokens>=2.1.0 in c:\users\kraj\appdata\roaming\python\python313\site-packages (from stack_data>=0.6.0->ipython>=7.23.1->ipykernel>=6.5.0->jupyterlab<4.4,>=4.3.4->notebook) (3.0.1)
 Requirement already satisfied: pure-eval in c:\users\kraj\appdata\roaming\python\python313\site-packages (from stack_data>=0.6.0->ipython>=7.23.1->ipykernel>=6.5.0->jupyterlab<4.4,>=4.3.4->notebook) (0.2.3)
 Requirement already satisfied: cffi>=1.0.1 in c:\users\kraj\anaconda3\lib\site-packages (from argon2-cffi-bindings->argon2-cffi>=21.1->jupyter-server<3,>=2.4.0->notebook) (1.17.1)
 Requirement already satisfied: pycparser in c:\users\kraj\anaconda3\lib\site-packages (from cffi>=1.0.1->argon2-cffi-bindings->argon2-cffi>=21.1->jupyter-server<3,>=2.4.0->notebook) (2.21)
 Requirement already satisfied: soupsieve>1.2 in c:\users\kraj\anaconda3\lib\site-packages (from beautifulsoup4->nbconvert>=6.4.4->jupyter-server<3,>=2.4.0->notebook) (2.5)
 Requirement already satisfied: arrow>=0.15.0 in c:\users\kraj\anaconda3\lib\site-packages (from isoduration->jsonschema[format-nongpl]>=4.18.0->jupyter-events>=0.11.0->jupyter-server<3,>=2.4.0->notebook) (1.3.0)
 Downloading webcolors-25.10.0-py3-none-any.whl (14 kB)
 Downloading fqdn-1.5.1-py3-none-any.whl (9.1 kB)
 Downloading isoduration-20.11.0-py3-none-any.whl (11 kB)
 Downloading uri_template-1.3.0-py3-none-any.whl (11 kB)
 Installing collected packages: webcolors, uri-template, fqdn, isoduration

----- 4/4 [isoduration]

Successfully installed fqdn-1.5.1 isoduration-20.11.0 uri-template-1.3.0 webcolor

s-25.10.0

Note: you may need to restart the kernel to use updated packages.

In []: