Bloom Energy (BE): A Real Power Platform, but an Unforgiving Price — Masterclass Companion Book

A step-by-step narrative walkthrough and audio companion to Bloom Energy (BE): A Real Power Platform, but an Unforgiving Price: deconstructing the business engine, global historical parallels, ten-year financial forensics, both sides of the institutional debate, and the discipline of high-asymmetry execution.

Company & Market: Bloom Energy (BE): A Real Power Platform, but an Unforgiving Price (US)
Research Session Cutoff: 2026-11-12 • **Generated:** 13 Nov 2026, 09:50 AM PST
Core Verdict: REJECTED (NO_NEW_ALLOCATION_UNTIL_STAGE_2_CONFIRMATION)
Authored & Narrated by: Senior Institutional Equity Research Desk • Masterclass Companion Audio-Reader Edition (14,172 words • ~91 min listen)

CONTENTS

A Sequential Guide to the Business Engine, Global Parallels, Financial Forensics & High-Asymmetry Execution

Executive Thesis, Dual Verdict & Opportunity Matrix	PROLOGUE
Origins, Corporate Evolution & Operating Cycles	CHAPTER I
What Bloom Energy Does: Product, Revenue Categories & Concrete Examples	CHAPTER II
Distribution, Supply Chain & Unit Economics	CHAPTER III
Industry Structure, Competitive Position & External Learning Hub	CHAPTER IV
Operational KPIs, Structural Potential & CEO Walk-the-Talk	CHAPTER V
Financial Forensics, Cash Conversion & Balance Sheet	CHAPTER VI
Why the Price Is What It Is: Valuation, Reverse DCF & Peer Comps	CHAPTER VII
Stage 2 Technical Structure, Institutional Flow & Momentum Setup	CHAPTER VIII
Both Sides of the Aisle, Likely Outcomes & No-FOMO Action Plan	CHAPTER IX

SESSION PRICE

$201.93

NEW CAPITAL VERDICT

REJECTED

CURRENT HOLDING ACTION

EXIT IMMEDIATELY — 23.5266 shares across schwab: 7.2505 shares, robinhood: 16.2761 shares; market value $4,750.72; cost basis $5,999.98; recommend selling 23.5266 shares and retaining 0 shares; unrealized P&L $-1,249.26; portfolio weight 5.24%

STAGE POSTURE

STAGE_1

VALUATION WATCH ZONE (CONDITIONAL)

$158.76–163.60

10-YEAR DCF SCENARIO RANGE

Bear $13.50 / Base $75.98 / Bull $384.71

PREFACE & CORE THESIS

Bloom sells solid-oxide onsite power systems, installation and long-term service. The business has real customers and rapid recent growth, but cash after factory investment remains thin, customer/project concentration is meaningful, the as-of market price discounts a demanding decade, and the technical trend is damaged. New capital is rejected; the recorded tactical position is recommended for exit.

PROLOGUE

Executive Thesis, Dual Verdict & Opportunity Matrix

> *""“Electricity is the foundation of economic growth, human well-being and national competitiveness.””*
>
> — K.R. SRIDHAR, FOUNDER, CHAIRMAN AND CHIEF EXECUTIVE OFFICER

You and I can admire a business opportunity and still reject the stock at today’s price.

Bloom makes and services onsite solid-oxide power systems. Customers with high-load sites value reliability and time-to-power, and the 2026 demand acceleration is visible in Q3 revenue of $1.236 billion and raised full-year guidance of $4.4–$4.6 billion. But sales growth is not the final score. We must follow installation acceptance, working capital, service obligations and cash after the factory is funded.

Our price-blind business verdict is CYCLICAL_CONDITIONAL with KPI health PASS_WITH_WATCH. The platform has a deployed base and repeat relationships, but project conversion, customer concentration, financing needs and cash generation through a full cycle remain open questions. This is not a claim that the company cannot succeed. It is a statement that the quality of the recent growth has not yet earned a simple compounder label.

At the Nov 12 close of $201.93, the approximate market capitalization was $59.7 billion and enterprise value about $60.0 billion. That is 13.3 times the FY2026 guided-revenue midpoint. Our ten-year probability-weighted DCF is $97.30 per diluted share: bear $13.50, base $75.98 and bull $384.71. The result depends heavily on future growth and cash margins; roughly three-quarters of base value comes from terminal value. You should read the scenario table as a map of assumptions, not a precise promise about where the stock must trade.

That leaves two separate calls. For new capital, REJECTED: the base value is below today’s price and below the technical monitor band, while price remains under the 50-day and 200-day averages. For the recorded holding, EXIT_IMMEDIATELY: 23.526572 shares across Schwab and Robinhood were marked at $4,750.72 against $5,999.98 cost, an unrealized loss

of $1,249.26 and 5.24% of recorded net worth. Cost basis is history, not an argument for keeping a tactical thesis whose structure has broken.

The recommendation is advisory. Before acting, confirm the live quote, current share lots and any transaction after the Schwab log's Nov 10 activity. The ledger assumes the transaction logs are accurate under the repository workflow, but it cannot know about an unrecorded order. The Nov 13 intraday chart and public option-chain snapshot are explicitly separate from the Nov 12 decision cutoff; the options overlay says NO_OPTIONS_EDGE.

If you sell, do not let the need to replace BE force a second investment. MSFT and AVPT were Stage 2 on the cutoff ledger, and LNG also carried a Stage 2 label, but their full thesis and portfolio overlap are not refreshed here. CMI, GEV and VRT are useful outside comparables but were Stage 4. The broader market was in correction. Our plan therefore assigns 100% of the marked exit proceeds to cash and none to shortlist or outside equities until the next review confirms a fresh entry and adequate asymmetry. Cash preserves your ability to choose later.

You can revisit Bloom if the operating evidence changes: accepted installations convert into cash, service contribution matures, guarantees remain contained, working capital improves, and the chart repairs. If those facts arrive, rebuild the valuation using filed numbers and the new share count. Until then, the honest conclusion is neither "the story is over" nor "the story guarantees returns." It is that the business may matter, but at this price the evidence does not pay you enough to carry the risk.

> **NARRATOR'S REFLECTION**
>
> The quality of a company and the quality of an entry are different questions. Bloom may solve an important power problem; our job is still to protect capital until the cash record and the price offer a fair exchange. Sell the tactical thesis, keep the proceeds liquid, and let evidence—not hope—earn the next allocation.

CHAPTER I

Origins, Corporate Evolution & Operating Cycles

> *""Bloom Energy is at the forefront of a once-in-a-generation opportunity to become the global standard for onsite power.""*
>
> — K.R. SRIDHAR, FOUNDER, CHAIRMAN AND CEO

As you read Bloom's history, treat the NASA link as a start in research, not proof of a tested business. The company says its first 5-kW field unit went to the University of Tennessee at Chattanooga in 2006. It launched the Energy Server in 2008. Between those dates, the fuel-cell idea had to become a system that could be built, installed, started and serviced under customer contracts.

The next milestones tell you that the business was building capabilities around the device. A first microgrid followed in 2011, manufacturing expanded to Delaware in 2012, an international installation arrived in Japan in 2013, and a community microgrid was reported in Hartford in 2016. Bloom's 2018 S-1 reported 312 MW deployed as of March 31, 2018, a fivefold output gain over the initial generation in roughly the same footprint, and material-cost reductions of more than 75% versus the original generation. Those dated disclosures are evidence of process learning. You should not use them as a current cost curve or current performance guarantee.

You should also notice that becoming a public company did not make Bloom an asset-light supplier. The company still had to finance research, production capacity, installation, customers' equipment and long-duration maintenance. Its 2025 10-K explains that an end user may pay for electricity while a financing partner owns the Energy Server and appears as the direct equipment customer. That arrangement can lower a buyer's initial capital requirement, yet it makes growth dependent on finance partners, project underwriting and customer credit. Bloom's sale of its last consolidated PPA entity in 2023 changed the reported asset structure, so you should read multi-year financial trends with financing and consolidation choices in mind.

The 2021 Electrolyzer launch is an adjacent use, not a new proven segment. Bloom said the system reused its solid-oxide platform and could use heat as well as power. Its launch-era delivery date was a forecast. The current filing still lists electrolysis as a growth option within one reported segment. You should look for repeat shipments, buyers, service work and cash before calling it a scaled business.

The cash record gives you a useful way to distinguish the demand cycle from the business cycle. Revenue rose from $1.333 billion in 2023 to $1.474 billion in 2024 and $2.024 billion in 2025. Yet operating cash flow was negative $372.5 million in 2023, then positive $92.0 million and $113.9 million in 2024 and 2025. You can see how a growing equipment supplier may consume or release cash as customer milestones, receivables, inventory and deferred customer deposits change. A smooth-looking revenue line would conceal that cycle; the actual reported data do not.

Now walk through the latest demand phase with the project statuses kept separate. Equinix's program began with a 1-MW pilot in 2015. Bloom reported more than 100 MW across 19 sites by February 2025, including 75 MW already operational and 30 MW being built. Oracle's April 2026 announcement distinguished 1.2 GW contracted and deploying from an agreement for up to 2.8 GW. NTT DATA's 900-MW announcement expected first shipments in 2027. These are not three completed installations. You should rank their evidence: operating fleet, signed tranche, framework capacity, and future shipment are different points in the conversion chain.

Sridhar's quote that the market is moving toward "a new architecture that includes firm, distributed onsite generation" tells you how management frames the opportunity. Your job is to test the conditions under which that thesis works. A customer with urgent, critical power needs may accept an onsite system sooner than a customer with a stable grid connection. A delay in permitting, interconnection, site construction or financing can defer the project even when demand is real. A better grid connection, a storage alternative, high fuel costs or a customer's changed capital plan can also alter the purchase decision. Management's thesis is most persuasive when a customer has completed and expanded systems, not just when the customer uses strong language in a release.

Use the Equinix program as a concrete land-and-expand mechanism. Bloom's release says the partnership grew from a 1-MW 2015 pilot to more than 100 MW across 19 data centers; it further distinguishes 75 MW operating and 30 MW under construction at the time. This suggests that an initial reference installation can reduce the uncertainty faced by a second site. But you should not infer that every customer will follow the same curve: Equinix is a specific buyer with data-center needs, and the release is vendor-published. The repeat-deployment lesson is strongest when paired with independent customer confirmation and subsequent operational evidence.

The relevant cycle has at least four drivers. First, power-demand and grid-connection timing affect how urgently customers consider onsite generation. Second, project financing depends on customer credit, capital-market conditions and applicable tax benefits. Third, deployment depends on interconnection, air permits, construction and gas supply. Fourth, installed systems need to meet performance commitments at a cost that supports service economics. Federal tax rules have changed more than once across the reporting history, and Bloom's FY2025 filing describes the 2025 restoration of a 30% credit for qualifying projects beginning construction after 2025. You should view incentives as an input to customer economics rather than as a permanent moat.

The right way to read Bloom's history is as a chain of operational proofs, not as a straight-line transformation story. The company has reported a commercial product since 2008, multiple use cases, expanding manufacturing and growing customer programs. At the same time, project delays, financing structures, category mix, customer concentration and cash-flow volatility remain part of the record. You should credit the accumulated field and manufacturing experience while keeping the burden of proof on completed projects, warranty performance and cash generated after investment. That balanced view will keep you from either dismissing a real scaling story or assuming that strong bookings eliminate industrial execution risk.

The 2018 S-1 offers a dated snapshot. Bloom said 312 MW were installed by March 31, 2018, and product output had risen about fivefold since the first generation. It also reported a 75% cut in material cost from the early design. These old figures show a learning effort;

they do not state today's cost or performance. The backlog then was 108.2 MW, not today's backlog or a measure you can compare directly with current megawatt frameworks.

Bloom's history is not a straight path from prototype to profit. Early growth needed capital and partners. Later years added project finance, a sale of the last consolidated PPA entity in 2023, larger utility deals and then very large data-center programs. Each change affected who bought the equipment, who owned it and when revenue was recorded. You should track those contract changes instead of treating every year as the same business.

Seasonality adds another layer. Bloom says bookings have historically tended to cluster in the second half of a fiscal year, while installation, financing and customer acceptance can push product revenue across reporting periods. You should not interpret a slower quarter as a structural decline without checking backlog conversion and project milestones; equally, you should not annualize a strong quarter without considering the same timing effects. The source record supports a project-cycle interpretation, not a conclusion that growth must continue at any particular rate.

> **NARRATOR'S REFLECTION**
>
> You have followed Bloom from a NASA-linked research idea to a manufacturing and service business. Keep two clocks in your head: the technology clock, measured in product generations and field learning, and the project clock, measured in financing, permits, installation and customer acceptance. A strong headline about demand belongs to the first half of the commercial funnel. Your evidence of durable quality comes from the second half: completed systems, reliable operation, renewed service and cash collection. Do not let an "up to" agreement replace those milestones, and do not mistake a difficult past year for proof that the platform cannot improve.

GLOBAL PARALLEL • UNITED STATES DATA CENTERS, 2015–2025 • EQUINIX–BLOOM DEPLOYMENT PROGRAM (MOAT_SCALING)

Equinix began with a 1-MW pilot in 2015. Bloom says the program reached 19 U.S. data centers. Its 2025 release separates systems already running from those still being built. A first site can give a second site confidence, but one buyer does not prove every customer will follow. The 2015 pilot was 1 MW; by February 2025 the relationship exceeded 100 MW, including approximately 75 MW operational and 30 MW under construction across 19 sites. For BE, track repeat sites and completed megawatts apart from large agreement limits. A reference buyer may ease later sales, but it can also raise customer concentration.

CHAPTER II

What Bloom Energy Does: Product, Revenue Categories & Concrete Examples

> *""I am delighted that there is strong market recognition that the Bloom Energy platform is the ideal choice for powering AI data centers.""*
>
> — K.R. SRIDHAR, FOUNDER, CHAIRMAN AND CEO

You can understand the Energy Server as a complete stationary power system rather than a stack in a box. The cell converts chemical energy through an electrochemical reaction; modules group cells into a deployable unit; the system adds fuel management, controls and power conditioning; and the site requires electrical integration and commissioning. DOE's description of fuel-cell systems is useful here because it makes the support equipment visible. If you compare technologies only at cell level, you will miss part of the cost, efficiency and reliability question that the customer actually buys.

Keep the customer problem in view. A facility may want continuous onsite generation because grid capacity is late, power quality is critical or backup arrangements are burdensome. Bloom's site describes data centers and other high-load customers, while its filings also refer to manufacturing, utilities and commercial facilities. You should ask what problem each buyer is solving. A semiconductor plant, hospital and data center do not have identical load shapes, downtime tolerances, gas availability or regulatory requirements. One product family may address several applications, but the implementation and economics can differ sharply by site.

The product category is the largest source of recognized sales. Bloom reported $1,531.281 million of product revenue in FY2025, compared with $1,085.153 million in FY2024. The nine-month 2026 comparison was $2,662.371 million versus $892.794 million in the first nine months of 2025. When you see those figures, remember what they represent: products transferred under contracts, not the full lifetime power produced by every system. The product line can be lumpy because a large site may cross a delivery milestone in one period and another tranche in a later period.

Installation is a separate category because delivering a system to a site and making it operate are not the same promise. The project may require engineering, construction, gas connection, interconnection, commissioning and customer acceptance. FY2025 installation revenue was $204.068 million, up from $122.318 million in 2024, while Q3 2026 installation gross margin was negative 4.8%. That margin is one quarter, not a universal result. Still, it demonstrates the need to study field execution independently from product manufacturing. You should look for installation margin by cohort and whether factory standardization reduces rework, labor and delays.

Service is what happens after the system is in the field. Bloom's filings describe monitoring, operations and maintenance, warranty support and performance commitments. FY2025 service revenue was $228.295 million; the first nine months of 2026 produced $198.459 million. Optional annual maintenance renewals have historically been high, according to Bloom, but contracts can include annual termination rights and guarantees can reduce revenue or increase cost when promised output is missed. You should view the growing service line as an installed-base opportunity and an ongoing technical test at the same time. A bigger fleet means more future service revenue only if it remains maintainable at a reasonable cost.

Electricity revenue is smaller and more sensitive to ownership structure. It reached $60.350 million in 2025, but the 10-K explains that the annual increase included a one-time settlement after assets were redeployed. That should stop you from interpreting it as a simple recurring-use curve. In some structures Bloom sells equipment and service, in others financing partners hold the systems, and in some legacy arrangements Bloom recognizes electricity or lease-related revenue. The accounting line tells you what the contract produced for Bloom, not necessarily the amount paid by the final end user for all electricity.

Use the revenue table as a map, not as a set of businesses. Bloom reports a single segment. The table reconciles the four categories to total company revenue in 2024, 2025 and the first nine months of 2025 and 2026. You can see product become a much larger share in 2026, while service grows with the base and electricity falls in that nine-month comparison. To explain those movements, follow product shipments, project settlements, asset ownership

and billing. Without that contract context, you could mistake changes in revenue recognition for a shift in the underlying customer demand.

Equinix gives you a rarer longitudinal example. The relationship began with 1 MW at one data center in 2015, according to Bloom, and exceeded 100 MW across 19 sites by 2025. Bloom reported 75 MW operational and 30 MW under construction. This combination of a customer quote, a time series and installed status is stronger evidence than a single megawatt announcement. Yet you still need to distinguish the customer's testimony about cleaner and reliable onsite power from an independent lifecycle assessment or disclosed customer payback calculation.

AEP, Oracle and NTT DATA illustrate how project counterparties differ. AEP's agreement began with a 100-MW order under a framework of up to 1 GW. Oracle described 1.2 GW contracted and deploying, inside a 2.8-GW master agreement. NTT DATA announced 900 MW across future data-center projects, with initial shipments expected in 2027. You should not roll these into one installed-base number. One is an initial order, another has a defined contracted tranche plus a maximum framework, and the third points to future shipments. Maintaining these distinctions is essential to a price-blind but evidence-based operating assessment.

Contract architecture also explains revenue adjustments. The 2026 10-Q says Bloom committed share-based consideration to a customer's customer in connection with Oracle and recognizes the associated consideration as a reduction of revenue as related systems are delivered. You should view that as part of customer acquisition economics, rather than trying to read product gross margin in isolation. The arrangement is still within the same reported segment and categories; it does not create a separate AI business line in the accounting.

Finally, keep fuel-cell generation separate from hydrogen electrolysis. In the first, fuel flows in and electricity is produced. In the second, electricity and water are inputs and hydrogen is the product. Bloom promotes its high-temperature electrolyzer as an extension of the same platform, but the customer needs an affordable electricity supply and a reliable hydrogen offtaker. DOE treats these as connected but distinct areas in its research plan. You should test the electrolyzer business on delivered units, utilization and offtake, not infer success from the installed Energy Server base.

When a CEO says the platform is ideal for AI data centers, listen for the strategic intent and then ask what evidence would confirm it. The useful evidence is named customers, order status, completed and accepted systems, service performance and diversified sales. Bloom has all four revenue categories, multiple customer verticals and long-term relationships, but it reports one segment and has not published complete per-vertical economics. Your description should preserve that boundary.

When you read the product table, note that it contains four rows but one company segment. The FY2025 revenue figures—$1,531.281 million product, $204.068 million installation, $228.295 million service and $60.350 million electricity—sum to $2,023.994 million. The nine-month 2026 figures—$2,662.371 million, $161.764 million, $198.459 million and $29.662 million—sum to $3,052.256 million. These exact amounts let you reconcile the business's recognized activity without inventing a data-center segment. The sole reportable segment accounts for 100% of consolidated revenue, but Bloom does not disclose a separate segment-profit allocation; consolidated EBIT is not a separately allocated segment-profit measure.

The revenue categories also answer different questions. Product revenue tells you the value of systems transferred under contracts. Installation revenue identifies project work and milestone timing. Service revenue reflects work over time for an installed base. Electricity revenue reflects a smaller set of ownership and lease arrangements. You should never add service backlog to product backlog or assume that every customer's electricity payments are booked by Bloom as electricity revenue; the contractual counterparty and accounting treatment matter. The 10-K describes maintenance renewal options, financing alternatives and lease arrangements as separate features of the contract architecture.

Now compare the customer stories by what they prove. Unimicron's 600-kW site documents a specified manufacturing installation and commissioning date, but it is a case study written by Bloom. Equinix's 1-MW pilot-to-more-than-100-MW timeline provides a longer repeat-deployment example and separates 75 MW operating from 30 MW under construction. AEP's 100-MW first order, Oracle's 1.2-GW contracted tranche and NTT DATA's future 900-MW program demonstrate broader commercial interest at different status levels. You

should use the cases to form hypotheses about buyer needs, then use audited revenue and actual installation status to test conversion.

The buyer's direct quotation is useful but bounded. Sridhar called the Energy Server "the ideal choice for powering AI data centers." You should translate that sentence into observable questions: Does the system meet the data center's load? Was it permitted? Did equipment arrive and commission on schedule? Does the customer expand at additional sites? What do service expense and customer acceptance look like? The quote expresses management's conviction, whereas the operating record must establish whether the product's reliability and deployment speed continue to win and retain customers.

Finally, keep the product family's adjacencies in their proper place. A fuel cell converts fuel to electricity, while an electrolyzer consumes electricity to produce hydrogen. A shared solid-oxide platform can support engineering synergies, yet the hydrogen sale requires available electricity, water, a customer able to use hydrogen and a delivery or storage pathway. You should evaluate each business loop separately even if manufacturing and research overlap. This distinction prevents an announcement about hydrogen technology from being mistaken for evidence that a large, recurring hydrogen segment is already operating.

You should also distinguish an installed customer from a customer that has simply signed a framework. The annual report explains that Bloom recognizes product revenue when the relevant transfer-of-control conditions are met, while installation, service and electricity may have separate or combined contract treatment depending on parties and obligations. That means customer counts, backlog, recognized revenue and installed megawatts are different lenses. When you build a business model later, keep them separate and link each to a date and source; do not infer a recurring annual sale from a single customer announcement.

Use Unimicron as your end-to-end customer example, but keep the limits visible. Bloom describes a semiconductor manufacturer facing outages and voltage drops that could disrupt clean-room processes and chillers. The case page identifies a 600-kW Energy Server at Taoyuan, operating in parallel with the utility; Bloom says delivery followed the order by five months and commissioning took three weeks, with operation beginning in August 2023. You do not know the unit price, financing terms, tariff, service charge or payment schedule: the

case study does not disclose them. It also does not identify a specific Energy Server generation. You should not fill those gaps with industry averages or inferred savings.

> **NARRATOR'S REFLECTION**
>
> You now have a more accurate answer to “what does Bloom sell?” It sells a power system and the services, installation work and financing structures that make the system usable at a customer’s site. The four revenue categories explain accounting, not four independently measured businesses. When you hear a large customer megawatt number, pause and ask whether it is installed, under construction, contracted or merely within a framework. That discipline protects you from mistaking a compelling customer story for audited segment disclosure.

CHAPTER III

Distribution, Supply Chain & Unit Economics

> ""*Power Connect is the latest innovation supporting our speed-to-power advantage.*""
>
> — JOE TAVI, HEAD OF BLOOM ENERGY'S CUSTOMER INSTALLATION GROUP

As your mentor, I want you to map the route to market before looking at any growth headline. First identify who signs the equipment purchase. Then identify who owns the Energy Server, who consumes the electricity and who buys ongoing service. Bloom says those parties can differ. A financier or strategic partner may buy the system while an enterprise customer buys power and Bloom supplies maintenance. That structure can make onsite generation more accessible to an end user, but it also creates counterparty, financing and concentration risk. When the filings say "customer," do not automatically substitute the building where the electrons are consumed.

Now follow the project clock. Bloom's Q3 2026 filing places a typical sales cycle at 8–12 months and says large AI/data-center opportunities may run longer; contract to installation generally takes six to twelve months or more. During that interval you should expect financing, permitting, gas and electric interconnection, construction, delivery, installation and acceptance to interact. A system may be technically ready while the customer's facility is not. That is why a signed contract can still fail to produce the period's expected revenue. You are assessing project execution as well as product demand.

Financing is not a footnote to the distribution strategy. It is often the mechanism by which a customer avoids owning a large equipment asset. A financing partner evaluates customer credit and project economics; interest rates, tax incentives and capital availability can change the decision. Brookfield's expanded $25-billion framework is described as a structure to finance qualifying future projects, not a cash balance or an automatic guarantee. You should trace each financing announcement to named projects, closing, installation and revenue recognition.

Service creates a second relationship after commissioning. Bloom reports five-to-twenty-year O&M terms in some agreements, but the customer may have annual renewal or cancellation

rights. The company says nearly every customer historically renewed maintenance, which supports retention. The economic caveat is that a customer's renewal price may be attractive relative to a standalone service contract, while the vendor remains responsible for maintenance and performance commitments. You should measure renewal alongside repair frequency, module replacement, field labor and guarantee payments. An installed base is an asset only if it remains supportable.

Build a simple customer-level economics model in words before attempting a number. Start with usable output and required availability. Then account for fuel, equipment, installation, financing, service, replacements, insurance and local tariffs. Compare that package with the actual grid alternative and customer's downtime cost. Do not assume that a cell-level efficiency figure equals a lower bill, and do not assume that the company's disclosed gross margin equals the customer's project return. DOE's component overview helps you see why the system boundary includes fuel processing and power conditioning.

Q3 2026 category margins show you why those distinctions matter. Product gross margin was 37.9%, service was 17.8%, electricity was 25.7%, and installation was negative 4.8%, producing a total company margin of 33.8%. These are period results, not lifetime margins. Installation may be profitable or unprofitable according to scope, project size and completion timing. If you focused only on the product margin, you would overlook project costs; if you focused only on one quarter's installation loss, you would overlook the factory contribution.

A supplier base and factory are also part of unit economics. Bloom's filings identify specialized components, rare-earth materials, supplier quality, tariffs and workforce needs. Expansion toward approximately 2 GW at Fremont is a company plan; the Q3 2026 10-Q records sizable plant spending. You should test actual output, yields, lead times and utilization against the capacity plan. More capacity can create purchasing leverage, but it also increases working capital and the cost of unused factory assets if order conversion slows.

Power Connect provides a concrete example of the company trying to change project economics through design. Bloom says assemblies will arrive pre-connected, pre-wired and tested, with a claimed installation-time reduction exceeding 40%. Joe Tavi said the approach moves complexity from the field into factory-controlled work. You should make that claim measurable: field electrician hours, commissioning variance, rework, time from delivery to

acceptance and installation gross margin. Until disclosed evidence covers multiple deployments, the system is a promising operational hypothesis, not a demonstrated margin improvement.

Fuel economics and regulation are site-specific. Natural gas supply may be available in one region and constrained in another; local gas and electricity prices affect customer comparisons. Tariff rules determine whether unused output can be exported and compensated. Bloom disclosed the end of California's special fuel-cell net-metering tariff for new customers and ongoing emissions and permitting requirements. Islanded operation can reduce exposure to a grid queue but does not eliminate air, gas, fire, zoning or safety review. You should not confuse a shorter interconnection path with a permit-free installation.

Your distribution scorecard should therefore put customer concentration next to repeat orders. Bloom's top three revenue customers were about 43%, 13% and 12% of sales in FY2025. Channel and financing relationships can make the business scale, but the same channel can concentrate recognized revenue. Ask whether end users diversify even when invoice customers do not, whether project financing remains available, whether installations are accepted on time and whether service economics are retained by Bloom.

Finally, follow each project all the way to cash. An order is only the start. Funding, permits, materials, assembly, delivery, installation and acceptance must occur; then the system must perform well enough to sustain renewals without excessive guarantees. This sequence explains both the growth opportunity and the execution risk. The same operational discipline that creates an efficient distribution model can turn field learning into a moat; weak coordination can turn a seemingly strong backlog into a delay and a margin shortfall.

You should treat backlog as a claim on future conversion, not as cash already earned. Bloom's FY2025 filing defines product backlog as future revenue attributable to contractual commitments and says its value may reflect anticipated incentives. Service backlog is separate and may be associated with systems already operating or still to be delivered. The company also describes delays from permits, construction and financing, and service extensions can be terminable annually. When you revisit backlog, ask what share is financed, site-ready, installed, accepted and collectible.

The pricing and margin stack matters at customer level even when you remain price-blind about the equity. A customer's energy decision depends on local gas, utility tariffs, demand shape and downtime. Bloom's own filing says the value of its Energy Server can change as those inputs change. You should avoid writing a universal savings claim because a favorable installation in one state or tariff environment may not reproduce elsewhere. The appropriate unit-economics question is whether the customer has a reason to pay for the actual reliability and deployment profile at that site, after financing, fuel and service are included.

A high-temperature stack must be supported for years, and the service contract carries that obligation. Bloom's filing describes first-year monitoring and performance commitments, plus optional extensions. If output or efficiency misses contractual levels, Bloom may repair or replace equipment or make capped payments. You should connect product design, spare parts, field-service staffing and warranty reserves. A strong product gross margin at shipment cannot tell you the final customer-cohort margin if the fleet later experiences higher service visits or performance-guarantee costs.

The supplier network is another reason that a factory plan does not automatically become output. You need the component specification, qualified source, delivery lead time, defect rate and substitution plan. Bloom specifically discloses rare-earth and subassembly risks, tariffs and supplier quality concerns. A growing plant can improve purchasing leverage when the line is utilized, but early inventory accumulation and fixed-cost absorption may weaken cash flow if installations lag. The 2026 cash-flow statement's inventory growth and the company's disclosed expansion investment make this more than a theoretical issue.

Now assess the Power Connect quotation with a skeptical but fair eye. Joe Tavi said the approach moves complexity from the field into a controlled manufacturing process. You should make that claim measurable: field electrician hours, commissioning variance, rework, time from delivery to acceptance and installation gross margin. Until disclosed evidence covers multiple deployments, the system is a promising operational hypothesis, not a demonstrated margin improvement.

Your distribution scorecard should follow each project all the way to cash. An order is only the start. Funding, permits, materials, assembly, delivery, installation and acceptance must occur; then the system must perform well enough to sustain renewals without excessive

guarantees. This sequence explains both the growth opportunity and the execution risk. The same operational discipline that creates an efficient distribution model can turn field learning into a moat; weak coordination can turn a seemingly strong backlog into a delay and a margin shortfall.

You should read a financing contract as a distribution choice and a risk allocation at once. A PPA can help a customer use onsite power without purchasing the server, yet someone must own the equipment, raise capital, bear fuel and operating obligations and collect payments. Bloom's filings explain that contract terms may separate the equipment buyer from the service customer and may include capped performance guarantees. That structure can accelerate a sale, but it also creates counterparties and obligations that affect recognized revenue and lifetime margin.

You can read the FY2025 waterfall as two linked statements, not as a fabricated payroll bridge. The audited P&L reports $2,023.994 million revenue, $1,436.594 million cost of revenue, $514.598 million operating expenses and $72.802 million operating income. The cash-flow statement reports $50.566 million D&A, $113.949 million CFO and $56.759 million PP&E purchases. Interest expense was $53.888 million, but interest income and other non-operating items are separately disclosed. Bloom does not publish a standalone employee-cost total, so you should leave that allocation unavailable rather than treat it as zero.

> **NARRATOR'S REFLECTION**
>
> You have just seen why the unit of analysis is not one product margin. The customer buys a system through a contract, a financing path and an installation process, then judges the vendor over years of service. Your checklist should follow the counterparty, cash source, permit, supplier, commissioning result and renewal. If any one of those steps is missing, the promise of a repeatable onsite-power sale is not yet a repeatable business.

CHAPTER IV

Industry Structure, Competitive Position & External Learning Hub

> *""Each fuel cell technology has advantages and challenges.""*
>
> — U.S. DEPARTMENT OF ENERGY, COMPARISON OF FUEL CELL TECHNOLOGIES

Begin with the customer's choice set. You are not comparing fuel-cell companies in isolation; you are comparing ways to meet a site's load. A utility connection may be adequate at one location and delayed at another. Diesel may work as emergency backup but not as an always-on primary source. Solar and wind can support lower-carbon energy goals but vary with weather and may need storage or firming. Gas generation is familiar but has combustion emissions. Fuel cells promise an electrochemical route, yet still need fuel, service and permitting. Bloom competes against all those alternatives for reliability, schedule and total site economics.

The DOE comparison gives you a disciplined view of solid oxide. It places the category at 500–1,000°C, with fuel flexibility, high efficiency and possible combined heat and power. It also identifies high-temperature corrosion and component breakdown, slow start-up and limited shutdowns. Compare these with PEM systems, which DOE describes as lower-temperature, quick-starting and capable of load following but dependent on expensive catalysts and sensitive to fuel impurities. Those are category-level properties, not Bloom model specifications. You should use them to form diligence questions, then ask Bloom's own data for answers.

A complete fuel-cell system includes far more than the electrochemical stack. DOE describes the fuel processor, which prepares the fuel, and power conditioners, which convert the output to the form the customer requires. Compressors and other balance-of-plant equipment may also affect system design. You should therefore evaluate the integrated plant: net output after parasitic loads, efficiency over the duty cycle, start-up and shutdown behavior, fuel specification, maintenance and useful life. A very strong cell-level result can be diluted by system costs or operating constraints.

Bloom's potential moat combines cumulative materials experience, manufacturing, installed-fleet learning and service. Its 2025 10-K discloses a sizable patent portfolio and 62 PhDs in relevant disciplines. It also says successive product generations increased output and cell life. These are evidence of sustained research and engineering investment, but you should distinguish knowledge accumulation from exclusion. A patent count cannot tell you whether a claim is critical, whether another firm has an alternative design, or whether performance advantages produce lower lifetime customer cost.

Look for external evidence that the potential moat pays. Repeat customers, multi-site rollouts, improving service renewals and lower warranty costs can show that the buyer has learned to trust the equipment. Equinix provides a specific example: a 1-MW pilot in 2015 expanded to more than 100 MW over 19 U.S. sites by 2025, of which about 75 MW were operating. Bloom also reports high historical service renewal. That is encouraging evidence of adoption, but the company has not publicly given a full fleet cohort table for efficiency degradation, availability or service cost. Keep the conclusion proportional to what is disclosed.

Now test the system against its dependencies. Natural gas or another specified fuel must reach the site. Local electricity tariffs affect the value of onsite output and any exported power. Air permits, construction permits, fire codes, utility agreements and public acceptance may all apply. California's fuel-cell-specific net-metering tariff stopped accepting new customers at the end of 2023, according to Bloom's filing. You should not assume that "onsite" means "outside regulation," or that a fuel-flexible design can immediately switch to hydrogen or biogas where supply is missing.

Technology substitution can also change the customer case. If the utility completes an interconnection faster than expected, the urgency for Bloom equipment may fall. If batteries get cheaper, they may offer valuable backup or load shaping, even if they cannot make electricity without a generator or grid. If conventional turbines improve, they may compete on cost or availability. The 10-K explicitly warns about the effects of competing generation and storage. You should compare each option's complete system and duty cycle, not repeat a sales slogan that one technology is always better.

The ClearEdge case is a particularly useful counterweight. DOE reports that Doosan bought ClearEdge Power's assets out of bankruptcy in 2014. In the following year, Doosan Fuel Cell America reported 35 operating units in Korea totaling more than 15 MW, a 5.6-MW order toward 21 MW after installation, and a global sales pipeline above 50 MW. You should not call this a failed technology: a new owner continued product deployment and built a pipeline. But the original corporate owner did fail independently. The lesson is that a promising product can persist while equity, creditor or employee outcomes at the original company are still poor.

Read the ClearEdge case with care. Doosan bought the assets out of bankruptcy in 2014, then kept the product work alive. In 2015, Doosan reported 35 operating units in Korea with more than 15 MW, a 5.6-MW order toward 21 MW, and a pipeline above 50 MW. The technology continued, but the original company did not. For Bloom, the lesson is to ask whether capital, customer orders and service can last long enough for the product to grow.

When an Oracle executive says that power is a defining factor for bringing AI capacity online, you learn what motivates the buyer. You do not yet know whether every site will receive permits, financing, fuel, equipment and customer acceptance on schedule. The first contracted tranche and the larger maximum agreement must stay separate in your notes. This is where a potential competitive edge in deployment can become measurable: compare actual elapsed time, commissioning success and reliability against the customer's alternatives.

Use the external learning hub to build technical literacy before judging claims. The DOE comparison page gives you the technology matrix; Fuel Cell Basics explains the electrochemical process; Fuel Cell Systems shows balance-of-plant; Types of Fuel Cells distinguishes the main architectures; and the multi-year plan frames ongoing research and infrastructure gaps. EIA's Electric Power Monthly supplies generation, sales and pricing statistics. These sources will help you ask better questions. They will not replace a site-level permit record, a customer's fuel contract or independently verified operating data.

Keep your moat verdict conditional. Bloom has a deployed product, repeat customers and a growing service base. It also faces fuel, finance, permit and heat-related risks. The ClearEdge case shows how product assets can live on after a company fails. You should look for lower

cost, high uptime, fewer warranty claims, repeat customers and cash collection. Those are signs that technical know-how is becoming an economic moat.

The technology table should make you more precise, not more confident than the evidence permits. SOFCs can offer high efficiency and fuel flexibility, but a high-temperature system has thermal cycling, component degradation and start-up trade-offs. A PEM system can start faster but is more sensitive to fuel impurities and expensive catalysts. You should ask which customer load fits each profile and whether Bloom's installed system data meet the expected operating mode. A generic technology advantage becomes a business advantage only when the buyer values it and the manufacturer can support it economically.

Environmental performance also has boundaries. Fuel cells avoid combustion at the cell, and the Equinix release emphasizes low local air pollution and no water use for its systems. Yet if the input is natural gas, carbon remains in the fuel. You should distinguish local NOx/SOx from direct CO2 and lifecycle greenhouse gases, and distinguish onsite water use from water use elsewhere in the energy chain. Comparisons with grid power should specify the displaced generation and geographic period. This discipline protects the analysis from turning a local air-quality benefit into an unsupported claim of zero carbon.

Customers may choose Bloom for speed, uptime, modularity or local control, not just the lowest power cost. Each benefit has a trade-off. Speed still depends on permits and building work. Uptime depends on stack life and service. Modular systems still need site design. Fuel choice depends on what is available. Match each promise to the customer's real need, then check what the installed system delivered.

There is also a regulatory moat or barrier, depending on how the rules evolve. Air permits and utility interconnection can slow onsite systems, while fuel-cell-specific tariffs can improve or reduce customer economics. Bloom reports that California's fuel-cell net-metering rules changed for new customers and that permitting for larger installations can take longer than expected. You should not assume that a decentralized generator bypasses local approval; it changes the approval path and leaves gas, air, building, fire and electrical issues in place.

A second scaling parallel comes from a different fuel-cell chemistry. DOE reported that FuelCell Energy and POSCO Energy had installed more than 140 MW across 18 fuel-cell parks in 13 South Korean cities, including a 58.8-MW facility serving about 70,000 homes. You should use this case for one narrow lesson: a local partner and a serviceable deployment network can help a stationary power product move beyond a single site. It is not an apples-to-apples benchmark for Bloom because FuelCell Energy's platform and project structure differ. Compare the channel mechanism, not the chemistry or margin.

NARRATOR'S REFLECTION

You can hold two truths at once. Bloom's technology and customer history may create a meaningful installed-base advantage, while the economics remain exposed to financing, fuel, regulation and the technical burden of high-temperature equipment. The ClearEdge history does not predict Bloom's fate; it shows why product survival and company survival are not identical. Your job is to ask whether Bloom can fund and support the fleet long enough for customer trust and manufacturing learning to become durable advantages.

GLOBAL PARALLEL • SOUTH KOREA UTILITY FUEL-CELL PARKS, REPORTED 2015 • FUELCELL ENERGY / POSCO ENERGY (MOAT_SCALING)

FuelCell Energy partnered with Korean POSCO Energy to sell and install large stationary fuel-cell parks; the local partner supported repeated multi-city deployments and a serviceable installed base. The chemistry and supplier are not Bloom's SOFC platform, so this is a deployment-model parallel rather than a performance equivalence. DOE reported more than 140 MW installed across 18 parks in 13 South Korean cities; the largest cited installation was 58.8 MW and served about 70,000 homes. A local channel and service partner can help a capital-intensive system reach multi-site scale, but MW deployed do not by themselves establish attractive returns. For BE, pair accepted capacity with project financing, service cost, customer concentration and cash conversion.

GLOBAL PARALLEL • UNITED STATES AND KOREA, 2014–2015 • CLEAREDGE POWER / DOOSAN FUEL CELL AMERICA (FAILURE_BASE_RATE)

ClearEdge's assets went through bankruptcy and were bought by Doosan in 2014. Doosan kept the product work in a new subsidiary. A new owner brought capital and customer links; technology lived on after the original firm failed. Doosan bought the assets in 2014. In 2015 it reported a sales pipeline above 50 MW, 35 units operating in Korea above 15 MW, and a 5.6-MW order toward 21 MW after installation. For BE, separate a product's survival from a company's survival. A sound platform still needs funding, service staff and projects that turn into cash.

CHAPTER V

Operational KPIs, Structural Potential & CEO Walk-the-Talk

> *""Our third quarter results reflect strong execution across the business, with significant revenue growth and expanded operating margins.""*
>
> — SIMON EDWARDS, CHIEF FINANCIAL OFFICER

Start your KPI review by separating four questions. Is there demand? Is demand converting into shipped and accepted systems? Do those systems perform with manageable service cost? Does revenue become cash after factory investment? Bloom's filings answer some of these questions: they report revenue categories, customer concentration, cash flow, contract assets, inventory and service costs. They do not provide a recurring fleet-wide uptime and degradation panel. You should mark that as a disclosure gap rather than fill it with company claims or customer anecdotes.

At the Oct. 22 Q3 call, Sridhar said fuel-cell onsite power would become a preferred complement to the grid. CFO Edwards said operating expenses grew 26% as revenue grew 138%. The release confirms $1,235.837 million of Q3 revenue and $225.449 million of operating income. You should credit the quarter while keeping the question open: will that margin hold as customers, sites and production scale?

Use a conversion ladder for the customer programs. Equinix had approximately 75 MW operational and 30 MW under construction inside a more-than-100-MW relationship. AEP placed a 100-MW initial order within an up-to-1-GW agreement. Oracle described 1.2 GW contracted and deploying under a master agreement up to 2.8 GW. NTT DATA announced 900 MW with initial shipments expected in 2027. Those phrases are not interchangeable. You should keep operating megawatts, contracted capacity, orders, frameworks and expected future shipments on separate lines in your notebook.

The installation category tells you whether factory performance has translated into site execution. In Q3 2026, product gross margin was 37.9%, installation was negative 4.8%, service was 17.8% and electricity was 25.7%. Bloom's Power Connect launch claimed an installation-time reduction of more than 40%. The proper follow-up is not to annualize the

claim; it is to ask for actual site hours, acceptance lead time, rework and margin on completed projects. You should also compare the same customer and system configuration before and after the process change.

Service is the quality signal that accumulates after sale. Bloom had $228.295 million of service revenue in FY2025, and reported that a larger installed base supported nine-month 2026 maintenance growth. But service is not free margin: the 10-Q discusses increased product-performance-guaranty costs. You should match renewal rates with repair incidence, replacement parts, field labor and guaranteed output. A customer who renews because the service is reliable is a positive data point; a customer who renews only because the contract structure leaves few alternatives may be less informative.

Concentration is a central KPI because financing partners can be large recognized customers. Three customers accounted for approximately 43%, 13% and 12% of FY2025 revenue. In FY2024 the three shares were approximately 23%, 16% and 14%; in FY2023 two customers accounted for 37% and 26%. You should watch whether these figures fall as the AI program expands, and whether a customer is a financier, utility or final end user. A single delayed construction schedule can move substantial revenue, while an unreported set of end users may still be diversified behind the financing counterparty.

Then test capacity and labor. Bloom described a plan to raise Fremont capacity toward 2 GW annual output by the end of 2026 and reported 2,214 employees, including 62 PhDs. These figures show investment in manufacturing and technical human capital. The 10-Q also reports $231.310 million of property, plant and equipment purchases in the first nine months of 2026. You should compare these inputs to units built, yield, shipments and accepted sites. Unused capacity consumes capital; a fast ramp without quality controls can increase service and warranty obligations.

The leadership record is strongest when its statements can be connected to earlier milestones. Bloom's timeline places commercial launch in 2008, manufacturing expansion and international deployment in the years that followed, and customer expansions such as Equinix. AEP's initial order and later deployment work provide another operational check. Oracle's contract announcement is a more recent and larger claim that still requires

continued conversion. You should praise execution where evidence shows commissioned capacity, while keeping announced frameworks in the forward-looking bucket.

There is a potential scaling loop: reliable systems can reduce customer hesitation, repeated deployments can lower selling costs, a larger fleet can support service density, and higher factory throughput may improve manufacturing economics. But each link must hold. If service costs rise as the fleet ages, if installations remain loss-making, if customers are concentrated or if working capital absorbs cash, scale can increase risk as well as volume. You should track the whole loop rather than assuming that one link guarantees the next.

A practical scorecard should contain completed and accepted megawatts; share of announced capacity that reaches operation; product and installation margin by period; service renewal and guaranty cost; top-customer concentration; inventory and contract-asset growth; capacity utilization; and CFO after plant purchases. The filings disclose enough to show progress and also leave important gaps. You do not need to invent a proprietary KPI when management has not disclosed it. Record the gap, identify the claim it limits and revisit it when comparable evidence becomes available.

Your final judgment on management is therefore measured. The company has a long technology history, customer programs with demonstrated operating sites, reported growth and ongoing factory investment. At the same time, the Q3 2026 announcement of “strong execution” sits beside project-cycle risks and a cash-flow statement where plant spending and working-capital needs absorb much of operating cash. You should neither dismiss the execution nor infer a permanent margin structure from one period. Watch whether management’s announced capacity, installation improvements and customer programs become accepted systems with attractive service and cash economics.

You should also track backlog by conversion probability rather than treating a single backlog figure as a promise. Bloom’s definition includes contractual commitments for future systems and expected incentives; its service backlog includes future O&M revenue. The company warns that permitting, financing, customer construction and acceptance can move timing. Your scorecard can distinguish signed contract, financing closed, permit issued, equipment shipped, site commissioned and customer accepted. That ladder lets you see where the company is gaining execution capability and where a high order number remains exposed.

The seasonal pattern is another reason to compare like periods. Bloom says bookings have historically clustered in the second half of the year. Its most recent filing also says the time between sale and installation varies, especially for large AI and data-center projects. You should compare year-over-year quarters, note contract and acceptance milestones, and separate cancellation from deferral. This approach avoids both the mistake of calling every delayed project a lost customer and the opposite mistake of assuming every delayed project will eventually be recognized.

When you put revenue and cash next to each other, the monitoring question becomes concrete. Nine-month 2026 revenue was $3,052.256 million, net income $521.523 million and CFO $272.895 million; PP&E purchases were $231.310 million. Contract assets were $858.646 million and inventory $927.670 million at quarter end. You should watch whether customer billings and acceptance release those balances and whether production capacity is utilized. The numbers demonstrate strong activity and a need for continued cash-conversion monitoring at the same time.

The final KPI set should include service renewal, performance-guarantee cost and warranty accruals beside product revenue and margin. If the company's installed base grows, your expectation is not merely that service revenue rises; the service gross margin and equipment reliability should remain healthy. Q3 2026 disclosed higher guarantee costs even as the installed base contributed to service growth. You should inspect that balance over several quarters, because even a high renewal rate can create a poor economic cohort if the cost of meeting performance commitments grows faster than recognized service revenue.

This is how you test management's walk-the-talk. Match statements about factory expansion with actual output; match installation-time claims with commissioning data; match demand announcements with contracted and operational megawatts; match reliability claims with service cost and warranty outcomes. If the measures improve together, the company is converting technical differentiation into an operating system. If only bookings and revenue increase while customer concentration, installation losses and working capital worsen, the business may still be scaling ahead of its execution capacity.

You can also use the buyer's own words without mistaking them for independent operating data. Equinix vice president David Rinard said Bloom's fuel cells allow Equinix to generate

“cleaner and reliable electricity onsite” at its data centers. That statement explains why an operator values the system; your next check is the operating status, maintenance record and disclosed project economics.

> **NARRATOR'S REFLECTION**
>
> You can give management credit for a record quarter and still keep a demanding scorecard. Ask how many megawatts are operating, what gross margin each revenue category earns, whether customers renew, how warranty costs change, and how much cash remains after plant investment. If management’s claims are true, those measures should strengthen together over time. If only orders and revenue rise while installation, service and working capital worsen, scale has not yet proven itself.

A dated promises-versus-delivery scorecard

Start with one completed test. On the Feb. 5, 2026 Q4 call, CEO Sridhar said Bloom would not be the bottleneck to customer growth and cited one hyperscale order delivered in 55 days against a 90-day commitment. That is a met commitment for one reported site. You should not treat it as the average delivery time for the whole fleet.

At the Oct. 22, 2026 Q3 call, Sridhar recalled that the Q1 growth view began near 60% year over year and said Bloom had raised it to over 120% at the midpoint. Nine-month revenue was $3.052 billion. The full-year guide of $4.4–$4.6 billion still required $1.348–$1.548 billion in Q4. The year was not complete by the Nov. 12 cutoff, so the result remained unresolved, not met. Management said a small number of deliveries could decide where the company landed.

Bloom’s 2025 plan was to expand Fremont toward 2 GW of annual capacity by Dec. 31, 2026. At the cutoff, filings described ongoing investment but did not report achieved annualized output or plant utilization. The deadline had not passed. Mark this unresolved and ask for actual production, yield and accepted systems in the next filing.

The 2021 Electrolyzer launch expected first commercial shipments in fall 2022. Later filings still list electrolysis as an adjacent opportunity in a single operating segment and do not give

a scaled sales or shipment series. This does not prove that no units shipped; it means commercial scale is not established in the public record.

Power Connect was launched in August 2026 with a claimed installation-time reduction above 40%. By Nov. 12, Bloom had not reported a completed cohort that measured the result. Your follow-up should request site labor hours, delivery-to-acceptance time, rework and project margin. Until then, the claim is a testable plan, not an achieved KPI.

CHAPTER VI

Financial Forensics, Cash Conversion & Balance Sheet

> *""“Our year-to-date performance and customer demand give us confidence to raise our 2026 outlook for the third time this year.”"*
>
> — SIMON EDWARDS, CHIEF FINANCIAL OFFICER

When you analyze Bloom's financial history, begin with the scale of revenue and then ask how that revenue became cash. Total revenue was $1,333.470 million in FY2023, $1,473.856 million in FY2024 and $2,023.994 million in FY2025. Product revenue was $975.245 million, $1,085.153 million and $1,531.281 million, respectively; installation was $92.796 million, $122.318 million and $204.068 million; service was $183.065 million, $213.542 million and $228.295 million; electricity was $82.364 million, $52.843 million and $60.350 million. You should preserve the one-segment boundary while using the four categories to understand mix.

Now inspect the CFO waterfall. Operating cash flow was negative $372.531 million in 2023, positive $91.998 million in 2024 and positive $113.949 million in 2025. Purchases of PP&E were $83.739 million, $58.852 million and $56.759 million. When you subtract those purchases, the calculated subtotal is negative $456.270 million, positive $33.146 million and positive $57.190 million. These exact amounts are CFO less PP&E purchases, not company-reported free cash flow, and they exclude affiliate investments. You should use the subtotal as a transparent bridge rather than give it a corporate label it does not have.

The annual pattern gives you a more useful story than revenue alone. In 2023, cash used in accounts receivable, contract assets and inventories contributed to the negative $372.531 million CFO. In 2024 and 2025, CFO turned positive, but project billing and customer deposits still affected the bridge. The 2025 CFO of $113.949 million included favorable movements in accounts payable and accrued expenses, while contract assets used cash. You should therefore ask whether positive CFO reflects cash collected on delivered projects or temporary timing benefits that could reverse as project volume changes.

The nine-month 2026 performance accelerated. Revenue reached $3,052.256 million and net income was $521.523 million, while CFO was $272.895 million. PP&E purchases were $231.310 million, leaving $41.585 million after those purchases and before $26.577 million invested in unconsolidated affiliates. You should not call the $41.585 million a full measure of distributable cash; it omits other financing claims and uses an intentionally narrow definition. It still makes the central point: a large net-income figure can coexist with modest residual cash after plant purchases during a rapid factory ramp.

Balance-sheet working capital explains much of that gap. Current and long-term contract assets totaled $858.646 million on September 30, 2026, compared with $241.186 million at December 31, 2025. Inventory rose from $643.306 million to $927.670 million. In the nine-month cash-flow statement, contract assets absorbed $618.002 million and accounts receivable absorbed $264.825 million, while payables, accruals and deferred revenue provided offsets. You should connect those balances to customer billing milestones and acceptance. If a system is built but the billing trigger or acceptance event is delayed, revenue, receivable and cash conversion may occur on different timelines.

The company held cash of $2,454.108 million and recourse debt of $2,613.726 million at year-end 2025. At September 2026 it reported cash of $2,486.702 million and recourse debt of $2,473.499 million. The 2025 financing included $2.5 billion principal of 0% convertible notes before related exchanges and costs. You should include the financing in the growth story rather than treating the expansion as entirely self-funded. Also account for non-recourse project debt, lease liabilities, financing obligations, restricted cash and covenants when interpreting the cash balance.

Historical losses remain visible in accumulated deficit. At December 2025, it stood at $3,986.983 million; by September 2026 it had narrowed to $3,470.694 million after positive year-to-date earnings. Stock-based compensation was $157.641 million in the first nine months of 2026. That is noncash compensation in the cash-flow reconciliation, but it is not economically costless. You should avoid two mistakes: subtracting a noncash expense again from CFO, and excluding it entirely when comparing reported and adjusted operating results.

Customer concentration means that the shape of revenue can depend on a few counterparties. Bloom's top three customers represented about 43%, 13% and 12% of FY2025 revenue; in 2024 the corresponding shares were 23%, 16% and 14%, and in 2023 two customers represented 37% and 26%. You should ask who is the direct customer and who is the final user. A finance partner may purchase equipment on behalf of a customer; a large end user may still matter economically even if it is not the direct invoice recipient. Concentration also affects receivables, project delays and service exposure.

The Oracle arrangement illustrates that customer acquisition can have consideration outside a conventional cash discount. Bloom's Q3 filing says share-based consideration to a customer's customer is recognized as a reduction of revenue as related systems are delivered. You should include such terms when considering net revenue per contract, while respecting what the filing reports and not inventing an allocation by megawatt. This is one reason the face value of a large procurement arrangement cannot be equated directly with Bloom's net recognized sales.

The overall business shows clear financial improvement and unresolved questions. The FY2023 CFO deficit was large; FY2024 and FY2025 turned positive; nine-month 2026 earnings and CFO rose substantially. At the same time, after-plant-investment cash remained modest, working capital expanded and customers remained concentrated. You should look for repeated evidence that receivables and contract assets convert promptly, inventory turns into accepted systems, service grows without guarantee expense outpacing it, and production capacity is efficiently used.

For your next review, carry forward a compact forensic panel: annual revenue by the four reported categories; CFO; PP&E purchases; the CFO-minus-PP&E subtotal; contract assets; inventories; customer concentration; recourse and non-recourse debt; cash; service revenue; warranty and performance-guarantee costs; and accepted versus announced megawatts. Keeping those measures side by side lets you distinguish profitable growth from growth that still needs substantial outside capital. You should expect volatility in quarterly project conversion, but a mature business should eventually show repeatable cash generation after maintenance and factory investment.

Use the nine-month table as an operating bridge, not a collection of isolated facts. Revenue of $3,052.256 million and net income of $521.523 million were materially higher than the comparable 2025 period, when revenue was $1,246.311 million and net loss was $88.566 million. CFO was $272.895 million versus negative $304.124 million, but PP&E purchases increased to $231.310 million from $33.805 million. Contract assets reached $858.646 million and inventory $927.670 million at September 30, 2026. You should see both acceleration and investment demands in the same panel.

The most visible gap is between earnings and the cash that remains after factory spending. Nine-month CFO of $272.895 million less PP&E purchases of $231.310 million leaves $41.585 million before the $26.577 million investment in affiliates. This calculation is deliberately narrow and is not a company-defined FCF figure. You should use it to ask whether working capital and capacity investment are being funded by operations, not to label the company permanently cash-generative or cash-consuming on the basis of one nine-month period.

The balance-sheet comparison is similarly mixed. Cash was $2,454.108 million and recourse debt $2,613.726 million at year-end 2025; by September 2026, cash was $2,486.702 million and recourse debt $2,473.499 million. The 2025 convertible financing supported capacity and liquidity but did not eliminate project obligations. You should add financing obligations, operating leases, non-recourse debt, restricted cash and credit covenants to the analysis. A cash balance can protect a growth plan, while the debt structure affects flexibility if customers delay orders or if capital markets tighten.

Contract assets and inventory show where growth is being funded. Contract assets rose from $241.186 million at December 31, 2025 to $858.646 million at September 30, 2026; inventory rose from $643.306 million to $927.670 million. The filing links contract assets to project activity, revenue volume and billing milestones. You should ask which balances are awaiting milestones or acceptance, how quickly they convert to receivables, and how much inventory is specific to customer orders versus planned capacity. That is how you distinguish healthy growth investment from a cash-conversion problem.

Noncash expense needs its own lens. Bloom reported $157.641 million of stock-based compensation in the first nine months of 2026. The cash-flow statement adds it back

because it is not a period cash payment, but it still compensates employees and may affect ownership over time. You should not use non-GAAP adjustments to erase it from your view of economic costs. At the same time, you should not double-count it as a cash outflow when reconciling CFO. Keep the income-statement expense and cash-flow reconciliation in their correct places.

Return to the three-year cash waterfall. In FY2023, CFO was negative $372.531 million and PP&E purchases were $83.739 million, leaving a CFO-minus-PP&E subtotal of negative $456.270 million. FY2024 CFO was $91.998 million, PP&E purchases $58.852 million and subtotal $33.146 million. FY2025 CFO was $113.949 million, PP&E purchases $56.759 million and subtotal $57.190 million. These are calculated subtotals and exclude affiliate investments. You should read them with changing working capital and financing activities, not as polished measures of shareholder cash flow.

Customer concentration further qualifies the financial result. In FY2025, the largest three customers represented approximately 43%, 13% and 12% of revenue; in FY2024 they represented 23%, 16% and 14%; and in FY2023 two customers accounted for 37% and 26%. That pattern can create large swings when a financer or strategic partner changes purchasing pace. You should monitor receivables and revenue concentration together, and separate direct invoice concentration from ultimate end-user diversification when the filings allow.

The mix shift toward product makes gross-margin quality important. Q3 2026 product margin was 37.9%, service 17.8%, electricity 25.7%, and installation negative 4.8%; overall gross margin was 33.8%. These values are one quarter and reflect a particular project mix. You should ask whether product margins withstand input-cost pressure, whether installation reaches break-even as standards improve, and whether service remains profitable after guarantees and maintenance. An equipment margin is not a full-fleet margin until service costs and warranty outcomes mature.

The financial story is therefore not complete at “reported profit.” Bloom has moved from large operating cash use in 2023 to positive CFO in 2024 and 2025, and strong earnings and cash flow in the first nine months of 2026. It has also enlarged its working-capital balances and invested heavily in factory assets while remaining concentrated among large customers.

You should require several periods of customer collection and post-capex cash generation before describing the model as self-funding through a cycle.

You now have a decade-long view, but not a perfectly continuous series. Bloom's S-1 covers its private-era FY2016–FY2017 statements; the 2019 10-K later revised 2016–2018 revenue and operating results, so the table labels the early basis and gives the restated figures. The reported weighted-average share base grew from 53.268 million in FY2018 to 240.402 million in FY2025, while IPO conversion and pre-IPO capital structure make the early share figures non-comparable to simple dilution. Stock-based compensation ranged from $28.157 million in FY2016 to $139.406 million in FY2025, with a high $196.291 million in FY2019. You should treat that expense as compensation, not cash CapEx.

For working capital, the proxy is 365 times year-end billed receivables divided by same-year revenue; it excludes contract assets. The proxy was 93.3 days in FY2023 and 67.0 days in FY2025, while contract assets rose from $41.366 million to $241.186 million. A simple pre-tax return proxy was negative in FY2023, then 2.8% and 7.8% in FY2024 and FY2025. You cannot conclude that returns exceed WACC: a standard after-tax ROIC needs consistent invested-capital and tax treatment, and market-derived WACC requires price-sensitive inputs reserved for Pass 2.

> **NARRATOR'S REFLECTION**
>
> You have seen the central accounting tension: reported earnings and revenue can rise quickly while the business still absorbs cash in contract assets, inventory and factory investment. The cash-flow waterfall gives you a transparent measure, but it is only one subtotal. Your discipline is to reconcile profit, working capital, capital spending, customer concentration and financing over several years. Do not declare a durable cash engine until the systems are delivered, accepted, serviced and paid for across more than one demand cycle.

CHAPTER VII

Why the Price Is What It Is: Valuation, Reverse DCF & Peer Comps

> *""Our year-to-date performance and customer demand give us confidence to raise our 2026 outlook for the third time this year.""*
>
> — SIMON EDWARDS, CHIEF FINANCIAL OFFICER

Let us separate the good business story from the price you are asked to pay. At the Nov 12 close of $201.93, Bloom's equity value was about $59.7 billion using the latest share-count snapshot. The September balance sheet adds about $295 million of net debt-like obligations after cash, lease and financing liabilities. That produces an enterprise value near $60 billion. Management's $4.4–$4.6 billion revenue guidance for 2026 gives a $4.5 billion midpoint, so the market is valuing the company at about 13.3 times this year's guided sales. You are not paying for today's cash yield; you are paying for a future business that must grow into this value.

Look at the actual financial bridge before accepting that future. Q3 revenue was $1.236 billion, while first-nine-month CFO was $272.9 million and PP&E purchases were $231.3 million. That leaves roughly $41.6 million before affiliate investment, a narrow margin on more than $3 billion of sales. The demand step-up can be valuable and the cash conversion can still be unfinished. You should ask which quarter's cash flow funds the next factory and how much working capital a new installation needs before customer acceptance.

The five-year price-to-sales proxy adds historical context. It was about 3.9 times at year-end 2021, 3.0 times in 2022, 2.4 times in 2023, 3.4 times in 2024 and 10.3 times in 2025. The current trailing P/S is about 15.7 times. These historical points use year-end closes and annual diluted weighted-average shares, not exact shares outstanding on each final trading day; they are a rough capitalization-to-sales series. P/E is a weak historical yardstick because reported earnings were negative in several periods. Still, the range tells you that the market's expectations have expanded faster than the long-run accounting record.

Now compare the adjacent businesses. Cummins makes engines and power systems, GE Vernova serves generation and grid markets, and Vertiv sells data-center power and cooling

equipment. The aligned snapshot shows their very different valuation and margin profiles beside Bloom. The right question is not which ticker has the lowest multiple. It is what earns Bloom a premium: the scarcity of fast power, solid-oxide efficiency, modular deployment and a growing service base. That premium is justified only if the firm converts customer interest into installed equipment, dependable service and returns on the factory capital.

The reverse DCF makes the expectation concrete. We begin with $4.5 billion of FY2026 revenue guidance and a 1.36% starting free-cash-flow margin, based on the first nine months' cash from operations less PP&E purchases divided by revenue. We then project ten years of sales, ramp FCF margins, discount them and calculate a terminal value. The 10% base discount rate is our underwriting assumption, not a market-derived WACC. We subtract debt-like obligations net of cash and divide by 324.289 million diluted weighted-average shares. You should notice what comes from a filing and what comes from us: revenue, CFO, capex and diluted shares are disclosed; future growth, FCF margin and discount rates are scenarios.

The bear case assumes 12% annual revenue growth and a 6% terminal FCF margin, yet it produces about $13.50 a share. The base assumes 20% growth and a 12% terminal margin, yielding about $75.98. The bull assumes 30% annual growth, 18% terminal FCF margin and an 8% discount rate, yielding about $384.71. At 40%, 45% and 15% weights, expected value is about $97.30 per diluted share. That is not an official target; it is a transparent way to show how much the current quote depends on the bull path.

A reverse calculation asks how much growth the current enterprise value needs. Under a 15% terminal FCF margin, a 10% discount rate and 3% perpetual growth, revenue must compound about 28.7% annually for ten years from the $4.5 billion starting point. Bloom grew rapidly from a small base and management now expects a one-year step-change, but sustaining nearly 29% through a much larger base while converting to cash is a separate challenge. The base DCF's terminal value is about 76% of total value, so a small change in long-run assumptions moves the answer materially.

This is why I would not let a powerful story substitute for valuation discipline. There is a real customer problem and credible evidence of deployment. But financing frameworks, announcements and megawatt totals are not the same as collected cash or returns on

invested capital. My conclusion is that Bloom may become a much larger power platform, but the current quote discounts a favorable decade before the filings prove that the new scale can earn attractive cash returns. You can admire the technology and still decline the stock at this price.

> **NARRATOR'S REFLECTION**
>
> You have two separate questions in front of you: can Bloom win a meaningful market, and can the cash it earns justify today's enterprise value? The evidence gives a credible yes to the first and no clear yes to the second. A disciplined investor can respect the operating opportunity without paying any price for it.

CHAPTER VIII

Stage 2 Technical Structure, Institutional Flow & Momentum Setup

> *""“The tape is evidence, not an argument.”"*
>
> — RESEARCH DESK MAXIM

Let us read the chart using one cutoff. The verified Nov 12 close was $201.93. At that close, the stock was below its 20-day average of $206.89, its 50-day average of $244.92 and its 200-day average of $223.35. Weekly bars through Nov 12 place the 30-week average near $245.97 and the 10-week EMA near $220.46. You should recognize this as a damaged structure rather than a confirmed recovery. The ledger labels it Stage 1 because the 50-day average had not crossed below the 200-day average, even though price was below both. That is a transition state, not a green light.

The one-month return was negative 15.63%, while the ledger's five-session comparison was positive 20.54%. Those measures can coexist after a violent path: a strong short rebound does not erase a weak monthly structure. RSI-14 was 45.96 and ATR-14 $21.67, so a typical daily range is large relative to a patient investor's comfort. Volume on the last completed bar was 0.78 times its recent 20-day average. You should not turn those numbers into a forecast; they describe momentum and volatility at the cutoff.

The market context was also unsettled. The S&P 500 itself was under its 50-day average but above the 200-day average, which the ledger classified as a correction. Breadth was not collapsed—59.9% of names were still above their 50-day averages—but six distribution days showed repeated selling pressure. TheWrap showed no Bloom breakout and normal volume, while its exact industry breadth was unavailable. A correction can end quickly, but when a high-beta holding has also lost its own averages, patience should require evidence rather than hope.

The official Cboe figures add context, not a trading signal. On Nov 12 the total put/call volume ratio was 0.89, index options 0.97 and equity options 0.72. A put/call ratio is not a clean vote of bullishness or fear. A put may be bought as protection, sold to collect premium, opened or closed; the aggregate cannot tell us the trade's purpose. We did not use call walls,

put walls or gamma flip levels because public vendor models disagreed and no official reproducible wall series was found. Do not force certainty from data that is not observable.

The technical screen maps a shelf near $161.18, a reference band of $158.76–$163.60 and an invalidation reference near $150.34. The market-facts ledger independently records a $156 20-day swing-low anchor. At the cutoff the quote was roughly 2.1 ATR above that anchor. This band is not a buy order. You would want price to stabilize, build a higher low, show demand and reclaim the averages before treating it as support. The base DCF is also below the band, so the economic case and the chart do not point to the same entry.

We must keep the intraday supplement separate. The public options chain and consumer snapshot were captured on Nov 13 at 08:59 Pacific, after the Nov 12 reporting cutoff. Daily prices and price-sensitive valuation fields in this dossier use the verified Nov 12 ledger; the weekly averages were recomputed through that same close. The later intraday chart was below structural averages, but it is not silently substituted for the dated closing bar. The options panel is marked NO_OPTIONS_EDGE. Its timestamps and context are visible so you can distinguish an educational live-data overlay from the decision basis.

You and I can now state the chart decision without drama: no new capital enters BE on this tape. The support reference offers a location to observe, not a thesis. A stable base, reclaim of the 50-day and 200-day averages, stronger relative strength and improvement in cash after plant investment would change the setup. Until those signals arrive, the chart tells you to preserve risk budget, especially when the fundamental valuation already depends on a far-dated cash-flow conversion.

> **NARRATOR'S REFLECTION**
>
> You do not have to label every weak chart Stage 4 to respect the damage. The Nov 12 ledger says Stage 1, but price sits below both major averages and the market is in correction. Your rule is to wait for evidence of repair, not to turn a nearby shelf into permission to add.

CHAPTER IX

Both Sides of the Aisle, Likely Outcomes & No-FOMO Action Plan

> *""Conviction is not a substitute for a margin of safety.""*
>
> — RESEARCH DESK MAXIM

You and I have reached the point where a balanced story must become a decision. The bull case is straightforward: customers need power, some grid connections are delayed, and Bloom has a working product with a growing set of deployments. Revenue guidance is $4.4–$4.6 billion for 2026, Q3 gross margin was 33.8% and operating income was positive. If factory learning lowers cost and the installed fleet becomes a profitable service base, Bloom could become much more than a niche fuel-cell maker. We should acknowledge that possibility without treating it as a guaranteed result.

Now steelman the bear. FY2025 ended with a GAAP net loss and only about $57 million of cash after PP&E purchases. The first nine months of 2026 showed just $41.6 million after PP&E before affiliate investment, even as contract assets and inventory grew. The company also carries significant debt-like obligations and customer concentration. This does not mean the business is failing; it means the high-growth narrative has not yet produced a mature cash engine. You should follow project acceptance and customer billing, not only bookings and announced megawatts.

The DCF makes our disagreement measurable. Starting with $4.5 billion of 2026 guided revenue and a 1.36% nine-month cash-after-PP&E margin, the ten-year bear, base and bull cases yield approximately $13.50, $75.98 and $384.71 per diluted share. We weight them 40%, 45% and 15%, producing $97.30 expected value versus the Nov 12 close of $201.93. The bull can clear the quote, but it needs 30% revenue growth for a decade and an 18% terminal FCF margin. The base is already an ambitious 20% growth path. These are our scenarios, not management forecasts.

The single hinge claim is whether revenue growth can become cash after the factory and working-capital needs are funded. If accepted installations grow, service contributions remain healthy, contract assets bill and collect, and CFO exceeds ongoing plant needs, Bloom

earns more credibility. If installation losses, guarantees, customer concentration or financing needs persist, additional sales may add less equity value than the headline growth implies. Your scorecard should therefore connect installed megawatts to acceptance, service margin, cash conversion, customer concentration and diluted shares.

Our horizon calls differ. Over weeks to six months, the tape and model do not justify new capital. Across six to twenty-four months, keep the business on a conditional watch and judge delivery against guidance. Across three to ten years, the platform may be meaningful, but the current price still requires durable growth and a much stronger cash margin. If the company proves that conversion, revisit the valuation. If it does not, a powerful need for electricity will not rescue every supplier that tries to meet it.

The position ledger records 7.2505 Bloom shares at Schwab and 16.276072 at Robinhood. Together that is 23.526572 shares, marked at $4,750.72 at the Nov 12 close, versus $5,999.98 cost. The unrealized loss is $1,249.26 and the position is 5.24% of reported net worth. Those figures describe the recorded books, not an order or guaranteed execution price. The transaction file assumes the Schwab ledger is accurate through its Nov 10 last transaction; verify any later activity and tax lots before you act.

My recommendation is to exit the full tactical-momentum position rather than add to it. The business is conditional, not a fundamental failure, but the DCF base lies below the support band and the Nov 12 close sits below both 50-day and 200-day averages. The decision follows price, cash conversion and expected value together; it is not a judgment that the technology has no future. If you believe the bull path is materially more likely, the right response is a fresh re-underwrite with explicit probabilities—not averaging down because the cost basis is higher.

Where should the proceeds go? The shortlist shows MSFT and AVPT in Stage 2 on the Nov 12 ledger, and LNG also in Stage 2 after a strong one-week move. Those prior theses deserve a current portfolio-level refresh; this BE report does not certify them as substitute buys. Outside peers CMI, GEV and VRT are useful comparisons, yet each had a Stage 4 classification on the cutoff date. When the benchmark is in correction and no full second thesis has been refreshed here, cash is an active choice. It prevents one exit from becoming an automatic concentration in another name.

Your next checklist is concrete. Revisit Bloom after filed results, accepted installations and cash-flow updates. Revisit the shortlist only after checking its current prices, entry bands, correlation and overlap with the rest of the account. Revisit outside names after a business and valuation review. If none clears the evidence and support-zone hurdles, do not force the proceeds into an equity. A patient cash balance can buy you the option to act when both the business and the market are again cooperating.

Current holding decision: EXIT IMMEDIATELY. 23.5266 shares across schwab: 7.2505 shares, robinhood: 16.2761 shares; market value $4,750.72; cost basis $5,999.98; recommend selling 23.5266 shares and retaining 0 shares; unrealized P&L $-1,249.26; portfolio weight 5.24%. The ledger shows 23.526572 shares, worth $4,750.72 at the Nov 12 close, against $5,999.98 cost. The loss is $1,249.26; the weight is 5.24%. Exit is recommended: base DCF value is below the monitor band, and price sits below the 50-day and 200-day averages. The position is tactical momentum, so the broken trend removes its thesis. Schwab holds 7.2505 shares (cost $1,999.98; value $1,464.09); Robinhood holds 16.276072 (cost $4,000; value $3,286.63). The Schwab file last shows activity on Nov 10. Verify lots and live price before acting. Alert plan: At the next practical trading opportunity, after confirming the live quote and account lots. — Exit all 23.526572 recorded shares (schwab 7.250500 shares, cost basis $1,999.98, marked value $1,464.09; robinhood 16.276072 shares, cost basis $4,000.00, marked value $3,286.63) at the next practical trading opportunity after checking the live quote and tax lots. Advisory instruction only; not a broker order. Capital redeployment: 100.00% to CASH (CASH): Hold the reviewed proceeds in cash.; Revisit only after a fresh portfolio-level check confirms market stabilization and an equity setup with current evidence, a valid entry and at least 1.5:1 support-zone asymmetry.; 0.00% to SHORTLIST (SHORTLIST): No shortlist allocation from these proceeds today.; Refresh the selected shortlist name and portfolio overlap before allocating; do not assume an existing verdict automatically receives these proceeds.; 0.00% to OUTSIDE (OUTSIDE): No outside allocation from these proceeds today.; Reconsider after a fresh business dossier, a repaired trend and current valuation/asymmetry gates.

Options and Call-Convexity Playbook (NO OPTIONS EDGE): No options edge. The public chain was captured intraday on 13 Nov 2026 at 08:59 PT, after the 12 Nov dossier cutoff. The later snapshot shows a broken trend, while Pass 1 rated business quality

CYCLICAL_CONDITIONAL; this overlay is supplemental and does not set the dossier verdict.

> **NARRATOR'S REFLECTION**
>
> A good company can still be a poor purchase at a demanding price. Your action here is not a prediction that Bloom disappears; it is a decision that the base evidence does not justify this capital at this valuation and technical structure. Sell the tactical thesis, keep the proceeds liquid, and let the next evidence—not the old cost basis—set the next move.

Notes, Filings & Primary Sources

1. Bloom Energy FY2025 Form 10-K — U.S. Securities and Exchange Commission (Filed 2026-02-09). https://www.sec.gov/Archives/edgar/data/1664703/000162828026006516/be-20251231.htm Relevance: Business model, segment disclosure, risk factors, revenue mix, customer concentration, cash flows, debt, backlog, factory plans and historical operating metrics.
2. Bloom Energy Q3 2026 Form 10-Q — U.S. Securities and Exchange Commission (Filed 2026-10-22). https://www.sec.gov/Archives/edgar/data/1664703/000162828026066931/be-20260930.htm Relevance: Nine-month 2026 financial statements, operating-cycle and financing risks, working capital, service growth, cash flow, contract assets and current balance sheet.
3. Bloom Energy Q3 2026 earnings release (Exhibit 99.1) — U.S. Securities and Exchange Commission (2026-10-22). https://www.sec.gov/Archives/edgar/data/1664703/000162828026066890/ex991_q326financialresults.htm Relevance: Q3 revenue-category gross margins, consolidated results and reconciliations.
4. Bloom Energy FY2024 Form 10-K — U.S. Securities and Exchange Commission (Filed 2025-02-27). https://www.sec.gov/Archives/edgar/data/1664703/000162828025008747/be-20241231.htm Relevance: Historical 2024–2022 operating and cash-flow comparison.
5. Bloom Energy Form S-1 registration statement — U.S. Securities and Exchange Commission (Filed 2018-06-12). https://www.sec.gov/Archives/edgar/data/1664703/000119312518190488/d96446ds1.htm Relevance: Company origin, initial product description and original customer proposition.
6. Bloom Energy corporate history and timeline — Bloom Energy (Accessed 2026-11-13). https://www.bloomenergy.com/company/ Relevance: Company-reported chronology from early research through product launch, manufacturing expansion and recent customer milestones.
7. How Bloom Energy's platform works — Bloom Energy (Accessed 2026-11-13). https://www.bloomenergy.com/technology/ Relevance: Company description of Energy Server and solid-oxide platform architecture.
8. Bloom Electrolyzer product overview — Bloom Energy (Accessed 2026-11-13). https://www.bloomenergy.com/bloomelectrolyzer/ Relevance: Company claims about high-temperature electrolysis, efficiency and product configuration.
9. Bloom Energy unveils electrolyzer — Bloom Energy (2021-07-14). https://www.bloomenergy.com/news/bloom-energy-unveils-electrolyzer/ Relevance: Initial electrolyzer launch and historical commercial expectations.
10. Comparison of Fuel Cell Technologies — U.S. Department of Energy (Updated 2026-06-02). https://www.energy.gov/cmei/fuels/comparison-fuel-cell-technologies Relevance: Independent comparison of fuel-cell technology characteristics and limitations.
11. Fuel Cell Basics — U.S. Department of Energy (Updated 2026-10-09). https://www.energy.gov/cmei/fuels/fuel-cell-basics Relevance: Fuel-cell electrochemical mechanism and broad technology context.
12. Fuel Cell Systems — U.S. Department of Energy (Updated 2026-06-02). https://www.energy.gov/cmei/fuels/fuel-cell-systems Relevance: System-level components such as stacks, fuel processors and power conditioning.
13. Types of Fuel Cells — U.S. Department of Energy (Updated 2026-06-02). https://www.energy.gov/cmei/fuels/types-fuel-cells Relevance: Application differences across PEM, PAFC, MCFC, SOFC and other technologies.

14. Hydrogen and Fuel Cell Technologies Multi-Year Program Plan — U.S. Department of Energy (Updated 2026-06-04). https://www.energy.gov/cmei/fuels/hydrogen-and-fuel-cell-technologies-multi-year-program-plan Relevance: Public technical-development and demonstration priorities for fuel cells and hydrogen.
15. Electric Power Monthly — U.S. Energy Information Administration (October 2026 release, August 2026 data). https://www.eia.gov/electricity/monthly/ Relevance: Primary national electricity generation, sales, price and capacity data resource.
16. State of the States: Fuel Cells in America 2015 — U.S. Department of Energy (2015). https://www.energy.gov/sites/prod/files/2015/12/f27/fcto_state_of_states_2015.pdf Relevance: Historical market context: Doosan's acquisition of ClearEdge Power assets out of bankruptcy and FuelCell Energy/POSCO Energy's reported Korean multi-city rollout, including capacity figures.
17. Unimicron case study — Bloom Energy (Accessed 2026-11-13). https://www.bloomenergy.com/resource/unimicron-case-study Relevance: Vendor-published 600-kW semiconductor manufacturing deployment example.
18. Bloom Energy and Equinix exceed 100 MW across data centers — Bloom Energy (2025-02-20). https://www.bloomenergy.com/news/bloom-energy-expands-data-center-power-agreement-with-equinix-surpassing-100mw/ Relevance: Customer deployment status and relationship history as of February 2025.
19. Bloom Energy and AEP gigawatt procurement agreement — Bloom Energy (2024-11-14). https://www.bloomenergy.com/news/bloom-energy-announces-gigawatt-fuel-cell-procurement-agreement-with-aep-to-power-ai-data-centers/ Relevance: Up-to-1-GW supply agreement and stated 100-MW initial order.
20. NTT DATA 900-MW onsite-power agreement — Bloom Energy / NTT DATA (2026-11-05). https://www.bloomenergy.com/news/ntt-data-announces-agreement-with-bloom-energy-for-900-mw-of-onsite-power-generation-across-multiple-data-center-projects/ Relevance: Announced international data-center capacity and future shipment timing.
21. Bloom Energy and Oracle expand partnership up to 2.8 GW — Bloom Energy (2026-04-13). https://www.bloomenergy.com/news/bloom-energy-and-oracle-expand-strategic-partnership-to-deploy-up-to-2-8-gw-to-accelerate-ai-infrastructure-build-out/ Relevance: Distinguishes initial 1.2-GW contracted deployment from the larger master agreement.
22. Brookfield and Bloom expand AI infrastructure financing framework — Bloom Energy / Brookfield (2026-06-30). https://www.bloomenergy.com/news/brookfield-and-bloom-energy-expand-ai-infrastructure-partnership/ Relevance: Potential project-financing framework; not treated as booked product revenue.
23. Bloom Energy introduces Power Connect — Bloom Energy (2026-08-19). https://www.bloomenergy.com/news/bloom-energy-introduces-power-connect/ Relevance: Factory-standardized electrical integration and claimed installation-time improvement.
24. Why onsite power? — Bloom Energy (Accessed 2026-11-13). https://www.bloomenergy.com/onsite-power/ Relevance: Company-stated customer selection criteria for distributed power.
25. Bloom Energy data-center solutions — Bloom Energy (Accessed 2026-11-13). https://www.bloomenergy.com/industries/data-center-power/ Relevance: Company's data-center positioning and solution configuration claims.
26. Bloom Energy FY2018 Form 10-K — U.S. Securities and Exchange Commission (Filed 2019-03-22). https://www.sec.gov/Archives/edgar/data/1664703/000166470319000008/a2018q410kbloomenergycorp.htm Relevance: Audited pre-IPO-era comparative cash flows, balance sheets and weighted-average common shares for FY2016–FY2018; later filings restated some historical measures.
27. Bloom Energy FY2019 Form 10-K — U.S. Securities and Exchange Commission (Filed 2020-03-31). https://www.sec.gov/Archives/edgar/data/1664703/000166470320000013/a2019q410kbloom.htm Relevance: Audited FY2019 financials and retrospectively restated/revised FY2016–FY2018 comparative revenue, operating results and cash-flow disclosures.

28. Bloom Energy FY2020 Form 10-K — U.S. Securities and Exchange Commission (Filed 2021-02-26). https://www.sec.gov/Archives/edgar/data/1664703/000166470321000017/be-20201231.htm Relevance: Audited FY2020 P&L, balance sheet, cash flow, debt, shares and stock compensation.
29. Bloom Energy FY2021 Form 10-K — U.S. Securities and Exchange Commission (Filed 2022-02-25). https://www.sec.gov/Archives/edgar/data/1664703/000166470322000034/be-20211231.htm Relevance: Audited FY2021 financial statements and comparative cash conversion, debt and share data.
30. Bloom Energy FY2022 Form 10-K — U.S. Securities and Exchange Commission (Filed 2023-02-21). https://www.sec.gov/Archives/edgar/data/1664703/000162828023004301/be-20221231.htm Relevance: Audited FY2022 statements, debt and share data; comparative FY2020–FY2022 record.
31. Bloom Energy FY2023 Form 10-K — U.S. Securities and Exchange Commission (Filed 2024-02-15). https://www.sec.gov/Archives/edgar/data/1664703/000162828024005035/be-20231231.htm Relevance: Audited FY2023 financial statements, receivables, debt, cash flow and stock compensation.
32. Cboe Daily U.S. Options Market Statistics — 12 Nov 2026 — Cboe Global Markets (2026-11-12). https://cdn.cboe.com/data/us/options/market_statistics/daily/2026-11-12_daily_options Relevance: Official daily total, index and equity put/call ratios and option volumes.
33. Bloom Energy Events & Presentations — Events Calendar — Bloom Energy Investor Relations (Accessed 2026-11-13). https://investor.bloomenergy.com/events-and-presentations/events-calendar/ Relevance: Official events calendar; no future earnings date was posted in the captured page.
34. TradingView technical and market snapshot — Bloom Energy — TradingView (Aligned to 2026-11-12 close; source retrieval 2026-11-13). https://www.tradingview.com/symbols/NYSE-BE/technicals/ Relevance: TradingView market/technical fields aligned to the verified Nov 12 ledger close.
35. TradingView technical and market snapshot — Cummins — TradingView (Aligned to 2026-11-12 close; source retrieval 2026-11-13). https://www.tradingview.com/symbols/NYSE-CMI/technicals/ Relevance: Peer price and technical fields aligned to the verified Nov 12 ledger close.
36. TradingView technical and market snapshot — GE Vernova — TradingView (Aligned to 2026-11-12 close; source retrieval 2026-11-13). https://www.tradingview.com/symbols/NYSE-GEV/technicals/ Relevance: Peer price and technical fields aligned to the verified Nov 12 ledger close.
37. TradingView technical and market snapshot — Vertiv — TradingView (Aligned to 2026-11-12 close; source retrieval 2026-11-13). https://www.tradingview.com/symbols/NYSE-VRT/technicals/ Relevance: Peer price and technical fields aligned to the verified Nov 12 ledger close.
38. Finviz quote and valuation card — Bloom Energy — Finviz (Retrieved 2026-11-13; price multiples aligned to 2026-11-12 close). https://finviz.com/quote.ashx?t=BE Relevance: Latest share-count, TTM financial and screen-ratio inputs; price-sensitive ratios rebased to the verified close.
39. Finviz quote and valuation card — Cummins — Finviz (Retrieved 2026-11-13; price multiples aligned to 2026-11-12 close). https://finviz.com/quote.ashx?t=CMI Relevance: Peer valuation and operating-ratio snapshot.
40. Finviz quote and valuation card — GE Vernova — Finviz (Retrieved 2026-11-13; price multiples aligned to 2026-11-12 close). https://finviz.com/quote.ashx?t=GEV Relevance: Peer valuation and operating-ratio snapshot.
41. Finviz quote and valuation card — Vertiv — Finviz (Retrieved 2026-11-13; price multiples aligned to 2026-11-12 close). https://finviz.com/quote.ashx?t=VRT Relevance: Peer valuation and operating-ratio snapshot.
42. Bloom Energy historical daily prices — Yahoo Finance (Year-end observations 2021–2025 and 2026-11-12 close). https://finance.yahoo.com/quote/BE/history/ Relevance: Historical year-end closes and the verified Nov 12 close; used in the explicitly approximate price-to-sales history.
43. TheWrap U.S. stock and Stage 2 dashboard — TheWrap (As of 2026-11-12; extracted 2026-11-13). https://thewrap.in/data-tools/ustocks Relevance: Stage 2, breakout and volume dashboard snapshot.

44. Bloom Energy options chain — Yahoo Finance (Supplemental intraday snapshot 2026-11-13 08:59 PT). https://finance.yahoo.com/quote/BE/options/ Relevance: Public option-chain reference; not used for the Nov 12 closing verdict.
45. Bloom Energy Q3 2026 Earnings Call Transcript — The Motley Fool Transcribing (2026-10-22). https://www.fool.com/earnings/call-transcripts/2026/10/22/bloom-energy-be-q3-2026-earnings-call-transcript/ Relevance: Verbatim CEO and CFO remarks on power demand, delivery, FY2026 guidance revisions and operating leverage.
46. Bloom Energy Q4 2025 Earnings Call Transcript — Stock Analysis (2026-02-05). https://stockanalysis.com/stocks/be/transcripts/397103-q4-2025/ Relevance: CEO statement of a 90-day customer delivery commitment and the reported 55-day completion for one hyperscale AI factory.

• • •

This Masterclass Companion Book was authored for private study, audiobook narration, and disciplined portfolio execution.

Verified against the US Research Ledger • Session Cutoff 2026-11-12