TD Power Systems Ltd. (NSE: TDPOWERSYS) — Company Dossier — Masterclass Companion Book

A step-by-step narrative walkthrough and audio companion to TD Power Systems Ltd. (NSE: TDPOWERSYS) – Company Dossier: deconstructing the business engine, global historical parallels, ten-year financial forensics, both sides of the institutional debate, and the discipline of high-asymmetry execution.

Company & Market: TD Power Systems Ltd. (NSE: TDPOWERSYS) — Company Dossier (IN)
Research Session Cutoff: 2026-11-12 • **Generated:** 12 Nov 2026, 09:10 PM PST
Core Verdict: WAIT_FOR_SUPPORT
Authored & Narrated by: Senior Institutional Equity Research Desk • Masterclass Companion Audio-Reader Edition (11,118 words • ~72 min listen)

CONTENTS

A Sequential Guide to the Business Engine, Global Parallels, Financial Forensics & High-Asymmetry Execution

Chapter 0	PROLOGUE
Chapter 1	CHAPTER I
Chapter 2	CHAPTER II
Chapter 3	CHAPTER III
Chapter 4	CHAPTER IV
Chapter 5	CHAPTER V
Chapter 6	CHAPTER VI
Chapter 7	CHAPTER VII
Chapter 8	CHAPTER VIII
Chapter 9	CHAPTER IX

SESSION PRICE

₹625.90

NEW CAPITAL VERDICT

WAIT_FOR_SUPPORT

CURRENT HOLDING ACTION

HOLD WITH HARD STOP — 470 shares across zerodha: 470 shares; market value ₹294,173.00; cost basis ₹299,162.95; retain all 470 shares now; 470 shares are subject to the listed conditional trigger(s); unrealized P&L ₹-4,989.95; portfolio weight 6.87%

STAGE POSTURE

VALUATION WATCH ZONE (CONDITIONAL)

₹585.00–600.00

SCENARIO TARGETS

Bear ₹400.00 / Base ₹820.00 / Bull ₹1,100.00

PREFACE & CORE THESIS

BEST_EFFORT_AFTER_REVIEW_LIMIT + PUBLISHED_WITH_GATE_EXCEPTIONS. TDPS has strong engineering and export growth, but customer concentration and weak cash conversion limit confidence; the business verdict is CYCLICAL_CONDITIONAL. New capital remains WAIT_FOR_SUPPORT, with no purchase until a Stage 1 base and Stage 2 breakout are confirmed; ₹585–₹600 is a monitor zone, not an order. The ₹520 weekly invalidation applies to the current 470-share holding, which remains on hold unless triggered. The market-wide Stage 2 scan failed twice, limiting breadth context; the company-specific snapshot is available.

PROLOGUE

CHAPTER 0

> *""“Risk comes from not knowing what you are doing.””*
>
> — WARREN BUFFETT

TD Power Systems designs and manufactures customized AC generators, motors and related power equipment for global engine, turbine, hydro, industrial and rail applications. The business has real engineering qualifications and international customer access, but its earnings remain capital-goods cyclical and cash conversion is less consistent than reported profit. The blind fundamentals verdict is CYCLICAL_CONDITIONAL; operational KPI health is PASS_WITH_WATCH .

Our new-capital verdict is WAIT_FOR_SUPPORT. At the 12 November 2026 close of ₹625.90, the stock was down 24.6% in a month and below its daily 20- and 50-day averages, while a separate TheWrap leaderboard feed still showed historical Stage 2 membership; the two current technical systems differ: market_facts classifies the trend as Stage 3 (Topping/Pullback), while stock_snapshot classifies its timing posture as Stage 4 / AVOID_STAGE4_OR_BROKEN. The more restrictive no-entry rule controls. The base value of ₹820 is an illustrative two-year scenario based on EPS near ₹16.40 and a 50x multiple. Treat ₹585–₹600, where the ₹599.53 pivot and 200-day average converge, as a monitor zone only. No purchase is permitted until a Stage 1 base and Stage 2 breakout are confirmed, followed by a fresh valuation check. A close below ₹520 invalidates that setup .

The same-session positions ledger shows 470 TDPOWERSYS shares in Zerodha. At the ₹625.90 close, their market value was ₹294,173, cost was ₹299,162.95, the unrealized loss was ₹4,989.95 and portfolio weight was 6.87%. The action is HOLD_WITH_HARD_STOP: no sale now; sell all 470 shares only after a confirmed weekly close below ₹520. The loss is small and the position is not oversized, but the short-term chart is weak and the business verdict remains conditional. The ledger is assumed accurate despite a stale freshness-metadata warning; it was not independently reconciled to a broker.

The probability-weighted two-year value is about ₹730: bear ₹400 at 35%, base ₹820 at 45%, and bull ₹1,100 at 20%. The company's FY2026 growth, ₹2,318.7 crore September 2026 order book and raised FY2027 revenue target support the bull case. High customer concentration, 146 debtor days, 173-day cash cycle, weak free-cash-flow conversion and a high earnings multiple support the bear case .

The short-term judgment is wait for support and evidence of demand returning. The medium-term judgment is conditional on executing its FY2027 guidance while protecting margins and cash collection. The long-term judgment is that a compounding franchise is possible, but new capacity must earn attractive returns and customer qualifications must repeat across cycles. These horizons can differ: a good manufacturer can be temporarily unattractive as a stock, while a strong chart can coexist with unresolved fundamentals .

No capital is assumed to be freed by a sale. The next marginal cash unit is allocated 100% to cash, 0% to the active shortlist pool and 0% to researched outside candidates until one clears current entry and evidence hurdles. The equity watchlists were compared, but this report does not nominate a funded replacement. Cash is retained pending a verified market-wide scan and a better entry setup .

Run note: PUBLISHED_WITH_GATE_EXCEPTIONS. The company-specific stock snapshot supplied TDPOWERSYS's same-session Stage 2 and technical readings, but the separate TheWrap market-wide stage2_scanner failed twice while clearing dashboard filters in Chrome. This lowers confidence in breadth and sector-relative context, not in the company's individual price snapshot. Re-run the scanner after the dashboard is stable to cure it .

Key checkpoints for the next review are the FY2027 result versus guidance, order conversion, operating margin, order-book concentration, receivable and inventory days, CFO versus PAT, and return on the new Tumkur capacity. The investment case strengthens if growth repeats with cash. It weakens if growth is front-loaded, margins compress or receivables stretch further .

The main lesson for you and me is to keep the thesis falsifiable. Growth is supported by real evidence: the company's shipments, international OEM relationships, and management's

higher FY2027 target. The weaknesses are equally observable: customer concentration, a long cash cycle, low free-cash-flow yield and a share price that has fallen below its intermediate averages. We do not need a single narrative to explain all of that. A fast-growing niche supplier can be a strong operating company and an uncertain stock at an expensive quote.

The same-session ledger shows an existing 470-share holding in Zerodha; the current action is HOLD_WITH_HARD_STOP, with no sale unless a confirmed weekly close falls below ₹520. If you are considering a purchase, the only proposed route is to wait for the ₹585–₹600 shelf, then demand a stabilization signal and recheck the earnings and cash data. If those conditions do not occur, preserve the option to do nothing. The next evidence checkpoint is the FY2027 full-year result: realized guidance, margin, working capital and cash conversion will matter more than another optimistic sector presentation.

> **NARRATOR'S REFLECTION**
>
> The analyst's job is not to predict every quarter. It is to know what the price assumes, which evidence would confirm the business, and which event would prove the thesis wrong. Keep the company and the quote in separate boxes; join them only when the entry offers room for error.

CHAPTER I

Chapter I

> ""*Technology acquisition from Toyo Denki, Japan, laid the foundation for advanced generator engineering capabilities.*""
>
> — TD POWER SYSTEMS ANNUAL REPORT FY2026, COMPANY TIMELINE

You and I should begin where the company itself begins: with a capability transfer, not a consumer brand. TD Power Systems was incorporated in 1999, and the company's FY2026 timeline says its Toyo Denki technology acquisition established the engineering base for its generator business. That origin matters because a generator is engineered around a prime mover, voltage, frequency, operating environment and the customer's plant layout; the product is a project-specific machine, not a catalog item picked from a shelf .

From that base, TDPS built a specialized exporter. The company's own milestones point to global customer access through sales entities: a United States subsidiary formed in 2013, the German entity acquired in 2016, and Turkish generator manufacturing beginning in 2017. The annual report also records motors entering the portfolio in 2021, its global footprint expanding to 105 countries in 2024, and a third Indian manufacturing site at Tumkur commencing operations in FY2026 . This is a sequence of adjacency bets: bring generators closer to customers, add motor products that use overlapping electrical-engineering skills, and add physical throughput when the order base supports it.

The financial record shows why this is not a straight-line compounder story. The price-blind statement history in the supplied Screener fundamentals shows revenue at ₹597 crore in FY2015, ₹380 crore in FY2017 and ₹435 crore in FY2018; profit after tax was negative in FY2016–FY2018. Revenue then recovered to ₹594 crore in FY2021, ₹872 crore in FY2023, ₹1,001 crore in FY2024, ₹1,279 crore in FY2025 and ₹1,856 crore in FY2026. The company has moved from a low-utilization, low-margin trough into a high-growth phase, but the record spans a full industrial cycle and carries two distinct regimes: losses before FY2019, and rising profitability after FY2020 .

The weak years are analytically useful. FY2017 and FY2018 combined revenue contraction with thin operating margins of roughly 2.8% and 2.4%; FY2019 still produced only 7% operating margin. By FY2021 the margin had recovered to 12%, FY2023 to 15%, and FY2025–FY2026 to 18%. That step-up is evidence of scale, mix and process leverage, but it is not proof that the margin floor is permanently 18%. The end markets—steel, sugar, cement, hydrocarbons, utilities, data centres and rail—buy capital equipment when their own investment programs allow it .

The business geography has also changed. CRISIL reports overseas markets at about 70% of FY2026 sales compared with 40–50% around five years earlier, and TDPS now supplies generators across more than 100 countries. International reach can diversify the timing of domestic orders and deepen OEM relationships; it also brings currency, local qualification, logistics and counterparty exposure. In FY2026, consolidated exports and overseas branch/subsidiary sales together were material, while domestic and deemed-export sales remained meaningful .

The operating cycle has not simply disappeared as scale improved. The fundamentals file shows debtor days rising from 95 in FY2015 to 182 in FY2019, easing to 100 in FY2021, then moving back to 146 in FY2026. Cash conversion cycle rose from 21 days in FY2015 to 189 days in FY2025 before easing to 173 in FY2026. That is a large capital commitment for an engineered-to-order manufacturer. Even during record reported growth, accounts receivable and inventory grew faster than cash earnings in FY2026 .

Management's FY2026 call described "the strongest financial and operational performance" as the result of higher order inflows and execution, and the annual report extends that optimism into a ₹2,400 crore-plus FY2027 revenue expectation. The two-sided reading is straightforward: order momentum and a larger global installed base support the next leg, while the long history says demand is cyclical and cash conversion can strain when deliveries ramp . The best historical evidence is therefore not the guidance alone; it is whether each new capacity addition yields customer-qualified shipments, stable margins and operating cash.

You should also account for the balance-sheet actions around the FY2027 ramp. The September 2026 results disclose a ₹75 crore preferential allotment to promoters and a ₹600

crore QIP, both following the 2026 stock split. These transactions expand the equity base and fund an ambitious capacity and product expansion period. Their consequence belongs in per-share analysis later; in this blind pass, the key business question is whether the cash is translated into productive assets and durable customer programs .

> **NARRATOR'S REFLECTION**
>
> The company has already survived one proof-of-concept cycle: it can move from low margins and losses to a larger, internationally qualified manufacturer. The open question is whether today's capacity and order book can produce cash at a pace that matches reported earnings.

CHAPTER II

Chapter 2

> ""*The Company is engaged in manufacturing AC Generators and Electric Motors for various applications.*""
>
> — TD POWER SYSTEMS FY2026 AUDITED FINANCIAL STATEMENTS

TDPS reports one operating segment under Ind AS 108: manufacturing AC generators and electric motors. That accounting choice means the company does not publish segment revenue, segment profit or invested capital for steam, gas, hydro, motors, rail and aftermarket separately. We can describe product lines and name their disclosed customer situations, but we cannot assign a precise revenue or profit share to each. That missing split is itself a diligence limitation: external readers cannot independently identify which product economics are carrying the consolidated margin .

The largest disclosed product bucket is AC generators. These machines convert mechanical rotation from a turbine, engine, hydro turbine or other prime mover into electricity at customer-specific output and operating conditions. The annual report disaggregates FY2026 standalone revenue from operations at ₹1,716.7 crore, with AC generator sales of ₹1,449.2 crore, or about 84.4% of that total. Generator spares and components contributed ₹197.2 crore, aftermarket spares in domestic and overseas branches added ₹33.8 crore, and services were ₹26.1 crore. The accounting notes also show sales of scrap and inter-branch eliminations, so categories do not perfectly map to product lines and should not be confused with profit segments .

Steam turbine generators serve industrial plants that have process steam or captive power needs. In FY2026, TDPS disclosed ongoing orders for 30–60 MW machines, including 45–60 MW, 11 kV generators supplied through leading turbine OEMs for Indian steel installations; a 1 × 60 MW, 11 kV order was identified as its largest four-pole order in that segment. An end-to-end example is an iron-and-steel project that needs dependable electricity from a steam turbine: the turbine OEM integrates a TDPS generator with its turbine and plant package, TDPS engineers winding, cooling, insulation, voltage and

mechanical interfaces against the project specification, manufactures and tests the machine at its plant, then ships to the project site for integration and commissioning. Price is contract-specific; no list price or realized margin is disclosed .

Gas-engine and gas-turbine generators are the strongest recent growth driver according to the FY2026 annual report, with demand linked to U.S. data centres, distributed power and industrial applications. Here the paying customer may be an engine or turbine OEM rather than the data-centre operator itself. A plausible disclosed-chain example is a U.S. data-centre power package: the engine maker qualifies TDPS as generator supplier; TDPS designs a synchronous generator to match the engine speed, voltage, frequency and redundancy architecture; the OEM packages and sells the system to an operator that needs dispatchable on-site power while grid connections are constrained. FY2026 materials cite significant volume and prototype orders from global OEMs, but with customer names generally withheld; therefore we cannot claim a named data-centre customer, exact unit count or unit price .

Hydro generators serve new small and mid-sized hydropower builds as well as refurbishment. The annual report cites 2 × 7.7 MW, 6.3 kV, 600 rpm horizontal hydro turbine generators for Vietnamese projects and package orders in India and Nepal. The customer chain runs from a hydro developer or EPC selecting a turbine package, to a turbine OEM matching the generator to water flow, head and rotor speed, to TDPS engineering and manufacturing the generator and completing factory acceptance testing, transport and site commissioning support. The economic price is negotiated per machine and package; disclosed reports provide order examples but not a product-line sales or profit split .

Motors are a developing adjacency: induction motors up to 20 MW, synchronous motors up to 50 MW and traction motors up to 1,250 kW are described in the FY2026 annual report. In an industrial example, a mine, water system or cement plant requires a high-power motor with specified torque, duty cycle and operating environment. TDPS engineers around the mechanical load and electrical supply, builds and tests the motor, and sells directly or through industrial/OEM relationships. In rail, TDPS supplies stators and rotors for traction motors under long-term arrangements; the locomotive or traction-equipment customer validates components against its platform and maintenance requirements. The company says

U.S. and European qualification work is ongoing; volume production follows approvals, so we should not count it as established revenue until it appears in shipments .

Aftermarket parts, refurbishment and services monetize the installed base. TDPS reported 6,297 generators installed through FY2024. Its FY2026 annual report later reported 8,055 generators and motors supplied worldwide, including 105 motors, and 68 service centres . A plant operator facing a worn bearing, damaged winding or performance issue can source compatible spares or refurbishment from TDPS; the company can identify the model and serial history, dispatch components, send a technician or coordinate a local service partner. This channel potentially has shorter selling cycles and better repeat economics than a new capital order, but the reported FY2026 service and aftermarket sales remain small relative to generator sales; the company does not disclose product gross margins .

Geographic information is more transparent than product mix. Consolidated FY2026 sales were ₹1,856.2 crore: domestic sales including deemed exports were ₹734.4 crore (39.6%); export sales were ₹968.6 crore (52.2%); and overseas branch/subsidiary sales, net of intercompany eliminations, were ₹153.3 crore (8.3%). CRISIL's group view puts overseas exposure at roughly 70% when direct exports and overseas entities are combined, a useful reminder that the legal-entity tables define the channels differently . Export breadth protects against a single-country capex pause, but it does not eliminate end-market or customer concentration. CRISIL says the top ten customers represent 60–70% of core generator-manufacturing sales .

> **NARRATOR'S REFLECTION**
>
> You can see a real portfolio expanding from one electrical-engineering core. But you cannot yet tell from public accounts whether the newer gas, hydro, motor and rail businesses earn the same returns as the established generator base. Treat those as option value until unit economics and revenue mix are disclosed.

CHAPTER III

Chapter 3

> *""79% of our total order inflow for the year is exports.""*
>
> — NIKHIL KUMAR, MANAGING DIRECTOR, FY2026 EARNINGS CALL

TDPS sells engineered equipment to other businesses. Its main path is direct technical selling and approval by turbine and engine OEMs, plant builders, factories and railway suppliers. A generator is one part of a larger power package. Before approval, TDPS must prove that it fits the turbine or engine, meets the buyer's quality rules, passes tests and can ship on time. The FY2026 call and CRISIL name Siemens, INNIO Jenbacher and Triveni Turbine among major customers .

The company serves overseas buyers through factories in India and Turkey and local customer teams. TDPS says it has three Indian sites: two in Bengaluru and one in Tumkur. It also has subsidiaries and branches in the United States, Europe, Japan and Turkey. The FY2026 annual report lists 68 service centres around the world. These teams help with product approval, service and delivery. Public filings do not show sales by office or service-centre use .

An order starts with the buyer's needs. The buyer sets the power output, voltage, speed, cooling and site limits. TDPS engineers turn those needs into a design and parts list. The factory winds coils, machines parts, assembles the unit and tests it. After factory acceptance, the generator ships to the project. The customer connects it to a turbine, engine or other prime mover, then commissions the system. This custom work can build customer loyalty. It also makes scheduling and inventory harder than for standard parts .

Pricing is set for each contract. The quote reflects size, design, metal costs, testing, delivery and warranty. TDPS records equipment sales when control of the goods transfers; it records service sales over time. At FY2026 year-end, standalone receivables were ₹708.7 crore and customer advances were ₹172.1 crore. Advances fund part of a project, but they do not cover all receivables and inventory. Debtor days were 146 and inventory days were 148 .

Use the audited standalone FY2026 accounts to follow ₹100 of revenue. Materials and inventory costs used ₹67.55. Employee costs used ₹8.57. Other expenses used ₹6.31. Depreciation was ₹1.29; finance cost was ₹0.11; other income added ₹1.17; and tax was ₹4.52. After a ₹3 crore impairment, profit after tax was about ₹12.78 per ₹100 of revenue. CFO was ₹114.80 crore, or ₹6.69 per ₹100. Capital spending was ₹110.25 crore, leaving about ₹4.55 of cash per ₹100 after investment .

Working capital is the main cash risk. Operating profit before working-capital changes was ₹318.10 crore. Receivables used ₹207.54 crore; inventory used ₹165.36 crore; other receivables used ₹5.55 crore. Higher trade payables added ₹154.24 crore and other payables or provisions added ₹82.27 crore. Cash from operations was ₹176.16 crore before tax. These numbers do not prove bad debts. They show the cash needed to deliver more projects while customers pay later. Watch whether collections catch up after shipment and whether new orders bring customer advances .

The Tumkur facility should be judged by output and returns. CRISIL says the roughly ₹140 crore plant opened in December 2025 and was funded with internal cash. TDPS plans ₹60–₹80 crore of annual capital spending for debottlenecking and automation. The company has not disclosed a public utilization rate or rated unit capacity. For now, track order inflow, backlog, shipments, margin and the extra cash tied up in working capital .

Distribution also shapes the economics of each order. The engineer and sales lead must close the specification before purchasing long-lead materials. A late design change can strand copper, electrical steel or cast parts. Export contracts add packing, freight, currency and warranty needs. Direct customer contact helps TDPS solve those issues, but it does not remove the customer’s ability to delay acceptance or payment. The company’s service staff can help commission a machine and maintain the installed base, yet disclosed spares and service revenue is still modest. For you and me, the lesson is to track working capital by project and customer terms as carefully as order value. The gross margin says what the machine earned. The cash-flow statement says when the customer paid.

NARRATOR'S REFLECTION

The product earns its margin when engineering fit and execution allow TDPS to be selected again. It earns its cash only when the customer accepts the shipment and pays. Keep those two clocks separate: order intake tells you about demand, but the cash-flow statement tells you whether growth is self-funding.

CHAPTER IV

Chapter 4

> ""*Since inception, we have supplied 8,055 generators and motors worldwide, including 105 motors.*""
>
> — CRISIL RATINGS, JUNE 2026 RATIONALE

The moat claim should be modest and specific. TDPS has design and manufacturing capabilities in AC generators across steam, hydro, gas and diesel applications, a long installed base, in-house testing and customer qualification relationships. Those features can create switching friction: an OEM does not casually replace a generator supplier after a platform has been validated, and a plant operator may prefer a known replacement machine or spare for a critical asset. The FY2026 annual report reports 8,055 generators and motors supplied by March 2026, including 105 motors; CRISIL separately reports 5,280 generators supplied by March 2022 and 111 countries. This growing reference base is meaningful evidence of market access and installed-base learning .

The limitation is that switching friction is not equivalent to exclusive control. Major engine and turbine OEMs can qualify more than one generator supplier, negotiate pricing, redesign platforms, or shift sourcing. CRISIL estimates that the top ten customers represent 60–70% of TDPS core generator-manufacturing revenue and explicitly flags concentration and end-market cyclicality. A customer relationship can be durable and still be a bargaining-power risk when the customer is larger .

Competition arrives from established multinational electrical-equipment makers, engine/turbine OEMs with in-house or preferred generator capabilities, and regional manufacturers competing on cost, lead time and local support. The company's export reach and ability to handle customized 1–50 MW AC generators are a credible position, but public disclosures do not provide market share by rating class, win rates, bid prices, customer-level concentration or relative delivery lead times. We therefore cannot verify that scale alone gives pricing power. The 17–18% operating margin over FY2025–FY2026 supports current

execution strength; raw-material pass-through and customer concentration remain critical tests .

A second moat-building mechanism is the installed base. The company reported 6,297 generators installed by FY2024; the FY2026 annual report counts 8,055 generators and motors supplied through FY2026, including 105 motors. Spares, service and refurbishment can become repeat business when machines remain in operation for years. Yet reported spares and aftermarket revenue were about ₹33.8 crore in FY2026 standalone versus ₹1,716.7 crore total sales. That is a modest visible stream, not yet evidence that annuity-like aftermarket economics dominate the P&L .

The growth opportunity is real but cycle-sensitive. Gas-engine and gas-turbine demand tied to U.S. data centres, distributed power and grid support is growing rapidly from a smaller base; hydro refurbishment, larger steam machines, railway components and motor qualifications broaden potential markets. If new customer programs repeat, TDPS can scale a specialized niche without building a utility-scale turbine business. If the current order surge is a one-time customer stocking cycle or if data-centre spending normalizes, new capacity and working capital could arrive ahead of sustainable demand .

Study the parallels below as mechanism tests rather than direct valuation comparables. The favorable example shows how technical qualification and installed-base service can extend a motor manufacturer into a global franchise. The cautionary example shows how the same broad power-equipment family can face earnings compression when project order flows, raw material costs, execution and payment terms turn at once. TDPS is smaller and has a different product/customer mix, so the relevant lesson is the mechanism, not the absolute outcome .

> **NARRATOR'S REFLECTION**
>
> A moat here is a working relationship embedded in an OEM platform or an installed plant. The evidence is the repeat order and successful service response. The skepticism is that customers are concentrated and can dual-source. Watch repeated selections, aftermarket growth and cash collection together; one alone does not establish durable bargaining power.

GLOBAL PARALLEL • BRAZIL, 1961–2025; ELECTRIC MOTORS INTO A BROAD INDUSTRIAL-ELECTRICAL PLATFORM • WEG S.A. (MOAT_SCALING)

WEG began with electric motors, then widened its portfolio into automation, transformers, generators and related products while building manufacturing and sales in multiple countries. This is a useful structural twin for turning electromechanical engineering, product adjacency and local customer access into a larger addressable market. WEG reported 2024 net revenue of R$38.0 billion, with manufacturing units in 15 countries and products sold in more than 135 countries; 57% of revenue came from external markets. The lesson for TDPS is that adjacency works when engineering reuse is paired with repeated customer qualification and local reach. TDPS is earlier and much smaller; its motor and rail qualifications still need to convert into recurring shipments and cash.

GLOBAL PARALLEL • INDIA, FY2013–FY2020 POWER-EQUIPMENT CYCLE • BHARAT HEAVY ELECTRICALS LIMITED (BHEL) (FAILURE_BASE_RATE)

A large installed base and an order backlog did not protect a capital-goods maker from a sharp capex downturn, delayed project execution and stretched working capital. In FY2013–FY2014 BHEL revenue fell from ₹47,618 crore to ₹38,389 crore and PAT from ₹6,615 crore to ₹3,461 crore; later CRISIL flagged elongated working capital tied to contract assets/payment terms and deteriorating margins in FY2020. Revenue down 19.4% and PAT down 47.7% from FY2013 to FY2014; For TDPS, an order book is a promise of work, not a guarantee of cash. Track order execution, margin, receivables, inventory, customer advances and CFO together; a niche supplier can still suffer when a few major OEM programs pause or customers delay payment.

CHAPTER V

Chapter 5

> *""“The strongest financial and operational performance in the Company’s history.”"*
>
> — TD POWER SYSTEMS FY2026 ANNUAL REPORT, MD&A

For an engineered equipment maker, the useful leading indicators sit upstream of reported revenue. First, order inflow and order-book coverage measure future demand; TDPS reported FY2026 order inflow of ₹2,238 crore, up 51%, and a ₹1,973 crore manufacturing order book at year end. Second, the export share shows where growth is coming from: 79% of FY2026 order inflow was direct or deemed export, and the September 2026 presentation reported 90% export share in H1 FY2027 inflows .

Third, shipment and execution pace must convert orders to sales without margin leakage. FY2026 consolidated revenue increased 45% to ₹1,856 crore while operating margin remained near 18%; the interim September 2026 results then showed standalone second-quarter revenue of ₹823 crore and PAT of ₹121 crore, both higher than the prior-year quarter. Because the latter are one-quarter unaudited figures, they support momentum but cannot establish normalized earnings or cash collection .

Fourth, backlog composition matters more than the headline. At September 2026 the company reported a ₹2,318.7 crore order book, of which export orders excluding railway were 74.2%, domestic 15.8%, domestic railways 5.9%, export railways 1.4%, Turkey 1.9%, and spares/aftermarket 0.7%. These weights imply that orders remain predominantly new capital equipment and exports; the installed-base service engine is still small in the disclosed backlog .

Fifth, operational capacity must be assessed with utilization, throughput, on-time delivery and first-pass quality. The third facility at Tumkur began operations in FY2026 and the company says it has three Indian production sites plus Turkey, robotics and in-house testing. Yet no rated production capacity or utilization percentage was located in the company’s filings. We should not manufacture a TAM-to-capacity ratio. We can only say that the facility

and annual capex program increase potential output, while the return depends on customer approvals, staffing, supplier readiness and utilization .

Sixth, working-capital KPIs are an early warning system. Debtor days reached 146 in FY2026, inventory days 148, and the cash conversion cycle 173 days in the supplied fundamentals. CFO rose to ₹129 crore on the consolidated snapshot, still below PAT of ₹239 crore, while the audited annual report records consolidated CFO of ₹129.1 crore and capital spending of about ₹110.7 crore. Receivables and inventory soaked cash as shipment volumes grew .

Management's delivery record contains both measurable success and open follow-through. On revenue guidance, the FY2025 call initially guided FY2026 revenue at ₹1,500 crore with significant upside; audited FY2026 consolidated revenue came in at ₹1,856 crore, above that initial guide. The FY2026 call then indicated FY2027 revenue above ₹2,400 crore, and the company's Q1 FY2027 presentation raised its target to ₹2,600 crore, with H1 FY2027 consolidated revenue at ₹1,482 crore. This is a favorable guidance-to-delivery trajectory, but there are still six months and execution/cash risks ahead .

The latest available quarterly call before this report cutoff was Q1 FY2027; the next call was scheduled for 13 November, after the 12 November research cutoff . The transcript lists Deepak Kumar Sinha as CEO but contains no attributable speaking turn from him, so a direct CEO quote is unavailable at cutoff . The customer-continuity statement came from Managing Director Nikhil Kumar: "We need to make sure that our business continuity with our customers is the number 1 priority." CFO M. N. Varalakshmi said, "working capital will continue to remain on the same line" as the business grows . These are management constraints, not proof of cash conversion: FY2026 debtor days were 146, the cash-conversion cycle was 173 days, and H1 FY2027 guidance still needs a second-half delivery test .

The management walk-the-talk score is mixed and time-bounded; because the transcript contains no speaking turn attributed to the CEO, the delivery audit below evaluates management guidance rather than personal CEO promises. The FY2026 revenue guide of ₹1,500 crore was exceeded by audited revenue of ₹1,856 crore. The FY2027 target then rose from ₹2,400 crore-plus to ₹2,600 crore; H1 revenue of ₹1,482 crore is 57% of that

target, leaving ₹1,118 crore for H2. That is feasible against the current run-rate but not delivered yet. In the same Q1 call, management expected ₹500 million of FY2028 debottlenecking capex and described ₹4,000 crore-plus FY2029–30 capacity as a plan; these later milestones remain unverified. The transcript quotes also expose a limit: management protects customer terms to preserve continuity, so faster collections cannot be assumed as the growth solution .

Capacity commitments are clearer than capacity outcomes. The company reports a roughly ₹140 crore facility commissioned in December 2025 and an expected ₹60–80 crore annual capex plan for debottlenecking, automation and large generators. No explicit utilization or output-volume target is provided, and the planned larger-generator capability (40–200 MW design and development) is a capability build rather than an already scaled sales line .

A real warning sits inside the subsidiaries. DF Power Systems carries historical project-related disputes and cancellations; FY2026 added another ₹3 crore impairment, bringing cumulative investment impairment to ₹20.4 crore. The group also paid for a 2026 QIP and promoter preferential allotment to finance expansion. These are not reasons to dismiss the business, but they make execution discipline, capital allocation and cash use part of the management audit .

> **NARRATOR'S REFLECTION**
>
> Management has demonstrated that it can grow faster than its earlier guide and has invested in capacity before the order base arrived. Now the proof must include utilization and cash: the next chapter is not whether customers are ordering, but whether the orders produce cash earnings after inventory, receivables and the new factory are funded.

CHAPTER VI

Chapter 6

> *""“Operating profit before working capital changes” was ₹347.5 crore in FY2026 consolidated accounts."*
>
> — TD POWER SYSTEMS FY2026 AUDITED CASH-FLOW STATEMENT

The long-run account is one of a severe early trough followed by a marked industrial recovery. The price-blind consolidated history shows revenue falling from ₹597 crore in FY2015 to ₹380 crore in FY2017, with losses in FY2016–FY2018. Revenue reached ₹797 crore in FY2022, ₹1,001 crore in FY2024, ₹1,279 crore in FY2025 and ₹1,856 crore in FY2026. PAT moved from a loss of ₹14 crore in FY2018 to ₹45 crore in FY2021, ₹118 crore in FY2024, ₹175 crore in FY2025 and ₹239 crore in FY2026. Growth and margin expansion are real; they began from a depressed base, so the 5-year growth rate should not be read as an eternal run rate .

The operating-margin bridge is more important than the headline revenue CAGR. Operating margins were around 2–3% in FY2015–FY2018, 7% in FY2019–FY2020, 12% in FY2021–FY2022, 15% in FY2023, 17% in FY2024 and 18% in FY2025–FY2026. That broad step-up fits higher scale, export mix, engineering leverage and utilization. It is also exposed to the inverse: input inflation, unfavorable product mix, commissioning delays and lower factory absorption. CRISIL notes the ability to pass through raw-material price increases as a strength, but actual timing and degree of pass-through are not quantified in public accounts .

The newest audited year confirms profitability but reveals cash-flow tension. Consolidated FY2026 sales were ₹1,856.2 crore and PAT ₹238.8 crore. Consolidated CFO was ₹129.1 crore, only about 54% of PAT, compared with CFO ₹39.5 crore and PAT ₹174.6 crore in FY2025. Investing outflow was ₹101.9 crore in FY2026, chiefly fixed assets, intangibles and leasehold land, leaving free cash flow roughly ₹27 crore before financing and other investing items. The Screener-derived cash-flow table gives FCF ₹19 crore on its definition; the two series differ by line-item treatment, so this chapter uses audited CFO and direct disclosed capex rather than pretending one FCF convention is universal .

Working capital explains the divergence. Consolidated FY2026 trade receivables increased by ₹287.9 crore, inventory by ₹126.5 crore and other receivables by ₹2.9 crore. Trade payables added ₹178.5 crore and other payables/provisions added ₹87.7 crore, but total working-capital changes still absorbed ₹151.1 crore before tax. Debtor days increased from 125 in FY2025 to 146 in FY2026 in the supplied fundamentals; cash conversion cycle was 189 days in FY2025 and 173 in FY2026. The improvement in CCC is welcome but does not erase the large absolute funding need .

Balance-sheet leverage is low in formal borrowings, but working capital is the economic funding requirement. The supplied balance-sheet snapshot shows borrowings of ₹12 crore at March 2025 and ₹18 crore at March 2026, dropping to zero at September 2026 after capital raises. CRISIL reported ₹199 crore cash/liquid investments at March 2026, nil term debt and a ₹1,062 crore tangible net worth for the group. The audited balance sheet also contains substantial current liabilities, trade payables, customer advances and lease liabilities, so “almost debt free” should not be mistaken for a business with no funding needs .

Capital expenditure accelerated as the company entered its next capacity phase. Consolidated cash payments in FY2026 were approximately ₹104.2 crore for property, plant, equipment and CWIP, ₹4.3 crore for intangibles and ₹2.1 crore for leasehold land. Gross fixed assets and capital work in progress expanded; the annual report attributes rising depreciation and amortization to new assets and capacity expansion. Maintenance and growth capex are not separated in enough detail to calculate an exact maintenance-capex floor .

Return ratios improved sharply: the fundamentals snapshot shows ROCE rising from 2% in FY2015 to 16% in FY2022, 25% in FY2024, 30% in FY2025 and 34% in FY2026; FY2026 ROE is 24.7%. These are attractive reported numbers, but they measure a business at a point of high margins and strong demand. The company does not publish an independently derived weighted-average cost of capital or product-line ROIC, so an exact spread over WACC cannot be asserted here. A disciplined reader should test whether ROCE stays high after expanded capital, working capital and QIP proceeds are fully deployed .

Share count has also changed. The company split ₹2 shares into ₹1 shares in August 2026; after the split, a promoter preferential issue of 12.5 lakh shares at ₹600 per share raised ₹75

crore, and an October 2026 QIP of 77.42 lakh shares at ₹775 raised about ₹600 crore. These shares increase the denominator and strengthen liquidity, while also diluting prior holders. The split is not economic dilution; the two equity issuances are. Any later per-share analysis must use the post-issue capital base .

Earnings quality therefore earns a conditional reading. Audited profitability is strong and the company has modest borrowings, but working-capital absorption, capital expenditure and subsidiary impairment reduce the fraction of accounting profit that arrives as discretionary cash. A sustainable path would show CFO/PAT improving over a multi-year cycle, CCC and debtor days stabilizing or falling, and incremental capex yielding more shipments without margins slipping. If the order boom continues while receivables and inventory keep outrunning sales, the business could still remain profitable but become less self-funding .

> **NARRATOR'S REFLECTION**
>
> Profit has improved dramatically, but FY2026 converts only a little over half of consolidated PAT into operating cash before expansion spending. The next proof point is not another record quarter; it is a multi-year reduction in the gap between earnings and collections while new capacity earns its cost of capital.

CHAPTER VII

Chapter 7

> *"“Price is what you pay; value is what you get.”"*
>
> — WARREN BUFFETT

As of the 12 November 2026 close, TD Power Systems traded at ₹625.90, with the TradingView snapshot showing a market capitalization of roughly ₹19,597 crore and trailing P/E of 71.1x; Screener’s same-session card showed 62.0x. The vendors are not perfectly aligned on the earnings denominator or capture time, so the report treats the range as a warning about valuation sensitivity rather than selecting the lower multiple. The company is valued as a high-growth industrial compounder even though its ten-year record includes losses, cyclicality and uneven free cash flow .

The latest audited year is FY2026: consolidated revenue was ₹1,856 crore, operating profit ₹335 crore and net profit ₹239 crore. The current TTM snapshot advances sales to ₹2,513 crore, operating profit to ₹474 crore and net profit to ₹339 crore, with TTM EPS ₹10.81. At the current close that is roughly 58 times snapshot TTM EPS, while TradingView reports 71 times. Both readings imply that current shareholders are paying many years in advance for a small industrial supplier whose cash conversion is weaker than its income statement .

The cash-flow cross-check is harsher than the earnings multiple. FY2026 CFO was approximately ₹129 crore and capital expenditure roughly ₹111 crore, leaving about ₹19 crore of free cash flow in the snapshot. That is not a normalized owner-earnings figure: Tumkur expansion and tooling can depress current cash generation, while growth working capital may later release. Yet a market value near ₹19,600 crore against one year of ₹19 crore FCF is not supported by current cash yield. Buyers must underwrite sustained high growth, maintained margins and better collections; otherwise reported earnings and order momentum will not become distributable cash .

A simple reverse-DCF lens uses the market capitalization as a conservative enterprise-value proxy because the business is nearly debt-free, while acknowledging that a full lease and cash reconciliation is not available in the public snapshot. At a normalized 40x earnings multiple,

the market value requires roughly ₹490 crore of annual earnings; at 50x, about ₹392 crore; and at 60x, about ₹327 crore. The last is close to the current TTM ₹339 crore, but it assumes investors will continue to accept a premium multiple after exceptional growth. At 40x, earnings would need to rise roughly 44% from the current TTM level to reach ₹490 crore. A more conventional 30x valuation would require about ₹653 crore, nearly double current TTM profit .

Those are not price targets. They expose what has to go right. To justify the present value at 40–50x earnings, TDPS needs the export-led order book to convert to revenue without sacrificing its 17–18% operating margin, the new facility to absorb more volume, and new capital not to cause material dilution without a corresponding increase in profit per share. The September 2026 order book of ₹2,318.7 crore and H1 revenue of ₹1,482 crore support near-term visibility, but backlog is not revenue, revenue is not cash, and orders can be delayed or rescheduled .

Peer comparison is difficult because no listed Indian company is a pure-play supplier of customized AC generators across the same OEM mix. Cummins India sells engines and generator sets at a larger scale; Bharat Heavy Electricals is a project-heavy power-equipment integrator; Bharat Bijlee overlaps in electric machines; ABB India and Siemens are diversified electrical and automation platforms. They are reference points for valuation and capital intensity, not interchangeable business models. The snapshot table therefore puts profitability, growth, size, valuation and technical stage in one place rather than presenting a single peer multiple as a fair value .

The base valuation framework assumes EPS grows from the snapshot's ₹10.81 TTM to about ₹16.40 over the next two years, then applies 50x earnings to produce ₹820 per share. This requires roughly 23% annual EPS growth and a premium industrial multiple; it is an optimistic base, not a conservative liquidation value. A bull case of ₹1,100 requires EPS near ₹20 at 55x as orders, new customer programs and margins compound. A bear value of ₹400 assumes earnings around ₹10 and a 40x multiple, reflecting a growth pause and multiple compression. The wide range is more decision-useful than a single-point DCF because cash flows are currently distorted by growth capex and working capital .

The forecast should be judged against three observable gates. First, quarterly order inflow must remain broad enough that one OEM or one data-centre cycle does not dominate. Second, operating margin must hold near the recent high teens even as export mix and larger generators rise. Third, cash conversion must improve: receivable days should stop rising, inventory should not outgrow production, and CFO should converge toward PAT over a rolling multi-year period. A missed revenue guide is less damaging than a pattern of revenue beating estimates while cash conversion deteriorates .

The practical conclusion is that the market already discounts meaningful future execution. The company may deserve a premium to capital-goods peers because it has engineering qualifications, global reach and a strong backlog. It does not yet deserve a blank cheque: its visible aftermarket stream is small, top-ten customer concentration is high, and the current cash yield is negligible. We use ₹820 as an illustrative two-year base value and insist on a pullback toward the ₹590–₹600 structural shelf before considering new capital. That entry would reduce the price risk and leave a base-case reward greater than the defined stop distance; it would not remove the business risks .

When you and I compare TDPS with peers, the first adjustment is for scale and mix. Cummins India manufactures engines and generator sets with a much broader service base; BHEL bids large, long-duration power projects where contract execution and receivables dominate; Bharat Bijlee sells motors and engineered electrical products; ABB and Siemens combine equipment, software and automation. Their multiples are not a clean answer to what TDPS is worth. They are useful bounds: the market should reward specialized engineering and exports, but it should also discount a small supplier whose order flow is concentrated in a few global platforms. The peer table is a compass, not a valuation model.

A second valuation trap is to extrapolate the most recent quarterly growth rate. H1 FY2027 revenue was ₹1,482 crore and the September quarter was strong, but one quarter can reflect customer delivery timing, order mix or milestone recognition. To earn a 50x multiple, TDPS must deliver growth across multiple years, not merely pull sales forward. We would want to see the next two reported quarters maintain order inflow while preserving margin and customer terms. If backlog falls because shipments are catching up, that is healthy only when

collections follow. You should read the income statement and cash-flow statement together, not let a large sales print close the question.

The valuation is also sensitive to dilution. The company raised capital through a QIP and promoter preferential allotment during its expansion phase. Equity issuance can be sensible when a company is funding a capacity bottleneck with attractive returns; it can also reduce each existing share's claim if capacity is slow to ramp. The useful measure is not simply total profit growth, but EPS and cash flow per share after new shares and capex. A future report should calculate that bridge from the audited share count, capital employed and realized utilization. Until then, the ₹820 base value carries execution risk that a low-debt balance sheet alone cannot remove.

A fair-value range should be updated when the capital structure changes. TDPS is nearly debt-free in the latest snapshot, which limits interest-rate risk, but it does not eliminate equity risk. New shares, leases on facilities, export receivables and customer advances all alter the claim on future cash. The next analyst should reconcile cash and lease liabilities from the audited filing, use diluted shares after the QIP, and calculate enterprise value consistently before refreshing the reverse DCF. The present analysis avoids false precision where the same-session data vendors show different trailing P/E readings and does not treat the quoted price as the exact value of the operating assets.

Valuation sensitivity is the main weakness in the entry case. The ₹820 base value uses analyst EPS of ₹16.40 and 50x earnings. Holding EPS constant and reducing the multiple to 40x gives ₹656 (₹16.40 × 40). At a ₹600 entry and ₹520 invalidation, that is ₹56 upside against ₹80 downside, or 0.70:1; at ₹585, it is ₹71 against ₹65, or 1.09:1. Both fail the 1.5:1 hurdle. Therefore the ₹585–₹600 zone is not independently attractive on the 40x stress: a fresh EPS bridge, lower entry, or evidence supporting a premium multiple is required before an order. The present verdict remains WAIT_FOR_SUPPORT and assigns no capital .

> **NARRATOR'S REFLECTION**
>
> A 70-times earnings multiple can be rational only if earnings grow, cash follows earnings and investors keep paying a premium. Ask which of those three assumptions has the strongest evidence today. The answer is order momentum; the weakest link is cash conversion.

CHAPTER VIII

Chapter 8

> *"A strong business can still be a poor entry."*
>
> — MARKET MAXIM

The technical record is mixed across timeframes. A separate TheWrap leaderboard feed records 82 weeks of Stage 2 membership, a 274.3% cumulative stage return and top-25 list inclusion. The current market_facts trend filter classifies the chart as Stage 3 (Topping/Pullback), while the separate stock_snapshot timing filter classifies it as Stage 4 with an AVOID_STAGE4_OR_BROKEN posture. These filters use different stage rules; the more restrictive no-entry rule controls. The historical leaderboard record is not a current entry signal. The recent drawdown reinforces that distinction: the close was down 14.5% over one week, 24.6% over one month and 15.5% over three months, while remaining up 61.9% over one year. This is a former leader undergoing a sharp correction, not a clean momentum entry .

At ₹625.90, the share closed below its daily 10-, 20- and 50-day averages of ₹653, ₹678 and ₹731, and below its weekly 30-week SMA of ₹663 and 10-week EMA of ₹688. It remained above the 200-day SMA near ₹590 and above the longer weekly 40-week EMA near ₹608. The structure says short-term supply has overwhelmed demand while the longer trend has not fully broken. Daily RSI at 41.4 and weekly RSI at 47.5 show weak to neutral momentum, not an oversold capitulation reading .

The first shelf is the ₹599–₹610 area, where the TradingView daily S1 pivot at ₹599.53 overlaps the 200-day average. That makes it a plausible demand zone to observe, not a guaranteed floor. A close below the shelf, followed by failure to reclaim it, would shift attention to the next support region around ₹485, close to the daily S2 pivot. The base plan uses ₹520 as invalidation, below the first shelf but above the deeper pivot, leaving room for ordinary volatility while recognizing that a decisive break would invalidate the support thesis .

The 4-hour chart does not yet confirm a turn. The 4-hour RSI is 43.1 compared with daily RSI 41.4, but the share price at ₹625.90 is below the 4-hour EMA20 near ₹646, and the engine flags no intraday 4-hour turn. A better setup would include a higher low above ₹599, a reclaim of the 4-hour EMA20, and then a move back over the daily 20-day average. These are confirmation conditions; the report does not infer a reversal from one positive day after a deep monthly decline .

Volume deserves caution. The session volume was about 2.16 times the 30-day average, but a high-volume day after a 24.6% one-month decline can represent selling as easily as accumulation. We do not label it institutional buying without a sustained sequence of higher-volume advances, rising relative strength versus the Nifty, and improving delivery evidence. The Stage 2 snapshot supports a longer-term leader classification; the failed market-wide scanner means we cannot compare that leadership against fresh sector breadth or distribution-day counts in this report .

The tactical judgment is therefore patient. The business quality gate is CYCLICAL_CONDITIONAL, not a price trigger. The broad stage remains constructive, but the stock's short-term structure is damaged: price sits below key short and intermediate averages, and the 4-hour recovery has not confirmed. A pullback and stabilization between ₹585 and ₹600, followed by a weekly close back above the shelf and the 20-day average, would improve the setup. A decisive weekly close below ₹520 would cancel the setup and send the investor back to fundamental review rather than averaging down .

The options overlay is deliberately simple. TDPOWERSYS is not in the NSE F&O segment and the snapshot found no liquid listed options chain, so there is no defensible call spread or LEAPS payoff to quote. The options status is NOT_OPTIONABLE_OR_ILLIQUID; any position is cash equity with full downside exposure. The user's Chrome session had no open TradingView chart, so the read used public TradingView data and the same-session stock snapshot. Do not read this options panel as a recommendation to trade a derivative .

For a new position, the proposed entry band is ₹585–₹600, with an alert-only invalidation at ₹520 and a two-year base value of ₹820. At the top of the entry band, base-case reward is ₹220 per share versus ₹80 of defined risk, or 2.75:1. The probability-weighted scenario value is lower than the base target but still above the entry band; the mechanical sizing table

below uses the portfolio's tier risk budget and applies no allocation until the entry and confirmation gates are met. At the current close, estimated upside to the base value is about 31%, but risk to the stop is about 17%, and timing remains unresolved. Patience is part of the edge .

Here is how I would use the chart in practice. First, mark the ₹599–₹610 shelf and the 200-day average around ₹590. Then wait for the stock to spend time there without repeated high-volume closes below support. A single intraday wick does not count as a hold. Next, look for a higher low and a close above the 4-hour EMA20; only after that would a reclaim of the daily 20-day average near ₹678 begin to repair the medium-term chart. Finally, compare relative strength with the Nifty and the electrical-equipment group. This sequence avoids turning the first bounce into proof of a new uptrend.

The volume ratio of 2.16x is an observation, not a buy signal. In a rising stock, repeated above-average volume on advances and lighter volume on pullbacks can support accumulation. In this case, the ratio arrives after a steep monthly decline, so it can equally reflect supply hitting bids. We do not have the market-wide delivery and sector-flow extraction because the dashboard scanner failed. The correct conclusion is narrow: activity was unusually high, but its direction cannot be inferred from volume alone. A future session series with delivery data and relative-strength improvement would raise confidence.

The No-FOMO table expresses sizing as a ceiling, not an instruction to spend that amount. The portfolio's tier risk budget translates the stop distance into a theoretical weight, but this dossier assigns no present allocation because both the timing gate and the support retest remain open. If price gaps through ₹520, the planned risk is not guaranteed: a stop may execute lower, and the investor could lose more than the modeled unit. Use limit discipline, accept missed trades, and size from the distance between entry and invalidation rather than from the number of shares you hope to own.

NARRATOR'S REFLECTION

A trend label describes the longer chart. An entry decision asks whether demand has returned at the price you can actually buy. Here the trend is still alive on the weekly scale, but the short chart has not repaired. Waiting for a higher low and a reclaim is a way to let buyers prove they are back.

CHAPTER IX

Chapter 9

> *"“All models are wrong, but some are useful.”"*
>
> — GEORGE E. P. BOX

The bull case begins with evidence, not a theme. TDPS delivered FY2026 consolidated revenue of ₹1,856 crore, net profit of ₹239 crore and order inflow of ₹2,238 crore, then entered FY2027 with a large export-oriented order book. H1 FY2027 revenue reached ₹1,482 crore and management raised its FY2027 target to ₹2,600 crore after earlier indicating more than ₹2,400 crore. If the new Tumkur facility and automation program allow more shipments without adding disproportionate overhead, earnings can compound faster than sales for several years .

The bull also points to engineering qualification and a product portfolio that can follow customer platforms across steam, gas and hydro applications, with motors and rail components opening adjacent markets. International engine and turbine OEMs provide access to customers that a small Indian supplier could not reach alone. More than 8,000 machines in service and a global footprint create potential for spares, repair and refurbishment. Order mix into gas power for data centres and grid reliability could extend demand beyond the traditional industrial capex cycle .

The skeptic agrees that order momentum is strong, then asks what the company must spend and finance to deliver it. The audited FY2026 CFO of about ₹129 crore was below PAT of ₹239 crore; debtor days reached 146, inventory days 148 and the cash conversion cycle 173 days. A high export mix increases logistics, foreign-exchange and customer-program exposure. The top ten customers represent an estimated 60–70% of core generator revenue, and the aftermarket contribution remains small relative to new equipment shipments. The new capacity and growth working capital could absorb cash for years if collection discipline does not improve .

The skeptic’s second argument is valuation. At the current market value, the company trades at a high multiple of both current earnings and free cash flow. The business may grow

rapidly and still underperform the market if the forward growth already embedded in its price is too high. Guidance has been beaten once, which is positive; the next test is whether the FY2027 target is achieved while maintaining margins and converting a greater share of profit into cash. A delivery miss can trigger multiple compression before the underlying business deteriorates .

Our probability-weighted cases are deliberately wide. The bear case carries 35% probability and values the share at ₹400, assuming normalized EPS around ₹10 and a 40x multiple after a pause in orders and a lower market rating. The base case carries 45% probability and values the share at ₹820, requiring EPS around ₹16.40 and a 50x multiple over roughly two years. The bull case carries 20% probability and values the share at ₹1,100, requiring about ₹20 EPS at 55x. The weighted value is approximately ₹730. It is an analyst scenario, not a forecast from management .

The near-term horizon is cautious. For short-term trading and momentum, the 24.6% monthly drawdown, price below the 20- and 50-day averages, and absent 4-hour turn mean there is no confirmed entry. The market_facts trend filter says Stage 3, the separate stock_snapshot timing filter says Stage 4 / AVOID_STAGE4_OR_BROKEN, and TheWrap leaderboard membership is a distinct historical record. The most restrictive current signal controls; none supports buying into falling momentum. The next two quarters should show whether the shelf near ₹599 can hold and whether the price can reclaim the shorter averages; if it cannot, the preferred action is to stay in cash .

The medium-term inflection case is more constructive but conditional. FY2027 guidance, export demand and the latest backlog imply high revenue visibility, while the new facility and larger-generator qualification can expand supply capability. The checkpoints are actual shipments, steady gross/operating margin, improving CFO-to-PAT conversion, and no further deterioration in receivable days. If those arrive, the market can sustain a premium. If sales grow but the working-capital cycle lengthens, the company will consume the capital it is trying to compound .

Long-term compounding is possible but not yet proven. Revenue has grown across the last five years and ROCE has risen to the mid-30s, but the sample includes recovery from pandemic-era disruption, low historical margins and inconsistent FCF. A true compounder

must show that new capacity earns returns above its cost of capital and that customer qualifications recur across cycles. The current verdict is not a rejection of the business; it is a requirement that the investor pay a price that leaves room for execution risk .

For new capital, the verdict is WAIT_FOR_SUPPORT. The proposed band is ₹585–₹600, below the ₹625.90 session close and aligned with the ₹599.53 pivot and roughly ₹590 200-day average. The base target of ₹820 sits above the entry band and produces more than the minimum 1.5:1 target-to-stop asymmetry against the ₹520 invalidation. The current Stage 4 timing posture rejects any entry today. The ₹585–₹600 band is a monitor zone only; an eventual purchase requires a Stage 1 base, a Stage 2 breakout and a fresh valuation check. If the share breaks below ₹520 on a confirmed weekly basis, abandon the setup and reassess; do not widen the stop to rescue the thesis .

The same-session positions ledger shows 470 TDPOWERSYS shares in Zerodha. At the ₹625.90 close, their market value was ₹294,173, cost was ₹299,162.95, the unrealized loss was ₹4,989.95 and portfolio weight was 6.87%. The action is HOLD_WITH_HARD_STOP: no sale now; sell all 470 shares only after a confirmed weekly close below ₹520. The loss is small and the position is not oversized, but the short-term chart is weak and the business verdict remains conditional. The ledger is assumed accurate despite a stale freshness-metadata warning; it was not independently reconciled to a broker.

The capital plan reviews the next marginal rupee rather than inventing proceeds from a sale. It allocates 100% to cash, 0% to the active India shortlist and 0% to outside candidates until an equity setup clears the same evidence, entry and asymmetry hurdles. The shortlist pool was compared as a group against this dossier and the current session snapshots; no alternative is funded by this company report. Cash is an active decision when market-wide breadth is unverified and TDPS itself is below short-term averages. A future allocation requires a fresh same-session review of the specific candidate and price .

The bear case would gain weight if export order inflow falls, the 18% margin resets lower, customer concentration rises, or CFO remains materially below PAT while capital expenditure stays high. The bull case would gain weight if capacity utilization is disclosed and improves, customer concentration declines, the service business becomes a larger repeat-revenue stream, and the cash conversion cycle shortens. These indicators have observable

future releases; they are better decision triggers than narratives about AI power demand alone .

Our synthesis is therefore balanced but actionable: the engine business has genuine technical competence, customer access and recent growth, but the evidence does not yet support paying today's price without a margin of safety. Treat the ₹585–₹600 shelf as a monitor zone; require a Stage 1 base, a Stage 2 breakout and a fresh valuation check before any purchase. Above ₹820, the base case is largely realized; below ₹520, the chart and support thesis have failed. The long-term investor should review cash conversion and reinvestment returns every quarter, because the eventual compounder verdict depends on cash, not merely orders .

What could disprove the bull case? The order book is a forward workload, not a contractually guaranteed margin stream. A major OEM can change its sourcing, delay a platform or renegotiate the price. Export concentration may increase the impact of a single customer schedule. If the company expands facilities before orders become repeatable, depreciation and working capital can rise faster than operating profit. Meanwhile, customer advances and supplier credit can change the cash cycle from quarter to quarter. The bear case does not need TDPS to fail; it only needs earnings growth to slow while the market's multiple falls from a premium level toward industrial peers.

The corresponding bull proof is equally concrete. Management should disclose capacity additions and utilization with enough consistency to measure capital productivity. Order inflow should diversify across engine makers, turbine programs, geographies and industrial uses. Service and spares should grow as the installed base ages, reducing dependence on new project shipments. Cash from operations should catch up with profit over a rolling cycle, with debtor days stabilizing or improving. If those facts emerge, we can raise the probability of durable compounding and revisit the valuation. If they do not, a large order book alone should not earn a higher conclusion.

You and I should also separate the company's time horizons. A short-term trader needs a repaired chart and a defined invalidation point; the current price is below key short averages and the 4-hour reversal is unconfirmed. A medium-term investor needs evidence that H1 momentum becomes a full-year result without a margin or cash penalty. A long-term owner

needs repeat platform qualifications and profitable reinvestment through a cycle. Those are different questions with different clocks. The answer can be 'promising business, wait on the stock, keep the long-term thesis under review' without contradiction.

The ₹585–₹600 monitor range is deliberately tied to an observable shelf, not an executable order or a forecast that the market must revisit it. A Stage 1 base and Stage 2 breakout plus an updated valuation check are required before any entry. If the price never comes back and instead forms a strong base above ₹680, the analyst should re-underwrite the entry from new data rather than chase. If it breaks the ₹599 shelf and closes weekly below ₹520, the setup is wrong and the probability distribution needs to move toward the bear case. A stop is a statement about invalidation, not a promise that losses will be exactly capped at that number under gaps or illiquid conditions.

The capital table's 100% cash allocation may feel unsatisfying beside a growing order book. It is still the coherent answer because this report did not find a funded alternative with a freshly validated support zone, and TDPS itself has not confirmed its short-term turn. The active shortlist remains a candidate pool, not an automatic mandate to buy its highest-ranked name. Likewise, an outside company does not become attractive merely because it is absent from the shortlist. Compare fresh evidence, entry conditions and opportunity cost when a real capital decision arrives. Until then, cash keeps the decision reversible.

The monitoring cadence is quarterly. At each result, update five measures: order inflow and order-book mix; revenue and operating margin; debtor and inventory days; CFO relative to PAT after capex; and diluted EPS relative to new capital. Add a sixth, if disclosed: utilization or output from Tumkur and the larger-generator program. Management commentary can explain a temporary swing, but it cannot substitute for the numbers indefinitely. After four quarters, a pattern of growing revenue with stagnant cash per share would weaken the thesis even if the market continues to reward the headline order book.

The current position is 470 shares in Zerodha, with a 6.87% portfolio weight and a HOLD_WITH_HARD_STOP action. The transaction ledger carries a stale freshness-metadata warning and was not independently reconciled to a broker, so verify the live share count before acting on the alert. Position size also depends on account concentration,

liquidity needs and correlated exposure to industrial capex, none of which is inferred from this single-company dossier.

Finally, confidence should be earned in layers. We have high confidence that TDPS makes real, specialized machinery and has recently grown quickly. We have moderate confidence that current order visibility can support the next several quarters, because conversion depends on customer schedules and export execution. We have lower confidence in normalized free cash flow and long-run pricing power because product-level margins, utilization and customer-specific economics are not disclosed. The decision reflects that confidence map: keep the business on the research list, wait for a better price and a chart repair, and require cash evidence before elevating it to a durable compounder.

Current holding decision: HOLD WITH HARD STOP. 470 shares across zerodha: 470 shares; market value ₹294,173.00; cost basis ₹299,162.95; retain all 470 shares now; 470 shares are subject to the listed conditional trigger(s); unrealized P&L ₹-4,989.95; portfolio weight 6.87%. No sale is recommended now. The ledger shows 470 shares, a 6.87% portfolio weight and a small unrealized loss. Hold while price respects the structural shelf; sell all 470 shares only after a confirmed weekly close below ₹520. This protects the position if the technical thesis fails while allowing the conditional long-term business case time to prove itself. Alert plan: Daily close retests the ₹599–₹610 structural shelf and stabilizes — Review the chart and current results; no sale is triggered.; Confirmed weekly close below the invalidation area — Sell all 470 shares under the hard-stop plan; this is an alert, not a broker order.; FY2027 audited results and cash-flow statement are published — Recheck guidance delivery, margin, debtor days, CFO/PAT and capacity utilization. Capital redeployment: 0.00% to SHORTLIST (SHORTLIST): No active-shortlist name is funded from this marginal cash unit in this dossier.; Reassess shortlist candidates only with a fresh same-session snapshot and confirmed support setup.; 0.00% to OUTSIDE (OUTSIDE): No outside candidate is funded.; Fund only after a separate evidence-backed review identifies a candidate with current entry asymmetry.; 100.00% to CASH (CASH): Retain the entire next marginal unit in cash.; Reallocate only when an equity candidate clears current evidence, technical and risk/reward gates.

Options and Call-Convexity Playbook (NOT OPTIONABLE OR ILLIQUID): TDPOWERSYS has no liquid listed options chain (not in NSE F&O segment) — express any thesis strictly via cash equity.

> **NARRATOR'S REFLECTION**
>
> You and I can like the business and still decline the current quote. The discipline is to write down what must happen next: keep the margin, ship the backlog, collect the cash and hold the ₹599 shelf. If the evidence changes, we change our view; we do not move the goalposts.

Notes, Filings & Primary Sources

1. TD Power Systems Ltd., Annual Report FY2025–26, filed 17 July 2026. https://nsearchives.nseindia.com/annual_reports/AR_29858_TDPOWERSYS_2025_2026_A_10443034_17072026172833.pdf
2. TD Power Systems Ltd., FY2027 Q2/H1 financial results, filed 12 November 2026. https://nsearchives.nseindia.com/corporate/TDPOWERSYS_12112026171437_1Results_-_for_DSC.pdf
3. TD Power Systems Ltd., FY2027 Q2/H1 investor presentation, 12 November 2026. https://nsearchives.nseindia.com/corporate/TDPOWERSYS_12112026180519_Investor_Presentation_-_sg.pdf
4. TD Power Systems Ltd., FY2026 Q4 earnings-call transcript, call 15 May 2026; filed 19 May 2026. https://nsearchives.nseindia.com/corporate/TDPOWERSYS_19052026162407_Disclosure_Reg30_Earning_Call_Transcript.pdf
5. TD Power Systems Ltd., FY2025 Q4 earnings-call transcript, call 13 May 2025; filed 19 May 2025. https://bsmedia.business-standard.com/_media/bs/data/announcements/bse/19052025/13b4cd71-f669-4c82-a8e1-e1ad82f2abfc.pdf
6. TD Power Systems Ltd., FY2027 Q1 financial results, official TDPS investor-relations download. https://www.tdps.co.in/_files/ugd/6c2f9d_aa988993de9e45debd051cf9a0844201.pdf
7. TD Power Systems Ltd., FY2027 Q1 investor presentation, August 2026. https://www.tdps.co.in/_files/ugd/6c2f9d_504b8b6c44ea4c4c9055740a01ae30b2.pdf
8. TD Power Systems Ltd., FY2024 investor presentation, 23 May 2024. https://nsearchives.nseindia.com/corporate/TDPOWERSYS_23052024200633_Investor_Presentation_2024.pdf
9. CRISIL Ratings, TD Power Systems Ltd. rating rationale, 22 June 2026. https://www.crisil.com/mnt/winshare/Ratings/RatingList/RatingDocs/TDPowerSystemsLimited_June%2022_%202026_RR_392766.html
10. TD Power Systems Ltd., Annual Report FY2024–25, NSE filing. https://nsearchives.nseindia.com/corporate/TDPOWERSYS_11072025164601_Final_for_Uplaod-Sg.pdf
11. TD Power Systems Ltd., Annual Report FY2023–24, NSE filing. https://nsearchives.nseindia.com/annual_reports/AR_24564_TDPOWERSYS_2023_2024_1807202416659.pdf
12. TD Power Systems Ltd., Annual Report FY2022–23, official TDPS archive. https://www.tdps.co.in/_files/ugd/83abf4_501fc62b9bac44688c3e000d29b2a5f5.pdf
13. TD Power Systems Ltd., Annual Report FY2021–22, official TDPS archive. https://www.tdps.co.in/_files/ugd/83abf4_5215842a7e0a43cd93965991cfe8bb75.pdf
14. TD Power Systems Ltd., Annual Report FY2020–21, official TDPS archive. https://www.tdps.co.in/_files/ugd/83abf4_b0133e24205f4f9d9632c09909e89d72.pdf
15. TD Power Systems Ltd., Annual Report FY2019–20, official TDPS archive. https://www.tdps.co.in/_files/ugd/83abf4_5d7424679ac9491893e648069e2c6e51.pdf
16. TD Power Systems Ltd., Annual Report FY2018–19, official TDPS archive. https://www.tdps.co.in/_files/ugd/83abf4_2666aa5be5f6437e87e3b18adae9ed9b.pdf
17. TD Power Systems Ltd., Annual Report FY2017–18, official TDPS archive. https://www.tdps.co.in/_files/ugd/83abf4_97561ebf141e4c619e336edb37a6f586.pdf
18. TD Power Systems Ltd., Annual Report FY2016–17, official TDPS archive. https://www.tdps.co.in/_files/ugd/83abf4_24adeed6c96d4787b1150b9b15c3fb9a.pdf
19. TD Power Systems Ltd., Annual Report FY2015–16, official TDPS archive. https://www.tdps.co.in/_files/ugd/83abf4_e8988051b7114de0b97aeee33b18cd56.pdf

20. TD Power Systems Ltd., Annual Report FY2014–15, official TDPS archive. https://www.tdps.co.in/_files/ugd/83abf4_473a4ce9bf0245c7a9926252678cb56a.pdf
21. TD Power Systems Ltd., FY2026 Q1 financial results, official TDPS investor-relations download. https://www.tdps.co.in/_files/ugd/6c2f9d_50715ed34cf14b428be3b74eb3270ae3.pdf
22. TD Power Systems Ltd., FY2026 Q2 financial results, official TDPS investor-relations download. https://www.tdps.co.in/_files/ugd/6c2f9d_b77fc6ac8cd54bca975484ec453ec8df.pdf
23. TD Power Systems Ltd., FY2026 Q3 financial results, official TDPS investor-relations download. https://www.tdps.co.in/_files/ugd/6c2f9d_e7381745b3c642c28a9ed9b6f631269e.pdf
24. TD Power Systems Ltd., FY2026 Q4 financial results, official TDPS investor-relations download. https://www.tdps.co.in/_files/ugd/6c2f9d_0d83f226996f4cfcb75b4207136c0004.pdf
25. TD Power Systems Ltd., FY2025 Q1 financial results, official TDPS investor-relations download. https://www.tdps.co.in/_files/ugd/4c3185_5266e1be20414883b3f62617f89239dd.pdf
26. TD Power Systems Ltd., FY2025 Q2 financial results, official TDPS investor-relations download. https://www.tdps.co.in/_files/ugd/6c2f9d_8c7e2be91c8c4eaebf21ec7406f6db67.pdf
27. TD Power Systems Ltd., FY2025 Q3 financial results, official TDPS investor-relations download. https://www.tdps.co.in/_files/ugd/6c2f9d_95cf194eb02748bdbcbd74b7b80c51ed.pdf
28. TD Power Systems Ltd., FY2025 Q4 financial results, official TDPS investor-relations download. https://www.tdps.co.in/_files/ugd/6c2f9d_c271b0d896894755b53044c90532a681.pdf
29. TD Power Systems Ltd., FY2024 Q1 financial results, official TDPS investor-relations download. https://www.tdps.co.in/_files/ugd/83abf4_87a5ac6df5b7458cb6e78e4380c772a9.pdf
30. TD Power Systems Ltd., FY2024 Q2 financial results, official TDPS investor-relations download. https://www.tdps.co.in/_files/ugd/83abf4_50a55966577f4505baf7f08c95a43fb7.pdf
31. TD Power Systems Ltd., FY2024 Q3 financial results, official TDPS investor-relations download. https://www.tdps.co.in/_files/ugd/83abf4_41addbc01b1646549359deb38e940c90.pdf
32. TD Power Systems Ltd., FY2024 Q4 financial results, official TDPS investor-relations download. https://www.tdps.co.in/_files/ugd/83abf4_7962aafe113a4f55893bc69847aa1f0a.pdf
33. WEG S.A., 2024 Integrated Annual Report release, 29 April 2025. https://www.weg.net/institutional/BE/en/news/corporate/weg-releases-integrated-annual-report-reinforcing-its-commitment-to-sustainability
34. Bharat Heavy Electricals Ltd., Annual Report FY2013–14. https://www.bhel.com/sites/default/files/BHEL%20Annual%20Report%202013-14%20%28English%29%20.pdf
35. CRISIL Ratings, Bharat Heavy Electricals Ltd. rationale, 24 July 2020. https://www.crisil.com/mnt/winshare/Ratings/RatingList/RatingDocs/Bharat_Heavy_Electricals_Limited_July_24_2020_RR.html
36. Perivis, TD Power Systems Q2 FY2027 results summary, 12 November 2026 (secondary cross-check of reported values). https://blog.perivis.com/2026/11/12/td-power-systems-q2-fy27-results-and-board-meeting-highlights/
37. TheWrap India Stage 2 data tools (market-wide scanner source). https://thewrap.in/data-tools/stage2
38. TD Power Systems Limited, Q1 FY2027 earnings-call transcript, 12 August 2026 (filed 18 August 2026). https://www.bseindia.com/xml-data/corpfiling/AttachLive/a93b0ca0-28ed-460d-bf0f-eab665db635c.pdf
39. TD Power Systems Limited, Q2 and H1 FY2027 earnings-call notice (call scheduled for 13 November 2026). https://nsearchives.nseindia.com/corporate/TDPOWERSYS_04112026120235_Intimation_Earning_call_-_sg.pdf

• • •

This Masterclass Companion Book was authored for private study, audiobook narration, and disciplined portfolio execution.

Verified against the IN Research Ledger • Session Cutoff 2026-11-12