Document type

Document title

Client's full name

Subject (optional) - Additional title line

Client reference

24 June 2026 | Document Version 0.01

FirstName LastName

Contents

1. Executive Summary 4
1.1. Purpose 4
1.2. Key Stakeholders 4

2. Project Overview 5
2.1. Problem Statement 5
2.2. Solution Overview 5

3. Objectives & Goals 6
3.1. Success Criteria 6

4. Scope & Constraints 7

5. Functional Requirements 8

6. Non-Functional Requirements 9

7. Use Cases & User Stories 10

8. System Architecture 11
8.1. Integration Points 11

9. Technology Stack 12

10. Data Model Overview 13

11. Project Timeline 14

12. Success Metrics 15

13. Risk Management 16

14. Team Structure 17

15. Deliverables 18

16. Appendices 19
16.1. Appendix A: Glossary 19
16.2. Appendix B: Approval Sign-off 19

© 2026 NTT DATA Business Solutions

List of abbreviations

Abbreviation	Meaning

Document history

Issue	Date	Comments	Pages Affected
1.00	18th June 2026	Original	All
2.00			

© 2026 NTT DATA Business Solutions

1. Executive Summary

The SAP AMS (Application Management Services) Transition Application is a comprehensive platform designed to manage the handoff of SAP support responsibilities from an implementation partner to an ongoing support partner during the post-go-live phase. The application centralizes knowledge transfer, incident management, SLA tracking, transition readiness, and team onboarding to reduce operational risk and protect business continuity.
This four-month intern project will deliver a full-stack web application that acts as a single source of truth during a critical AMS transition. It supports structured knowledge capture, measurable support-team readiness, transparent incident ownership transfer, and operational dashboards aligned with transition best practices such as phased planning, knowledge transfer, secondary support, primary support, stabilization, and steady-state readiness.

1.1. Purpose

- Streamline the handoff of SAP operational support.
- Ensure business continuity during vendor transition.
- Document institutional knowledge, configurations, workarounds, and support procedures.
- Accelerate onboarding and certification for the incoming support team.

1.2. Key Stakeholders

- SAP System Owner / IT Leadership
- Incumbent Support Vendor
- New Support Vendor
- Business Process Owners across Finance, HR, Supply Chain, Logistics, and related functions
- End Users / Support Requesters

© 2026 NTT DATA Business Solutions

2. Project Overview

2.1. Problem Statement

During an SAP support vendor transition, critical knowledge about configurations, customizations, workarounds, operational procedures, and escalation contacts can be lost if not systematically captured and transferred. This creates a risk of higher incident resolution times, SLA breaches, repeated mistakes, key-person dependency, and poor business-user experience.

2.2. Solution Overview

- Incident and issue tracking with ownership transfer.
- Searchable knowledge base with runbooks and troubleshooting guides.
- Transition readiness checklists across pre-cutover, go-live, and stabilization phases.
- Support-team onboarding, assessment, and certification tracking.
- Key contact registry with escalation paths and on-call details.
- SLA tracking, alerts, and performance dashboards.

© 2026 NTT DATA Business Solutions

3. Objectives & Goals

Objective	Description	Target Outcome
Minimize Service Disruption	Ensure stable SAP support during and after cutover.	Zero critical incidents during cutover and less than 2% SLA breach rate in the first 30 days.
Accelerate Knowledge Transfer	Capture configurations, workarounds, operational procedures, and recurring issue resolutions.	100% of critical knowledge documented before transition date.
Ensure New Team Readiness	Validate incoming team readiness through onboarding, quizzes, and troubleshooting scenarios.	100% onboarding completion with 80%+ assessment score.
Establish Operational Continuity	Maintain service performance consistent with pre-transition SLAs.	Average incident resolution time at or below 4 hours in the first month.

3.1. Success Criteria

- Application deployed and tested one week before go-live.
- Knowledge base contains more than 500 documented issues and solutions.
- New support team achieves 80%+ certification score.
- Average incident resolution time is 4 hours or less in the first month.
- User satisfaction survey shows 4.0+/5.0 rating for support quality.

© 2026 NTT DATA Business Solutions

4. Scope & Constraints

In Scope	Out of Scope	Key Constraints
Web application for incident tracking and knowledge management; SAP OData integration; Role-based access control; Knowledge base search; Transition checklist; SLA dashboard; Excel exports; SAML/SSO authentication.	SAP system changes; Configuration optimization; Advanced predictive analytics; Native mobile app; Training content creation; Actual incident resolution delivery.	16-week timeline; Fixed go-live date; Limited SAP admin access; Compliance with security policies; Varying user technical proficiency.

© 2026 NTT DATA Business Solutions

5. Functional Requirements

ID	Requirement Area	Key Capabilities
FR-1	Incident Management	Create, read, update, and delete incidents; track status; assign ownership; categorize by SAP module; record MTTR; sync critical incidents to SAP; attach evidence.
FR-2	Knowledge Base	Full-text search; rich text editing; version control; module and severity categorization; tags; related articles; approval workflow from draft to published.
FR-3	Transition Checklist	Pre-cutover, go-live, and stabilization tasks; dependent task sequencing; owner assignment; completion tracking; sign-off documentation.
FR-4	Support Team Onboarding	Training assignments; quizzes; certification tracking; access provisioning requests; shadow-shift assignments; readiness reporting.
FR-5	Key Contact Registry	Business process owner mapping; escalation path; on-call rotation; contact history by incident and module.
FR-6	SLA Tracking & Dashboards	SLA definitions; FRT tracking; MTTR calculation; breach alerts; open incident dashboard; queue depth; aging; trend reports; vendor comparison metrics.
FR-7	Access Control & Authentication	SAML/SSO integration; role-based access; audit logging; encryption at rest; HTTPS communications.

© 2026 NTT DATA Business Solutions

6. Non-Functional Requirements

Requirement	Target
Performance	Page load under 2 seconds; search under 500ms; support 500+ concurrent users.
Availability	99.5% uptime, excluding maintenance windows.
Security	HTTPS, SAML, AES-256 encryption, quarterly penetration testing.
Scalability	Horizontal scaling through load balancer and database auto-scaling.
Usability	Mobile-responsive design, keyboard navigation, WCAG AA compliance.
Data Retention	Seven-year retention per company policy; audit logs retained indefinitely.
Support	24/7 support during transition week; 8 AM to 6 PM PST, Monday to Friday, post-transition.

© 2026 NTT DATA Business Solutions

7. Use Cases & User Stories

Use Case	User Stories
UC-1: Support Analyst Resolves Incident	Search the knowledge base by keyword; update incident status; create a knowledge article for new issues; escalate if SLA risk arises.
UC-2: Manager Monitors Team Performance	View real-time incident queue and SLA status; generate weekly performance reports; identify coaching needs and operational bottlenecks.
UC-3: Project Lead Tracks Transition Progress	View checklist progress; identify blockers; assign owners and deadlines; capture readiness sign-offs.
UC-4: Business Process Owner Provides Context	Receive support contact for critical issues; view process-impacting incident status; provide feedback on support-team understanding.

© 2026 NTT DATA Business Solutions

8. System Architecture

The AMS Transition Application will follow a modern three-tier architecture covering presentation, application, and data layers. The architecture supports modular development, secure authentication, scalable deployment, SAP integration, and operational monitoring.

Layer	Description	Key Components
Presentation Tier	Frontend web application for all user roles.	React.js, Material-UI, responsive design, client-side caching, WCAG AA accessibility.
Application Tier	RESTful API backend handling business logic and orchestration.	Node.js/Express.js or Python/FastAPI, microservices, API gateway, SAP OData middleware.
Data Tier	Relational and search data layer for application records and knowledge content.	PostgreSQL, Elasticsearch, Redis, scheduled backups, disaster recovery plan.

8.1. Integration Points

- SAP OData APIs for reading incident data and creating new incidents.
- Corporate SAML identity provider for authentication and role mapping.
- Email service for notifications and escalation alerts.
- Audit logging service for compliance and security monitoring.

© 2026 NTT DATA Business Solutions

9. Technology Stack

Category	Technology	Rationale
Frontend	React.js 18+	Component-based and intern-friendly.
UI Framework	Material-UI	Professional look and accessible components.
Backend	Node.js + Express	JavaScript full-stack and fast iteration.
Database	PostgreSQL 14+	Reliable and enterprise-grade relational database.
Search	Elasticsearch 8+	Fast full-text search for knowledge articles.
Cache	Redis 7+	Session and cache layer.
Container	Docker	Consistency across environments.
Orchestration	Kubernetes or Cloud Foundry	Scalable deployment and operations.
Testing	Jest, React Testing Library, Postman	Unit, integration, and API testing.
CI/CD	GitHub Actions or Jenkins	Automated testing and deployment.
Monitoring	Prometheus, Grafana, DataDog	Performance, availability, and error tracking.

© 2026 NTT DATA Business Solutions

10. Data Model Overview

Entity	Key Fields	Relationships
Users	user_id, email, name, role, department, is_active	Manages incidents and belongs to teams.
Incidents	incident_id, title, description, status, severity, module, created_by, assigned_to, created_at, resolved_at	Created by and assigned to users; linked to knowledge articles.
KnowledgeArticles	article_id, title, content, module, tags, status, created_by, approved_by, created_at, updated_at	Created by users; linked to incidents; organized by tags.
TransitionTasks	task_id, title, description, phase, status, due_date, assigned_to, dependencies	Assigned to users and linked to dependent tasks.
KeyContacts	contact_id, user_id, role, module, priority	References users and maps contacts to modules.
SLAMetrics	metric_id, incident_id, first_response_time, resolution_time, sla_met, recorded_at	References incidents and supports SLA reporting.

© 2026 NTT DATA Business Solutions

11. Project Timeline

Phase	Duration	Key Deliverables
Phase 1: Foundation	Weeks 1-4	Project setup, architecture, database schema, authentication system, API scaffolding.
Phase 2: Core Features	Weeks 5-10	Incident management, knowledge base, checklists, onboarding module, dashboards.
Phase 3: Advanced	Weeks 11-14	SLA tracking, reporting, SAP integration testing, workflow automation.
Phase 4: Validation	Weeks 15-16	Testing, UAT, performance tuning, documentation, go-live preparation.

© 2026 NTT DATA Business Solutions

12. Success Metrics

Metric Category	Measures
Business Metrics	SLA compliance 98%+; less than 2% breach rate in first 30 days; average MTTR at or below 4 hours; FRT at or below 30 minutes; support quality rating 4.0+/5.0; 500+ knowledge articles; 100% staff certified.
Technical Metrics	Page load under 2 seconds; search under 500ms; 99.5% uptime; more than 80% test coverage; zero critical vulnerabilities; 500+ concurrent users without degradation.
Project Metrics	Production readiness one week before go-live; delivery within approved intern FTE allocation; complete system and deployment documentation.

© 2026 NTT DATA Business Solutions

13. Risk Management

Risk	Probability	Impact	Mitigation
SAP API delays	Medium	High	Engage SAP teams early and use mock APIs for development.
Scope creep	High	High	Implement change control and prioritize minimum viable transition features.
Knowledge loss	Medium	High	Start knowledge base population early and enforce review sign-offs.
New team unreadiness	Low	Critical	Use structured onboarding, assessments, and shadow-support feedback.
Data loss	Low	Critical	Implement hourly backups and a tested disaster recovery plan.

© 2026 NTT DATA Business Solutions

14. Team Structure

Team	Roles
Intern Team (4 FTE)	Two Full-Stack Developers; one Database/DevOps Engineer; one UI/UX Designer + QA.
Supporting Team	Project Manager, Technical Lead, SAP Subject Matter Expert, IT Security Officer, Knowledge Manager.

© 2026 NTT DATA Business Solutions

15. Deliverables

Category	Deliverables
Software Deliverables	Production-ready web application; tested API endpoints; database schema with migrations; Docker images; Kubernetes manifests; CI/CD pipeline.
Documentation	System architecture document; API documentation; database schema documentation; deployment and operations guide; user guides; security and compliance report.
Training & Transition	Support team training sessions; initial knowledge base with 500+ articles; 30-day post-go-live support plan; handoff documentation for support vendors.

© 2026 NTT DATA Business Solutions

16. Appendices

16.1. Appendix A: Glossary

- **AMS:** Application Management Services
- **FRT:** First Response Time
- **MTTR:** Mean Time to Resolution
- **SLA:** Service Level Agreement
- **UAT:** User Acceptance Testing
- **OData:** Open Data Protocol for SAP integration

16.2. Appendix B: Approval Sign-off

Approver	Signature	Date
Project Sponsor		
SAP System Owner		
Technical Lead		
IT Security		

© 2026 NTT DATA Business Solutions