


Phase-6
Full stack java developer
Capstone project
Project :-Food Box
(Application Screenshots)

Version History


Author	Rajashree Muduli
Purpose	Screenshots of the Application
Date	01/02/2022
version	1.0

Git hub:-


Login to github by providing the email address and password




Click on sign in option to open the page



Click on new repository to create new repository



Give the repository name and select create repository



Steps to Push the code to Git Hub Repository

- Open your command prompt and navigate to the folder where you have created your files.

cd <folder path>

- Initialize repository using the following command

git init

- Add all the files to your git repository using the following command


git add .

- Commit the changes using the following command


git commit . -m<commit message>

- Push the files to the folder you initially created using the following command

git push -u origin master



Code pushes to the git hub




The screenshot shows a GitHub repository page for 'swathikanduri7 / foodboxCapstoneProject'. The repository is public and contains 1 branch and 0 tags. The commit history shows the following files:

File	Commit Message	Time Ago
main	first commit	55c8f78 2 days ago
OnlineFoodOrderingSystemAngular	first commit	2 days ago
foodboxBackendSpringboot	first commit	2 days ago
.gitignore	first commit	2 days ago
Readme.md	first commit	2 days ago
Readme.md.bak	first commit	2 days ago
docker-compose.yml	first commit	2 days ago
docker-compose.yml.bak	first commit	2 days ago
minikube.txt	first commit	2 days ago

On the right side of the page, there is an 'About' section with the message 'No description, website, or topics provided.' It also shows statistics: 0 stars, 1 watching, and 0 forks. Below that is a 'Releases' section indicating 'No releases published' and a link to 'Create a new release'. At the bottom right, there is a 'Packages' section.

Jenkins Job

Jenkins installation in Ec2 instance:



```
Installed size: 90 M
Is this ok [y/d/N]: y
Downloading packages:
Running transaction check
Running transaction test
Transaction test succeeded
Running transaction
  Installing : jenkins-2.335-1.1.noarch
  Verifying   : jenkins-2.335-1.1.noarch
                                                               1/1
                                                               1/1

Installed:
  jenkins.noarch 0:2.335-1.1

Complete!
[root@ip-172-31-87-81 ~]# sudo service jenkins start
sudo service jenkins start
Starting jenkins (via systemctl): [ OK ]
[root@ip-172-31-87-81 ~]# y
-bash: y: command not found
[root@ip-172-31-87-81 ~]# sudo cat /var/lib/jenkins/secrets/initialAdminPassword
2f8d5b6fd99241eda03bd2d78330fdc3
[root@ip-172-31-87-81 ~]# 2f8d5b6fd99241eda03bd2d78330fdc3
```

i-02f348a4a55432d96

Public IPs: 3.95.194.190 Private IPs: 172.31.87.81

Access Jenkins from public IP:

Welcome to Jenkins!

This page is where your Jenkins jobs will be displayed. To get started, you can set up distributed builds or start building a software project.

Start building your software project

Create a job →

Set up a distributed build

Set up an agent →

Configure a cloud →

No builds in the queue.

Build Executor Status

3.95.194.190:8080/computer/new

swathicapstone.pem SpringBoot-main.zip

Type here to search 00:04 23°C ENG 19-02-2022 25

Install Docker on EC2 Instance:

```
Downloading packages:
(1/5): pigz-2.3.4-1.amzn2.0.1.x86_64.rpm | 81 kB 00:00:00
(2/5): libcgroup-0.41-21.amzn2.x86_64.rpm | 66 kB 00:00:00
(3/5): containerd-1.4.6-7.amzn2.x86_64.rpm | 24 MB 00:00:00
(4/5): docker-20.10.7-5.amzn2.x86_64.rpm | 42 MB 00:00:01
(5/5): runc-1.0.0-2.amzn2.x86_64.rpm | 3.3 MB 00:00:00
Total 62 MB/s | 69 MB 00:00:01
Running transaction check
Running transaction test
Transaction test succeeded
Running transaction
  Installing : runc-1.0.0-2.amzn2.x86_64 1/5
  Installing : containerd-1.4.6-7.amzn2.x86_64 2/5
  Installing : libcgroup-0.41-21.amzn2.x86_64 3/5
  Installing : pigz-2.3.4-1.amzn2.0.1.x86_64 4/5
  Installing : docker-20.10.7-5.amzn2.x86_64 5/5
  Verifying : containerd-1.4.6-7.amzn2.x86_64 1/5
  Verifying : docker-20.10.7-5.amzn2.x86_64 2/5
  Verifying : runc-1.0.0-2.amzn2.x86_64 3/5
  Verifying : pigz-2.3.4-1.amzn2.0.1.x86_64 4/5
  Verifying : libcgroup-0.41-21.amzn2.x86_64 5/5
```

i-02f348a4a55432d96

Public IPs: 3.95.194.190 Private IPs: 172.31.87.81

swathicapstone.pem SpringBoot-main.zip

Type here to search 00:09 23°C ENG 19-02-2022 25

```
OS/Arch: linux/amd64
Context: default
Experimental: true

Server:
Engine:
Version: 20.10.7
API version: 1.41 (minimum version 1.12)
Go version: go1.15.14
Git commit: b0f5bc3
Built: Wed Nov 17 03:06:14 2021
OS/Arch: linux/amd64
Experimental: false
containerd:
Version: 1.4.6
GitCommit: d71fcfd7d8303cbf684402823e425e9dd2e99285d
runc:
Version: 1.0.0
GitCommit: 84113eef6fc27af1b01b3181f31bbaf708715301
docker-init:
Version: 0.19.0
GitCommit: de40ad0
[root@ip-172-31-87-81 ~]#
```

i-02f348a4a55432d96

Public IPs: 3.95.194.190 Private IPs: 172.31.87.81



```
Last login: Fri Feb 18 17:46:02 2022 from ec2-18-206-107-26.compute-1.amazonaws.com
[ec2-user@ip-172-31-87-81 ~]$ curl -L https://github.com/docker/compose/releases/latest/download/docker-compose-$(uname -s)-$(uname -m) -o /usr/local/bin/docker-compose
[ec2-user@ip-172-31-87-81 ~]$ chmod +x /usr/local/bin/docker-compose
[ec2-user@ip-172-31-87-81 ~]$ docker-compose version
Docker Compose version v2.2.3
[ec2-user@ip-172-31-87-81 ~]$
```

i-02f348a4a55432d96

Public IPs: 3.95.194.190 Private IPs: 172.31.87.81




Configure Jenkins Job for Capstone Project


step1:- New item

give the name of the job

select free project



config git url:-



config scm

The screenshot shows the Jenkins configuration interface for the 'CapstoneProject' job. The 'General' tab is selected. Key settings include:

- Project url:** https://github.com/swathikanduri7/foodboxCapstoneProject.git
- Advanced...** button for build options.
- Source Code Management:** Git is selected, with a repository URL of https://github.com/swathikanduri7/foodboxCapstoneProject.git.
- Save** and **Apply** buttons at the bottom.

The browser tabs at the top show various Jenkins logs and error messages related to the build process.

config build trigger rule, branch name

The screenshot shows the Jenkins configuration interface for the 'CapstoneProject' job. The 'Source Code Management' tab is selected. Key settings include:

- Add Repository** button.
- Branches to build:** Branch Specifier (blank for 'any') set to */main.
- Repository browser:** (Auto).
- Additional Behaviours:** Add ▾ button.
- Build Triggers:** Trigger builds remotely (e.g., from scripts) and Build after other projects are built are checked.
- Save** and **Apply** buttons at the bottom.

The browser tabs at the top show various Jenkins logs and error messages related to the build process.

Build Triggers

localhost:5050/job/CapstoneProject/configure

General Source Code Management Build Triggers Build Environment Build Post-build Actions

Build Triggers

- Trigger builds remotely (e.g., from scripts)
- Build after other projects are built
- Build periodically
- GitHub hook trigger for GITScm polling
- Poll SCM

Schedule

```
*****
```

Do you really mean "every minute" when you say "***"? Perhaps you meant "H * * * *" to poll once per hour**
Would last have run at Wednesday, 16 February, 2022 11:02:50 PM IST; would next run at Wednesday, 16 February, 2022 11:02:50 PM IST.

Ignore post-commit hooks

Build Environment

Delete workspace before build starts

Save **Apply**

This screenshot shows the Jenkins configuration interface for a project named 'CapstoneProject'. The 'Build Triggers' tab is active. It lists several trigger options, with 'Poll SCM' checked. A warning message below the schedule field states: 'Do you really mean "every minute" when you say "*****"? Perhaps you meant "H * * * *" to poll once per hour'. The 'Build Environment' section is also visible, containing a checkbox for 'Delete workspace before build starts'. At the bottom, there are 'Save' and 'Apply' buttons. The Windows taskbar at the bottom indicates it's 23:05 on 16-02-2022.

configure docker build and push and click on save to update the details

localhost:5050/job/CapstoneProject/configure

General Source Code Management Build Triggers Build Environment Build Post-build Actions

Build Environment

- Delete workspace before build starts
- Use secret text(s) or file(s)
- Abort the build if it's stuck
- Add timestamps to the Console Output
- Inspect build log for published Gradle build scans
- With Ant

Build

Docker Build and Publish

Repository Name

Tag

Docker Host URI

Save **Apply**

This screenshot shows the Jenkins configuration interface for a project named 'CapstoneProject'. The 'Build Environment' tab is active. Under 'Build', there is a 'Docker Build and Publish' section. It includes fields for 'Repository Name' (set to 'swathikothapeta/capstone_project_1234') and 'Tag' (set to 'Capstone'). Below these are fields for 'Docker Host URI' and 'Save' and 'Apply' buttons. The Windows taskbar at the bottom indicates it's 23:05 on 16-02-2022.


The screenshot shows the Jenkins configuration interface for the 'CapstoneProject' job. The 'Build' tab is selected. Under 'Docker registry URL', there is a text input field. Below it, 'Registry credentials' are set to 'swathikothpeta/******** (dockethub)'. There is an 'Advanced...' button and an 'Add build step' dropdown. The 'Post-build Actions' section contains a 'Save' button and an 'Apply' button.



The screenshot shows the Jenkins configuration interface for the 'testdockerjob' job. The 'Build' tab is selected. A 'Execute Windows batch command' step is defined with the following command:

```
echo "running docker"
echo "====="
docker login -u swathikothapeta -p Hanu@5018
echo " =====Started build images and push in local repository====="
docker-compose up
echo " =====end build images and push in local repository====="
echo " =====Started push images in local repository to central====="
docker tag backendfoodbox:capstone swathikothapeta/capstone_project_1234:backendfoodbox
docker push swathikothapeta/capstone_project_1234:backendfoodbox
echo " =====end push images in local repository to central=====
```

Below the command, there is a note about environment variables and 'Save' and 'Apply' buttons.



[Trigger jenkins job, using build now](#)

Project CapstoneProject
Deploy Capstone Project (Spring boot and Angular)

Workspace

Recent Changes

Permalinks

- Last build (#6 swathikothapeta/capstone_project_1234:Capstone swathikothapeta/capstone_project_1234:latest), 32 sec ago
- Last stable build (#2), 1 day 0 hr ago
- Last successful build (#2), 1 day 0 hr ago
- Last failed build (#6 swathikothapeta/capstone_project_1234:Capstone swathikothapeta/capstone_project_1234:latest), 32 sec ago
- Last unsuccessful build (#6 swathikothapeta/capstone_project_1234:Capstone swathikothapeta/capstone_project_1234:latest), 32 sec ago
- Last completed build (#6 swathikothapeta/capstone_project_1234:Capstone swathikothapeta/capstone_project_1234:latest), 32 sec ago

```
> git --version # timeout=10
> git --version 'git version 2.32.0'
> git fetch --tags --force --progress -- https://github.com/swathikanduri7/foodboxCapstoneProject.git/
+refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse refs/remotes/origin/main^{commit} # timeout=10
Checking out Revision 9b612520e143dbdd37e17b2f068ec15094d4c697 (refs/remotes/origin/main)
> git config core.sparsecheckout # timeout=10
> git checkout -f 9b612520e143dbdd37e17b2f068ec15094d4c697 # timeout=10
Commit message: "docker-compose changes"
> git rev-list --no-walk 9b612520e143dbdd37e17b2f068ec15094d4c697 # timeout=10
[CapstoneProject] $ /bin/sh -xe /tmp/jenkins9014344035808894020.sh
+ echo 'running docker'
running docker
+ echo =====
=====
+ docker login -u swathikothapeta -p Hanu@5018
WARNING! Using --password via the CLI is insecure. Use --password-stdin.
WARNING! Your password will be stored unencrypted in /var/lib/jenkins/.docker/config.json.
Configure a credential helper to remove this warning. See
https://docs.docker.com/engine/reference/commandline/login/#credentials-store

Login Succeeded
+ echo ' =====Started build images and push in local repository====='
=====Started build images and push in local repository=====
+ docker-compose up
app-server Pulling
app-client Pulling
```

```

Hibernate ORM core version 5.4.32.Final
[33mapp-server_1 |@0m 2022-02-18 14:50:55.683 INFO 48 --- [main] o.hibernate.annotations.common.Version : HCANN000001:
Hibernate Commons Annotations {5.1.2.Final}
[33mapp-server_1 |@0m 2022-02-18 14:50:55.800 INFO 48 --- [main] com.zaxxer.hikari.HikariDataSource : HikariPool-1
- Starting...
[33mapp-server_1 |@0m 2022-02-18 14:51:02.219 INFO 48 --- [main] com.zaxxer.hikari.HikariDataSource : HikariPool-1
- Start completed.
[33mapp-server_1 |@0m 2022-02-18 14:51:02.271 INFO 48 --- [main] org.hibernate.dialect.Dialect : HHH000400:
Using dialect: org.hibernate.dialect.MySQLInnoDBDialect
[33mapp-server_1 |@0m 2022-02-18 14:51:28.731 INFO 48 --- [main] o.h.e.t.j.p.i.JtaPlatformInitiator : HHH000490:
Using JtaPlatform implementation: [org.hibernate.engine.transaction.jta.platform.internal.NoJtaPlatform]
[33mapp-server_1 |@0m 2022-02-18 14:51:28.779 INFO 48 --- [main] j.LocalContainerEntityManagerFactoryBean : Initialized
JPA EntityManagerFactory for persistence unit 'default'
[33mapp-server_1 |@0m 2022-02-18 14:51:30.148 INFO 48 --- [main] o.s.s.web.DefaultSecurityFilterChain : Will secure
any request with [org.springframework.security.web.context.request.async.WebAsyncManagerIntegrationFilter@3e98b933,
org.springframework.security.web.context.SecurityContextPersistenceFilter@46702c26,
org.springframework.security.web.header.HeaderWriterFilter@2f59d02c, org.springframework.web.filter.CorsFilter@22d9d4f,
org.springframework.security.web.authentication.logout.LogoutFilter@4ecd8ab1,
com.example.polls.security.JwtAuthenticationFilter@0f4f89e,
org.springframework.security.web.savedrequest.RequestCacheAwareFilter@e3ed455,
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@21b744ec,
org.springframework.security.web.authentication.UsernamePasswordAuthenticationFilter@4269aad7,
org.springframework.security.web.session.SessionManagementFilter@74707df8,
org.springframework.security.web.access.ExceptionTranslationFilter@5d27b4c1,
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@afa8beb]
[33mapp-server_1 |@0m 2022-02-18 14:51:31.744 INFO 48 --- [main] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat
started on port(s): 3000 (http) with context path ''
[33mapp-server_1 |@0m 2022-02-18 14:51:31.757 INFO 48 --- [main] com.example.polls.PollsApplication : Started
PollsApplication in 38.641 seconds (JVM running for 39.17)

```

swathicapstone.pem SpringBoot-main.zip Show all

When executing local:

```
D:\swathi\foodBoxCapstoneproject>docker tag backendfoodbox:capstone
swathikothapeta/capstone_project_1234:backendfoodbox
```

```
D:\swathi\foodBoxCapstoneproject>docker image ls
```

REPOSITORY	TAG	IMAGE ID	CREATED	SIZE
backendfoodbox/backend	latest	d53856e9114c	2 hours ago	765MB
backendfoodbox	capstone	d53856e9114c	2 hours ago	765MB
backendfoodbox	latest	d53856e9114c	2 hours ago	765MB
swathikothapeta/capstone_project_1234	backendfoodbox	d53856e9114c	2 hours ago	765MB
swathikothapeta/capstone_project_1234	latest	d53856e9114c	2 hours ago	765MB
testdockerjob_app-client	latest	dd44391db884	2 hours ago	123MB
testdockerjob_app-server	latest	e99d9ee45b0c	2 hours ago	721MB
angularfoodbox	capstone	0095d904f9da	6 hours ago	123MB
angularfoodbox	latest	0095d904f9da	6 hours ago	123MB

swathikothapeta		angularfoodbox	0095d904f9da	6 hours ago	123MB
mysql	5.7		0712d5dc1b14	3 weeks ago	448MB

```
D:\swathi\foodBoxCapstoneproject>docker push  
swathikothapeta/capstone_project_1234:backendfoodbox
```

The push refers to repository [docker.io/swathikothapeta/capstone_project_1234]

033773ffed73: Layer already exists

9325d0a6d404: Layer already exists

7cd63f3a6298: Layer already exists

b1ffb0afe857: Layer already exists

82b8b9ba0d1c: Layer already exists

48745260b181: Layer already exists

ab19b46e9384: Layer already exists

080ef0ba5cc0: Layer already exists

d08e6b97bf21: Layer already exists

3054497613e6: Layer already exists

d35dc7f4c79e: Layer already exists

dabfe5b2ea81: Layer already exists

5e6a409f30b6: Layer already exists

backendfoodbox: digest:

sha256:823405ec323fe9468ce80e00d92f98b833103f67a92dac211a0ca6caf851e7db size: 3052

```
D:\swathi\foodBoxCapstoneproject>docker tag angularfoodbox:capstone  
swathikothapeta/capstone_project_1234:angularfoodbox
```

```
D:\swathi\foodBoxCapstoneproject>docker push  
swathikothapeta/capstone_project_1234:angularfoodbox
```

The push refers to repository [docker.io/swathikothapeta/capstone_project_1234]

e732cbac0f08: Pushed

b165562e5fc3: Pushed


fbe0fc9bcf95: Pushed

f1b5933fe4b5: Pushed

angularfoodbox: digest:

sha256:9eedf5b174ef90bad30736ee43f30a03f558bf95522fb467f3462c1fdbd492e4f size: 1158

Local Repository:



Remote Repository:

The screenshot shows a browser window displaying the Docker Hub repository page for 'swathikothapeta/capstone_project_1234'. The URL in the address bar is https://hub.docker.com/repository/docker/swathikothapeta/capstone_project_1234. The page header includes tabs for Docker Hub, Gmail - Google Search, and a '+' button. A banner at the top right says 'View preview'.

Tags and Scans

This repository contains 3 tag(s).

TAG	OS	PULLED	PUSHED
angularfoodbox	---	---	14 minutes ago
backendfoodbox	---	---	29 minutes ago
latest	---	---	an hour ago

[See all](#)

VULNERABILITY SCANNING - DISABLED [Enable](#)

Docker commands

To push a new tag to this repository.

```
docker push  
swathikothapeta/capstone_project_1234:tagname
```

Automated Builds


Manually pushing images to Hub? Connect your account to GitHub or Bitbucket to automatically build and tag new images whenever your code is updated, so you can focus your time on creating.

Available with Pro, Team and Business subscriptions.

[Upgrade to Pro](#) [Learn more](#)

At the bottom of the screen, there is a taskbar with a search bar containing 'Type here to search', a file icon, and several pinned application icons. The system tray shows the date and time as 18-02-2022 23:11, along with battery and network status.

Admin Login




After Logon admin home will display orders list:-

A screenshot of the Admin Home page. The title bar says "localhost:4200/admin". The top navigation menu includes links for "HOME", "VIEW USERS", "VIEW RECIPE", "ADD RECIPE", "VIEW FEEDBACK", and "LOG OUT". The main content area features a large image of a pepperoni pizza being sliced. Below the image is a section titled "Orders" with a table. The table has columns for "#", "Order Id", "Recipes", "Bill Amount", and "Delete". There are four rows of data:

#	Order Id	Recipes	Bill Amount	Delete
1	61ae354d47b1ae2d1c63818a	...	234	...
2	61ae354d47b1ae2d1c63818a	...	468	...
3	61b0c0f40a28e825bcc4fdad	...	700	...
4	61b0c0f40a28e825bcc4fdad	-	300	...

3

Admin Home:



The screenshot shows a web browser window for the "Online Food Order System(Kitchen)". The URL is "localhost:4200/admin". The page has a navigation bar with links: HOME, VIEW USERS, VIEW RECIPE, ADD RECIPE, VIEW FEEDBACK, and LOG OUT. Below the navigation bar is a large image of a pepperoni pizza being sliced with a pizza cutter. The word "Orders" is centered below the image. A table titled "Orders" displays two entries:

#	Order Id	Recipes	Bill Amount	Delete
1	61ae154d47b1ae3d1c6318a	2	214	
2	61ae354d47b1ae2d1c63218e	2	468	



View users:-

localhost:4200/admin/viewuser

#	Name	E-mail	Block	Unblock	Delete
1	Bhavish	bhavish@gmail.com			
2	raju	raju@gmail.com			

4

Add Recipe



5

view recipe

localhost:4200/admin/viewrecipe

Index	Item Image	Dish Name	Update	Delete
1		Biryani		
2		Idli wada		
3		veg pizza		
4		Dosa		

Online Food Order System(Kitchen) +

localhost:4200/admin/viewrecipe

5		Fried Rice		
6		Burger		
7		Lemon Rice		
8		Suji Upma		

6

[View Feed back](#)




Index	User's Name	Feedback	Delete
1	K Swathi	very nice and tasty food	
2	K Swathi	very tasty food	

User Flows:

1) Web home page



2) View famous food items



8



Dosa



Suji Upma




Idli/Vada

Check for offers

Online Food Order System (Kuch)

FAMOUS FOOD ITEMS OFFERS REGISTER LOGIN

The website features a grid of food images on the left and a large, bold "FOOD ORDER ONLINE" text on the right. Below it, a slogan reads "it's time to order favourite food items". The navigation bar includes links for Famous Food Items, Offers, Register, and Login. The URL in the address bar is "localhost:4200/fo".



Sandwich



Veggie Pizza



Burger

Special Offers



WEDNESDAY




SATURDAY




SUNDAY

User Registration (click on register)




10

Provide User details for Registration




Validating user form:




11

After Successful Registration it will redirect to login page



User Login:-




User home-

The screenshot shows a web browser window for the 'Food Box' application. The title 'Food Box' is displayed prominently at the top center. Below it is a navigation bar with links: HOME, MYPROFILE, OFFERS, FEEDBACK, and LOGOUT. A shopping cart icon is also present. A search bar with the placeholder 'Search for the items' and a smaller input field for 'enter dish name' are located below the navigation. Four food items are displayed in a grid: 'Dosha' (small), 'idli' (medium), 'Upma' (small), and 'Tomoto Bath' (medium). Each item has a small image and its name and size below it. The browser's address bar shows 'localhost:4200/userhome'. The taskbar at the bottom includes the Windows logo, a search bar, and various pinned icons.


Search for the items:

This screenshot shows the same 'Food Box' application interface as the previous one, but with a search result. The search bar now contains the word 'idli'. Only the 'idli' item from the previous grid is visible, featuring an image of idlis with chutneys and text indicating it is a medium-sized dish. The rest of the interface remains the same, including the navigation bar, other food items, and the system status at the bottom.


Buy Now:




Go to Cart to check out:




Click on check out for payment:




Provide the details (debit/credit card)




payment successful:-



Placed order successfully Confirmation display:




Click on my profile



Name	raju
Email	raju@gmail.com
Phone no	9000909090
Edit profile	Change password

click on edit profile



Name	raju
Email	raju@gmail.com
Phone no	9000909090
Edit profile	Change password

Edit profile

The screenshot shows a web browser window for the "Online Food Order System (Kitchen)". The URL is "localhost:4200/editprofile". The top navigation bar includes links for "HOME", "MYPROFILE", "OFFERS", "FEEDBACK", and "LOGOUT". The main content area displays a form for editing a profile. The form contains three fields: "Name" (raju), "Email" (raju@gmail.com), and "Phone no" (9090909090). Below the form is a blue "change" button.

Name	raju
Email	raju@gmail.com
Phone no	9090909090

[change](#)

To change password

The screenshot shows a web browser window for the "Online Food Order System (Kitchen)". The URL is "localhost:4200/change-password". The background features a blurred image of a pizza. The main content is a "Change Password" form. It includes four input fields: "Email", "Enter old password", "Enter new password", and "Re-enter new password". At the bottom are two green buttons: "ChangePasswod" and "Reset". Below the buttons are links for "Login" and "Go back".

Change Password

Email


Enter old password

Enter new password


Re-enter new password


[ChangePasswod](#) [Reset](#)

Login [Go back](#)




Forgot password:-






To provide Feedback:-



Contact and feedback form:-



After adding feedback it will redirect to user home pabe

Logout:-

The screenshot shows a web browser window with the title "Food box" displayed prominently at the top center. Below the title, there is a navigation bar with links for "HOME", "MYPROFILE", "OFFERS", "FEEDBACK", and "LOGOUT". The "LOGOUT" link is underlined, indicating it has been selected. To the right of the navigation bar is a shopping cart icon. Below the navigation bar, there is a search bar with the placeholder text "Search for the items" and a smaller input field next to it labeled "enter dish name".

Below the search bar, there are four food items displayed in a row:

-  Dosha
small
-  idli
medium
-  Upma
small
-  Tomato Bath
medium

At the bottom of the screen, the Windows taskbar is visible, showing the start button, a search bar with the text "Type here to search", and various pinned icons for apps like File Explorer, Edge, and Google Chrome. On the far right of the taskbar, there are system status icons for battery level, temperature (22°C), language (ENG), date (15-02-2022), and notifications.