

1. True or False: When you run SQL queries in the pgAdmin Query Tool, you can always edit the results.

1 / 1 point

- ☐ True
- ☒ False

✓ **Correct**

You can edit the results if they are editable. Otherwise, the results are read only.

2. When loading data into a PostgreSQL table, what is the default delimiter for data files?

1 / 1 point

- ☐ Quotation marks
- ☐ Tab
- ☒ Comma
- ☐ Hyphens

✓ **Correct**

CSV files are the default option for data files, so comma is the delimiter.

3. Where do you create views in a PostgreSQL database?

1 / 1 point

- ☐ In a query
- ☒ In a schema
- ☐ In a table
- ☐ In two or more tables

✓ **Correct**

Views are created in a schema.

4. When you first connect to a PostgreSQL database server, which database do you connect to?

1 / 1 point

- ☐ The template1 database.
- ☐ No database. You must create a new database before you can connect one.
- ☒ The default database.
- ☐ The template0 database.



Correct

Every PostgreSQL database server has a default database to which you connect when it first starts. From here, you can either edit the default database or create new ones.

5. Which PostgreSQL commands can you use to load a new database with data from a backup? Select two answers

1 / 1 point

- ☒ Load the dump file using the psql command.



Correct

The psql command is one way to load a new database with data from a backup.

- ☐ Load the dump file using the pgAdmin Import/Export data command.
- ☐ Load the dump file using the CREATE DATABASE command.
- ☒ Load the dump file using the pgAdmin Restore command.



Correct

The pgAdmin Restore command is one way to load a new database with data from a backup.

