The Double Split Pattern

Sometimes we split a line one way, and then grab one of the pieces of the line and split that piece again

```
From stephen.marquard@uct.ac.za Sat Jan  5 09:14:16 2008
```

```
words = line.split()
email = words[1]
pieces = email.split('@')
print(pieces[1])
```

```
stephen.marquard@uct.ac.za
['stephen.marquard', 'uct.ac.za']
'uct.ac.za'
```

The Regex Version

```
From stephen.marquard@uct.ac.za Sat Jan  5 09:14:16 2008
```

```python
import re
lin = 'From stephen.marquard@uct.ac.za Sat Jan  5 09:14:16 2008'
y = re.findall('@([^ ]*)',lin)
print(y)
```

```
['uct.ac.za']
```



```
'@([^ ]*)'
```

Look through the string until you find an at sign

The Regex Version

```
From stephen.marquard@uct.ac.za Sat Jan  5 09:14:16 2008
```

```
import re
lin = 'From stephen.marquard@uct.ac.za Sat Jan  5 09:14:16 2008'
y = re.findall('@([^ ]*)',lin)
print(y)
```

```
['uct.ac.za']
```



`'@([^ ]*)'`

Match non-blank character

Match many of them

The Regex Version

```
From stephen.marquard@uct.ac.za Sat Jan  5 09:14:16 2008
```

```
import re
lin = 'From stephen.marquard@uct.ac.za Sat Jan  5 09:14:16 2008'
y = re.findall('@([^ ]*)',lin)
print(y)
```

```
['uct.ac.za']
```



```
'@([^ ]*)'
```

Extract the non-blank characters

Even Cooler Regex Version

```
From stephen.marquard@uct.ac.za Sat Jan  5 09:14:16 2008
```

```
import re
lin = 'From stephen.marquard@uct.ac.za Sat Jan  5 09:14:16 2008'
y = re.findall('^From .*@([^ ]*)',lin)
print(y)
```

```
['uct.ac.za']
```



```
'^From .*@([^ ]*)'
```

Starting at the beginning of the line, look for the string 'From '

Even Cooler Regex Version

```
From stephen.marquard@uct.ac.za Sat Jan  5 09:14:16 2008
```

```
import re
lin = 'From stephen.marquard@uct.ac.za Sat Jan  5 09:14:16 2008'
y = re.findall('^From .*@([^ ]*)',lin)
print(y)
```

```
['uct.ac.za']
```



```
'^From .*@([^ ]*)'
```

Skip a bunch of characters, looking for an at sign

Even Cooler Regex Version

```
From stephen.marquard@uct.ac.za Sat Jan  5 09:14:16 2008
```

```
import re
lin = 'From stephen.marquard@uct.ac.za Sat Jan  5 09:14:16 2008'
y = re.findall('^From .*@([^ ]*)',lin)
print(y)
```

```
['uct.ac.za']
```



'^From .*@([^]*)'

Start extracting

Even Cooler Regex Version

`From stephen.marquard@uct.ac.za Sat Jan  5 09:14:16 2008`

```
import re
lin = 'From stephen.marquard@uct.ac.za Sat Jan  5 09:14:16 2008'
y = re.findall('^From .*@([^ ]*)',lin)
print(y)
```

```
['uct.ac.za']
```



`'^From .*@([^ ]+)'`

Match non-blank character

Match many of them

Even Cooler Regex Version

```
From stephen.marquard@uct.ac.za Sat Jan  5 09:14:16 2008
```

```
import re
lin = 'From stephen.marquard@uct.ac.za Sat Jan  5 09:14:16 2008'
y = re.findall('^From .*@([^ ]*)',lin)
print(y)
```

```
['uct.ac.za']
```

```
'^From .*@([^ ]+)'
```

Stop extracting

Spam Confidence

```
import re
hand = open('mbox-short.txt')
numlist = list()
for line in hand:
    line = line.rstrip()
    stuff = re.findall('^X-DSPAM-Confidence: ([0-9.]+)', line)
    if len(stuff) != 1 :  continue
    num = float(stuff[0])
    numlist.append(num)
print('Maximum:', max(numlist))
```

```
python ds.py
Maximum: 0.9907
```

```
X-DSPAM-Confidence: 0.8475
```

Escape Character

If you want a special regular expression character to just behave normally (most of the time) you prefix it with '\'

```
>>> import re
>>> x = 'We just received $10.00 for cookies.'
>>> y = re.findall('\$[0-9.]+',x)
>>> print(y)
['$10.00']
```



At least one or more

\$[0-9.]+

A real dollar sign

A digit or period