| Total Test Cases Executed | 127 | | | |
|---------------------------|--------------------------|-----------|--------|---------------------------|
| Total Test Cases Passed | 126 | | | |
| otal Test Cases Failed | 1 | | | |
| | Report Summary | | | |
| eature | Test Case Title | Automated | Status | Remarks (Known issues) |
| Register Cloud Backend | Register AWS Backend | Yes | PASS | |
| | Register Azure Backend | Yes | PASS | |
| | Register IBM Backend | Yes | PASS | |
| | Register Huawei Backend | Yes | PASS | |
| | Register Alibaba Backend | Yes | PASS | |
| | Register GCP Backend | Yes | PASS | |
| | Register Ceph Backend | Yes | PASS | |
| | List AWS Backend | Yes | PASS | |
| | List Azure Backend | Yes | PASS | |
| | List IBM Backend | Yes | PASS | |
| List Cloud Backend | List Huawei Backend | Yes | PASS | |
| | List Alibaba Backend | Yes | PASS | |
| | List GCP Backend | Yes | PASS | |
| | List Ceph Backend | Yes | PASS | |
| | Delete AWS Backend | Yes | PASS | |
| | Delete Azure Backend | Yes | PASS | |
| | Delete IBM Backend | Yes | PASS | |
| Delete Cloud Backend | Delete Huawei Backend | Yes | PASS | |
| | Delete Alibaba Backend | Yes | PASS | |
| | Delete GCP Backend | Yes | PASS | |
| | Delete Ceph Backend | Yes | PASS | |
| | Create AWS Bucket | Yes | PASS | |
| | Create Azure Bucket | Yes | PASS | |
| Create Bucket | Create GCP Bucket | Yes | PASS | |
| | Create Huawei Bucket | Yes | PASS | |
| | Create Alibaba Bucket | Yes | PASS | |
| | Create Ceph Bucket | Yes | PASS | |
| | List AWS Bucket | Yes | PASS | |
| List Bucket | List Azure Bucket | Yes | PASS | |
| | List GCP Bucket | Yes | PASS | |
| | List Huawei Bucket | Yes | PASS | |

| | List Alibaba Bucket | Yes | PASS |
|-----------------------------|---------------------------------|-----|------|
| | List Ceph Bucket | Yes | PASS |
| Delete Bucket | Delete AWS Bucket | Yes | PASS |
| | Delete Azure Bucket | Yes | PASS |
| | Delete GCP Bucket | Yes | PASS |
| | Delete Huawei Bucket | Yes | PASS |
| | Delete Alibaba Bucket | Yes | PASS |
| | Delete Ceph Bucket | Yes | PASS |
| | Upload Object to GCP Bucket | Yes | PASS |
| | Upload Object to Azure Bucket | Yes | PASS |
| | Upload Object to AWS Bucket | Yes | PASS |
| Upload Object To Bucket | Upload Object to Huawei Bucket | Yes | PASS |
| | Upload Object to Alibaba Bucket | Yes | PASS |
| | Upload Ceph Object | Yes | PASS |
| | Download AWS Object | Yes | PASS |
| | Download Azure Object | Yes | PASS |
| | Download GCP Object | Yes | PASS |
| Download Object From Bucket | Download GCP Object | Yes | PASS |
| · | Download Huawei Object | Yes | PASS |
| | Download Alibaba Object | Yes | PASS |
| | Download Ceph Object | Yes | PASS |
| Data Migration | Between all supported Clouds | No | PASS |
| | copy object of AWS | No | PASS |
| | copy object of Azure | No | PASS |
| Oarry Ohiast | copy object of GCP | No | PASS |
| Copy Object | copy object of huawei | No | PASS |
| | copy object of Alibaba | No | PASS |
| | copy object of Ceph | No | PASS |
| | paste object to AWS | No | PASS |
| | paste object to Azure | No | PASS |
| Dantas Object | paste object to GCP | No | PASS |
| Paster Object | paste object to huawei | No | PASS |
| | paste object to Alibaba | No | PASS |
| | paste object to Ceph | No | PASS |
| | archieve object of AWS | No | PASS |
| Archive Object | archieve object of Azure | No | PASS |
| | archieve object of GCP | No | PASS |

| Restore Object | restore object from aws | No | PASS |
|---|---|----|------|
| | restore object from azure | No | PASS |
| | restore object from GCP | No | PASS |
| | restore object from Huawei | No | PASS |
| | restore object from alibaba | No | PASS |
| | restore object from ceph | No | PASS |
| | create folder in AWS | No | PASS |
| | create folder in Azure | No | PASS |
| | create folder in GCP | No | PASS |
| Create Folder | create folder in huawei | No | PASS |
| | create folder in Alibaba | No | PASS |
| | create folder in ceph | No | PASS |
| | delete folder in AWS | No | PASS |
| | delete folder in Azure | No | PASS |
| Dalata Falles | delete folder in GCP | No | PASS |
| Delete Folder | delete folder in huawei | No | PASS |
| | delete folder in Alibaba | No | PASS |
| | delete folder in Ceph | No | PASS |
| | Create AKSK for User | No | PASS |
| Acces Key Connet Key | Get AKSK for User | No | PASS |
| Acess Key, Secret Key | Delete AKSK for User | No | PASS |
| | Download AKSK for User | No | PASS |
| Create Empty Storage Service Plan[Admin] | Create SSP Plan with just Name | No | PASS |
| Create Storage Service Plan[Admin] | Create SSP Plan with various combination of input | No | PASS |
| Create Storage Service Plan[User] | Create SSP from User's ID. | No | PASS |
| List all Storage Service Plan[Admin] | List allI available SSPs | No | PASS |
| List all Storage Service Plan[Admin/User] | List allI available SSPs of the Tenant in which user belongs. It's should not list other SSP's of other Tenants | No | PASS |
| | Add backends to SSP | No | PASS |
| | Remove backends from SSP | No | PASS |
| | Add Tenants to SSP | No | PASS |
| Undata Starage Service PlantAdmini | Remove Tenats from SSP | No | PASS |
| Update Storage Service Plan[Admin] | Add existing or same backends to SSP | No | PASS |
| | Remove non existing backends from SSP | No | PASS |
| | Add same existin Tenants to SSP | No | PASS |
| | Remove non existing Tenats from SSP | No | PASS |

| Delete Storage Service Plan[Admin] | Delete Empty SSP | No | PASS | |
|--|---|----|------|-------------------------|
| | Delete SSP when there is atleast one tenant | No | PASS | |
| | Delete SSP when there is atleast one backend | No | PASS | |
| | Delete SSP when there is atleast one tenant and backend | No | PASS | |
| | Create bucket by selecting one SSP with valid name | No | PASS | |
| | Create bucket by selecting one SSP with valid name | No | PASS | |
| Create Bucket [Admin/User] | Create bucket by selecting an empty SSP(there is no backends in that SSP) | No | PASS | |
| Unland Object [Admin/Hood | Upload objects in created bucket | No | PASS | |
| Upload Object [Admin/User] | Upload objects in Archive mode in created bucket | No | PASS | |
| Delete Object Manie / Jean | Delete objects from created bucket | No | PASS | |
| Delete Object [Admin/User] | Delete archived objects from bucket | No | PASS | |
| Decimals and Object 10 decimal leaves | Download objects from bucket | No | PASS | |
| Download Object [Admin/User] | Download archived objects from bucket | No | FAIL | Failed due to time out. |
| Restore and Download Object [Admin/User] | Restore and Download objects from bucket | No | PASS | |
| | Migrates the bucket [without delete]: All objects should be migrated | No | PASS | |
| Migrate Buckets [Admin/User] | Migrates the bucket [delete afer migrate]: All objects should be migrated and deleted after migration | No | PASS | |
| Copy/Paste OBjects [Admin/User] | Copy objects from one bucket and paste to another bucket | No | PASS | |
| Create Folder in Bucket [Admin/User] | Create empty folder in bucket | No | PASS | |
| Upload Object in Folder [Admin/User] | Upload object in folder | No | PASS | |
| | Upload object in Archive mode in folder | No | PASS | |
| Downlaod Object from Folder [Admin/User] | Downland objects from folder | No | PASS | |
| Restore and Dowloand Object from Folder [Admin/User] | Restrore and Downlaod objects | No | PASS | |
| Delete Object from Folder [Admin/User] | Delete objects from folder | No | PASS | |
| Delete folder [Admin/User] | Delete folder in buckets | No | PASS | |