Note-Taking API Documentation

Base URL

http://localhost:3000 (replace with your actual server URL)

Authentication

Basic Authentication is required for all endpoints. Use the following credentials:

• Username: admin

• Password: Password123

Endpoints

- 1. Create Note
 - URL: /notes
 - Method: POST
 - Request Body Format:

```
json
{
    "title": "string",
    "content": "string"
}
• Response Format:
```

```
json
{
    "_id": "string",
    "title": "string",
    "content": "string",
    "createdAt": "timestamp",
    "updatedAt": "timestamp"
}
```

- Status Codes:
 - **201 Created**: Note successfully created.
 - 400 Bad Request: Missing or invalid parameters in the request.
 - **401 Unauthorized**: Authentication failed.

```
2. Retrieve All Notes
```

• URL: /notes

Method: GET

• Response Format:

- Status Codes:
 - **200 OK**: Notes successfully retrieved.
 - **401 Unauthorized**: Authentication failed.
- 3. Retrieve Single Note
 - URL: /notes/:id
 - Method: GET
 - Response Format:

```
json
{
    "_id": "string",
    "title": "string",
    "content": "string",
    "createdAt": "timestamp",
    "updatedAt": "timestamp"
}
```

• Status Codes:

- **200 OK**: Note successfully retrieved.
- **404 Not Found**: Note with the specified ID not found.
- **401 Unauthorized**: Authentication failed.

4. Update Note

- URL: /notes/:id
- Method: PUT
- Request Body Format:

```
json
{
    "title": "string",
    "content": "string"
}
       Response Format:
```

```
json
{
    "_id": "string",
    "title": "string",
    "content": "string",
    "createdAt": "timestamp",
    "updatedAt": "timestamp"
}
```

• Status Codes:

- **200 OK**: Note successfully updated.
- 400 Bad Request: Missing or invalid parameters in the request.
- **404 Not Found**: Note with the specified ID not found.
- **401 Unauthorized**: Authentication failed.

5. Delete Note

- URL: /notes/:id
- Method: DELETE
- Status Codes:

- **204 No Content**: Note successfully deleted.
- **404 Not Found**: Note with the specified ID not found.
- **401 Unauthorized**: Authentication failed.

Error Handling

- 400 Bad Request: Missing or invalid parameters in the request.
- **401 Unauthorized**: Authentication failed.
- **404 Not Found**: Resource not found.
- **500 Internal Server Error**: Internal server error.

Testing

Basic tests have been implemented to ensure API functionality using a testing framework Jest (**npm test**). Ensure your server is running and MongoDB connection is established before running tests.