
MERAKI®

EXTERIOR CLADDING

Redefine Beauty



EXTERIOR CLADDING VOL.II

MAKE IN INDIA

ANTI WEATHER

FIRE RETARDANT

GUARANTEED 100% PRODUCT

Choice of

MODERN EXTERIOR



SPECIFICATIONS

Length* : Any length can be customizable	Total Thickness : 18mm
Width : 219mm	Pcs. Per Box : 6

INDEX



9101 - ANTIQUE WOOD



9103 - TIGER GOLD



9104 - CHARCOAL GREY




9105 - AFRICAN WALNUT



9106 - DARK WALNUT



9109 - MAHOGANY RED



9110 - SILVER GREY

EXTERIOR CLADDING

Redefine Beauty

MERAKI
EXTERIOR CLADDING



THICKNESS : 18 MM

9101 - ANTIQUE WOOD

- Water Proof
- Fire Resistant
- WEATHER PROOF
- Termite Proof
- Swelling or Shrinkage Free
- UV Resistant
- Easy to Install
- Durability
- Anti - Fading Technology

EXTERIOR CLADDING

Redefine Beauty

MERAKI
EXTERIOR CLADDING



THICKNESS : 18 MM

9103 - TIGER GOLD

- Water Proof
- Fire Resistant
- WEATHER PROOF
- Termite Proof
- Swelling or Shrinkage Free
- UV Resistant
- Easy to Install
- Durability
- Anti - Fading Technology

EXTERIOR CLADDING

Redefine Beauty

MERAKI
EXTERIOR CLADDING



THICKNESS : 18 MM

9104 - CHARCOAL GREY

- Water Proof
- Fire Resistant
- WEATHER PROOF
- Termite Proof
- Swelling or Shrinkage Free
- UV Resistant
- Easy to Install
- Durability
- Anti - Fading Technology



EXTERIOR CLADDING VOL.II

MERAKI®
EXTERIOR CLADDING

EXTERIOR CLADDING

Redefine Beauty

MERAKI
EXTERIOR CLADDING



THICKNESS : 18 MM

9105 - AFRICAN WALNUT

- Water Proof
- Fire Resistant
- WEATHER PROOF
- Termite Proof
- Swelling or Shrinkage Free
- UV Resistant
- Easy to Install
- Durability
- Anti - Fading Technology

EXTERIOR CLADDING

Redefine Beauty

MERAKI
EXTERIOR CLADDING



THICKNESS : 18 MM

9106 - DARK WALNUT

- Water Proof
- Fire Resistant
- WEATHER PROOF
- Termite Proof
- Swelling or Shrinkage Free
- UV Resistant
- Easy to Install
- Durability
- Anti - Fading Technology

EXTERIOR CLADDING

Redefine Beauty

MERAKI
EXTERIOR CLADDING



THICKNESS : 18 MM

9109 - MAHOGANY RED

- Water Proof
- Fire Resistant
- WEATHER PROOF
- Termite Proof
- Swelling or Shrinkage Free
- UV Resistant
- Easy to Install
- Durability
- Anti - Fading Technology

EXTERIOR CLADDING

Redefine Beauty

MERAKI
EXTERIOR CLADDING



THICKNESS : 18 MM

9110 - SILVER GREY

- Water Proof
- Fire Resistant
- WEATHER PROOF
- Termite Proof
- Swelling or Shrinkage Free
- UV Resistant
- Easy to Install
- Durability
- Anti - Fading Technology



EXTERIOR CLADDING VOL. II

MERAKI®
EXTERIOR CLADDING

INDEX



9201 - ANTIQUE WOOD



9203 - TIGER GOLD



9204 - CHARCOAL GREY




9205 - AFRICAN WALNUT



9206 - DARK WALNUT



9209 - MAHOGANY RED



9210 - SILVER GREY

EXTERIOR CLADDING

Redefine Beauty

MERAKI
EXTERIOR CLADDING



THICKNESS : 18 MM

9201 - ANTIQUE WOOD

Water Proof

Fire Resistant

WEATHER PROOF

Termite Proof

Swelling or Shrinkage Free

UV Resistant

Easy to Install

Durability

Anti - Fading Technology

EXTERIOR CLADDING

Redefine Beauty

MERAKI
EXTERIOR CLADDING



THICKNESS : 18 MM

9203 - TIGER GOLD

- Water Proof
- Fire Resistant
- WEATHER PROOF
- Termite Proof
- Swelling or Shrinkage Free
- UV Resistant
- Easy to Install
- Durability
- Anti - Fading Technology

EXTERIOR CLADDING

Redefine Beauty

MERAKI
EXTERIOR CLADDING



THICKNESS : 18 MM

9204 - CHARCOAL GREY

- Water Proof
- Fire Resistant
- WEATHER PROOF
- Termite Proof
- Swelling or Shrinkage Free
- UV Resistant
- Easy to Install
- Durability
- Anti - Fading Technology

EXTERIOR CLADDING

Redefine Beauty

MERAKI
EXTERIOR CLADDING



THICKNESS : 18 MM

9205 - AFRICAN WALNUT

- Water Proof
- Fire Resistant
- WEATHER PROOF
- Termite Proof
- Swelling or Shrinkage Free
- UV Resistant
- Easy to Install
- Durability
- Anti - Fading Technology



EXTERIOR CLADDING VOL. II

MERAKI®
EXTERIOR CLADDING

EXTERIOR CLADDING

Redefine Beauty

MERAKI
EXTERIOR CLADDING



THICKNESS : 18 MM

9206 - DARK WALNUT

- Water Proof
- Fire Resistant
- WEATHER PROOF
- Termite Proof
- Swelling or Shrinkage Free
- UV Resistant
- Easy to Install
- Durability
- Anti - Fading Technology

EXTERIOR CLADDING

Redefine Beauty

MERAKI
EXTERIOR CLADDING



THICKNESS : 18 MM

9209 - MAHOGANY RED

- Water Proof
- Fire Resistant
- WEATHER PROOF
- Termite Proof
- Swelling or Shrinkage Free
- UV Resistant
- Easy to Install
- Durability
- Anti - Fading Technology

EXTERIOR CLADDING

Redefine Beauty

MERAKI
EXTERIOR CLADDING



THICKNESS : 18 MM

9210 - SILVER GREY

- Water Proof
- Fire Resistant
- WEATHER PROOF
- Termite Proof
- Swelling or Shrinkage Free
- UV Resistant
- Easy to Install
- Durability
- Anti - Fading Technology

INSTALLATION

STEP 1



Understand the parts & maintain a 300mm gap between the aluminium sub frames cast for the WPC Cladding louvres

STEP 2



Pre-drill holes slightly larger than the screw shank to allow for temperature driven expansion & contraction.

STEP 3



Double aluminium sub-frame support at the join of cladding profiles is needed.

STEP 4



Ensure a 5mm expansion gap between every butt joint.

STEP 5



Make sure to put the WPC finishing profile in the right direction as shown above.

STEP 1 Measure the area

STEP 2 Choose the colour

STEP 3 Choose the mould & texture

STEP 4 Choose to install any one panel or a combination of them.


* All colours are available in all moulds.




Model 4BT



Model 2121BT



L-Profile available in all colors



Model 5BT



Model 321BT



Model QUAD

*Colour may vary slightly from model to model.

SLIDING SHUTTERS

GATE CLADDING


HIGHLIGHTERS


ROOF CLADDING


FACADES


PARTITIONS


BALCONY CLADDING











MERAKI®
EXTERIOR CLADDING

MERAKI INTERIORS

Panchi Gujran, Ganaur, Sonipat, Haryana, India-131101

Web: www.meraki-pvc.com | Email: info@meraki-pvc.com

follow us on:

Scan to explore our complete collection