ARCHITECTURE AUDIT REPORT

POWERED BY BLANKET AUDIT AI · TECTONIC LABS

codeintel

Architecture Audit — codeintel

general



9 high | 1278 medium | 298 low

codeintel (Python)

Scan Date	March 29, 2026
Duration	
Files Scanned	73
Lines of Code	8k
Methods Analyzed	0
Entry Points	0
Cross-Repo Edges	0
Max Call Depth	0

02 Executive Summary

The architecture audit scored 40/100 (Grade D), identifying 1581 findings across the codebase. Of these, 0 are critical severity, 9 are high, 1278 are medium, and 298 are low.

The primary risk areas are: quality (1111 findings), architecture (293 findings), compliance (159 findings).

Immediate Actions Required


1. Address BLK-1012: Docker Container Running as Root
2. Address BLK-1013: Docker Container Running as Root
3. Address BLK-247: Missing Error Handling on External Calls

03 Score Dashboard



Overall Health

Category Scores



Finding Distribution

SEVERITY	COUNT
high	9
medium	1278
low	298

04 Critical Findings

▾ high BLK-247 **Missing Error Handling on External Calls**

codeintel / backend/app/auth/github.py:24-24

```
    settings = get_settings()

    async with httpx.AsyncClient() as client:
        response = await client.post(
```

Estimated effort: 0.0h

▾ high BLK-248 **Missing Error Handling on External Calls**

codeintel / backend/app/auth/github.py:44-44

```
b user info using access token."""
    async with httpx.AsyncClient() as client:
        response = await client.get(
```

Estimated effort: 0.0h

▾ high BLK-778 **Missing Input Validation at System Boundary**

codeintel / backend/app/billing/router.py:82-82

```
    settings = get_settings()
    payload = await request.body()

    try:
        event = stripe.Webhook.co
```

Estimated effort: 0.0h

high BLK-055 Operations Without Audit Logging

codeintel / backend/app/repositories/service.py:85-85

```
        result = self.supabase.table("repositories").update(update_data).eq(
              "id", repo_id
```

The code snippet provided does not show any evidence of audit logging for the update operation on the 'repositories' table. This lack of logging could make it difficult to track changes and maintain the integrity of the data, which is a key requirement for SOC 2 compliance.

SOC2 CC7.2 SOC2 CC7.3

Estimated effort: 0.0h

high BLK-777 Silent Exception Swallowing

codeintel / backend/app/billing/service.py:111-111

```
            status = stripe_sub.status
             except:
                 pass

         return {
             "plan": sub
```

Estimated effort: 0.0h

▾ medium BLK-779 **Copy-Paste Code Duplication**

codeintel / backend/app/auth/github.py:76-76

```
_email

        return GitHubUser(**data)


def get_github_oauth_url(state: Optional[str] = None) -> str:
    """Generate GitHub OAuth authorization URL."""
    settings = get_settings()

    url = f"https://github.com/login/oauth/authorize"
    params = {
        "client_id": settings.github_client_id,
        "redirect_uri": settings.github_callback_url,
        "scope": "read:user user:email repo"
    }

    if state:
        params["state"] = state

    query = "&".join(f
```

Estimated effort: 0.0h

▾ medium BLK-780 Copy-Paste Code Duplication

codeintel / backend/app/auth/jwt.py:24-24

```
    token_type: str = "bearer"
    expires_in: int


def create_access_token(user_id: str, email: Optional[str] = None) -> TokenResponse:
    """Create a JWT access token."""
    settings = get_settings()
    expire = datetime.utcnow() + timedelta(hours=settings.jwt_expiration_hours)

    payload = {
        "sub": user_id,
        "email": email,
        "exp": expire,
        "iat": datetime.utcnow()
    }

    token = jwt.encode(
        payload,
        settings.jwt_secret,
        al
```

Estimated effort: 0.0h

▾ medium BLK-781 Copy-Paste Code Duplication

codeintel / backend/app/auth/middleware.py:50-50

```
tion:
    """User data with subscription info."""

    def __init__(self, user_id: str, email: Optional[str], plan: str, repo_limit:
int, query_limit: int):
        self.user_id = user_id
        self.email = email
        self.plan = plan
        self.repo_limit = repo_limit
        self.query_limit = query_limit


async def get_user_with_subscription(
    user: TokenData = Depends(get_current_user)
) -> UserWithSubscription:
    ""Get user with su
```

Estimated effort: 0.0h

▾ medium BLK-782 Copy-Paste Code Duplication

codeintel / backend/app/billing/service.py:13-13

```
e:
    """Service for Stripe payment handling."""

    def __init__(self, user_id: str):
        self.user_id = user_id
        settings = get_settings()
        stripe.api_key = settings.stripe_secret_key
        self.supabase = get_supabase_client()
        self.pro_price_id = settings.stripe_pro_price_id

    async def create_checkout_session(self, success_url: str, cancel_url: str) ->
Dict:
        """Create a Stripe checkout session for Pro plan."""
        # Get or create Stripe cu
```

Estimated effort: 0.0h

▾ medium BLK-783 Copy-Paste Code Duplication

codeintel / backend/app/database/neo4j.py:13-13

```
ion:
    """Neo4j database connection manager."""

    def __init__(self, uri: str, user: str, password: str):
        """Initialize Neo4j connection."""
        self._driver = GraphDatabase.driver(uri, auth=(user, password))
        self._verify_connection()

    def _verify_connection(self):
        """Verify connection is working."""
        try:
            with self._driver.session() as session:
                session.run("RETURN 1")
            logger.info("Neo4j connection establ
```

Estimated effort: 0.0h

▾ medium BLK-784 Copy-Paste Code Duplication

codeintel / backend/app/database/redis_client.py:14-14

```
ient:
    """Redis client wrapper for caching."""

    def __init__(self, url: str):
        """Initialize Redis client."""
        self._url = url
        self._client: Optional[redis.Redis] = None

    async def connect(self):
        """Connect to Redis."""
        try:
            self._client = redis.from_url(self._url, decode_responses=True)
            await self._client.ping()
            logger.info("Redis connection established successfully")
        except Exception as e:
```

Estimated effort: 0.0h

▾ medium BLK-785 Copy-Paste Code Duplication

codeintel / backend/app/database/supabase.py:6-6

```
lient, Client
from app.config import get_settings


def get_supabase_client() -> Client:
    """Get Supabase client instance."""
    settings = get_settings()
    return create_client(
        settings.supabase_url,
        settings.supabase_anon_key
    )


def get_supabase_admin_client() -> Client:
    """Get Supabase client with admin privileges (service role)."""
    settings = get_settings()
    return create_client(
        settings.supabase_url,
        settings.supabase_service_role_key
```

Estimated effort: 0.0h

medium BLK-786 Copy-Paste Code Duplication

codeintel / backend/app/graph/service.py:11-11

```
ice:
    """Service for graph-related queries."""

    def __init__(self, user_id: str):
        self.user_id = user_id
        settings = get_settings()
        self.neo4j = Neo4jConnection(
            uri=settings.neo4j_uri,
            user=settings.neo4j_user,
            password=settings.neo4j_password
        )

    def close(self):
        """Close Neo4j connection."""
        self.neo4j.close()

    def get_services(self, repo_id: Optional[str] = None) -> List[Dict]:
```

Estimated effort: 0.0h

medium BLK-787 Copy-Paste Code Duplication

codeintel / backend/app/indexing/call_graph.py:34-34

```
"""Build call graphs from parsed Java classes."""

    def __init__(self):
        self.nodes: Dict[str, CallGraphNode] = {}
        self.edges: List[CallGraphEdge] = []
        self.method_index: Dict[str, str] = {}  # method_name -> method_id
        self.class_method_index: Dict[str, str] = {}  # class.method -> method_id

    def add_class(self, service_name: str, java_class: dict) -> None:
        """Add a parsed Java class to the call graph."""
        class_name = java_class['name
```

Estimated effort: 0.0h

medium BLK-788 Copy-Paste Code Duplication

codeintel / backend/app/indexing/java_parser.py:98-98

```
,
        'PatchMapping', 'RequestMapping'
    }

    def __init__(self):
        pass

    def parse_file(self, file_path: Path) -> Optional[JavaClass]:
        """Parse a Java file and extract class information."""
        try:
            content = file_path.read_text(encoding='utf-8')
            return self.parse_content(content, str(file_path))
        except Exception as e:
            logger.warning(f"Failed to parse {file_path}: {e}")
            return None

    def parse_
```

Estimated effort: 0.0h

medium BLK-789 Copy-Paste Code Duplication

codeintel / backend/app/indexing/spring_detector.py:36-36

```
\)\s*\.\s*uri\s*\(\s*["\']([^"\']+)["\']'),
    ]

    def __init__(self):
        pass

    def detect_class_type(self, annotations: List[str]) -> str:
        """Detect the type of Spring class based on annotations."""
        for ann in annotations:
            if ann in self.SPRING_ANNOTATIONS:
                return self.SPRING_ANNOTATIONS[ann]
        return 'unknown'

    def extract_rest_calls(self, code: str) -> List[Dict]:
        """Extract REST client calls from code."""
```

Estimated effort: 0.0h

▾ medium BLK-790 Copy-Paste Code Duplication

codeintel / backend/app/pages/router.py:18-18

```
emplates = Jinja2Templates(directory="templates")


def get_user_data(user_id: str) -> dict:
    """Get user profile data."""
    supabase = get_supabase_client()
    result = supabase.table("profiles").select("*").eq("id", user_id).execute()
    return result.data[0] if result.data else {}


def get_subscription_data(user_id: str) -> dict:
    """Get user subscription data."""
    supabase = get_supabase_client()
    result = supabase.table("subscriptions").select("*").eq("user_id", user_id).ex
```

Estimated effort: 0.0h

▾ medium BLK-791 Copy-Paste Code Duplication

codeintel / backend/app/query/service.py:20-20

```
yService:
    """Service for GraphRAG queries."""

    def __init__(self, user_id: str, redis: Optional[RedisClient] = None):
        self.user_id = user_id
        self.redis = redis
        settings = get_settings()
        self.neo4j = Neo4jConnection(
            uri=settings.neo4j_uri,
            user=settings.neo4j_user,
            password=settings.neo4j_password
        )
        self.anthropic = anthropic.Anthropic(api_key=settings.anthropic_api_key)

    def close(self):
```

Estimated effort: 0.0h

▾ medium BLK-792 Copy-Paste Code Duplication

codeintel / backend/app/repositories/cloner.py:20-20

```
 repository cloning and Spring Boot detection."""

    def __init__(self, repo_url: str, repo_id: str, user_id: str):
        self.repo_url = repo_url
        self.repo_id = repo_id
        self.user_id = user_id
        self.settings = get_settings()
        self.clone_path = Path(self.settings.clone_base_path) / user_id / repo_id

    async def clone(self) -> Path:
        """Clone the repository asynchronously."""
        # Ensure directory exists
        self.clone_path.parent.mkdir(
```

Estimated effort: 0.0h

▾ medium BLK-793 Copy-Paste Code Duplication

codeintel / backend/app/repositories/service.py:14-14

```
ice:
    """Handle repository CRUD operations."""

    def __init__(self, user_id: str):
        self.user_id = user_id
        self.supabase = get_supabase_client()

    async def create(self, repo_url: str) -> dict:
        """Create a new repository entry."""
        # Validate URL
        if not self._validate_github_url(repo_url):
            raise ValueError("Invalid GitHub repository URL")

        # Extract repo name from URL
        name = repo_url.rstrip('/').split('/')
```

Estimated effort: 0.0h

▾ medium BLK-794 Copy-Paste Code Duplication

codeintel / backend/app/tracing/service.py:28-28

```
ce:
    """Service for tracing endpoint flows."""

    def __init__(self, user_id: str, redis: Optional[RedisClient] = None):
        self.user_id = user_id
        self.redis = redis
        settings = get_settings()
        self.neo4j = Neo4jConnection(
            uri=settings.neo4j_uri,
            user=settings.neo4j_user,
            password=settings.neo4j_password
        )
        self.anthropic = anthropic.Anthropic(api_key=settings.anthropic_api_key)

    def close(self):
```

Estimated effort: 0.0h

▾ medium BLK-795 Copy-Paste Code Duplication

codeintel / backend/app/usage/service.py:12-12

```
rvice for tracking and enforcing usage limits."""

    def __init__(self, user_id: str):
        self.user_id = user_id
        self.supabase = get_supabase_client()

    async def get_today_usage(self) -> Dict:
        """Get today's usage stats for the user."""
        today = date.today().isoformat()

        result = self.supabase.table("usage_tracking").select("*").eq(
            "user_id", self.user_id
        ).eq("date", today).execute()

        if result.data:
```

Estimated effort: 0.0h

▾ medium BLK-253 Global Mutable State in Web Server

codeintel / backend/app/query/prompts.py:21-21

```
 to find relevant information for this question.

Question: {question}
Intent: {intent}
Keywords: {keywords}

S
```

Estimated effort: 0.0h

▾ medium BLK-254 Global Mutable State in Web Server

codeintel / backend/app/query/prompts.py:22-22

```
ormation for this question.

Question: {question}
Intent: {intent}
Keywords: {keywords}

Schema:
- (:Service
```

Estimated effort: 0.0h

▾ medium BLK-255 Global Mutable State in Web Server

codeintel / backend/app/query/prompts.py:23-23

```
 question.

Question: {question}
Intent: {intent}
Keywords: {keywords}

Schema:
- (:Service {{id, name, user_id
```

Estimated effort: 0.0h

▾ medium BLK-256 **Global Mutable State in Web Server**

codeintel / backend/app/query/prompts.py:58-58

```
Y_PROMPT = """Given this API endpoint call flow:

Endpoint: {endpoint}

Flow:
{flow_sequence}

Explain in plain
```

Estimated effort: 0.0h

▾ medium BLK-257 **Global Mutable State in Web Server**

codeintel / backend/app/query/prompts.py:60-60

```
is API endpoint call flow:

Endpoint: {endpoint}

Flow:
{flow_sequence}

Explain in plain English what this
```

Estimated effort: 0.0h

▾ medium BLK-258 **Global Mutable State in Web Server**

codeintel / backend/app/tracing/service.py:144-144

```
 prompt = f"""Given this API endpoint call flow:

Endpoint: {http_method.upper()} {path}

Flow:
{flow_descripti
```

Estimated effort: 0.0h

medium BLK-259 Global Mutable State in Web Server

codeintel / backend/app/tracing/service.py:146-146

```
ll flow:

Endpoint: {http_method.upper()} {path}

Flow:
{flow_description}

Explain in plain English what t
```

Estimated effort: 0.0h

medium BLK-001 God Class Anti-Pattern

codeintel / backend/app/config.py:57-57

```
        env_file_encoding = "utf-8"


@lru_cache()
def get_settings() -> Settings:
    """Get cached settings instance
```

Estimated effort: 0.0h

medium BLK-002 God Class Anti-Pattern

codeintel / backend/app/auth/github.py:76-76

```
_email

        return GitHubUser(**data)


def get_github_oauth_url(state: Optional[str] = None) -> str:
    """Genera
```

Estimated effort: 0.0h

medium BLK-003 God Class Anti-Pattern

codeintel / backend/app/auth/jwt.py:24-24

```
    token_type: str = "bearer"
     expires_in: int


def create_access_token(user_id: str, email: Optional[str] = None) -> Toke
```

Estimated effort: 0.0h

medium BLK-004 God Class Anti-Pattern

codeintel / backend/app/auth/jwt.py:48-48

```
res_in=settings.jwt_expiration_hours * 3600
    )


def decode_access_token(token: str) -> Optional[TokenData]:
    """Decode
```

Estimated effort: 0.0h

medium BLK-005 God Class Anti-Pattern

codeintel / backend/app/auth/middleware.py:50-50

```
tion:
    """User data with subscription info."""

    def __init__(self, user_id: str, email: Optional[str], plan: st
```

Estimated effort: 0.0h

medium BLK-006 God Class Anti-Pattern

codeintel / backend/app/billing/service.py:13-13

```
e:
    """Service for Stripe payment handling."""

    def __init__(self, user_id: str):
        self.user_id = user_i
```

Estimated effort: 0.0h

medium BLK-007 God Class Anti-Pattern

codeintel / backend/app/database/neo4j.py:13-13

```
ion:
    """Neo4j database connection manager."""

    def __init__(self, uri: str, user: str, password: str):
```

Estimated effort: 0.0h

medium BLK-008 God Class Anti-Pattern

codeintel / backend/app/database/neo4j.py:18-18

```
ser, password))
        self._verify_connection()

    def _verify_connection(self):
        """Verify connection is working."""
```

Estimated effort: 0.0h

medium BLK-009 God Class Anti-Pattern

codeintel / backend/app/database/neo4j.py:28-28

```
iled to connect to Neo4j: {e}")
            raise

    def close(self):
        """Close the connection."""
```

Estimated effort: 0.0h

medium BLK-010 God Class Anti-Pattern

codeintel / backend/app/database/neo4j.py:33-33

```
if self._driver:
            self._driver.close()

    def execute_query(
        self,
        query: str,
        paramet
```

Estimated effort: 0.0h

medium BLK-011 God Class Anti-Pattern

codeintel / backend/app/database/neo4j.py:43-43

```
      return [record.data() for record in result]

    def execute_write(
        self,
        query: str,
        paramet
```

Estimated effort: 0.0h

medium BLK-012 God Class Anti-Pattern

codeintel / backend/app/database/neo4j.py:56-56

```
================================================

    def setup_schema(self):
        """Set up Neo4j schema with constra
```

Estimated effort: 0.0h

medium BLK-013 God Class Anti-Pattern

codeintel / backend/app/database/neo4j.py:83-83

```
================================================

    def create_service(
        self,
        service_id: str,
        na
```

Estimated effort: 0.0h

medium BLK-014 God Class Anti-Pattern

codeintel / backend/app/database/neo4j.py:107-107

```
o_id,
            "repo_url": repo_url
        })

    def get_services(self, user_id: str, repo_id: Optional[str] = None)
```

Estimated effort: 0.0h

medium BLK-015 God Class Anti-Pattern

codeintel / backend/app/database/neo4j.py:128-128

```
================================================

    def create_class(
        self,
        class_id: str,
        name
```

Estimated effort: 0.0h

medium BLK-016 God Class Anti-Pattern

codeintel / backend/app/database/neo4j.py:158-158

```
================================================

    def create_method(
        self,
        method_id: str,
        nam
```

Estimated effort: 0.0h

medium BLK-017 God Class Anti-Pattern

codeintel / backend/app/database/neo4j.py:193-193

```
      "annotations": annotations or []
        })

    def create_method_call(self, caller_id: str, callee_id: str) -> None:
```

Estimated effort: 0.0h

medium BLK-018 God Class Anti-Pattern

codeintel / backend/app/database/neo4j.py:206-206

```
================================================

    def create_endpoint(
        self,
        endpoint_id: str,
        h
```

Estimated effort: 0.0h

medium BLK-019 God Class Anti-Pattern

codeintel / backend/app/database/neo4j.py:232-232

```
id,
            "method_id": method_id
        })

    def get_endpoints(self, user_id: str, service_name: Optional[str] =
```

Estimated effort: 0.0h

medium BLK-020 God Class Anti-Pattern

codeintel / backend/app/database/neo4j.py:261-261

```
================================================

    def create_service_dependency(
        self,
        source_service_id: str,
```

Estimated effort: 0.0h

medium BLK-021 God Class Anti-Pattern

codeintel / backend/app/database/neo4j.py:280-280

```
          "via_endpoint": via_endpoint
        })

    def get_service_dependencies(self, user_id: str, repo_id: Optional[str] = None)
```

Estimated effort: 0.0h

medium BLK-022 God Class Anti-Pattern

codeintel / backend/app/database/neo4j.py:303-303

```
================================================

    def trace_endpoint_flow(
        self,
        user_id: str,
        http_
```

Estimated effort: 0.0h

▾ medium BLK-023 God Class Anti-Pattern

codeintel / backend/app/database/neo4j.py:344-344

```
================================================

    def delete_repo_data(self, user_id: str, repo_id: str) -> None:
```

Estimated effort: 0.0h

▾ medium BLK-024 God Class Anti-Pattern

codeintel / backend/app/database/redis_client.py:14-14

```
ient:
    """Redis client wrapper for caching."""

    def __init__(self, url: str):
        """Initialize Redis clien
```

Estimated effort: 0.0h

▾ medium BLK-025 God Class Anti-Pattern

codeintel / backend/app/database/supabase.py:6-6

```
lient, Client
from app.config import get_settings


def get_supabase_client() -> Client:
    """Get Supabase client instance."
```

Estimated effort: 0.0h

medium BLK-026 God Class Anti-Pattern

codeintel / backend/app/database/supabase.py:15-15

```
ase_url,
        settings.supabase_anon_key
    )


def get_supabase_admin_client() -> Client:
    """Get Supabase client with admin
```

Estimated effort: 0.0h

medium BLK-027 God Class Anti-Pattern

codeintel / backend/app/graph/service.py:11-11

```
ice:
    """Service for graph-related queries."""

    def __init__(self, user_id: str):
        self.user_id = user_i
```

Estimated effort: 0.0h

medium BLK-028 God Class Anti-Pattern

codeintel / backend/app/graph/service.py:20-20

```
       password=settings.neo4j_password
        )

    def close(self):
        """Close Neo4j connection."""
```

Estimated effort: 0.0h

medium BLK-029 God Class Anti-Pattern

codeintel / backend/app/graph/service.py:24-24

```
e Neo4j connection."""
        self.neo4j.close()

    def get_services(self, repo_id: Optional[str] = None) -> List[Dict]
```

Estimated effort: 0.0h

medium BLK-030 God Class Anti-Pattern

codeintel / backend/app/graph/service.py:28-28

```
rn self.neo4j.get_services(self.user_id, repo_id)

    def get_service_dependencies(self, repo_id: Optional[str] = None) -> Dict:
```

Estimated effort: 0.0h

medium BLK-031 God Class Anti-Pattern

codeintel / backend/app/graph/service.py:80-80

```
des': nodes,
            'edges': edges
        }

    def get_endpoints(self, service_name: Optional[str] = None) -> List[
```

Estimated effort: 0.0h

medium BLK-032 God Class Anti-Pattern

codeintel / backend/app/graph/service.py:84-84

```
f.neo4j.get_endpoints(self.user_id, service_name)

    def get_service_details(self, service_id: str) -> Optional[Dict]:
```

Estimated effort: 0.0h

▾ medium BLK-033 God Class Anti-Pattern

codeintel / backend/app/graph/service.py:118-118

```
            return results[0]
        return None

    def search(self, query: str) -> List[Dict]:
        """Search
```

Estimated effort: 0.0h

▾ medium BLK-034 God Class Anti-Pattern

codeintel / backend/app/indexing/call_graph.py:34-34

```
"""Build call graphs from parsed Java classes."""

    def __init__(self):
        self.nodes: Dict[str, CallGraphNode
```

Estimated effort: 0.0h

▾ medium BLK-035 God Class Anti-Pattern

codeintel / backend/app/indexing/call_graph.py:40-40

```
 Dict[str, str] = {}  # class.method -> method_id

    def add_class(self, service_name: str, java_class: dict) -> None
```

Estimated effort: 0.0h

▾ medium BLK-036 God Class Anti-Pattern

codeintel / backend/app/indexing/call_graph.py:63-63

```
dex[f"{class_name}.{method['name']}"] = method_id

    def build_edges(self, java_class: dict, service_name: str) -> None
```

Estimated effort: 0.0h

medium BLK-037 God Class Anti-Pattern

codeintel / backend/app/indexing/call_graph.py:97-97

```
        call_type="direct"
                    ))

    def add_rest_call_edge(
        self,
        caller_id: str,
        tar
```

Estimated effort: 0.0h

medium BLK-038 God Class Anti-Pattern

codeintel / backend/app/indexing/call_graph.py:126-126

```
ee_id,
            call_type=call_type
        ))

    def get_nodes(self) -> List[dict]:
        """Get all nodes as d
```

Estimated effort: 0.0h

medium BLK-039 God Class Anti-Pattern

codeintel / backend/app/indexing/call_graph.py:142-142

```
            for n in self.nodes.values()
        ]

    def get_edges(self) -> List[dict]:
        """Get all edges as d
```

Estimated effort: 0.0h

medium BLK-040 God Class Anti-Pattern

codeintel / backend/app/indexing/call_graph.py:153-153

```
        }
              for e in self.edges
          ]

    def get_service_dependencies(self) -> List[Tuple[str, str, str]]:
        """Ex
```

Estimated effort: 0.0h

medium BLK-041 God Class Anti-Pattern

codeintel / backend/app/indexing/java_parser.py:98-98

```
,
        'PatchMapping', 'RequestMapping'
    }

    def __init__(self):
        pass

    def parse_file(self,
```

Estimated effort: 0.0h

medium BLK-042 God Class Anti-Pattern

codeintel / backend/app/indexing/java_parser.py:101-101

```
'
    }

    def __init__(self):
        pass

    def parse_file(self, file_path: Path) -> Optional[JavaClass]:
```

Estimated effort: 0.0h

medium BLK-043 God Class Anti-Pattern

codeintel / backend/app/indexing/java_parser.py:110-110

```
 parse {file_path}: {e}")
            return None

    def parse_content(self, content: str, file_path: str) -> Optional[Ja
```

Estimated effort: 0.0h

medium BLK-044 God Class Anti-Pattern

codeintel / backend/app/indexing/java_parser.py:148-148

```
implements,
            extends=extends
        )

    def _extract_annotations(self, lines: List[str]) -> List[JavaAnnotation]:
```

Estimated effort: 0.0h

medium BLK-045 God Class Anti-Pattern

codeintel / backend/app/indexing/java_parser.py:172-172

```
ters=params))

        return annotations

    def _extract_methods(self, content: str) -> List[JavaMethod]:
        "
```

Estimated effort: 0.0h

▾ medium BLK-046 God Class Anti-Pattern

codeintel / backend/app/indexing/java_parser.py:224-224

```
                ))

        return methods

    def _extract_method_body(self, lines: List[str], start_line: int) -> str:
```

Estimated effort: 0.0h

▾ medium BLK-047 God Class Anti-Pattern

codeintel / backend/app/indexing/java_parser.py:244-244

```
k

        return '\n'.join(method_lines)

    def _find_method_calls(self, code: str) -> List[str]:
        """Find met
```

Estimated effort: 0.0h

▾ medium BLK-048 God Class Anti-Pattern

codeintel / backend/app/indexing/java_parser.py:253-253

```
)
        return list(set(calls))  # Unique calls

    def _extract_fields(self, content: str) -> List[str]:
        """Extra
```

Estimated effort: 0.0h

medium BLK-049 God Class Anti-Pattern

codeintel / backend/app/indexing/java_parser.py:262-262

```
{field_type} {field_name}")
        return fields

    def extract_endpoints(self, java_class: JavaClass) -> List[Dict]:
```

Estimated effort: 0.0h

medium BLK-050 God Class Anti-Pattern

codeintel / backend/app/indexing/java_parser.py:303-303

```
            })

        return endpoints

    def _annotation_to_http_method(self, annotation: str) -> str:
        """Convert
```

Estimated effort: 0.0h

medium BLK-051 God Class Anti-Pattern

codeintel / backend/app/indexing/java_parser.py:315-315

```
    }
        return mapping.get(annotation, 'GET')

    def extract_feign_clients(self, java_class: JavaClass) -> List[Dict]:
```

Estimated effort: 0.0h

medium BLK-052 God Class Anti-Pattern

codeintel / backend/app/indexing/java_parser.py:330-330

```
        })

        return feign_clients

    def to_dict(self, java_class: JavaClass) -> dict:
        """C
```

Estimated effort: 0.0h

medium BLK-053 God Class Anti-Pattern

codeintel / backend/app/indexing/spring_detector.py:36-36

```
\)\s*\.\s*uri\s*\(\s*["\']([^"\']+)["\']'),
    ]

    def __init__(self):
        pass

    def detect_class_type
```

Estimated effort: 0.0h

medium BLK-054 God Class Anti-Pattern

codeintel / backend/app/indexing/spring_detector.py:39-39

```
,
    ]

    def __init__(self):
        pass

    def detect_class_type(self, annotations: List[str]) -> str:
        """D
```

Estimated effort: 0.0h

medium BLK-055 God Class Anti-Pattern

codeintel / backend/app/indexing/spring_detector.py:46-46

```
.SPRING_ANNOTATIONS[ann]
        return 'unknown'

    def extract_rest_calls(self, code: str) -> List[Dict]:
        """Extract
```

Estimated effort: 0.0h

medium BLK-056 God Class Anti-Pattern

codeintel / backend/app/indexing/spring_detector.py:76-76

```
p(2)
            })

        return calls

    def parse_application_properties(self, file_path: Path) -> Dict:
        """Parse a
```

Estimated effort: 0.0h

medium BLK-057 God Class Anti-Pattern

codeintel / backend/app/indexing/spring_detector.py:98-98

```
e_path}: {e}")

        return properties

    def extract_service_name(self, service_path: Path) -> str:
        """Extra
```

Estimated effort: 0.0h

medium BLK-058 God Class Anti-Pattern

codeintel / backend/app/pages/router.py:18-18

```
emplates = Jinja2Templates(directory="templates")


def get_user_data(user_id: str) -> dict:
    """Get user profile dat
```

Estimated effort: 0.0h

medium BLK-059 God Class Anti-Pattern

codeintel / backend/app/pages/router.py:25-25

```
    return result.data[0] if result.data else {}


def get_subscription_data(user_id: str) -> dict:
    """Get user subscriptio
```

Estimated effort: 0.0h

medium BLK-060 God Class Anti-Pattern

codeintel / backend/app/pages/router.py:34-34

```
lan": "free", "repo_limit": 1, "query_limit": 10}


def get_usage_data(user_id: str) -> dict:
    """Get today's usage da
```

Estimated effort: 0.0h

medium BLK-061 God Class Anti-Pattern

codeintel / backend/app/pages/router.py:44-44

```
lt.data[0] if result.data else {"query_count": 0}


def get_repos(user_id: str) -> list:
    """Get user's repositor
```

Estimated effort: 0.0h

medium BLK-062 God Class Anti-Pattern

codeintel / backend/app/query/service.py:20-20

```
yService:
    """Service for GraphRAG queries."""

    def __init__(self, user_id: str, redis: Optional[RedisClient] =
```

Estimated effort: 0.0h

medium BLK-063 God Class Anti-Pattern

codeintel / backend/app/query/service.py:31-31

```
pic.Anthropic(api_key=settings.anthropic_api_key)

    def close(self):
        """Close connections."""
        se
```

Estimated effort: 0.0h

medium BLK-064 God Class Anti-Pattern

codeintel / backend/app/query/service.py:239-239

```
untered an error generating the answer: {str(e)}"

    def _format_graph_context(self, context: List[Dict]) -> str:
        """Form
```

Estimated effort: 0.0h

medium BLK-065 God Class Anti-Pattern

codeintel / backend/app/query/service.py:249-249

```
append(str(item))
        return "\n".join(lines)

    def _format_code_snippets(self, snippets: List[Dict]) -> str:
        """For
```

Estimated effort: 0.0h

medium BLK-066 God Class Anti-Pattern

codeintel / backend/app/query/service.py:262-262

```
lines.append("")
        return "\n".join(lines)

    def _extract_sources(
        self,
        graph_context: List[Dict],
```

Estimated effort: 0.0h

medium BLK-067 God Class Anti-Pattern

codeintel / backend/app/repositories/cloner.py:20-20

```
repository cloning and Spring Boot detection."""

    def __init__(self, repo_url: str, repo_id: str, user_id: str):
```

Estimated effort: 0.0h

medium BLK-068 God Class Anti-Pattern

codeintel / backend/app/repositories/cloner.py:47-47

```
self.clone_path}")
        return self.clone_path

    def detect_spring_boot_services(self) -> List[dict]:
        """Detect Spring Boot
```

Estimated effort: 0.0h

medium BLK-069 God Class Anti-Pattern

codeintel / backend/app/repositories/cloner.py:85-85

```
)} Spring Boot services")
        return services

    def _analyze_maven_project(self, pom_path: Path) -> Optional[dict]:
        "
```

Estimated effort: 0.0h

medium BLK-070 God Class Anti-Pattern

codeintel / backend/app/repositories/cloner.py:124-124

```
se {pom_path}: {e}")

        return None

    def _analyze_gradle_project(self, build_gradle_path: Path) -> Optional[dict]:
```

Estimated effort: 0.0h

medium BLK-071 God Class Anti-Pattern

codeintel / backend/app/repositories/cloner.py:152-152

```
_gradle_path}: {e}")

        return None

    def _find_spring_boot_annotations(self) -> List[dict]:
        """Find services by @
```

Estimated effort: 0.0h

medium BLK-072 God Class Anti-Pattern

codeintel / backend/app/repositories/cloner.py:184-184

```
ava_file}: {e}")

        return services

    def get_java_files(self) -> List[Path]:
        """Get all Java files
```

Estimated effort: 0.0h

medium BLK-073 God Class Anti-Pattern

codeintel / backend/app/repositories/service.py:14-14

```
ice:
    """Handle repository CRUD operations."""

    def __init__(self, user_id: str):
        self.user_id = user_i
```

Estimated effort: 0.0h

medium BLK-074 God Class Anti-Pattern

codeintel / backend/app/repositories/service.py:90-90

```
rn len(result.data) > 0 if result.data else False

    def _validate_github_url(self, url: str) -> bool:
        """Validate GitHu
```

Estimated effort: 0.0h

medium BLK-075 God Class Anti-Pattern

codeintel / backend/app/tracing/service.py:28-28

```
ce:
    """Service for tracing endpoint flows."""

    def __init__(self, user_id: str, redis: Optional[RedisClient] =
```

Estimated effort: 0.0h

medium BLK-076 God Class Anti-Pattern

codeintel / backend/app/tracing/service.py:39-39

```
pic.Anthropic(api_key=settings.anthropic_api_key)

    def close(self):
        """Close connections."""
        se
```

Estimated effort: 0.0h

▾ medium BLK-077 **God Class Anti-Pattern**

codeintel / backend/app/usage/service.py:12-12

```
rvice for tracking and enforcing usage limits."""

    def __init__(self, user_id: str):
        self.user_id = user_i
```

Estimated effort: 0.0h

▾ medium BLK-001 **High Cyclomatic Complexity**

codeintel / .env.example:2-2

```
odeIntel Environment Configuration
# Copy to .env and fill in your values

# ============================
```

Estimated effort: 0.0h

▾ medium BLK-002 **High Cyclomatic Complexity**

codeintel / next_steps.md:9-9

```
se

1. Go to [supabase.com](https://supabase.com) and sign up (free tier is fine)
2. Click **"New Projec
```

Estimated effort: 0.0h

▾ medium BLK-003 **High Cyclomatic Complexity**

codeintel / next_steps.md:11-11

```
New Project"**
3. Give it a name like "codeintel" and set a database password
4. Wait 2 minutes for it t
```

Estimated effort: 0.0h

medium BLK-004 High Cyclomatic Complexity

codeintel / next_steps.md:12-12

```
el" and set a database password
4. Wait 2 minutes for it to create
5. Go to **Settings → API** and copy:
```

Estimated effort: 0.0h

medium BLK-005 High Cyclomatic Complexity

codeintel / next_steps.md:13-13

```
utes for it to create
5. Go to **Settings → API** and copy:
   - `Project URL` → paste into `.env` as `S
```

Estimated effort: 0.0h

medium BLK-006 High Cyclomatic Complexity

codeintel / next_steps.md:17-17

```
UPABASE_SERVICE_ROLE_KEY`
6. Go to **SQL Editor** and run the SQL from `README.md` to create tables

---
```

Estimated effort: 0.0h

medium BLK-007 High Cyclomatic Complexity

codeintel / next_steps.md:23-23

```
4j.com/cloud/aura](https://neo4j.com/cloud/aura/) and sign up (free tier available)
2. Click **"Create F
```

Estimated effort: 0.0h

medium BLK-008 High Cyclomatic Complexity

codeintel / next_steps.md:27-27

```
word it shows you! You won't see it again
5. Wait for it to start (shows green "Running")
6. Click on yo
```

Estimated effort: 0.0h

medium BLK-009 High Cyclomatic Complexity

codeintel / next_steps.md:28-28

```
(shows green "Running")
6. Click on your instance and copy:
   - Connection URI → paste into `.env` as `
```

Estimated effort: 0.0h

medium BLK-010 High Cyclomatic Complexity

codeintel / next_steps.md:37-37

```
Stripe

1. Go to [stripe.com](https://stripe.com) and create an account
2. In the left sidebar, click **
```

Estimated effort: 0.0h

medium BLK-011 High Cyclomatic Complexity

codeintel / next_steps.md:61-61

```
ttps://your-vercel-url.vercel.app` (use localhost for now)
   - Authorization callback URL: `https://you
```

Estimated effort: 0.0h

medium BLK-012 High Cyclomatic Complexity

codeintel / next_steps.md:72-72

```
lway

1. Go to [railway.app](https://railway.app) and sign up with GitHub
2. Click **"New Project" → "De
```

Estimated effort: 0.0h

medium BLK-013 High Cyclomatic Complexity

codeintel / next_steps.md:77-77

```
rectory** to `backend`
6. Go to **Variables** tab and add all your `.env` variables:
   - SUPABASE_URL,
```

Estimated effort: 0.0h

medium BLK-014 High Cyclomatic Complexity

codeintel / next_steps.md:86-86

```
intel-production.up.railway.app`
8. Copy this URL and update:
   - GitHub OAuth callback URL (Step 4)
```

Estimated effort: 0.0h

medium BLK-015 High Cyclomatic Complexity

codeintel / next_steps.md:94-94

```
Vercel

1. Go to [vercel.com](https://vercel.com) and sign up with GitHub
2. Click **"Add New" → "Projec
```

Estimated effort: 0.0h

▾ medium BLK-016 **High Cyclomatic Complexity**

codeintel / next_steps.md:102-102

```
nt ID
6. Click **Deploy**
7. Copy your Vercel URL and go back to Railway to set `FRONTEND_URL`
8. Update
```

Estimated effort: 0.0h

▾ medium BLK-017 **High Cyclomatic Complexity**

codeintel / next_steps.md:122-122

```
**
    - Type: "What services are in this codebase?"
    - You should get a detailed answer about the
```

Estimated effort: 0.0h

▾ medium BLK-018 **High Cyclomatic Complexity**

codeintel / next_steps.md:145-145

```
-

## Troubleshooting

**"Failed to exchange code for token"**
- Check GitHub Client ID and Secret are c
```

Estimated effort: 0.0h

▾ medium BLK-019 **High Cyclomatic Complexity**

codeintel / next_steps.md:146-146

```
change code for token"**
- Check GitHub Client ID and Secret are correct
- Check callback URL matches ex
```

Estimated effort: 0.0h

medium BLK-020 High Cyclomatic Complexity

codeintel / next_steps.md:150-150

```
ository stuck on indexing"**
- Check Railway logs for errors
- Make sure Neo4j credentials are correct
```

Estimated effort: 0.0h

medium BLK-021 High Cyclomatic Complexity

codeintel / next_steps.md:155-155

```
 repo might not have Spring Boot services
- Check if `@SpringBootApplication` exists in the Java files
```

Estimated effort: 0.0h

medium BLK-022 High Cyclomatic Complexity

codeintel / next_steps.md:159-159

```
hropic API key is valid
- Check Redis is running (if using Docker locally)
```

Estimated effort: 0.0h

medium BLK-023 High Cyclomatic Complexity

codeintel / README.md:3-3

```
 CodeIntel

AI-powered code intelligence platform for Java microservices. Understand complex
codebases i
```

Estimated effort: 0.0h

medium BLK-024 High Cyclomatic Complexity

codeintel / README.md:3-3

```
elligence platform for Java microservices. Understand complex codebases in minutes,
not days.

## Featur
```

Estimated effort: 0.0h

medium BLK-025 High Cyclomatic Complexity

codeintel / README.md:75-75

```
GitHub OAuth App secret |
| `JWT_SECRET` | Secret for signing JWTs |
| `ANTHROPIC_API_KEY` | Claude API
```

Estimated effort: 0.0h

medium BLK-026 High Cyclomatic Complexity

codeintel / backend/Dockerfile:23-23

```
mplates

# Expose port
EXPOSE 8000

# Default command
CMD ["uvicorn", "app.main:app", "--host", "0.0.0.0
```

Estimated effort: 0.0h

medium BLK-027 High Cyclomatic Complexity

codeintel / backend/requirements.txt:6-6

```
d]==0.24.0
python-multipart==0.0.6

# Templating (for Tabler Bootstrap frontend)
jinja2==3.1.2
aiofiles=
```

Estimated effort: 0.0h

▾ medium BLK-028 **High Cyclomatic Complexity**

codeintel / backend/requirements.txt:41-41

```
pydantic-settings==2.1.0

# Sentence Transformers for embeddings
sentence-transformers==2.2.2

# FAISS f
```

Estimated effort: 0.0h

▾ medium BLK-029 **High Cyclomatic Complexity**

codeintel / backend/requirements.txt:44-44

```
 embeddings
sentence-transformers==2.2.2

# FAISS for vector similarity
faiss-cpu==1.7.4

# Testing
pyte
```

Estimated effort: 0.0h

▾ medium BLK-030 **High Cyclomatic Complexity**

codeintel / backend/requirements.txt:44-44

```
ngs
sentence-transformers==2.2.2

# FAISS for vector similarity
faiss-cpu==1.7.4

# Testing
pytest==7.4
```

Estimated effort: 0.0h

medium BLK-031 High Cyclomatic Complexity

codeintel / backend/app/main.py:27-27

```
I):
    """Manage application lifecycle - startup and shutdown."""
    settings = get_settings()
```

Estimated effort: 0.0h

medium BLK-032 High Cyclomatic Complexity

codeintel / backend/app/main.py:50-50

```
escription="AI-powered code intelligence platform for Java microservices",
    version="0.1.0",
    life
```

Estimated effort: 0.0h

medium BLK-033 High Cyclomatic Complexity

codeintel / backend/app/main.py:70-70

```
   allow_headers=["*"],
)

# Include API routers (for JSON endpoints)
app.include_router(auth_router, pr
```

Estimated effort: 0.0h

medium BLK-034 High Cyclomatic Complexity

codeintel / backend/app/main.py:78-78

```
ling", tags=["Billing"])

# Include pages router (for HTML pages - Tabler Bootstrap frontend)
app.includ
```

Estimated effort: 0.0h

medium BLK-035 High Cyclomatic Complexity

codeintel / backend/app/main.py:94-94

```
  def health_check():
      """Health check endpoint for load balancers."""
      return {"status": "healthy"
```

Estimated effort: 0.0h

medium BLK-036 High Cyclomatic Complexity

codeintel / backend/app/auth/github.py:21-21

```
str) -> Optional[str]:
      """Exchange OAuth code for access token."""
      settings = get_settings()
```

Estimated effort: 0.0h

medium BLK-037 High Cyclomatic Complexity

codeintel / backend/app/auth/github.py:35-35

```
": "application/json"}
          )

          if response.status_code != 200:
              return No
```

Estimated effort: 0.0h

medium BLK-038 High Cyclomatic Complexity

codeintel / backend/app/auth/github.py:53-53

```
on/json"
              }
          )

          if response.status_code != 200:
              return No
```

Estimated effort: 0.0h

medium BLK-039 High Cyclomatic Complexity

codeintel / backend/app/auth/github.py:58-58

```
ta = response.json()

        # Get email if not public
        if not data.get("email"):
```

Estimated effort: 0.0h

medium BLK-040 High Cyclomatic Complexity

codeintel / backend/app/auth/github.py:59-59

```

        # Get email if not public
        if not data.get("email"):
            email_response
```

Estimated effort: 0.0h

medium BLK-041 High Cyclomatic Complexity

codeintel / backend/app/auth/github.py:67-67

```
json"
                }
            )
            if email_response.status_code == 200:
```

Estimated effort: 0.0h

medium BLK-042 High Cyclomatic Complexity

codeintel / backend/app/auth/github.py:70-70

```
ary_email = next(
                    (e["email"] for e in emails if e["primary"]),
```

Estimated effort: 0.0h

medium BLK-043 High Cyclomatic Complexity

codeintel / backend/app/auth/github.py:70-70

```
(
                    (e["email"] for e in emails if e["primary"]),
                    None
```

Estimated effort: 0.0h

medium BLK-044 High Cyclomatic Complexity

codeintel / backend/app/auth/github.py:89-89

```
cope": "read:user user:email repo"
    }

    if state:
        params["state"] = state

    qu
```

Estimated effort: 0.0h

medium BLK-045 High Cyclomatic Complexity

codeintel / backend/app/auth/github.py:92-92

```
te"] = state

    query = "&".join(f"{k}={v}" for k, v in params.items())
    return f"{url}?{query}
```

Estimated effort: 0.0h

medium BLK-046 High Cyclomatic Complexity

codeintel / backend/app/auth/github.py:93-93

```
v}" for k, v in params.items())
    return f"{url}?{query}"
```

Estimated effort: 0.0h

medium BLK-047 High Cyclomatic Complexity

codeintel / backend/app/auth/jwt.py:51-51

```
token: str) -> Optional[TokenData]:
    """Decode and validate a JWT token."""
    settings = get_settin
```

Estimated effort: 0.0h

medium BLK-048 High Cyclomatic Complexity

codeintel / backend/app/auth/jwt.py:62-62

```
        user_id = payload.get("sub")
        if user_id is None:
            return None
```

Estimated effort: 0.0h

medium BLK-049 High Cyclomatic Complexity

codeintel / backend/app/auth/jwt.py:70-70

```
e.fromtimestamp(payload.get("exp"))
        )
    except JWTError:
        return None
```

Estimated effort: 0.0h

medium BLK-050 High Cyclomatic Complexity

codeintel / backend/app/auth/middleware.py:19-19

```
current authenticated user from JWT token."""
    if not credentials:
        raise HTTPException(
```

Estimated effort: 0.0h

medium BLK-051 High Cyclomatic Complexity

codeintel / backend/app/auth/middleware.py:28-28

```
de_access_token(credentials.credentials)

    if not token_data:
        raise HTTPException(
```

Estimated effort: 0.0h

medium BLK-052 High Cyclomatic Complexity

codeintel / backend/app/auth/middleware.py:31-31

```
TTP_401_UNAUTHORIZED,
            detail="Invalid or expired token",
            headers={"WWW-Authenti
```

Estimated effort: 0.0h

medium BLK-053 High Cyclomatic Complexity

codeintel / backend/app/auth/middleware.py:41-41

```
) -> Optional[TokenData]:
    """Get current user if authenticated, otherwise None."""
    if not crede
```

Estimated effort: 0.0h

medium BLK-054 High Cyclomatic Complexity

codeintel / backend/app/auth/middleware.py:42-42

```
ent user if authenticated, otherwise None."""
    if not credentials:
        return None

    retu
```

Estimated effort: 0.0h

medium BLK-055 High Cyclomatic Complexity

codeintel / backend/app/auth/middleware.py:68-68

```
").eq("user_id", user.user_id).execute()

    if response.data:
        sub = response.data[0]
```

Estimated effort: 0.0h

medium BLK-056 High Cyclomatic Complexity

codeintel / backend/app/auth/middleware.py:77-77

```
ry_limit=sub.get("query_limit", 10)
        )
    else:
        # Default free tier
        return UserWi
```

Estimated effort: 0.0h

medium BLK-057 High Cyclomatic Complexity

codeintel / backend/app/auth/router.py:46-46

```
ettings = get_settings()

    # Exchange code for token
    github_token = await exchange_code_for_t
```

Estimated effort: 0.0h

medium BLK-058 High Cyclomatic Complexity

codeintel / backend/app/auth/router.py:48-48

```
b_token = await exchange_code_for_token(code)
    if not github_token:
        raise HTTPException(
```

Estimated effort: 0.0h

medium BLK-059 High Cyclomatic Complexity

codeintel / backend/app/auth/router.py:51-51

```
UEST,
            detail="Failed to exchange code for token"
        )

    # Get GitHub user info
```

Estimated effort: 0.0h

medium BLK-060 High Cyclomatic Complexity

codeintel / backend/app/auth/router.py:56-56

```
ub_user = await get_github_user(github_token)
    if not github_user:
        raise HTTPException(
```

Estimated effort: 0.0h

medium BLK-061 High Cyclomatic Complexity

codeintel / backend/app/auth/router.py:62-62

```
get GitHub user info"
        )

    # Create or update user in Supabase
    supabase = get_supabas
```

Estimated effort: 0.0h

medium BLK-062 High Cyclomatic Complexity

codeintel / backend/app/auth/router.py:65-65

```
se = get_supabase_admin_client()

    # Check if user exists
    existing = supabase.table("profile
```

Estimated effort: 0.0h

medium BLK-063 High Cyclomatic Complexity

codeintel / backend/app/auth/router.py:68-68

```
q("github_id", github_user.id).execute()

    if existing.data:
        user_id = existing.data[0][
```

Estimated effort: 0.0h

medium BLK-064 High Cyclomatic Complexity

codeintel / backend/app/auth/router.py:77-77

```
r.name
        }).eq("id", user_id).execute()
    else:
        # Create new user via Supabase Auth
```

Estimated effort: 0.0h

medium BLK-065 High Cyclomatic Complexity

codeintel / backend/app/auth/router.py:80-80

```
ate_user({
            "email": github_user.email or f"{github_user.login}@github.local",
            "
```

Estimated effort: 0.0h

medium BLK-066 High Cyclomatic Complexity

codeintel / backend/app/auth/router.py:114-114

```
rect_url = f"{settings.frontend_url}/auth/callback?
token={token_response.access_token}"
    return Re
```

Estimated effort: 0.0h

medium BLK-067 High Cyclomatic Complexity

codeintel / backend/app/auth/router.py:120-120

```
_exchange(code: str):
    """Exchange GitHub code for JWT token (alternative to callback redirect)."""
```

Estimated effort: 0.0h

medium BLK-068 High Cyclomatic Complexity

codeintel / backend/app/auth/router.py:121-121

```
ive to callback redirect)."""
    # Exchange code for token
    github_token = await exchange_code_for_t
```

Estimated effort: 0.0h

medium BLK-069 High Cyclomatic Complexity

codeintel / backend/app/auth/router.py:123-123

```
b_token = await exchange_code_for_token(code)
    if not github_token:
        raise HTTPException(
```

Estimated effort: 0.0h

medium BLK-070 High Cyclomatic Complexity

codeintel / backend/app/auth/router.py:126-126

```
UEST,
            detail="Failed to exchange code for token"
        )

    # Get GitHub user info
```

Estimated effort: 0.0h

▾ medium BLK-071 High Cyclomatic Complexity

codeintel / backend/app/auth/router.py:131-131

```
ub_user = await get_github_user(github_token)
    if not github_user:
        raise HTTPException(
```

Estimated effort: 0.0h

▾ medium BLK-072 High Cyclomatic Complexity

codeintel / backend/app/auth/router.py:137-137

```
get GitHub user info"
        )

    # Create or update user in Supabase
    supabase = get_supabas
```

Estimated effort: 0.0h

▾ medium BLK-073 High Cyclomatic Complexity

codeintel / backend/app/auth/router.py:140-140

```
se = get_supabase_admin_client()

    # Check if user exists
    existing = supabase.table("profile
```

Estimated effort: 0.0h

▾ medium BLK-074 High Cyclomatic Complexity

codeintel / backend/app/auth/router.py:143-143

```
q("github_id", github_user.id).execute()

    if existing.data:
        user_id = existing.data[0][
```

Estimated effort: 0.0h

medium BLK-075 High Cyclomatic Complexity

codeintel / backend/app/auth/router.py:145-145

```
ata:
        user_id = existing.data[0]["id"]
    else:
        # Create new user
        auth_response =
```

Estimated effort: 0.0h

medium BLK-076 High Cyclomatic Complexity

codeintel / backend/app/auth/router.py:148-148

```
ate_user({
            "email": github_user.email or f"{github_user.login}@github.local",
            "
```

Estimated effort: 0.0h

medium BLK-077 High Cyclomatic Complexity

codeintel / backend/app/auth/router.py:158-158

```
esponse.user.id

        # Create profile and subscription
        supabase.table("profiles").in
```

Estimated effort: 0.0h

medium BLK-078 High Cyclomatic Complexity

codeintel / backend/app/auth/router.py:202-202

```
se_admin_client()

    # We need to re-import and use the dependency properly
    # This is a placeh
```

Estimated effort: 0.0h

▾ medium BLK-079 High Cyclomatic Complexity

codeintel / backend/app/billing/router.py:39-39

```
_user)
):
    """Create a Stripe checkout session for Pro plan."""
    settings = get_settings()
```

Estimated effort: 0.0h

▾ medium BLK-080 High Cyclomatic Complexity

codeintel / backend/app/billing/router.py:42-42

```
ings()

    success_url = request.success_url or f"{settings.frontend_url}/billing/success"
    can
```

Estimated effort: 0.0h

▾ medium BLK-081 High Cyclomatic Complexity

codeintel / backend/app/billing/router.py:43-43

```
ling/success"
    cancel_url = request.cancel_url or f"{settings.frontend_url}/billing/cancel"
```

Estimated effort: 0.0h

▾ medium BLK-082 High Cyclomatic Complexity

codeintel / backend/app/billing/router.py:58-58

```
et_settings()
    return_url = request.return_url or f"{settings.frontend_url}/dashboard"

    serv
```

Estimated effort: 0.0h

medium BLK-083 High Cyclomatic Complexity

codeintel / backend/app/billing/router.py:90-90

```
     settings.stripe_webhook_secret
        )
    except ValueError:
        raise HTTPException(status_cod
```

Estimated effort: 0.0h

medium BLK-084 High Cyclomatic Complexity

codeintel / backend/app/billing/router.py:92-92

```
on(status_code=400, detail="Invalid payload")
    except stripe.error.SignatureVerificationError:
        r
```

Estimated effort: 0.0h

medium BLK-085 High Cyclomatic Complexity

codeintel / backend/app/billing/service.py:2-2

```
"""
Billing service for Stripe integration.
"""
import stripe
from typing
```

Estimated effort: 0.0h

medium BLK-086 High Cyclomatic Complexity

codeintel / backend/app/billing/service.py:12-12

```
ase_client


class BillingService:
    """Service for Stripe payment handling."""

    def __init__(
```

Estimated effort: 0.0h

▾ medium BLK-087 High Cyclomatic Complexity

codeintel / backend/app/billing/service.py:22-22

```
Dict:
        """Create a Stripe checkout session for Pro plan."""
        # Get or create Stripe custom
```

Estimated effort: 0.0h

▾ medium BLK-088 High Cyclomatic Complexity

codeintel / backend/app/billing/service.py:23-23

```
e checkout session for Pro plan."""
        # Get or create Stripe customer
        customer_id = await
```

Estimated effort: 0.0h

▾ medium BLK-089 High Cyclomatic Complexity

codeintel / backend/app/billing/service.py:48-48

```
) -> str:
        """Get existing Stripe customer or create new one."""
        # Check if user has Str
```

Estimated effort: 0.0h

▾ medium BLK-090 High Cyclomatic Complexity

codeintel / backend/app/billing/service.py:49-49

```
pe customer or create new one."""
        # Check if user has Stripe customer ID
        result = self.
```

Estimated effort: 0.0h

medium BLK-091 High Cyclomatic Complexity

codeintel / backend/app/billing/service.py:54-54

```
ser_id", self.user_id).execute()

        if result.data and result.data[0].get("stripe_custome
```

Estimated effort: 0.0h

medium BLK-092 High Cyclomatic Complexity

codeintel / backend/app/billing/service.py:54-54

```
ser_id).execute()

        if result.data and result.data[0].get("stripe_customer_id"):
```

Estimated effort: 0.0h

medium BLK-093 High Cyclomatic Complexity

codeintel / backend/app/billing/service.py:62-62

```

        email = user_result.data[0]["email"] if user_result.data else None

        # Crea
```

Estimated effort: 0.0h

medium BLK-094 High Cyclomatic Complexity

codeintel / backend/app/billing/service.py:95-95

```
self.user_id
        ).execute()

        if not result.data:
            return {
```

Estimated effort: 0.0h

▾ medium BLK-095 High Cyclomatic Complexity

codeintel / backend/app/billing/service.py:105-105

```
        # Check Stripe subscription status if applicable
        status = "active"
        if su
```

Estimated effort: 0.0h

▾ medium BLK-096 High Cyclomatic Complexity

codeintel / backend/app/billing/service.py:107-107

```
s if applicable
        status = "active"
        if sub.get("stripe_subscription_id"):
            try
```

Estimated effort: 0.0h

▾ medium BLK-097 High Cyclomatic Complexity

codeintel / backend/app/billing/service.py:129-129

```
supabase = get_supabase_client()

        if event_type == "checkout.session.completed":
```

Estimated effort: 0.0h

▾ medium BLK-098 High Cyclomatic Complexity

codeintel / backend/app/billing/service.py:135-135

```
d = data.get("customer")

            if user_id:
                supabase.table("subscript
```

Estimated effort: 0.0h

▾ medium BLK-099 High Cyclomatic Complexity

codeintel / backend/app/billing/service.py:142-142

```
                "query_limit": 1000  # Unlimited for practical purposes
            }).execute()
```

Estimated effort: 0.0h

▾ medium BLK-100 High Cyclomatic Complexity

codeintel / backend/app/billing/service.py:145-145

```
ses
            }).execute()

        elif event_type == "customer.subscription.deleted":
```

Estimated effort: 0.0h

▾ medium BLK-101 High Cyclomatic Complexity

codeintel / backend/app/billing/service.py:154-154

```
        ).execute()

        if result.data:
            user_id = result.data
```

Estimated effort: 0.0h

▾ medium BLK-102 High Cyclomatic Complexity

codeintel / backend/app/billing/service.py:163-163

```
eq("user_id", user_id).execute()

        elif event_type == "invoice.payment_failed":
```

Estimated effort: 0.0h

medium BLK-103 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:25-25

```
o4j connection established successfully")
        except Exception as e:
            logger.error(f"Failed
```

Estimated effort: 0.0h

medium BLK-104 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:31-31

```
elf):
        """Close the connection."""
        if self._driver:
            self._driver.close()
```

Estimated effort: 0.0h

medium BLK-105 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:39-39

```
ict[str, Any]]:
        """Execute a Cypher query and return results."""
        with self._driver.sessi
```

Estimated effort: 0.0h

medium BLK-106 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:41-41

```
            result = session.run(query, parameters or {})
             return [record.data() for record i
```

Estimated effort: 0.0h

medium BLK-107 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:42-42

```
rameters or {})
            return [record.data() for record in result]

    def execute_write(
```

Estimated effort: 0.0h

medium BLK-108 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:51-51

```
ession:
            session.run(query, parameters or {})

    # ====================================
```

Estimated effort: 0.0h

medium BLK-109 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:58-58

```
:
        """Set up Neo4j schema with constraints and indexes."""
        schema_queries = [
```

Estimated effort: 0.0h

medium BLK-110 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:61-61

```
traints
            "CREATE CONSTRAINT service_id IF NOT EXISTS FOR (s:Service) REQUIRE s.id
IS UNIQUE"
```

Estimated effort: 0.0h

▾ medium BLK-111 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:61-61

```
      "CREATE CONSTRAINT service_id IF NOT EXISTS FOR (s:Service) REQUIRE s.id IS
UNIQUE",
            "
```

Estimated effort: 0.0h

▾ medium BLK-112 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:62-62

```
 UNIQUE",
            "CREATE CONSTRAINT class_id IF NOT EXISTS FOR (c:Class) REQUIRE c.id IS
UNIQUE",
```

Estimated effort: 0.0h

▾ medium BLK-113 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:62-62

```
        "CREATE CONSTRAINT class_id IF NOT EXISTS FOR (c:Class) REQUIRE c.id IS
UNIQUE",
            "CR
```

Estimated effort: 0.0h

▾ medium BLK-114 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:63-63

```
UNIQUE",
            "CREATE CONSTRAINT method_id IF NOT EXISTS FOR (m:Method) REQUIRE m.id IS
UNIQUE",
```

Estimated effort: 0.0h

▾ medium BLK-115 **High Cyclomatic Complexity**

codeintel / backend/app/database/neo4j.py:63-63

```
        "CREATE CONSTRAINT method_id IF NOT EXISTS FOR (m:Method) REQUIRE m.id IS
UNIQUE",
            "C
```

Estimated effort: 0.0h

▾ medium BLK-116 **High Cyclomatic Complexity**

codeintel / backend/app/database/neo4j.py:64-64

```
IQUE",
            "CREATE CONSTRAINT endpoint_id IF NOT EXISTS FOR (e:Endpoint) REQUIRE e.id
IS UNIQUE
```

Estimated effort: 0.0h

▾ medium BLK-117 **High Cyclomatic Complexity**

codeintel / backend/app/database/neo4j.py:64-64

```
    "CREATE CONSTRAINT endpoint_id IF NOT EXISTS FOR (e:Endpoint) REQUIRE e.id IS
UNIQUE",
```

Estimated effort: 0.0h

▾ medium BLK-118 **High Cyclomatic Complexity**

codeintel / backend/app/database/neo4j.py:65-65

```
t) REQUIRE e.id IS UNIQUE",
            # Indexes for multi-tenancy
            "CREATE INDEX service_us
```

Estimated effort: 0.0h

medium BLK-119 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:66-66

```
ti-tenancy
            "CREATE INDEX service_user IF NOT EXISTS FOR (s:Service) ON (s.user_id)",
```

Estimated effort: 0.0h

medium BLK-120 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:66-66

```
        "CREATE INDEX service_user IF NOT EXISTS FOR (s:Service) ON (s.user_id)",
           "CREATE I
```

Estimated effort: 0.0h

medium BLK-121 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:67-67

```
s.user_id)",
            "CREATE INDEX class_user IF NOT EXISTS FOR (c:Class) ON (c.user_id)",
```

Estimated effort: 0.0h

medium BLK-122 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:67-67

```
           "CREATE INDEX class_user IF NOT EXISTS FOR (c:Class) ON (c.user_id)",
            "CREATE IND
```

Estimated effort: 0.0h

medium BLK-123 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:68-68

```
.user_id)",
            "CREATE INDEX method_user IF NOT EXISTS FOR (m:Method) ON (m.user_id)",
```

Estimated effort: 0.0h

medium BLK-124 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:68-68

```
            "CREATE INDEX method_user IF NOT EXISTS FOR (m:Method) ON (m.user_id)",
              "CREATE IN
```

Estimated effort: 0.0h

medium BLK-125 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:69-69

```
ser_id)",
              "CREATE INDEX endpoint_user IF NOT EXISTS FOR (e:Endpoint) ON
(e.user_id)",
```

Estimated effort: 0.0h

medium BLK-126 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:69-69

```
          "CREATE INDEX endpoint_user IF NOT EXISTS FOR (e:Endpoint) ON (e.user_id)",
              # Indexe
```

Estimated effort: 0.0h

medium BLK-127 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:70-70

```
:Endpoint) ON (e.user_id)",
              # Indexes for repo filtering
              "CREATE INDEX service_r
```

Estimated effort: 0.0h

▾ medium BLK-128 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:71-71

```
  filtering
            "CREATE INDEX service_repo IF NOT EXISTS FOR (s:Service) ON (s.repo_id)",
```

Estimated effort: 0.0h

▾ medium BLK-129 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:71-71

```
          "CREATE INDEX service_repo IF NOT EXISTS FOR (s:Service) ON (s.repo_id)",
        ]
```

Estimated effort: 0.0h

▾ medium BLK-130 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:74-74

```
vice) ON (s.repo_id)",
        ]

        for query in schema_queries:
            try:
```

Estimated effort: 0.0h

▾ medium BLK-131 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:77-77

```
            self.execute_write(query)
            except Exception as e:
                logger.warning(f"S
```

Estimated effort: 0.0h

▾ medium BLK-132 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:109-109

```
 None) -> List[Dict]:
        """Get all services for a user, optionally filtered by repo."""
        if
```

Estimated effort: 0.0h

▾ medium BLK-133 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:110-110

```
r a user, optionally filtered by repo."""
        if repo_id:
            query = """
            MATCH
```

Estimated effort: 0.0h

▾ medium BLK-134 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:117-117

```
{"user_id": user_id, "repo_id": repo_id})
        else:
            query = """
            MATCH (s:Serv
```

Estimated effort: 0.0h

▾ medium BLK-135 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:137-137

```
str
    ) -> None:
        """Create a class node and link to service."""
        query = """
        ME
```

Estimated effort: 0.0h

medium BLK-136 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:170-170

```
ne
    ) -> None:
        """Create a method node and link to class."""
        query = """
        MERG
```

Estimated effort: 0.0h

medium BLK-137 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:191-191

```
 class_id,
            "annotations": annotations or []
        })

    def create_method_call(self
```

Estimated effort: 0.0h

medium BLK-138 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:215-215

```
    ) -> None:
        """Create an endpoint node and link to method."""
        query = """
        MER
```

Estimated effort: 0.0h

medium BLK-139 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:234-234

```
] = None) -> List[Dict]:
        """Get endpoints for a user, optionally filtered by service."""
```

Estimated effort: 0.0h

medium BLK-140 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:235-235

```
 user, optionally filtered by service."""
        if service_name:
            query = """
```

Estimated effort: 0.0h

medium BLK-141 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:246-246

```
: user_id, "service_name": service_name})
        else:
            query = """
            MATCH (s:Serv
```

Estimated effort: 0.0h

medium BLK-142 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:282-282

```
st[Dict]:
        """Get service dependency graph for visualization."""
        if repo_id:
```

Estimated effort: 0.0h

medium BLK-143 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:283-283

```
ce dependency graph for visualization."""
        if repo_id:
            query = """
            MATCH
```

Estimated effort: 0.0h

▾ medium BLK-144 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:291-291

```
{"user_id": user_id, "repo_id": repo_id})
        else:
            query = """
            MATCH (s1:Ser
```

Estimated effort: 0.0h

▾ medium BLK-145 High Cyclomatic Complexity

codeintel / backend/app/database/neo4j.py:346-346

```
repo_id: str) -> None:
        """Delete all data for a repository."""
        query = """
        MATCH
```

Estimated effort: 0.0h

▾ medium BLK-146 High Cyclomatic Complexity

codeintel / backend/app/database/redis_client.py:2-2

```
"""
Redis client for caching.
"""
import redis.asyncio as redis
from ty
```

Estimated effort: 0.0h

▾ medium BLK-147 High Cyclomatic Complexity

codeintel / backend/app/database/redis_client.py:13-13

```
class RedisClient:
    """Redis client wrapper for caching."""

    def __init__(self, url: str):
```

Estimated effort: 0.0h

▾ medium BLK-148 High Cyclomatic Complexity

codeintel / backend/app/database/redis_client.py:26-26

```
dis connection established successfully")
        except Exception as e:
            logger.warning(f"Faile
```

Estimated effort: 0.0h

▾ medium BLK-149 High Cyclomatic Complexity

codeintel / backend/app/database/redis_client.py:32-32

```
f):
        """Close Redis connection."""
        if self._client:
            await self._client.close
```

Estimated effort: 0.0h

▾ medium BLK-150 High Cyclomatic Complexity

codeintel / backend/app/database/redis_client.py:37-37

```
y]:
        """Get a value from cache."""
        if not self._client:
            return None
```

Estimated effort: 0.0h

▾ medium BLK-151 High Cyclomatic Complexity

codeintel / backend/app/database/redis_client.py:41-41

```
  value = await self._client.get(key)
            if value:
                return json.loads(value)
```

Estimated effort: 0.0h

▾ medium BLK-152 High Cyclomatic Complexity

codeintel / backend/app/database/redis_client.py:44-44

```
json.loads(value)
            return None
        except Exception as e:
            logger.warning(f"Redis
```

Estimated effort: 0.0h

▾ medium BLK-153 High Cyclomatic Complexity

codeintel / backend/app/database/redis_client.py:55-55

```
    """Set a value in cache with TTL."""
        if not self._client:
            return False
```

Estimated effort: 0.0h

▾ medium BLK-154 High Cyclomatic Complexity

codeintel / backend/app/database/redis_client.py:64-64

```
ue)
            )
            return True
        except Exception as e:
            logger.warning(f"Redis
```

Estimated effort: 0.0h

▾ medium BLK-155 High Cyclomatic Complexity

codeintel / backend/app/database/redis_client.py:70-70

```
l:
        """Delete a key from cache."""
        if not self._client:
            return False
```

Estimated effort: 0.0h

▾ medium BLK-156 High Cyclomatic Complexity

codeintel / backend/app/database/redis_client.py:75-75

```
lient.delete(key)
            return True
        except Exception as e:
            logger.warning(f"Redis
```

Estimated effort: 0.0h

▾ medium BLK-157 High Cyclomatic Complexity

codeintel / backend/app/database/redis_client.py:81-81

```
"""Delete all keys matching a pattern."""
        if not self._client:
            return 0
        try
```

Estimated effort: 0.0h

▾ medium BLK-158 High Cyclomatic Complexity

codeintel / backend/app/database/redis_client.py:85-85

```
ys = await self._client.keys(pattern)
            if keys:
                return await self._client.de
```

Estimated effort: 0.0h

▾ medium BLK-159 High Cyclomatic Complexity

codeintel / backend/app/database/redis_client.py:88-88

```
client.delete(*keys)
            return 0
        except Exception as e:
            logger.warning(f"Redis
```

Estimated effort: 0.0h

▾ medium BLK-160 High Cyclomatic Complexity

codeintel / backend/app/graph/router.py:32-32

```
onse(BaseModel):
    """Dependency graph response for React Flow."""
    nodes: List[Dict[str, Any]]
```

Estimated effort: 0.0h

▾ medium BLK-161 High Cyclomatic Complexity

codeintel / backend/app/graph/router.py:50-50

```
nds(get_current_user)
):
    """List all services for the user."""
    service = GraphService(user.user_
```

Estimated effort: 0.0h

▾ medium BLK-162 High Cyclomatic Complexity

codeintel / backend/app/graph/router.py:54-54

```
ces(repo_id)
        return [ServiceResponse(**s) for s in services]
    finally:
        service.close(
```

Estimated effort: 0.0h

▾ medium BLK-163 High Cyclomatic Complexity

codeintel / backend/app/graph/router.py:64-64

```
rent_user)
):
    """Get service dependency graph for visualization."""
    service = GraphService(user.
```

Estimated effort: 0.0h

▾ medium BLK-164 High Cyclomatic Complexity

codeintel / backend/app/graph/router.py:82-82

```
rvice_name)
        return [EndpointResponse(**e) for e in endpoints]
    finally:
        service.close
```

Estimated effort: 0.0h

▾ medium BLK-165 High Cyclomatic Complexity

codeintel / backend/app/graph/router.py:96-96

```
= service.get_service_details(service_id)
        if not details:
            raise HTTPException(
```

Estimated effort: 0.0h

▾ medium BLK-166 High Cyclomatic Complexity

codeintel / backend/app/graph/router.py:111-111

```
ser)
):
    """Search services, classes, methods, and endpoints."""
    service = GraphService(user.user
```

Estimated effort: 0.0h

▾ medium BLK-167 High Cyclomatic Complexity

codeintel / backend/app/graph/router.py:115-115

```
rvice.search(q)
        return [SearchResult(**r) for r in results]
    finally:
        service.close()
```

Estimated effort: 0.0h

▾ medium BLK-168 High Cyclomatic Complexity

codeintel / backend/app/graph/service.py:2-2

```
"""
Graph service for Neo4j queries.
"""
from typing import List, Dict,
```

Estimated effort: 0.0h

▾ medium BLK-169 High Cyclomatic Complexity

codeintel / backend/app/graph/service.py:10-10

```
get_settings


class GraphService:
    """Service for graph-related queries."""

    def __init__(se
```

Estimated effort: 0.0h

▾ medium BLK-170 High Cyclomatic Complexity

codeintel / backend/app/graph/service.py:26-26

```
None) -> List[Dict]:
        """Get all services for the user."""
        return self.neo4j.get_service
```

Estimated effort: 0.0h

▾ medium BLK-171 High Cyclomatic Complexity

codeintel / backend/app/graph/service.py:30-30

```
-> Dict:
        """Get service dependency graph for visualization."""
        deps = self.neo4j.get_se
```

Estimated effort: 0.0h

medium BLK-172 High Cyclomatic Complexity

codeintel / backend/app/graph/service.py:34-34

```
.user_id, repo_id)

        # Build nodes and edges for React Flow
        nodes = []
        ed
```

Estimated effort: 0.0h

medium BLK-173 High Cyclomatic Complexity

codeintel / backend/app/graph/service.py:34-34

```
repo_id)

        # Build nodes and edges for React Flow
        nodes = []
        edges = []
```

Estimated effort: 0.0h

medium BLK-174 High Cyclomatic Complexity

codeintel / backend/app/graph/service.py:39-39

```
= []
        service_ids = set()

        for service in services:
            service_ids.add(s
```

Estimated effort: 0.0h

medium BLK-175 High Cyclomatic Complexity

codeintel / backend/app/graph/service.py:52-52

```
    })

        edge_counts = {}
        for dep in deps:
            edge_id = f"{dep['source_
```

Estimated effort: 0.0h

medium BLK-176 High Cyclomatic Complexity

codeintel / backend/app/graph/service.py:54-54

```
dep['source_id']}-{dep['target_id']}"
            if edge_id not in edge_counts:
                edge_c
```

Estimated effort: 0.0h

medium BLK-177 High Cyclomatic Complexity

codeintel / backend/app/graph/service.py:64-64

```
end(dep.get('via_endpoint', ''))

        for edge_id, data in edge_counts.items():
```

Estimated effort: 0.0h

medium BLK-178 High Cyclomatic Complexity

codeintel / backend/app/graph/service.py:86-86

```
) -> Optional[Dict]:
        """Get detailed info for a service including classes and methods."""
```

Estimated effort: 0.0h

medium BLK-179 High Cyclomatic Complexity

codeintel / backend/app/graph/service.py:86-86

```
Get detailed info for a service including classes and methods."""
        query = """
        MATCH (s:S
```

Estimated effort: 0.0h

▾ medium BLK-180 High Cyclomatic Complexity

codeintel / backend/app/graph/service.py:115-115

```
ser_id": self.user_id
        })

        if results:
            return results[0]
        ret
```

Estimated effort: 0.0h

▾ medium BLK-181 High Cyclomatic Complexity

codeintel / backend/app/graph/service.py:120-120

```
t]:
        """Search services, classes, methods, and endpoints."""
        search_query = """
        C
```

Estimated effort: 0.0h

▾ medium BLK-182 High Cyclomatic Complexity

codeintel / backend/app/indexing/call_graph.py:46-46

```
e_path = java_class['file_path']

        for method in java_class.get('methods', []):
```

Estimated effort: 0.0h

▾ medium BLK-183 High Cyclomatic Complexity

codeintel / backend/app/indexing/call_graph.py:65-65

```
e_name: str) -> None:
        """Build call edges for a class."""
        class_name = java_class['name'
```

Estimated effort: 0.0h

medium BLK-184 High Cyclomatic Complexity

codeintel / backend/app/indexing/call_graph.py:68-68

```
  class_name = java_class['name']

        for method in java_class.get('methods', []):
```

Estimated effort: 0.0h

medium BLK-185 High Cyclomatic Complexity

codeintel / backend/app/indexing/call_graph.py:71-71

```
_name}:{method['name']}"

            for call in method.get('method_calls', []):
```

Estimated effort: 0.0h

medium BLK-186 High Cyclomatic Complexity

codeintel / backend/app/indexing/call_graph.py:74-74

```
          parts = call.split('.')
                if len(parts) != 2:
                    continue
```

Estimated effort: 0.0h

medium BLK-187 High Cyclomatic Complexity

codeintel / backend/app/indexing/call_graph.py:82-82

```
d = None

                # Check if it's a call to same class
                same_cla
```

Estimated effort: 0.0h

▾ medium BLK-188 High Cyclomatic Complexity

codeintel / backend/app/indexing/call_graph.py:84-84

```
y = f"{class_name}.{method_name}"
                if same_class_key in self.class_method_index:
```

Estimated effort: 0.0h

▾ medium BLK-189 High Cyclomatic Complexity

codeintel / backend/app/indexing/call_graph.py:88-88

```
     # Check by method name alone
                if not callee_id and method_name in self.method_index
```

Estimated effort: 0.0h

▾ medium BLK-190 High Cyclomatic Complexity

codeintel / backend/app/indexing/call_graph.py:88-88

```
ethod name alone
                if not callee_id and method_name in self.method_index:
```

Estimated effort: 0.0h

▾ medium BLK-191 High Cyclomatic Complexity

codeintel / backend/app/indexing/call_graph.py:91-91

```
dex[method_name]

                if callee_id and callee_id != caller_id:
```

Estimated effort: 0.0h

medium BLK-192 High Cyclomatic Complexity

codeintel / backend/app/indexing/call_graph.py:91-91

```
me]

                if callee_id and callee_id != caller_id:
                    self.e
```

Estimated effort: 0.0h

medium BLK-193 High Cyclomatic Complexity

codeintel / backend/app/indexing/call_graph.py:106-106

```
ween services."""
        # Create a virtual node for the target if not exists
        callee_id = f"{ta
```

Estimated effort: 0.0h

medium BLK-194 High Cyclomatic Complexity

codeintel / backend/app/indexing/call_graph.py:106-106

```
""
        # Create a virtual node for the target if not exists
        callee_id = f"{target_service}:
```

Estimated effort: 0.0h

medium BLK-195 High Cyclomatic Complexity

codeintel / backend/app/indexing/call_graph.py:109-109

```
ice}:endpoint:{target_endpoint}"

        if callee_id not in self.nodes:
            self.node
```

Estimated effort: 0.0h

medium BLK-196 High Cyclomatic Complexity

codeintel / backend/app/indexing/call_graph.py:140-140

```
nippet': n.code_snippet
            }
            for n in self.nodes.values()
        ]

    def ge
```

Estimated effort: 0.0h

medium BLK-197 High Cyclomatic Complexity

codeintel / backend/app/indexing/call_graph.py:151-151

```
call_type': e.call_type
            }
            for e in self.edges
        ]

    def get_service
```

Estimated effort: 0.0h

medium BLK-198 High Cyclomatic Complexity

codeintel / backend/app/indexing/call_graph.py:158-158

```
"""
        dependencies = set()

        for edge in self.edges:
            if edge.call_type
```

Estimated effort: 0.0h

medium BLK-199 High Cyclomatic Complexity

codeintel / backend/app/indexing/call_graph.py:159-159

```

        for edge in self.edges:
            if edge.call_type in ('rest', 'feign'):

```

Estimated effort: 0.0h

medium BLK-200 High Cyclomatic Complexity

codeintel / backend/app/indexing/call_graph.py:163-163

```
(edge.callee_id)

                if source and target and source.service_name != targe
```

Estimated effort: 0.0h

medium BLK-201 High Cyclomatic Complexity

codeintel / backend/app/indexing/call_graph.py:163-163

```
ee_id)

                if source and target and source.service_name != target.service_n
```

Estimated effort: 0.0h

medium BLK-202 High Cyclomatic Complexity

codeintel / backend/app/indexing/call_graph.py:163-163

```

                if source and target and source.service_name != target.service_name:

```

Estimated effort: 0.0h

medium BLK-203 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:2-2

```
"""
Java code parser using subprocess and regex patterns.
Extracts classes, methods, annotat
```

Estimated effort: 0.0h

medium BLK-204 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:3-3

```
patterns.
Extracts classes, methods, annotations, and call relationships.
"""
import re
import subproces
```

Estimated effort: 0.0h

medium BLK-205 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:54-54

```
s*;')
    IMPORT_PATTERN = re.compile(r'import\s+(?:static\s+)?([\w.]+)\s*;')
    CLASS_PATTERN = re.
```

Estimated effort: 0.0h

medium BLK-206 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:54-54

```
PORT_PATTERN = re.compile(r'import\s+(?:static\s+)?([\w.]+)\s*;')
    CLASS_PATTERN = re.compile(
```

Estimated effort: 0.0h

medium BLK-207 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:56-56

```
\s*;')
    CLASS_PATTERN = re.compile(
        r'(?:@\w+(?:\([^)]*\))?\s*)*'
        r'(?:public|priv
```

Estimated effort: 0.0h

medium BLK-208 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:56-56

```
    CLASS_PATTERN = re.compile(
        r'(?:@\w+(?:\([^)]*\))?\s*)*'
        r'(?:public|private|pro
```

Estimated effort: 0.0h

medium BLK-209 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:56-56

```
TTERN = re.compile(
        r'(?:@\w+(?:\([^)]*\))?\s*)*'
        r'(?:public|private|protected)?\s*'
```

Estimated effort: 0.0h

medium BLK-210 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:57-57

```
        r'(?:@\w+(?:\([^)]*\))?\s*)*'
        r'(?:public|private|protected)?\s*'
        r'(?:abstr
```

Estimated effort: 0.0h

medium BLK-211 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:57-57

```
*\))?\s*)*'
        r'(?:public|private|protected)?\s*'
        r'(?:abstract|final)?\s*'
        r'c
```

Estimated effort: 0.0h

medium BLK-212 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:58-58

```
    r'(?:public|private|protected)?\s*'
         r'(?:abstract|final)?\s*'
         r'class\s+(\w+)'
```

Estimated effort: 0.0h

medium BLK-213 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:58-58

```
ivate|protected)?\s*'
         r'(?:abstract|final)?\s*'
         r'class\s+(\w+)'
         r'(?:\s+exte
```

Estimated effort: 0.0h

medium BLK-214 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:60-60

```
t|final)?\s*'
         r'class\s+(\w+)'
         r'(?:\s+extends\s+(\w+))?'
         r'(?:\s+implements\
```

Estimated effort: 0.0h

medium BLK-215 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:60-60

```
 r'class\s+(\w+)'
         r'(?:\s+extends\s+(\w+))?'
         r'(?:\s+implements\s+([\w,\s]+))?'
     )
```

Estimated effort: 0.0h

medium BLK-216 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:61-61

```
+)'
        r'(?:\s+extends\s+(\w+))?'
        r'(?:\s+implements\s+([\w,\s]+))?'
    )
    ANNOTATIO
```

Estimated effort: 0.0h

medium BLK-217 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:61-61

```
+(\w+))?'
        r'(?:\s+implements\s+([\w,\s]+))?'
    )
    ANNOTATION_PATTERN = re.compile(r'@(\w
```

Estimated effort: 0.0h

medium BLK-218 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:63-63

```
    )
    ANNOTATION_PATTERN = re.compile(r'@(\w+)(?:\(([^)]*)\))?')
    METHOD_PATTERN = re.compile(
```

Estimated effort: 0.0h

medium BLK-219 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:63-63

```
ATION_PATTERN = re.compile(r'@(\w+)(?:\(([^)]*)\))?')
    METHOD_PATTERN = re.compile(
        r'(?:@
```

Estimated effort: 0.0h

medium BLK-220 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:65-65

```
))?')
    METHOD_PATTERN = re.compile(
        r'(?:@\w+(?:\([^)]*\))?\s*)*'
        r'(?:public|priv
```

Estimated effort: 0.0h

medium BLK-221 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:65-65

```
   METHOD_PATTERN = re.compile(
        r'(?:@\w+(?:\([^)]*\))?\s*)*'
        r'(?:public|private|pro
```

Estimated effort: 0.0h

medium BLK-222 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:65-65

```
TTERN = re.compile(
        r'(?:@\w+(?:\([^)]*\))?\s*)*'
        r'(?:public|private|protected)?\s*'
```

Estimated effort: 0.0h

medium BLK-223 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:66-66

```
        r'(?:@\w+(?:\([^)]*\))?\s*)*'
        r'(?:public|private|protected)?\s*'
        r'(?:stati
```

Estimated effort: 0.0h

medium BLK-224 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:66-66

```
*\))?\s*)*'
        r'(?:public|private|protected)?\s*'
        r'(?:static)?\s*'
        r'(?:final)
```

Estimated effort: 0.0h

medium BLK-225 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:67-67

```
    r'(?:public|private|protected)?\s*'
        r'(?:static)?\s*'
        r'(?:final)?\s*'
        r'(
```

Estimated effort: 0.0h

medium BLK-226 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:67-67

```
ublic|private|protected)?\s*'
        r'(?:static)?\s*'
        r'(?:final)?\s*'
        r'(\w+(?:<[\
```

Estimated effort: 0.0h

medium BLK-227 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:68-68

```
tected)?\s*'
        r'(?:static)?\s*'
        r'(?:final)?\s*'
        r'(\w+(?:<[\w<>,\s]+>)?)\s+'
```

Estimated effort: 0.0h

medium BLK-228 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:68-68

```
\s*'
        r'(?:static)?\s*'
        r'(?:final)?\s*'
        r'(\w+(?:<[\w<>,\s]+>)?)\s+'  # Retur
```

Estimated effort: 0.0h

medium BLK-229 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:69-69

```
tic)?\s*'
        r'(?:final)?\s*'
        r'(\w+(?:<[\w<>,\s]+>)?)\s+'  # Return type
        r'(\w+
```

Estimated effort: 0.0h

medium BLK-230 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:69-69

```
    r'(?:final)?\s*'
        r'(\w+(?:<[\w<>,\s]+>)?)\s+'  # Return type
        r'(\w+)\s*'  # Method
```

Estimated effort: 0.0h

medium BLK-231 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:72-72

```
e
        r'\(([^)]*)\)'  # Parameters
        r'(?:\s+throws\s+[\w,\s]+)?'
        r'\s*\{'
    )
```

Estimated effort: 0.0h

medium BLK-232 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:72-72

```
'  # Parameters
        r'(?:\s+throws\s+[\w,\s]+)?'
        r'\s*\{'
    )
    FIELD_PATTERN = re.co
```

Estimated effort: 0.0h

medium BLK-233 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:76-76

```
    )
    FIELD_PATTERN = re.compile(
        r'(?:@\w+(?:\([^)]*\))?\s*)*'
        r'(?:private|pro
```

Estimated effort: 0.0h

medium BLK-234 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:76-76

```
    FIELD_PATTERN = re.compile(
        r'(?:@\w+(?:\([^)]*\))?\s*)*'
        r'(?:private|protected|
```

Estimated effort: 0.0h

medium BLK-235 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:76-76

```
TTERN = re.compile(
        r'(?:@\w+(?:\([^)]*\))?\s*)*'
        r'(?:private|protected|public)?\s*'
```

Estimated effort: 0.0h

medium BLK-236 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:77-77

```
        r'(?:@\w+(?:\([^)]*\))?\s*)*'
        r'(?:private|protected|public)?\s*'
        r'(?:stati
```

Estimated effort: 0.0h

medium BLK-237 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:77-77

```
*\))?\s*)*'
        r'(?:private|protected|public)?\s*'
        r'(?:static)?\s*'
        r'(?:final)
```

Estimated effort: 0.0h

medium BLK-238 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:78-78

```
    r'(?:private|protected|public)?\s*'
        r'(?:static)?\s*'
        r'(?:final)?\s*'
        r'(
```

Estimated effort: 0.0h

medium BLK-239 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:78-78

```
rivate|protected|public)?\s*'
        r'(?:static)?\s*'
        r'(?:final)?\s*'
        r'(\w+(?:<[\
```

Estimated effort: 0.0h

medium BLK-240 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:79-79

```
public)?\s*'
        r'(?:static)?\s*'
        r'(?:final)?\s*'
        r'(\w+(?:<[\w<>,\s]+>)?)\s+'
```

Estimated effort: 0.0h

medium BLK-241 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:79-79

```
\s*'
        r'(?:static)?\s*'
        r'(?:final)?\s*'
        r'(\w+(?:<[\w<>,\s]+>)?)\s+'
```

Estimated effort: 0.0h

medium BLK-242 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:80-80

```
tic)?\s*'
        r'(?:final)?\s*'
        r'(\w+(?:<[\w<>,\s]+>)?)\s+'
        r'(\w+)\s*[;=]'
    )
```

Estimated effort: 0.0h

medium BLK-243 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:80-80

```
   r'(?:final)?\s*'
        r'(\w+(?:<[\w<>,\s]+>)?)\s+'
        r'(\w+)\s*[;=]'
    )
    METHOD_CAL
```

Estimated effort: 0.0h

medium BLK-244 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:103-103

```
Optional[JavaClass]:
        """Parse a Java file and extract class information."""
        try:
```

Estimated effort: 0.0h

medium BLK-245 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:107-107

```
lf.parse_content(content, str(file_path))
        except Exception as e:
            logger.warning(f"Faile
```

Estimated effort: 0.0h

medium BLK-246 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:115-115

```
content)
        package = package_match.group(1) if package_match else ""

        # Find clas
```

Estimated effort: 0.0h

medium BLK-247 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:119-119

```
atch = self.CLASS_PATTERN.search(content)
        if not class_match:
            return None
```

Estimated effort: 0.0h

medium BLK-248 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:125-125

```
ss_match.group(2)
        implements = []
        if class_match.group(3):
            implements = [i.
```

Estimated effort: 0.0h

medium BLK-249 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:126-126

```
tch.group(3):
            implements = [i.strip() for i in class_match.group(3).split(',')]
```

Estimated effort: 0.0h

medium BLK-250 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:152-152

```
 annotations = []
        text = '\n'.join(lines) if isinstance(lines, list) else lines
```

Estimated effort: 0.0h

medium BLK-251 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:154-154

```
instance(lines, list) else lines

        for match in self.ANNOTATION_PATTERN.finditer(text):
```

Estimated effort: 0.0h

medium BLK-252 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:158-158

```
            params = {}

            if match.group(2):
                param_str = match.
```

Estimated effort: 0.0h

medium BLK-253 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:161-161

```
    # Parse annotation parameters
                if '=' in param_str:
                    for param in
```

Estimated effort: 0.0h

medium BLK-254 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:162-162

```
        if '=' in param_str:
                    for param in param_str.split(','):
```

Estimated effort: 0.0h

medium BLK-255 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:163-163

```
in param_str.split(','):
                        if '=' in param:
                            key, val
```

Estimated effort: 0.0h

medium BLK-256 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:166-166

```
p()] = value.strip().strip('"\'')
                else:
                    params['value'] = param_str.s
```

Estimated effort: 0.0h

medium BLK-257 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:178-178

```
    lines = content.split('\n')

        for i, line in enumerate(lines):
            # Look fo
```

Estimated effort: 0.0h

medium BLK-258 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:179-179

```
r i, line in enumerate(lines):
            # Look for method patterns
            method_match = self.ME
```

Estimated effort: 0.0h

medium BLK-259 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:181-181

```
ch = self.METHOD_PATTERN.search(line)
            if method_match:
                return_type = method
```

Estimated effort: 0.0h

medium BLK-260 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:187-187

```
                # Skip constructors
                if return_type == method_name:
                    co
```

Estimated effort: 0.0h

medium BLK-261 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:192-192

```
            annotation_lines = []
                for j in range(max(0, i-10), i):
                    i
```

Estimated effort: 0.0h

medium BLK-262 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:193-193

```
j in range(max(0, i-10), i):
                    if lines[j].strip().startswith('@'):
```

Estimated effort: 0.0h

medium BLK-263 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:198-198

```
                # Extract method body for code snippet
                code_snippet = self._
```

Estimated effort: 0.0h

▾ medium BLK-264 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:206-206

```
s
                parameters = []
                if params_str.strip():
                    for param
```

Estimated effort: 0.0h

▾ medium BLK-265 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:207-207

```
        if params_str.strip():
                    for param in params_str.split(','):
```

Estimated effort: 0.0h

▾ medium BLK-266 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:209-209

```
    param = param.strip()
                        if param:
                            parameters.appe
```

Estimated effort: 0.0h

▾ medium BLK-267 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:231-231

```
nes = []
        started = False

        for i in range(start_line, min(start_line + 100, len(l
```

Estimated effort: 0.0h

medium BLK-268 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:237-237

```
t('{') - line.count('}')

            if '{' in line:
                started = True
```

Estimated effort: 0.0h

medium BLK-269 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:240-240

```
          started = True

            if started and brace_count <= 0:
                brea
```

Estimated effort: 0.0h

medium BLK-270 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:240-240

```
tarted = True

            if started and brace_count <= 0:
                break
```

Estimated effort: 0.0h

medium BLK-271 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:248-248

```
ls in code snippet."""
        calls = []
        for match in self.METHOD_CALL_PATTERN.finditer(code):
```

Estimated effort: 0.0h

▾ medium BLK-272 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:257-257

```
field definitions."""
        fields = []
        for match in self.FIELD_PATTERN.finditer(content):
```

Estimated effort: 0.0h

▾ medium BLK-273 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:267-267

```
"
        endpoints = []

        # Check if class is a controller
        is_controller = any(
```

Estimated effort: 0.0h

▾ medium BLK-274 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:270-270

```
e in ('RestController', 'Controller')
            for a in java_class.annotations
        )
```

Estimated effort: 0.0h

▾ medium BLK-275 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:273-273

```
java_class.annotations
        )

        if not is_controller:
            return endpoints
```

Estimated effort: 0.0h

▾ medium BLK-276 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:278-278

```
el @RequestMapping
        base_path = ""
        for ann in java_class.annotations:
            if ann.
```

Estimated effort: 0.0h

▾ medium BLK-277 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:279-279

```
    for ann in java_class.annotations:
            if ann.name == 'RequestMapping':
                base
```

Estimated effort: 0.0h

▾ medium BLK-278 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:284-284

```
        # Extract endpoints from methods
        for method in java_class.methods:
            for ann
```

Estimated effort: 0.0h

▾ medium BLK-279 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:285-285

```
     for method in java_class.methods:
            for ann in method.annotations:
                if ann.
```

Estimated effort: 0.0h

medium BLK-280 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:286-286

```
    for ann in method.annotations:
                if ann.name in self.ENDPOINT_ANNOTATIONS:
```

Estimated effort: 0.0h

medium BLK-281 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:291-291

```
eplace('//', '/').rstrip('/')
                    if not full_path:
                        full_path =
```

Estimated effort: 0.0h

medium BLK-282 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:320-320

```
s."""
        feign_clients = []

        for ann in java_class.annotations:
            if ann.
```

Estimated effort: 0.0h

medium BLK-283 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:321-321

```
    for ann in java_class.annotations:
            if ann.name == 'FeignClient':
                feign_c
```

Estimated effort: 0.0h

medium BLK-284 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:339-339

```
s': [{'name': a.name, 'parameters': a.parameters} for a in java_class.annotations],
            'methods
```

Estimated effort: 0.0h

medium BLK-285 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:346-346

```
s': [{'name': a.name, 'parameters': a.parameters} for a in m.annotations],
                    'line_num
```

Estimated effort: 0.0h

medium BLK-286 High Cyclomatic Complexity

codeintel / backend/app/indexing/java_parser.py:351-351

```
 m.method_calls
                }
                for m in java_class.methods
            ],
```

Estimated effort: 0.0h

medium BLK-287 High Cyclomatic Complexity

codeintel / backend/app/indexing/router.py:17-17

```
rent_user)
):
    """Get detailed indexing status for a repository."""
    service = RepositoryService(u
```

Estimated effort: 0.0h

medium BLK-288 High Cyclomatic Complexity

codeintel / backend/app/indexing/router.py:21-21

```
d)
    repo = await service.get(repo_id)

    if not repo:
        raise HTTPException(
```

Estimated effort: 0.0h

medium BLK-289 High Cyclomatic Complexity

codeintel / backend/app/indexing/service.py:2-2

```
Indexing service - orchestrates the Java parsing and Neo4j storage.
"""
import asyncio
from pathlib imp
```

Estimated effort: 0.0h

medium BLK-290 High Cyclomatic Complexity

codeintel / backend/app/indexing/service.py:15-15

```
 import JavaParser
from app.indexing.spring_detector import SpringDetector
from app.indexing.call_graph
```

Estimated effort: 0.0h

medium BLK-291 High Cyclomatic Complexity

codeintel / backend/app/indexing/service.py:15-15

```
m app.indexing.spring_detector import SpringDetector
from app.indexing.call_graph import CallGraphBuild
```

Estimated effort: 0.0h

medium BLK-292 High Cyclomatic Complexity

codeintel / backend/app/indexing/service.py:22-22

```
__name__)


class IndexingService:
    """Service for indexing Java repositories."""

    @staticmet
```

Estimated effort: 0.0h

medium BLK-293 High Cyclomatic Complexity

codeintel / backend/app/indexing/service.py:41-41

```
            ).execute()

            if not result.data:
                raise ValueError(
```

Estimated effort: 0.0h

medium BLK-294 High Cyclomatic Complexity

codeintel / backend/app/indexing/service.py:54-54

```
t_spring_boot_services()

            if not services:
                # If no services det
```

Estimated effort: 0.0h

medium BLK-295 High Cyclomatic Complexity

codeintel / backend/app/indexing/service.py:55-55

```

            if not services:
                # If no services detected, treat entire repo as one ser
```

Estimated effort: 0.0h

medium BLK-296 High Cyclomatic Complexity

codeintel / backend/app/indexing/service.py:64-64

```
            parser = JavaParser()
              detector = SpringDetector()
              call_graph = CallGr
```

Estimated effort: 0.0h

medium BLK-297 High Cyclomatic Complexity

codeintel / backend/app/indexing/service.py:79-79

```
             # Process each service
                  for service_info in services:
                      serv
```

Estimated effort: 0.0h

medium BLK-298 High Cyclomatic Complexity

codeintel / backend/app/indexing/service.py:98-98

```
            parsed_classes = []
                      for java_file in java_files:
                          #
```

Estimated effort: 0.0h

medium BLK-299 High Cyclomatic Complexity

codeintel / backend/app/indexing/service.py:100-100

```
           # Skip test files
                          if 'test' in str(java_file).lower():
```

Estimated effort: 0.0h

medium BLK-300 High Cyclomatic Complexity

codeintel / backend/app/indexing/service.py:104-104

```
ser.parse_file(java_file)
                        if java_class:
                            class_dict
```

Estimated effort: 0.0h

medium BLK-301 High Cyclomatic Complexity

codeintel / backend/app/indexing/service.py:119-119

```
# Create method nodes
                            for method in java_class.methods:
```

Estimated effort: 0.0h

medium BLK-302 High Cyclomatic Complexity

codeintel / backend/app/indexing/service.py:121-121

```
                            annotations = [a.name for a in method.annotations]
```

Estimated effort: 0.0h

medium BLK-303 High Cyclomatic Complexity

codeintel / backend/app/indexing/service.py:134-134

```
                                # Create endpoints if applicable
                                endpoin
```

Estimated effort: 0.0h

medium BLK-304 High Cyclomatic Complexity

codeintel / backend/app/indexing/service.py:136-136

```
oints(java_class)
                                for endpoint in endpoints:
```

Estimated effort: 0.0h

medium BLK-305 High Cyclomatic Complexity

codeintel / backend/app/indexing/service.py:137-137

```
in endpoints:
                                    if endpoint['method_name'] == method.name:
```

Estimated effort: 0.0h

medium BLK-306 High Cyclomatic Complexity

codeintel / backend/app/indexing/service.py:151-151

```
            # Build call edges
                    for class_dict in parsed_classes:
```

Estimated effort: 0.0h

medium BLK-307 High Cyclomatic Complexity

codeintel / backend/app/indexing/service.py:154-154

```
                # Extract service dependencies and store
                dependencies = call_graph.ge
```

Estimated effort: 0.0h

medium BLK-308 High Cyclomatic Complexity

codeintel / backend/app/indexing/service.py:158-158

```
    logger.info(f"Indexed {len(services)} services for repo {repo_id}")

              fina
```

Estimated effort: 0.0h

medium BLK-309 High Cyclomatic Complexity

codeintel / backend/app/indexing/service.py:169-169

```
.eq("id", repo_id).execute()

        except Exception as e:
            logger.error(f"Indexin
```

Estimated effort: 0.0h

medium BLK-310 High Cyclomatic Complexity

codeintel / backend/app/indexing/service.py:170-170

```
 as e:
            logger.error(f"Indexing failed for repo {repo_id}: {e}")

            # U
```

Estimated effort: 0.0h

medium BLK-311 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:13-13

```
gDetector:
    """Detect Spring-specific patterns and configurations."""

    SPRING_ANNOTATIONS = {
```

Estimated effort: 0.0h

medium BLK-312 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:34-34

```
 WebClient
        re.compile(r'WebClient\s*\.\s*(?:create|builder)\s*\([^)]*\)\s*\.\s*(get|post|
put|
```

Estimated effort: 0.0h

medium BLK-313 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:42-42

```
 of Spring class based on annotations."""
        for ann in annotations:
            if ann in self.SPR
```

Estimated effort: 0.0h

medium BLK-314 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:43-43

```
s."""
        for ann in annotations:
            if ann in self.SPRING_ANNOTATIONS:
                re
```

Estimated effort: 0.0h

medium BLK-315 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:51-51

```
from code."""
        calls = []

        for pattern in self.REST_CLIENT_PATTERNS:
```

Estimated effort: 0.0h

medium BLK-316 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:52-52

```
pattern in self.REST_CLIENT_PATTERNS:
            for match in pattern.finditer(code):
                m
```

Estimated effort: 0.0h

medium BLK-317 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:54-54

```
    method = match.group(1).upper()
                if method in ('GETFOROBJECT', 'GETFORENTITY'):
```

Estimated effort: 0.0h

medium BLK-318 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:56-56

```
                    method = 'GET'
                elif method in ('POSTFOROBJECT', 'POSTFORENTITY'):
```

Estimated effort: 0.0h

medium BLK-319 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:59-59

```
                url = match.group(2) if len(match.groups()) > 1 else ''
```

Estimated effort: 0.0h

medium BLK-320 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:66-66

```
l
                })

        # Also look for FeignClient method calls
        feign_pattern = r
```

Estimated effort: 0.0h

medium BLK-321 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:68-68

```
compile(r'(\w+Client)\s*\.\s*(\w+)\s*\(')
        for match in feign_pattern.finditer(code):
```

Estimated effort: 0.0h

medium BLK-322 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:78-78

```
 -> Dict:
        """Parse application.properties or application.yml."""
        properties = {}
```

Estimated effort: 0.0h

medium BLK-323 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:82-82

```
properties = {}

        try:
            if file_path.suffix == '.properties':
```

Estimated effort: 0.0h

medium BLK-324 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:84-84

```
_path.read_text(encoding='utf-8')
                for line in content.split('\n'):
                    l
```

Estimated effort: 0.0h

medium BLK-325 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:86-86

```
            line = line.strip()
                    if line and not line.startswith('#') and '=' in line:
```

Estimated effort: 0.0h

medium BLK-326 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:86-86

```
    line = line.strip()
                    if line and not line.startswith('#') and '=' in line:
```

Estimated effort: 0.0h

medium BLK-327 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:86-86

```
                if line and not line.startswith('#') and '=' in line:
                        key, value =
```

Estimated effort: 0.0h

medium BLK-328 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:89-89

```
 operties[key.strip()] = value.strip()
                elif file_path.suffix in ('.yml', '.yaml'):
```

Estimated effort: 0.0h

medium BLK-329 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:93-93

```
                properties = yaml.safe_load(content) or {}
            except Exception as e:
                logg
```

Estimated effort: 0.0h

▾ medium BLK-330 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:94-94

```
roperties = yaml.safe_load(content) or {}
        except Exception as e:
            logger.warning(f"Faile
```

Estimated effort: 0.0h

▾ medium BLK-331 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:103-103

```
 / "resources" / "application.properties"
        if props_file.exists():
            props = self.pars
```

Estimated effort: 0.0h

▾ medium BLK-332 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:105-105

```
se_application_properties(props_file)
            if 'spring.application.name' in props:
```

Estimated effort: 0.0h

▾ medium BLK-333 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:110-110

```
 "main" / "resources" / "application.yml"
        if yml_file.exists():
            props = self.parse_
```

Estimated effort: 0.0h

medium BLK-334 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:112-112

```
arse_application_properties(yml_file)
            if isinstance(props, dict) and 'spring' in props:
```

Estimated effort: 0.0h

medium BLK-335 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:112-112

```
(yml_file)
            if isinstance(props, dict) and 'spring' in props:
                spring_config =
```

Estimated effort: 0.0h

medium BLK-336 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:114-114

```
_config = props.get('spring', {})
                if isinstance(spring_config, dict):
```

Estimated effort: 0.0h

medium BLK-337 High Cyclomatic Complexity

codeintel / backend/app/indexing/spring_detector.py:116-116

```
config.get('application', {})
                    if isinstance(app_config, dict):
```

Estimated effort: 0.0h

medium BLK-338 High Cyclomatic Complexity

codeintel / backend/app/models/__init__.py:2-2

```
"""
Pydantic models for CodeIntel.
"""
from pydantic import BaseModel
from
```

Estimated effort: 0.0h

medium BLK-339 High Cyclomatic Complexity

codeintel / backend/app/pages/router.py:24-24

```
id", user_id).execute()
    return result.data[0] if result.data else {}


def get_subscription_data(us
```

Estimated effort: 0.0h

medium BLK-340 High Cyclomatic Complexity

codeintel / backend/app/pages/router.py:31-31

```
.select("*").eq("user_id", user_id).execute()
    if result.data:
        return result.data[0]
    ret
```

Estimated effort: 0.0h

medium BLK-341 High Cyclomatic Complexity

codeintel / backend/app/pages/router.py:43-43

```
date", today).execute()
    return result.data[0] if result.data else {"query_count": 0}


def get_repo
```

Estimated effort: 0.0h

medium BLK-342 High Cyclomatic Complexity

codeintel / backend/app/pages/router.py:52-52

```
_at", desc=True).execute()
    return result.data or []


@router.get("/", response_class=HTMLResponse)
```

Estimated effort: 0.0h

medium BLK-343 High Cyclomatic Complexity

codeintel / backend/app/pages/router.py:58-58

```
(get_optional_user)):
    """Landing page."""
    if user:
        return RedirectResponse(url="/dashbo
```

Estimated effort: 0.0h

medium BLK-344 High Cyclomatic Complexity

codeintel / backend/app/pages/router.py:101-101

```
ctResponse(url="/dashboard", status_code=302)
    except Exception as e:
        # Return to dashboard with
```

Estimated effort: 0.0h

medium BLK-345 High Cyclomatic Complexity

codeintel / backend/app/pages/router.py:102-102

```
ption as e:
        # Return to dashboard with error
        user_data = get_user_data(user.user_id)
        su
```

Estimated effort: 0.0h

medium BLK-346 High Cyclomatic Complexity

codeintel / backend/app/pages/router.py:132-132

```
).eq("user_id", user.user_id).execute()

    if not repo_result.data:
        raise HTTPException(
```

Estimated effort: 0.0h

medium BLK-347 High Cyclomatic Complexity

codeintel / backend/app/pages/router.py:145-145

```
es(repo_id)

        # Prepare graph data for D3
        graph_nodes = [{"id": n["id"], "name":
```

Estimated effort: 0.0h

medium BLK-348 High Cyclomatic Complexity

codeintel / backend/app/pages/router.py:146-146

```
es = [{"id": n["id"], "name": n["data"]["label"]} for n in graph["nodes"]]
        graph_edges = [{"sour
```

Estimated effort: 0.0h

medium BLK-349 High Cyclomatic Complexity

codeintel / backend/app/pages/router.py:147-147

```
= [{"source": e["source"], "target": e["target"]} for e in graph["edges"]]
    finally:
        graph_se
```

Estimated effort: 0.0h

medium BLK-350 High Cyclomatic Complexity

codeintel / backend/app/pages/router.py:192-192

```
).eq("user_id", user.user_id).execute()

    if not repo_result.data:
        raise HTTPException(
```

Estimated effort: 0.0h

medium BLK-351 High Cyclomatic Complexity

codeintel / backend/app/pages/router.py:205-205

```
y:
        graph_service.close()

    # Trace if endpoint selected
    trace_result = None
    if e
```

Estimated effort: 0.0h

medium BLK-352 High Cyclomatic Complexity

codeintel / backend/app/pages/router.py:207-207

```
 if endpoint selected
    trace_result = None
    if endpoint:
        parts = endpoint.split(' ', 1)
```

Estimated effort: 0.0h

medium BLK-353 High Cyclomatic Complexity

codeintel / backend/app/pages/router.py:209-209

```
t:
        parts = endpoint.split(' ', 1)
        if len(parts) == 2:
            http_method, path = p
```

Estimated effort: 0.0h

medium BLK-354 High Cyclomatic Complexity

codeintel / backend/app/pages/router.py:241-241

```
).eq("user_id", user.user_id).execute()

    if not repo_result.data:
        raise HTTPException(
```

Estimated effort: 0.0h

medium BLK-355 High Cyclomatic Complexity

codeintel / backend/app/pages/router.py:248-248

```
ns = [
        "What services are in this codebase?",
        "Show me the service dependencies",
```

Estimated effort: 0.0h

medium BLK-356 High Cyclomatic Complexity

codeintel / backend/app/pages/router.py:250-250

```
s",
        "How does the authentication flow work?",
        "What endpoints does the order service
```

Estimated effort: 0.0h

medium BLK-357 High Cyclomatic Complexity

codeintel / backend/app/pages/router.py:251-251

```
     "What endpoints does the order service expose?",
        "Trace the checkout process"
    ]
```

Estimated effort: 0.0h

medium BLK-358 High Cyclomatic Complexity

codeintel / backend/app/pages/router.py:256-256

```
ages = request.session.get(f"chat_{repo_id}", []) if hasattr(request, 'session') else
[]

    retur
```

Estimated effort: 0.0h

medium BLK-359 High Cyclomatic Complexity

codeintel / backend/app/pages/router.py:282-282

```
 ).eq("user_id", user.user_id).execute()

    if not repo_result.data:
        raise HTTPException(
```

Estimated effort: 0.0h

medium BLK-360 High Cyclomatic Complexity

codeintel / backend/app/pages/router.py:288-288

```
data = get_user_data(user.user_id)

    # Get or create chat history
    messages = []

    # A
```

Estimated effort: 0.0h

medium BLK-361 High Cyclomatic Complexity

codeintel / backend/app/pages/router.py:303-303

```
ources": result.get("sources", [])
        })
    except Exception as e:
        messages.append({
```

Estimated effort: 0.0h

medium BLK-362 High Cyclomatic Complexity

codeintel / backend/app/pages/router.py:313-313

```
ns = [
        "What services are in this codebase?",
        "Show me the service dependencies",
```

Estimated effort: 0.0h

medium BLK-363 High Cyclomatic Complexity

codeintel / backend/app/pages/router.py:315-315

```
s",
        "How does the authentication flow work?"
    ]

    return templates.TemplateResponse
```

Estimated effort: 0.0h

medium BLK-364 High Cyclomatic Complexity

codeintel / backend/app/pages/router.py:355-355

```
ge."""
    return RedirectResponse(url="/dashboard?upgraded=true", status_code=302)
```

Estimated effort: 0.0h

medium BLK-365 High Cyclomatic Complexity

codeintel / backend/app/query/prompts.py:2-2

```
"""
LLM prompt templates for CodeIntel.
"""

INTENT_EXTRACTION_PROMPT = """You
```

Estimated effort: 0.0h

▾ medium BLK-366 High Cyclomatic Complexity

codeintel / backend/app/query/prompts.py:9-9

```
e.

User question: {question}

Extract the intent and entities from this question. Return a JSON object
```

Estimated effort: 0.0h

▾ medium BLK-367 High Cyclomatic Complexity

codeintel / backend/app/query/prompts.py:12-12

```
 keywords: important technical keywords to search for

Example response:
{{"intent": "trace_flow", "entit
```

Estimated effort: 0.0h

▾ medium BLK-368 High Cyclomatic Complexity

codeintel / backend/app/query/prompts.py:19-19

```
a Neo4j Cypher query to find relevant information for this question.

Question: {question}
Intent: {inte
```

Estimated effort: 0.0h

▾ medium BLK-369 **High Cyclomatic Complexity**

codeintel / backend/app/query/prompts.py:44-44

```
se.

User question: {question}

Relevant services and call paths:
{graph_context}

Code snippets:
{code_
```

Estimated effort: 0.0h

▾ medium BLK-370 **High Cyclomatic Complexity**

codeintel / backend/app/query/prompts.py:50-50

```
swer the question based ONLY on the provided code and call graphs.
Be specific, reference actual service
```

Estimated effort: 0.0h

▾ medium BLK-371 **High Cyclomatic Complexity**

codeintel / backend/app/query/prompts.py:51-51

```
aphs.
Be specific, reference actual service names and methods.
If you cannot answer from the provided co
```

Estimated effort: 0.0h

▾ medium BLK-372 **High Cyclomatic Complexity**

codeintel / backend/app/query/prompts.py:52-52

```
ific, reference actual service names and methods.
If you cannot answer from the provided context, say s
```

Estimated effort: 0.0h

medium BLK-373 High Cyclomatic Complexity

codeintel / backend/app/query/prompts.py:54-54

```
ovided context, say so.

Keep your answer concise and focused on the technical details."""

BUSINESS_LOG
```

Estimated effort: 0.0h

medium BLK-374 High Cyclomatic Complexity

codeintel / backend/app/query/prompts.py:65-65

```
 are called, what side effects occur.
Be specific and concise (3-5 sentences)."""
```

Estimated effort: 0.0h

medium BLK-375 High Cyclomatic Complexity

codeintel / backend/app/query/router.py:50-50

```
= await usage.check_and_increment_query()
        if not can_query:
            raise HTTPException(
```

Estimated effort: 0.0h

medium BLK-376 High Cyclomatic Complexity

codeintel / backend/app/query/router.py:68-68

```
ueryService(user.user_id, redis)
    try:
        if request.stream:
            # Return streaming res
```

Estimated effort: 0.0h

medium BLK-377 High Cyclomatic Complexity

codeintel / backend/app/query/router.py:71-71

```
      async def generate():
                async for chunk in service.stream_query(request.question, re
```

Estimated effort: 0.0h

medium BLK-378 High Cyclomatic Complexity

codeintel / backend/app/query/router.py:78-78

```
    media_type="text/plain"
            )
        else:
            result = await service.process_query(
```

Estimated effort: 0.0h

medium BLK-379 High Cyclomatic Complexity

codeintel / backend/app/query/router.py:95-95

```
ery = await usage.check_and_increment_query()
    if not can_query:
        raise HTTPException(
```

Estimated effort: 0.0h

medium BLK-380 High Cyclomatic Complexity

codeintel / backend/app/query/router.py:108-108

```
nc def generate():
        try:
            async for chunk in service.stream_query(request.question, re
```

Estimated effort: 0.0h

▾ **medium** BLK-381 **High Cyclomatic Complexity**

codeintel / backend/app/query/router.py:126-126

```
ns = [
        "What services are in this codebase?",
        "Show me the service dependencies",
```

Estimated effort: 0.0h

▾ **medium** BLK-382 **High Cyclomatic Complexity**

codeintel / backend/app/query/router.py:128-128

```
s",
        "How does the authentication flow work?",
        "What endpoints does the order service
```

Estimated effort: 0.0h

▾ **medium** BLK-383 **High Cyclomatic Complexity**

codeintel / backend/app/query/router.py:129-129

```
     "What endpoints does the order service expose?",
        "Trace the checkout process"
    ]
```

Estimated effort: 0.0h

▾ **medium** BLK-384 **High Cyclomatic Complexity**

codeintel / backend/app/query/service.py:5-5

```
m typing import List, Dict, Optional, AsyncGenerator
import anthropic

from app.database.neo4j import N
```

Estimated effort: 0.0h

medium BLK-385 High Cyclomatic Complexity

codeintel / backend/app/query/service.py:19-19

```
ION_PROMPT
)


class QueryService:
    """Service for GraphRAG queries."""

    def __init__(self, u
```

Estimated effort: 0.0h

medium BLK-386 High Cyclomatic Complexity

codeintel / backend/app/query/service.py:38-38

```
ing GraphRAG."""
        # Step 1: Extract intent and entities
        intent_data = await self._extract
```

Estimated effort: 0.0h

medium BLK-387 High Cyclomatic Complexity

codeintel / backend/app/query/service.py:83-83

```
ntent": prompt}]
        ) as stream:
            for text in stream.text_stream:
                yield
```

Estimated effort: 0.0h

medium BLK-388 High Cyclomatic Complexity

codeintel / backend/app/query/service.py:87-87

```
question: str) -> Dict:
        """Extract intent and entities from question."""
        # Check cache
```

Estimated effort: 0.0h

medium BLK-389 High Cyclomatic Complexity

codeintel / backend/app/query/service.py:90-90

```
    cache_key = f"intent:{hash(question)}"
        if self.redis:
            cached = await self.redis.
```

Estimated effort: 0.0h

medium BLK-390 High Cyclomatic Complexity

codeintel / backend/app/query/service.py:92-92

```
hed = await self.redis.get(cache_key)
            if cached:
                return cached
```

Estimated effort: 0.0h

medium BLK-391 High Cyclomatic Complexity

codeintel / backend/app/query/service.py:107-107

```
.loads(response)

            # Cache for 1 hour
            if self.redis:
```

Estimated effort: 0.0h

medium BLK-392 High Cyclomatic Complexity

codeintel / backend/app/query/service.py:108-108

```

            # Cache for 1 hour
            if self.redis:
                await self.redis.set(c
```

Estimated effort: 0.0h

medium BLK-393 High Cyclomatic Complexity

codeintel / backend/app/query/service.py:112-112

```
            return intent_data
        except Exception as e:
            return {
```

Estimated effort: 0.0h

medium BLK-394 High Cyclomatic Complexity

codeintel / backend/app/query/service.py:129-129

```
# Build appropriate query based on intent
        if intent == "find_endpoint":
            query = """
```

Estimated effort: 0.0h

medium BLK-395 High Cyclomatic Complexity

codeintel / backend/app/query/service.py:140-140

```
path
            LIMIT 10
            """
        elif intent == "find_dependencies":
            query =
```

Estimated effort: 0.0h

medium BLK-396 High Cyclomatic Complexity

codeintel / backend/app/query/service.py:144-144

```
Lower(kw)
                                        OR toLower(s2.name) CONTAINS toLower(kw))
```

Estimated effort: 0.0h

▾ medium BLK-397 High Cyclomatic Complexity

codeintel / backend/app/query/service.py:148-148

```
oint
            LIMIT 10
            """
        elif intent == "explain_service":
            query = "
```

Estimated effort: 0.0h

▾ medium BLK-398 High Cyclomatic Complexity

codeintel / backend/app/query/service.py:161-161

```
oints
            LIMIT 5
            """
        else:
            # General search
            query =
```

Estimated effort: 0.0h

▾ medium BLK-399 High Cyclomatic Complexity

codeintel / backend/app/query/service.py:201-201

```
            toLower(m.name) CONTAINS toLower(kw) OR
            toLower(m.code_snippet) CONTAINS toLower(kw))
```

Estimated effort: 0.0h

▾ medium BLK-400 High Cyclomatic Complexity

codeintel / backend/app/query/service.py:237-237

```
            return message.content[0].text
        except Exception as e:
            return f"I encountered
```

Estimated effort: 0.0h

medium BLK-401 High Cyclomatic Complexity

codeintel / backend/app/query/service.py:238-238

```
on as e:
            return f"I encountered an error generating the answer: {str(e)}"

    def _for
```

Estimated effort: 0.0h

medium BLK-402 High Cyclomatic Complexity

codeintel / backend/app/query/service.py:241-241

```
st[Dict]) -> str:
        """Format graph context for prompt."""
        if not context:
            ret
```

Estimated effort: 0.0h

medium BLK-403 High Cyclomatic Complexity

codeintel / backend/app/query/service.py:242-242

```
    """Format graph context for prompt."""
        if not context:
            return "No relevant graph
```

Estimated effort: 0.0h

medium BLK-404 High Cyclomatic Complexity

codeintel / backend/app/query/service.py:246-246

```
 data found."

        lines = []
        for item in context:
            lines.append(str(item
```

Estimated effort: 0.0h

medium BLK-405 High Cyclomatic Complexity

codeintel / backend/app/query/service.py:251-251

```
st[Dict]) -> str:
        """Format code snippets for prompt."""
        if not snippets:
            re
```

Estimated effort: 0.0h

medium BLK-406 High Cyclomatic Complexity

codeintel / backend/app/query/service.py:252-252

```
    """Format code snippets for prompt."""
        if not snippets:
            return "No relevant code
```

Estimated effort: 0.0h

medium BLK-407 High Cyclomatic Complexity

codeintel / backend/app/query/service.py:256-256

```
ppets found."

        lines = []
        for snippet in snippets:
            lines.append(f"//
```

Estimated effort: 0.0h

medium BLK-408 High Cyclomatic Complexity

codeintel / backend/app/query/service.py:272-272

```
ources = []
        seen = set()

        for snippet in code_snippets:
            key = f"{sni
```

Estimated effort: 0.0h

medium BLK-409 High Cyclomatic Complexity

codeintel / backend/app/query/service.py:274-274

```
ce', '')}/{snippet.get('class', '')}"
            if key not in seen:
                sources.append({
```

Estimated effort: 0.0h

medium BLK-410 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:2-2

```
"""
Repository cloning and Spring Boot detection.
"""
import os
import re
imp
```

Estimated effort: 0.0h

medium BLK-411 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:19-19

```
lass RepoCloner:
    """Handle repository cloning and Spring Boot detection."""

    def __init__(se
```

Estimated effort: 0.0h

medium BLK-412 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:33-33

```
ts=True, exist_ok=True)

        # Remove if exists
        if self.clone_path.exists():
```

Estimated effort: 0.0h

medium BLK-413 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:34-34

```
True)

        # Remove if exists
        if self.clone_path.exists():
            import shuti
```

Estimated effort: 0.0h

medium BLK-414 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:52-52

```
"""
        services = []

        # Look for Spring Boot indicators
        for root, dirs, fil
```

Estimated effort: 0.0h

medium BLK-415 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:53-53

```
        # Look for Spring Boot indicators
        for root, dirs, files in os.walk(self.clone_path):
```

Estimated effort: 0.0h

medium BLK-416 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:57-57

```
  # Skip common non-source directories
            if any(skip in root for skip in ['.git', 'target', 'b
```

Estimated effort: 0.0h

medium BLK-417 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:57-57

```
ource directories
            if any(skip in root for skip in ['.git', 'target', 'build', 'node_modules'
```

Estimated effort: 0.0h

medium BLK-418 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:60-60

```
        continue

            # Check for Maven project
            pom_file = root_path / "
```

Estimated effort: 0.0h

medium BLK-419 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:62-62

```
    pom_file = root_path / "pom.xml"
            if pom_file.exists():
                service_info =
```

Estimated effort: 0.0h

medium BLK-420 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:64-64

```
._analyze_maven_project(pom_file)
                if service_info:
                    services.append(
```

Estimated effort: 0.0h

medium BLK-421 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:67-67

```
nd(service_info)

            # Check for Gradle project
            build_gradle = root_pat
```

Estimated effort: 0.0h

medium BLK-422 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:69-69

```
d_gradle = root_path / "build.gradle"
            if build_gradle.exists():
                service_inf
```

Estimated effort: 0.0h

medium BLK-423 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:71-71

```
lyze_gradle_project(build_gradle)
                if service_info:
                    services.append(
```

Estimated effort: 0.0h

medium BLK-424 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:74-74

```
append(service_info)

        # Also look for @SpringBootApplication annotation
        java_ser
```

Estimated effort: 0.0h

medium BLK-425 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:78-78

```
Merge services
        service_paths = {s['path'] for s in services}
        for js in java_services:
```

Estimated effort: 0.0h

medium BLK-426 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:79-79

```
ice_paths = {s['path'] for s in services}
        for js in java_services:
            if js['path'] not
```

Estimated effort: 0.0h

medium BLK-427 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:80-80

```
ces}
        for js in java_services:
            if js['path'] not in service_paths:
                s
```

Estimated effort: 0.0h

medium BLK-428 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:87-87

```
 Optional[dict]:
        """Analyze Maven pom.xml for Spring Boot."""
        try:
            tree = ET
```

Estimated effort: 0.0h

medium BLK-429 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:95-95

```
.org/POM/4.0.0'}

            # Check for Spring Boot parent or dependency
            is_sp
```

Estimated effort: 0.0h

medium BLK-430 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:95-95

```
            # Check for Spring Boot parent or dependency
            is_spring_boot = False
```

Estimated effort: 0.0h

medium BLK-431 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:100-100

```
.find('.//m:parent/m:artifactId', ns)
            if parent is not None and 'spring-boot' in parent.tex
```

Estimated effort: 0.0h

medium BLK-432 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:100-100

```
rtifactId', ns)
            if parent is not None and 'spring-boot' in parent.text.lower():
```

Estimated effort: 0.0h

medium BLK-433 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:104-104

```
            # Check dependencies
            for dep in root.findall('.//m:dependency/m:artifactId'
```

Estimated effort: 0.0h

medium BLK-434 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:105-105

```
/m:dependency/m:artifactId', ns):
                if 'spring-boot' in dep.text.lower():
```

Estimated effort: 0.0h

medium BLK-435 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:109-109

```
                    break

            if is_spring_boot:
                # Get artifact ID
```

Estimated effort: 0.0h

medium BLK-436 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:112-112

```
tId', ns)
                name = artifact_id.text if artifact_id is not None else
pom_path.parent.name
```

Estimated effort: 0.0h

medium BLK-437 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:120-120

```
ig_file': str(pom_path)
                }
        except Exception as e:
            logger.warning(f"Faile
```

Estimated effort: 0.0h

medium BLK-438 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:126-126

```
> Optional[dict]:
        """Analyze build.gradle for Spring Boot."""
        try:
            content =
```

Estimated effort: 0.0h

medium BLK-439 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:130-130

```
ncoding='utf-8')

            # Check for Spring Boot plugin or dependency
            if 's
```

Estimated effort: 0.0h

medium BLK-440 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:130-130

```

            # Check for Spring Boot plugin or dependency
            if 'spring-boot' in content
```

Estimated effort: 0.0h

medium BLK-441 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:131-131

```
 for Spring Boot plugin or dependency
            if 'spring-boot' in content.lower() or 'org.springfra
```

Estimated effort: 0.0h

medium BLK-442 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:131-131

```
y
            if 'spring-boot' in content.lower() or 'org.springframework.boot' in
content:
```

Estimated effort: 0.0h

medium BLK-443 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:136-136

```
e_path.parent / "settings.gradle"
                if settings_file.exists():
                    settin
```

Estimated effort: 0.0h

medium BLK-444 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:138-138

```
tch = re.search(r"rootProject\.name\s*=\s*['\"](.+?)['\"]", settings_content)
                    if
```

Estimated effort: 0.0h

medium BLK-445 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:139-139

```
.+?)['\"]", settings_content)
                    if match:
                        name = match.group(
```

Estimated effort: 0.0h

medium BLK-446 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:148-148

```
 str(build_gradle_path)
                }
        except Exception as e:
            logger.warning(f"Faile
```

Estimated effort: 0.0h

medium BLK-447 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:157-157

```
tation."""
        services = []

        for java_file in self.clone_path.rglob("*.java"):
```

Estimated effort: 0.0h

medium BLK-448 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:161-161

```
ncoding='utf-8')

                if '@SpringBootApplication' in content:
```

Estimated effort: 0.0h

medium BLK-449 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:164-164

```
)
                    name = class_match.group(1) if class_match else java_file.stem
```

Estimated effort: 0.0h

medium BLK-450 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:168-168

```
rvice_root = java_file.parent
                    while service_root.name != 'src' and service_root != sel
```

Estimated effort: 0.0h

medium BLK-451 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:168-168

```
                while service_root.name != 'src' and service_root != self.clone_path:
```

Estimated effort: 0.0h

medium BLK-452 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:171-171

```
t.parent
                    if service_root.name == 'src':
```

Estimated effort: 0.0h

medium BLK-453 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:180-180

```
str(java_file)
                    })
            except Exception as e:
                logger.warning(f"F
```

Estimated effort: 0.0h

medium BLK-454 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:189-189

```
tory."""
        java_files = []

        for java_file in self.clone_path.rglob("*.java"):
```

Estimated effort: 0.0h

medium BLK-455 High Cyclomatic Complexity

codeintel / backend/app/repositories/cloner.py:191-191

```
java"):
            # Skip test files
            if 'test' in str(java_file).lower():
```

Estimated effort: 0.0h

medium BLK-456 High Cyclomatic Complexity

codeintel / backend/app/repositories/router.py:43-43

```
with_subscription)
):
    """Add a new repository for indexing."""
    service = RepositoryService(user.
```

Estimated effort: 0.0h

▾ medium BLK-457 High Cyclomatic Complexity

codeintel / backend/app/repositories/router.py:48-48

```
    current_count = await service.get_count()
    if current_count >= user.repo_limit:
        raise HT
```

Estimated effort: 0.0h

▾ medium BLK-458 High Cyclomatic Complexity

codeintel / backend/app/repositories/router.py:65-65

```
        return RepoResponse(**repo)
    except ValueError as e:
        raise HTTPException(
```

Estimated effort: 0.0h

▾ medium BLK-459 High Cyclomatic Complexity

codeintel / backend/app/repositories/router.py:65-65

```
   return RepoResponse(**repo)
    except ValueError as e:
        raise HTTPException(
            sta
```

Estimated effort: 0.0h

▾ medium BLK-460 High Cyclomatic Complexity

codeintel / backend/app/repositories/router.py:76-76

```
get_current_user)
):
    """List all repositories for the current user."""
    service = RepositoryServi
```

Estimated effort: 0.0h

▾ medium BLK-461 High Cyclomatic Complexity

codeintel / backend/app/repositories/router.py:81-81

```
Response(
        repositories=[RepoResponse(**r) for r in repos],
        total=len(repos)
    )


@rou
```

Estimated effort: 0.0h

▾ medium BLK-462 High Cyclomatic Complexity

codeintel / backend/app/repositories/router.py:95-95

```
d)
    repo = await service.get(repo_id)

    if not repo:
        raise HTTPException(
```

Estimated effort: 0.0h

▾ medium BLK-463 High Cyclomatic Complexity

codeintel / backend/app/repositories/router.py:130-130

```
 deleted = await service.delete(repo_id)

    if not deleted:
        raise HTTPException(
```

Estimated effort: 0.0h

medium BLK-464 High Cyclomatic Complexity

codeintel / backend/app/repositories/router.py:144-144

```
s(get_current_user)
):
    """Get indexing status for a repository."""
    service = RepositoryService(u
```

Estimated effort: 0.0h

medium BLK-465 High Cyclomatic Complexity

codeintel / backend/app/repositories/router.py:148-148

```
d)
    repo = await service.get(repo_id)

    if not repo:
        raise HTTPException(
```

Estimated effort: 0.0h

medium BLK-466 High Cyclomatic Complexity

codeintel / backend/app/repositories/router.py:172-172

```
d)
    repo = await service.get(repo_id)

    if not repo:
        raise HTTPException(
```

Estimated effort: 0.0h

medium BLK-467 High Cyclomatic Complexity

codeintel / backend/app/repositories/service.py:22-22

```
pository entry."""
        # Validate URL
        if not self._validate_github_url(repo_url):
```

Estimated effort: 0.0h

medium BLK-468 High Cyclomatic Complexity

codeintel / backend/app/repositories/service.py:28-28

```
[-1].replace('.git', '')

        # Check if already exists
        existing = self.supabase.ta
```

Estimated effort: 0.0h

medium BLK-469 High Cyclomatic Complexity

codeintel / backend/app/repositories/service.py:33-33

```
("repo_url", repo_url).execute()

        if existing.data:
            raise ValueError("Repos
```

Estimated effort: 0.0h

medium BLK-470 High Cyclomatic Complexity

codeintel / backend/app/repositories/service.py:49-49

```
.execute()

        return result.data[0] if result.data else repo_data

    async def list
```

Estimated effort: 0.0h

medium BLK-471 High Cyclomatic Complexity

codeintel / backend/app/repositories/service.py:52-52

```
) -> List[dict]:
        """List all repositories for the user."""
        result = self.supabase.table(
```

Estimated effort: 0.0h

medium BLK-472 High Cyclomatic Complexity

codeintel / backend/app/repositories/service.py:65-65

```
.execute()

        return result.data[0] if result.data else None

    async def delete(se
```

Estimated effort: 0.0h

medium BLK-473 High Cyclomatic Complexity

codeintel / backend/app/repositories/service.py:73-73

```
te()

        return len(result.data) > 0 if result.data else False

    async def update_s
```

Estimated effort: 0.0h

medium BLK-474 High Cyclomatic Complexity

codeintel / backend/app/repositories/service.py:79-79

```
     "last_synced": datetime.utcnow().isoformat() if status == "completed" else None
        }
```

Estimated effort: 0.0h

medium BLK-475 High Cyclomatic Complexity

codeintel / backend/app/repositories/service.py:82-82

```
  "completed" else None
        }

        if error_message:
            update_data["error_mess
```

Estimated effort: 0.0h

medium BLK-476 High Cyclomatic Complexity

codeintel / backend/app/repositories/service.py:89-89

```
te()

        return len(result.data) > 0 if result.data else False

    def _validate_gith
```

Estimated effort: 0.0h

medium BLK-477 High Cyclomatic Complexity

codeintel / backend/app/repositories/service.py:94-94

```
L."""
        import re
        pattern = r'^https?://github\.com/[\w.-]+/[\w.-]+(?:\.git)?/?$'
```

Estimated effort: 0.0h

medium BLK-478 High Cyclomatic Complexity

codeintel / backend/app/repositories/service.py:94-94

```
pattern = r'^https?://github\.com/[\w.-]+/[\w.-]+(?:\.git)?/?$'
        return bool(re.match(pattern,
```

Estimated effort: 0.0h

medium BLK-479 High Cyclomatic Complexity

codeintel / backend/app/repositories/service.py:94-94

```
= r'^https?://github\.com/[\w.-]+/[\w.-]+(?:\.git)?/?$'
        return bool(re.match(pattern, url))
```

Estimated effort: 0.0h

medium BLK-480 High Cyclomatic Complexity

codeintel / backend/app/repositories/service.py:94-94

```
r'^https?://github\.com/[\w.-]+/[\w.-]+(?:\.git)?/?$'
        return bool(re.match(pattern, url))
```

Estimated effort: 0.0h

medium BLK-481 High Cyclomatic Complexity

codeintel / backend/app/repositories/service.py:98-98

```
lf) -> int:
        """Get total repository count for user."""
        result = self.supabase.table("rep
```

Estimated effort: 0.0h

medium BLK-482 High Cyclomatic Complexity

codeintel / backend/app/repositories/service.py:103-103

```
 ).execute()

        return result.count if result.count else 0
```

Estimated effort: 0.0h

medium BLK-483 High Cyclomatic Complexity

codeintel / backend/app/tracing/router.py:16-16

```
flow."""
    endpoint: str  # Format: "GET /path" or "POST /path"
    repo_id: Optional[str] = None


c
```

Estimated effort: 0.0h

medium BLK-484 High Cyclomatic Complexity

codeintel / backend/app/tracing/router.py:49-49

```
arts = request.endpoint.strip().split(' ', 1)
    if len(parts) != 2:
        raise HTTPException(
```

Estimated effort: 0.0h

medium BLK-485 High Cyclomatic Complexity

codeintel / backend/app/tracing/router.py:82-82

```
f"{e['http_method']} {e['path']}"
                for e in endpoints
            ]
        }
    finally
```

Estimated effort: 0.0h

medium BLK-486 High Cyclomatic Complexity

codeintel / backend/app/tracing/service.py:27-27

```
umber: int


class TracingService:
    """Service for tracing endpoint flows."""

    def __init__(s
```

Estimated effort: 0.0h

medium BLK-487 High Cyclomatic Complexity

codeintel / backend/app/tracing/service.py:54-54

```
thod: $http_method})
        WHERE e.path = $path OR e.path CONTAINS $path
        MATCH (m:Method)-[:E
```

Estimated effort: 0.0h

medium BLK-488 High Cyclomatic Complexity

codeintel / backend/app/tracing/service.py:68-68

```
            "path": path
        })

        if not endpoint_result:
            return {"error":
```

Estimated effort: 0.0h

medium BLK-489 High Cyclomatic Complexity

codeintel / backend/app/tracing/service.py:99-99

```
    ORDER BY order
        """

        # For now, return the starting point if no complex graph
```

Estimated effort: 0.0h

medium BLK-490 High Cyclomatic Complexity

codeintel / backend/app/tracing/service.py:99-99

```

        # For now, return the starting point if no complex graph traversal
        flow = [{
```

Estimated effort: 0.0h

medium BLK-491 High Cyclomatic Complexity

codeintel / backend/app/tracing/service.py:130-130

```
f.user_id}:{http_method}:{path}"

        if self.redis:
            cached = await self.redis.
```

Estimated effort: 0.0h

medium BLK-492 High Cyclomatic Complexity

codeintel / backend/app/tracing/service.py:132-132

```
hed = await self.redis.get(cache_key)
            if cached:
                return cached
```

Estimated effort: 0.0h

medium BLK-493 High Cyclomatic Complexity

codeintel / backend/app/tracing/service.py:139-139

```
ode: {step['code_snippet'][:200]}..."
            for i, step in enumerate(flow)
        ])
```

Estimated effort: 0.0h

medium BLK-494 High Cyclomatic Complexity

codeintel / backend/app/tracing/service.py:151-151

```
 are called, what side effects occur.
Be specific and concise (3-5 sentences)."""

        try:
```

Estimated effort: 0.0h

medium BLK-495 High Cyclomatic Complexity

codeintel / backend/app/tracing/service.py:162-162

```
.content[0].text

            # Cache for 24 hours
            if self.redis:
```

Estimated effort: 0.0h

medium BLK-496 High Cyclomatic Complexity

codeintel / backend/app/tracing/service.py:163-163

```
            # Cache for 24 hours
            if self.redis:
                await self.redis.set(c
```

Estimated effort: 0.0h

medium BLK-497 High Cyclomatic Complexity

codeintel / backend/app/tracing/service.py:167-167

```
)

            return summary
        except Exception as e:
            return f"Unable to gen
```

Estimated effort: 0.0h

medium BLK-498 High Cyclomatic Complexity

codeintel / backend/app/usage/service.py:11-11

```
abase_client


class UsageService:
    """Service for tracking and enforcing usage limits."""

    d
```

Estimated effort: 0.0h

medium BLK-499 High Cyclomatic Complexity

codeintel / backend/app/usage/service.py:11-11

```
class UsageService:
    """Service for tracking and enforcing usage limits."""

    def __init__(s
```

Estimated effort: 0.0h

medium BLK-500 High Cyclomatic Complexity

codeintel / backend/app/usage/service.py:18-18

```
self) -> Dict:
        """Get today's usage stats for the user."""
        today = date.today().isoforma
```

Estimated effort: 0.0h

medium BLK-501 High Cyclomatic Complexity

codeintel / backend/app/usage/service.py:25-25

```
    ).eq("date", today).execute()

        if result.data:
            return result.data[0]
```

Estimated effort: 0.0h

medium BLK-502 High Cyclomatic Complexity

codeintel / backend/app/usage/service.py:27-27

```
t.data:
            return result.data[0]
        else:
            # Create entry for today
```

Estimated effort: 0.0h

medium BLK-503 High Cyclomatic Complexity

codeintel / backend/app/usage/service.py:28-28

```
.data[0]
        else:
            # Create entry for today
            entry = {
                "user_
```

Estimated effort: 0.0h

medium BLK-504 High Cyclomatic Complexity

codeintel / backend/app/usage/service.py:43-43

```
self.user_id
        ).execute()

        if result.data:
            return result.data[0]
```

Estimated effort: 0.0h

medium BLK-505 High Cyclomatic Complexity

codeintel / backend/app/usage/service.py:45-45

```
t.data:
            return result.data[0]
        else:
            # Return default free tier
```

Estimated effort: 0.0h

medium BLK-506 High Cyclomatic Complexity

codeintel / backend/app/usage/service.py:54-54

```
check_query_limit(self) -> bool:
        """Check if user can make another query."""
        usage = aw
```

Estimated effort: 0.0h

medium BLK-507 High Cyclomatic Complexity

codeintel / backend/app/usage/service.py:64-64

```
d_increment_query(self) -> bool:
        """Check and increment query count if within limit."""
```

Estimated effort: 0.0h

medium BLK-508 High Cyclomatic Complexity

codeintel / backend/app/usage/service.py:64-64

```
bool:
        """Check and increment query count if within limit."""
        can_query = await self.ch
```

Estimated effort: 0.0h

medium BLK-509 High Cyclomatic Complexity

codeintel / backend/app/usage/service.py:67-67

```
= await self.check_query_limit()

        if can_query:
            await self.increment_query_
```

Estimated effort: 0.0h

medium BLK-510 High Cyclomatic Complexity

codeintel / backend/app/usage/service.py:82-82

```
}
        ).execute()

        # Fallback if RPC not available
        # usage = await self.get
```

Estimated effort: 0.0h

medium BLK-511 High Cyclomatic Complexity

codeintel / backend/app/usage/service.py:90-90

```
check_repo_limit(self) -> bool:
        """Check if user can add another repository."""
        subscr
```

Estimated effort: 0.0h

medium BLK-512 High Cyclomatic Complexity

codeintel / backend/app/usage/service.py:99-99

```
e()

        current_count = result.count if result.count else 0
        return current_count <
```

Estimated effort: 0.0h

medium BLK-513 High Cyclomatic Complexity

codeintel / backend/app/usage/service.py:103-103

```
-> Dict:
        """Get comprehensive usage stats for the user."""
        usage = await self.get_today_
```

Estimated effort: 0.0h

medium BLK-514 High Cyclomatic Complexity

codeintel / backend/app/usage/service.py:116-116

```
0),
            "repos_count": repos_result.count if repos_result.count else 0,
            "repo_limit
```

Estimated effort: 0.0h

medium BLK-515 High Cyclomatic Complexity

codeintel / backend/app/usage/service.py:119-119

```
,
            "can_add_repo": (repos_result.count or 0) < subscription.get("repo_limit",
1)
        }
```

Estimated effort: 0.0h

medium BLK-516 High Cyclomatic Complexity

codeintel / backend/templates/base.html:9-9

```
n" content="AI-powered code intelligence platform for Java microservices">

    <!-- Tabler CSS -->
```

Estimated effort: 0.0h

medium BLK-517 High Cyclomatic Complexity

codeintel / backend/templates/chat.html:15-15

```
        </button>
            <h1 class="navbar-brand navbar-brand-autodark">
                <a href="/
```

Estimated effort: 0.0h

medium BLK-518 High Cyclomatic Complexity

codeintel / backend/templates/chat.html:48-48

```
ass="nav flex-column">
                        {% for suggestion in suggestions %}
```

Estimated effort: 0.0h

medium BLK-519 High Cyclomatic Complexity

codeintel / backend/templates/chat.html:52-52

```
                </a>
                        {% endfor %}
                    </div>
                </di
```

Estimated effort: 0.0h

medium BLK-520 High Cyclomatic Complexity

codeintel / backend/templates/chat.html:59-59

```
" style="background-image: url({{ user.avatar_url or '' }})">
                            {% if not use
```

Estimated effort: 0.0h

medium BLK-521 High Cyclomatic Complexity

codeintel / backend/templates/chat.html:60-60

```
ar_url or '' }})">
                            {% if not user.avatar_url %}{{ (user.github_username or
```

Estimated effort: 0.0h

medium BLK-522 High Cyclomatic Complexity

codeintel / backend/templates/chat.html:60-60

```
if not user.avatar_url %}{{ (user.github_username or 'U')[0].upper() }}{% endif %}
```

Estimated effort: 0.0h

medium BLK-523 High Cyclomatic Complexity

codeintel / backend/templates/chat.html:60-60

```
  (user.github_username or 'U')[0].upper() }}{% endif %}
                        </span>
```

Estimated effort: 0.0h

medium BLK-524 High Cyclomatic Complexity

codeintel / backend/templates/chat.html:63-63

```
v class="small fw-medium">{{ user.github_username or 'User' }}</div>
                        </div>
```

Estimated effort: 0.0h

medium BLK-525 High Cyclomatic Complexity

codeintel / backend/templates/chat.html:89-89

```
e="max-height: 60vh;">
                        {% if not messages %}
                        <!-- Empty
```

Estimated effort: 0.0h

medium BLK-526 High Cyclomatic Complexity

codeintel / backend/templates/chat.html:100-100

```
                            trace execution flows, and explain business logic.
```

Estimated effort: 0.0h

medium BLK-527 High Cyclomatic Complexity

codeintel / backend/templates/chat.html:104-104

```
t-center">
                                    {% for suggestion in suggestions[:3] %}
```

Estimated effort: 0.0h

medium BLK-528 High Cyclomatic Complexity

codeintel / backend/templates/chat.html:108-108

```
 </div>
                                        {% endfor %}
                                    </div>
```

Estimated effort: 0.0h

medium BLK-529 High Cyclomatic Complexity

codeintel / backend/templates/chat.html:113-113

```
            {% else %}
                        {% for msg in messages %}
                        <div cl
```

Estimated effort: 0.0h

medium BLK-530 High Cyclomatic Complexity

codeintel / backend/templates/chat.html:115-115

```
e {{ msg.role }}">
                                {% if msg.role == 'assistant' %}
```

Estimated effort: 0.0h

medium BLK-531 High Cyclomatic Complexity

codeintel / backend/templates/chat.html:120-120

```
" style="background-image: url({{ user.avatar_url or '' }})">
                                    {% if not
```

Estimated effort: 0.0h

medium BLK-532 High Cyclomatic Complexity

codeintel / backend/templates/chat.html:121-121

```
rl or '' }})">
                                    {% if not user.avatar_url %}{{ (user.github_username
or
```

Estimated effort: 0.0h

medium BLK-533 High Cyclomatic Complexity

codeintel / backend/templates/chat.html:121-121

```
if not user.avatar_url %}{{ (user.github_username or 'U')[0].upper() }}{% endif %}
```

Estimated effort: 0.0h

medium BLK-534 High Cyclomatic Complexity

codeintel / backend/templates/chat.html:121-121

```
(user.github_username or 'U')[0].upper() }}{% endif %}
                            </span>
```

Estimated effort: 0.0h

medium BLK-535 High Cyclomatic Complexity

codeintel / backend/templates/chat.html:123-123

```
        </span>
                            {% endif %}
                            <div class="chat-bu
```

Estimated effort: 0.0h

medium BLK-536 High Cyclomatic Complexity

codeintel / backend/templates/chat.html:126-126

```
content }}</p>
                                {% if msg.sources %}
                                <di
```

Estimated effort: 0.0h

medium BLK-537 High Cyclomatic Complexity

codeintel / backend/templates/chat.html:130-130

```
mt-1">
                                        {% for src in msg.sources %}
```

Estimated effort: 0.0h

medium BLK-538 High Cyclomatic Complexity

codeintel / backend/templates/chat.html:132-132

```
an>
                                        {% endfor %}
                                    </div>
```

Estimated effort: 0.0h

medium BLK-539 High Cyclomatic Complexity

codeintel / backend/templates/chat.html:135-135

```
    </div>
                                {% endif %}
                            </div>
```

Estimated effort: 0.0h

medium BLK-540 High Cyclomatic Complexity

codeintel / backend/templates/chat.html:138-138

```
            </div>
                        {% endfor %}
                        {% endif %}
```

Estimated effort: 0.0h

medium BLK-541 High Cyclomatic Complexity

codeintel / backend/templates/chat.html:139-139

```
        {% endfor %}
                        {% endif %}
                    </div>
                </di
```

Estimated effort: 0.0h

medium BLK-542 High Cyclomatic Complexity

codeintel / backend/templates/dashboard.html:15-15

```
        </button>
            <h1 class="navbar-brand navbar-brand-autodark">
                <a href="/
```

Estimated effort: 0.0h

medium BLK-543 High Cyclomatic Complexity

codeintel / backend/templates/dashboard.html:53-53

```
" style="background-image: url({{ user.avatar_url or '' }})">
                            {% if not use
```

Estimated effort: 0.0h

medium BLK-544 High Cyclomatic Complexity

codeintel / backend/templates/dashboard.html:54-54

```
ar_url or '' }})">
                            {% if not user.avatar_url %}{{ (user.github_username or
```

Estimated effort: 0.0h

medium BLK-545 High Cyclomatic Complexity

codeintel / backend/templates/dashboard.html:54-54

```
if not user.avatar_url %}{{ (user.github_username or 'U')[0].upper() }}{% endif %}
```

Estimated effort: 0.0h

medium BLK-546 High Cyclomatic Complexity

codeintel / backend/templates/dashboard.html:54-54

```
 (user.github_username or 'U')[0].upper() }}{% endif %}
                        </span>
```

Estimated effort: 0.0h

medium BLK-547 High Cyclomatic Complexity

codeintel / backend/templates/dashboard.html:57-57

```
v class="small fw-medium">{{ user.github_username or 'User' }}</div>
                            <div c
```

Estimated effort: 0.0h

medium BLK-548 High Cyclomatic Complexity

codeintel / backend/templates/dashboard.html:76-76

```
  <div class="text-muted">Manage your repositories and explore your codebase</div>
                    </
```

Estimated effort: 0.0h

medium BLK-549 High Cyclomatic Complexity

codeintel / backend/templates/dashboard.html:99-99

```
                                  class="badge {% if subscription.plan == 'pro' %}bg-
purple{% else %}bg
```

Estimated effort: 0.0h

medium BLK-550 High Cyclomatic Complexity

codeintel / backend/templates/dashboard.html:99-99

```
n == 'pro' %}bg-purple{% else %}bg-secondary{% endif %}">
                                                {
```

Estimated effort: 0.0h

medium BLK-551 High Cyclomatic Complexity

codeintel / backend/templates/dashboard.html:105-105

```
  }} Plan</div>
                                {% if subscription.plan == 'free' %}
```

Estimated effort: 0.0h

medium BLK-552 High Cyclomatic Complexity

codeintel / backend/templates/dashboard.html:110-110

```
        </a>
                                {% endif %}
                            </div>
```

Estimated effort: 0.0h

medium BLK-553 High Cyclomatic Complexity

codeintel / backend/templates/dashboard.html:137-137

```
                                {{ usage.query_count or 0 }} / {{
 subscription.query_limit }}
```

Estimated effort: 0.0h

medium BLK-554 High Cyclomatic Complexity

codeintel / backend/templates/dashboard.html:140-140

```
            <div class="h1 mb-3">{{ usage.query_count or 0 }}</div>
                                <div cl
```

Estimated effort: 0.0h

medium BLK-555 High Cyclomatic Complexity

codeintel / backend/templates/dashboard.html:143-143

```
                 style="width: {{ ((usage.query_count or 0) / subscription.query_limit *
 100)|int }}%">
```

Estimated effort: 0.0h

medium BLK-556 High Cyclomatic Complexity

codeintel / backend/templates/dashboard.html:156-156

```
                    </div>
                    {% if repos %}
                    <div class="table-res
```

Estimated effort: 0.0h

medium BLK-557 High Cyclomatic Complexity

codeintel / backend/templates/dashboard.html:168-168

```
        <tbody>
                                {% for repo in repos %}
                                <
```

Estimated effort: 0.0h

medium BLK-558 High Cyclomatic Complexity

codeintel / backend/templates/dashboard.html:188-188

```
                                {{ repo.last_synced or 'Never' }}
                                    </t
```

Estimated effort: 0.0h

medium BLK-559 High Cyclomatic Complexity

codeintel / backend/templates/dashboard.html:192-192

```
">
                                                {% if repo.status == 'completed' %}
```

Estimated effort: 0.0h

medium BLK-560 High Cyclomatic Complexity

codeintel / backend/templates/dashboard.html:200-200

```
                                                {% endif %}
                                                <a
```

Estimated effort: 0.0h

medium BLK-561 High Cyclomatic Complexity

codeintel / backend/templates/dashboard.html:202-202

```
e" onclick="return confirm('Delete this repository?')">
```

Estimated effort: 0.0h

medium BLK-562 High Cyclomatic Complexity

codeintel / backend/templates/dashboard.html:208-208

```
      </tr>
                                {% endfor %}
                            </tbody>
```

Estimated effort: 0.0h

medium BLK-563 High Cyclomatic Complexity

codeintel / backend/templates/dashboard.html:230-230

```
                </div>
                    {% endif %}
                </div>
            </div>
```

Estimated effort: 0.0h

medium BLK-564 High Cyclomatic Complexity

codeintel / backend/templates/dashboard.html:269-269

```
{% block extra_js %}
<script>
    // Auto-refresh for indexing repos
    const indexingRepos = document.
```

Estimated effort: 0.0h

medium BLK-565 High Cyclomatic Complexity

codeintel / backend/templates/dashboard.html:271-271

```
ctorAll('.status-indexing, .status-pending');
    if (indexingRepos.length > 0) {
        setTimeout(()
```

Estimated effort: 0.0h

medium BLK-566 High Cyclomatic Complexity

codeintel / backend/templates/flow_tracer.html:15-15

```
        </button>
            <h1 class="navbar-brand navbar-brand-autodark">
                <a href="/
```

Estimated effort: 0.0h

medium BLK-567 High Cyclomatic Complexity

codeintel / backend/templates/flow_tracer.html:47-47

```
" style="background-image: url({{ user.avatar_url or '' }})">
                            {% if not use
```

Estimated effort: 0.0h

medium BLK-568 High Cyclomatic Complexity

codeintel / backend/templates/flow_tracer.html:48-48

```
ar_url or '' }})">
                            {% if not user.avatar_url %}{{ (user.github_username or
```

Estimated effort: 0.0h

medium BLK-569 High Cyclomatic Complexity

codeintel / backend/templates/flow_tracer.html:48-48

```
if not user.avatar_url %}{{ (user.github_username or 'U')[0].upper() }}{% endif %}
```

Estimated effort: 0.0h

▾ **medium** BLK-570 **High Cyclomatic Complexity**

codeintel / backend/templates/flow_tracer.html:48-48

```
(user.github_username or 'U')[0].upper() }}{% endif %}
                        </span>
```

Estimated effort: 0.0h

▾ **medium** BLK-571 **High Cyclomatic Complexity**

codeintel / backend/templates/flow_tracer.html:51-51

```
v class="small fw-medium">{{ user.github_username or 'User' }}</div>
                        </div>
```

Estimated effort: 0.0h

▾ **medium** BLK-572 **High Cyclomatic Complexity**

codeintel / backend/templates/flow_tracer.html:74-74

```
ontainer-xl">
                <!-- Endpoint Selector -->
                <div class="card mb-4">
```

Estimated effort: 0.0h

▾ **medium** BLK-573 **High Cyclomatic Complexity**

codeintel / backend/templates/flow_tracer.html:82-82

```
.</option>
                                    {% for ep in endpoints %}
```

Estimated effort: 0.0h

medium BLK-574 High Cyclomatic Complexity

codeintel / backend/templates/flow_tracer.html:83-83

```
ion value="{{ ep.http_method }} {{ ep.path }}" {% if
                                        selected_endpoint==ep.http_method ~ ' ' ~
ep.path
```

Estimated effort: 0.0h

medium BLK-575 High Cyclomatic Complexity

codeintel / backend/templates/flow_tracer.html:84-84

```
t==ep.http_method ~ ' ' ~ ep.path %}selected{% endif %}>
                                        {{ ep.
```

Estimated effort: 0.0h

medium BLK-576 High Cyclomatic Complexity

codeintel / backend/templates/flow_tracer.html:87-87

```
option>
                                    {% endfor %}
                                </select>
```

Estimated effort: 0.0h

medium BLK-577 High Cyclomatic Complexity

codeintel / backend/templates/flow_tracer.html:100-100

```
</div>
                </div>

                {% if trace_result %}
                <!-- Summary -->
```

Estimated effort: 0.0h

medium BLK-578 High Cyclomatic Complexity

codeintel / backend/templates/flow_tracer.html:102-102

```
            <!-- Summary -->
              {% if trace_result.summary %}
              <div class
```

Estimated effort: 0.0h

medium BLK-579 High Cyclomatic Complexity

codeintel / backend/templates/flow_tracer.html:116-116

```
div>
                </div>
                {% endif %}

                <!-- Flow Steps -->
```

Estimated effort: 0.0h

medium BLK-580 High Cyclomatic Complexity

codeintel / backend/templates/flow_tracer.html:119-119

```
          <!-- Flow Steps -->
                {% if trace_result.flow %}
                <div class="c
```

Estimated effort: 0.0h

medium BLK-581 High Cyclomatic Complexity

codeintel / backend/templates/flow_tracer.html:129-129

```
s="flow-timeline">
                            {% for step in trace_result.flow %}
```

Estimated effort: 0.0h

medium BLK-582 High Cyclomatic Complexity

codeintel / backend/templates/flow_tracer.html:143-143

```
</div>
                                        {% if step.signature %}
```

Estimated effort: 0.0h

medium BLK-583 High Cyclomatic Complexity

codeintel / backend/templates/flow_tracer.html:147-147

```
iv>
                                        {% endif %}
                                        {% if s
```

Estimated effort: 0.0h

medium BLK-584 High Cyclomatic Complexity

codeintel / backend/templates/flow_tracer.html:148-148

```
dif %}
                                        {% if step.code_snippet %}
```

Estimated effort: 0.0h

medium BLK-585 High Cyclomatic Complexity

codeintel / backend/templates/flow_tracer.html:153-153

```
ls>
                                        {% endif %}
                                    </div>
```

Estimated effort: 0.0h

▾ **medium** BLK-586 **High Cyclomatic Complexity**

codeintel / backend/templates/flow_tracer.html:157-157

```
        </div>
                            {% endfor %}
                        </div>
```

Estimated effort: 0.0h

▾ **medium** BLK-587 **High Cyclomatic Complexity**

codeintel / backend/templates/flow_tracer.html:161-161

```
  </div>
                </div>
                {% elif trace_result.error %}
                <div class="
```

Estimated effort: 0.0h

▾ **medium** BLK-588 **High Cyclomatic Complexity**

codeintel / backend/templates/flow_tracer.html:161-161

```
    </div>
                {% elif trace_result.error %}
                <div class="alert alert-danger"
```

Estimated effort: 0.0h

▾ **medium** BLK-589 **High Cyclomatic Complexity**

codeintel / backend/templates/flow_tracer.html:164-164

```
me-2"></i>
                    {{ trace_result.error }}
                </div>
                {% else
```

Estimated effort: 0.0h

medium BLK-590 High Cyclomatic Complexity

codeintel / backend/templates/flow_tracer.html:172-172

```
pty-subtitle text-muted">Could not find call flow for this endpoint</p>
                        </div>
```

Estimated effort: 0.0h

medium BLK-591 High Cyclomatic Complexity

codeintel / backend/templates/flow_tracer.html:176-176

```
div>
                </div>
                {% endif %}
                {% endif %}

                {%
```

Estimated effort: 0.0h

medium BLK-592 High Cyclomatic Complexity

codeintel / backend/templates/flow_tracer.html:177-177

```
                {% endif %}
                {% endif %}

                {% if not selected_endpoint %}
```

Estimated effort: 0.0h

medium BLK-593 High Cyclomatic Complexity

codeintel / backend/templates/flow_tracer.html:179-179

```
}
                {% endif %}

                {% if not selected_endpoint %}
                <div clas
```

Estimated effort: 0.0h

medium BLK-594 High Cyclomatic Complexity

codeintel / backend/templates/flow_tracer.html:190-190

```
div>
                </div>
                {% endif %}
            </div>
        </div>
    </div>
</
```

Estimated effort: 0.0h

medium BLK-595 High Cyclomatic Complexity

codeintel / backend/templates/landing.html:3-3

```
{% block title %}CodeIntel - AI Code Intelligence for Java Microservices{% endblock %}

{% block body_cl
```

Estimated effort: 0.0h

medium BLK-596 High Cyclomatic Complexity

codeintel / backend/templates/landing.html:15-15

```
        </button>
            <h1 class="navbar-brand navbar-brand-autodark d-none-navbar-horizontal pe-
```

Estimated effort: 0.0h

medium BLK-597 High Cyclomatic Complexity

codeintel / backend/templates/landing.html:40-40

```
y-4 fw-bold mb-3">
                    Understand Your Java<br>
                    <span class=
```

Estimated effort: 0.0h

▾ medium BLK-598 High Cyclomatic Complexity

codeintel / backend/templates/landing.html:45-45

```
ebase, build call graphs,
                        and answer questions about how your system works.
```

Estimated effort: 0.0h

▾ medium BLK-599 High Cyclomatic Complexity

codeintel / backend/templates/landing.html:71-71

```
iv class="text-muted small">How does checkout work?</div>
                                </div>
```

Estimated effort: 0.0h

▾ medium BLK-600 High Cyclomatic Complexity

codeintel / backend/templates/landing.html:80-80

```
ode> (Feign),
                                        and finally processes payment via
<code>PaymentService
```

Estimated effort: 0.0h

▾ medium BLK-601 High Cyclomatic Complexity

codeintel / backend/templates/landing.html:93-93

```
="text-center mb-5">Everything you need to understand complex codebases</h2>

            <div class="ro
```

Estimated effort: 0.0h

medium BLK-602 High Cyclomatic Complexity

codeintel / backend/templates/landing.html:107-107

```
        with automatic detection of @FeignClient and REST calls.
                    </p>
```

Estimated effort: 0.0h

medium BLK-603 High Cyclomatic Complexity

codeintel / backend/templates/landing.html:212-212

```
                <p class="text-muted">Perfect for trying out CodeIntel</p>
```

Estimated effort: 0.0h

medium BLK-604 High Cyclomatic Complexity

codeintel / backend/templates/landing.html:231-231

```
                        <p class="text-muted">For teams with multiple services</p>
```

Estimated effort: 0.0h

medium BLK-605 High Cyclomatic Complexity

codeintel / backend/templates/landing.html:255-255

```
  href="/" class="text-reset">CodeIntel</a>. Built for Java developers.
                </span>
```

Estimated effort: 0.0h

medium BLK-606 High Cyclomatic Complexity

codeintel / backend/templates/repository.html:15-15

```
        </button>
            <h1 class="navbar-brand navbar-brand-autodark">
                <a href="/
```

Estimated effort: 0.0h

medium BLK-607 High Cyclomatic Complexity

codeintel / backend/templates/repository.html:44-44

```
x; overflow-y: auto;">
                        {% for ep in endpoints %}
                        <a href
```

Estimated effort: 0.0h

medium BLK-608 High Cyclomatic Complexity

codeintel / backend/templates/repository.html:45-45

```
                <a href="/repos/{{ repo.id }}/trace?endpoint={{ ep.http_method }}%20{{
ep.path|urlenco
```

Estimated effort: 0.0h

medium BLK-609 High Cyclomatic Complexity

codeintel / backend/templates/repository.html:48-48

```
n
                                    class="badge {% if ep.http_method == 'GET' %}bg-
green{% elif ep.http_
```

Estimated effort: 0.0h

medium BLK-610 High Cyclomatic Complexity

codeintel / backend/templates/repository.html:48-48

```
"badge {% if ep.http_method == 'GET' %}bg-green{% elif ep.http_method == 'POST' %}bg-
blue{% elif ep.http_
```

Estimated effort: 0.0h

medium BLK-611 High Cyclomatic Complexity

codeintel / backend/templates/repository.html:48-48

```
green{% elif ep.http_method == 'POST' %}bg-blue{% elif ep.http_method == 'PUT' %}bg-
yellow{% elif ep.http
```

Estimated effort: 0.0h

medium BLK-612 High Cyclomatic Complexity

codeintel / backend/templates/repository.html:48-48

```
blue{% elif ep.http_method == 'PUT' %}bg-yellow{% elif ep.http_method == 'DELETE' %}
bg-red{% else %}bg-se
```

Estimated effort: 0.0h

medium BLK-613 High Cyclomatic Complexity

codeintel / backend/templates/repository.html:48-48

```
d == 'DELETE' %}bg-red{% else %}bg-secondary{% endif %} me-1">
                                {{ ep.ht
```

Estimated effort: 0.0h

medium BLK-614 High Cyclomatic Complexity

codeintel / backend/templates/repository.html:55-55

```
points found</span>
                        {% endfor %}
                    </div>
                </di
```

Estimated effort: 0.0h

medium BLK-615 High Cyclomatic Complexity

codeintel / backend/templates/repository.html:62-62

```
" style="background-image: url({{ user.avatar_url or '' }})">
                            {% if not use
```

Estimated effort: 0.0h

medium BLK-616 High Cyclomatic Complexity

codeintel / backend/templates/repository.html:63-63

```
ar_url or '' }})">
                            {% if not user.avatar_url %}{{ (user.github_username or
```

Estimated effort: 0.0h

medium BLK-617 High Cyclomatic Complexity

codeintel / backend/templates/repository.html:63-63

```
if not user.avatar_url %}{{ (user.github_username or 'U')[0].upper() }}{% endif %}
```

Estimated effort: 0.0h

medium BLK-618 High Cyclomatic Complexity

codeintel / backend/templates/repository.html:63-63

```
 (user.github_username or 'U')[0].upper() }}{% endif %}
                        </span>
```

Estimated effort: 0.0h

medium BLK-619 High Cyclomatic Complexity

codeintel / backend/templates/repository.html:66-66

```
v class="small fw-medium">{{ user.github_username or 'User' }}</div>
                        </div>
```

Estimated effort: 0.0h

medium BLK-620 High Cyclomatic Complexity

codeintel / backend/templates/repository.html:167-167

```
oup list-group-flush">
                        {% for service in services %}
                        <di
```

Estimated effort: 0.0h

medium BLK-621 High Cyclomatic Complexity

codeintel / backend/templates/repository.html:177-177

```
v class="text-muted small">{{ service.class_count or 0 }} classes, {{
```

Estimated effort: 0.0h

medium BLK-622 High Cyclomatic Complexity

codeintel / backend/templates/repository.html:178-178

```
                                service.method_count or 0 }} methods</div>
```

Estimated effort: 0.0h

medium BLK-623 High Cyclomatic Complexity

codeintel / backend/templates/repository.html:189-189

```
ervices found</div>
                            {% endfor %}
                        </div>
                    </di
```

Estimated effort: 0.0h

medium BLK-624 High Cyclomatic Complexity

codeintel / backend/templates/repository.html:199-199

```
>
{% endblock %}

{% block extra_js %}
<!-- D3.js for graph visualization -->
<script src="https://cdn.j
```

Estimated effort: 0.0h

medium BLK-625 High Cyclomatic Complexity

codeintel / backend/templates/repository.html:203-203

```
ter
    document.getElementById('endpoint-filter')?.addEventListener('input', function (e)
{
```

Estimated effort: 0.0h

medium BLK-626 High Cyclomatic Complexity

codeintel / backend/templates/repository.html:207-207

```
        item.style.display = text.includes(filter) ? '' : 'none';
        });
    });

    // Service g
```

Estimated effort: 0.0h

medium BLK-627 High Cyclomatic Complexity

codeintel / backend/templates/repository.html:217-217

```
inks: { { graph_edges | tojson | safe } }
};

    if (graphData.nodes.length > 0) {
        const conta
```

Estimated effort: 0.0h

medium BLK-628 High Cyclomatic Complexity

codeintel / backend/templates/repository.html:273-273

```
'text')
            .text(d => d.name.length > 15 ? d.name.slice(0, 12) + '...' : d.name)
```

Estimated effort: 0.0h

medium BLK-629 High Cyclomatic Complexity

codeintel / backend/templates/repository.html:290-290

```
        function dragstarted(event) {
            if (!event.active) simulation.alphaTarget(0.3).restar
```

Estimated effort: 0.0h

medium BLK-630 High Cyclomatic Complexity

codeintel / backend/templates/repository.html:301-301

```
        function dragended(event) {
            if (!event.active) simulation.alphaTarget(0);
```

Estimated effort: 0.0h

medium BLK-631 High Cyclomatic Complexity

codeintel / frontend/Dockerfile:15-15

```
 . .

# Expose port
EXPOSE 5173

# Dev server command (production would use build + nginx)
CMD ["npm", "
```

Estimated effort: 0.0h

medium BLK-632 High Cyclomatic Complexity

codeintel / frontend/index.html:7-7

```
CodeIntel - AI-powered code intelligence platform for Java microservices. Understand
your codebase in mi
```

Estimated effort: 0.0h

medium BLK-633 High Cyclomatic Complexity

codeintel / frontend/index.html:7-7

```
elligence platform for Java microservices. Understand your codebase in minutes, not
days." />
    <meta
```

Estimated effort: 0.0h

medium BLK-634 High Cyclomatic Complexity

codeintel / frontend/index.html:11-11

```
    <link href="https://fonts.googleapis.com/css2?
family=Inter:wght@400;500;600;700&family=JetBrains
```

Estimated effort: 0.0h

medium BLK-635 High Cyclomatic Complexity

codeintel / frontend/index.html:12-12

```
eet">
    <title>CodeIntel - AI Code Intelligence for Java Microservices</title>
  </head>
  <body>
```

Estimated effort: 0.0h

medium BLK-636 High Cyclomatic Complexity

codeintel / frontend/src/App.tsx:14-14

```
sAuthenticated, isLoading } = useAuthStore()

    if (isLoading) {
        return (
            <div cl
```

Estimated effort: 0.0h

medium BLK-637 High Cyclomatic Complexity

codeintel / frontend/src/App.tsx:22-22

```
0"></div>
            </div>
        )
    }

    if (!isAuthenticated) {
        return <Navigate to="
```

Estimated effort: 0.0h

medium BLK-638 High Cyclomatic Complexity

codeintel / frontend/src/api/client.ts:18-18

```
  const token = localStorage.getItem('token')
    if (token) {
        config.headers.Authorization = `
```

Estimated effort: 0.0h

medium BLK-639 High Cyclomatic Complexity

codeintel / frontend/src/api/client.ts:28-28

```
(response) => response,
    (error) => {
        if (error.response?.status === 401) {
            loc
```

Estimated effort: 0.0h

medium BLK-640 High Cyclomatic Complexity

codeintel / frontend/src/api/client.ts:28-28

```
ponse,
    (error) => {
        if (error.response?.status === 401) {
            localStorage.remove
```

Estimated effort: 0.0h

medium BLK-641 High Cyclomatic Complexity

codeintel / frontend/src/api/client.ts:55-55

```
export const graphApi = {
    getServices: (repoId?: string) =>
        api.get('/graph/services', {
```

Estimated effort: 0.0h

medium BLK-642 High Cyclomatic Complexity

codeintel / frontend/src/api/client.ts:57-57

```
repo_id: repoId } }),
    getDependencies: (repoId?: string) =>
        api.get('/graph/dependencies'
```

Estimated effort: 0.0h

medium BLK-643 High Cyclomatic Complexity

codeintel / frontend/src/api/client.ts:59-59

```
po_id: repoId } }),
    getEndpoints: (serviceName?: string) =>
        api.get('/graph/endpoints', {
```

Estimated effort: 0.0h

medium BLK-644 High Cyclomatic Complexity

codeintel / frontend/src/api/client.ts:69-69

```
i = {
    traceEndpoint: (endpoint: string, repoId?: string) =>
        api.post('/trace', { endpoint
```

Estimated effort: 0.0h

medium BLK-645 High Cyclomatic Complexity

codeintel / frontend/src/api/client.ts:71-71

```
nt, repo_id: repoId }),
    listEndpoints: (repoId?: string) =>
        api.get('/trace/endpoints', {
```

Estimated effort: 0.0h

medium BLK-646 High Cyclomatic Complexity

codeintel / frontend/src/api/client.ts:77-77

```
st queryApi = {
    ask: (question: string, repoId?: string) =>
        api.post('/query', { question
```

Estimated effort: 0.0h

medium BLK-647 High Cyclomatic Complexity

codeintel / frontend/src/api/client.ts:79-79

```
epoId }),
    streamAsk: (question: string, repoId?: string) => {
        const token = localStorage.
```

Estimated effort: 0.0h

medium BLK-648 High Cyclomatic Complexity

codeintel / frontend/src/api/client.ts:90-90

```
 }),
        })
    },
    getSuggestions: (repoId?: string) =>
        api.get('/query/suggestions',
```

Estimated effort: 0.0h

medium BLK-649 High Cyclomatic Complexity

codeintel / frontend/src/api/client.ts:96-96

```
nst billingApi = {
    createCheckout: (successUrl?: string, cancelUrl?: string) =>
        api.post(
```

Estimated effort: 0.0h

medium BLK-650 High Cyclomatic Complexity

codeintel / frontend/src/api/client.ts:96-96

```
    createCheckout: (successUrl?: string, cancelUrl?: string) =>
        api.post('/billing/checkout',
```

Estimated effort: 0.0h

medium BLK-651 High Cyclomatic Complexity

codeintel / frontend/src/api/client.ts:98-98

```
el_url: cancelUrl }),
    createPortal: (returnUrl?: string) =>
        api.post('/billing/portal', {
```

Estimated effort: 0.0h

medium BLK-652 High Cyclomatic Complexity

codeintel / frontend/src/components/Layout/Layout.tsx:65-65

```
-center gap-3 mb-4">
                        {user?.avatar_url ? (
                            <img
```

Estimated effort: 0.0h

medium BLK-653 High Cyclomatic Complexity

codeintel / frontend/src/components/Layout/Layout.tsx:65-65

```
 mb-4">
                        {user?.avatar_url ? (
                            <img
```

Estimated effort: 0.0h

medium BLK-654 High Cyclomatic Complexity

codeintel / frontend/src/components/Layout/Layout.tsx:74-74

```
medium">
                                        {user?.github_username?.charAt(0).toUpperCase() ||
'U'}
```

Estimated effort: 0.0h

medium BLK-655 High Cyclomatic Complexity

codeintel / frontend/src/components/Layout/Layout.tsx:74-74

```
                                {user?.github_username?.charAt(0).toUpperCase() || 'U'}
```

Estimated effort: 0.0h

medium BLK-656 High Cyclomatic Complexity

codeintel / frontend/src/components/Layout/Layout.tsx:80-80

```
m truncate">
                                    {user?.github_username || 'User'}
```

Estimated effort: 0.0h

medium BLK-657 High Cyclomatic Complexity

codeintel / frontend/src/components/Layout/Layout.tsx:83-83

```
0 truncate">
                                    {user?.email || 'Free Plan'}
```

Estimated effort: 0.0h

medium BLK-658 High Cyclomatic Complexity

codeintel / frontend/src/pages/AuthCallback.tsx:13-13

```
  const token = searchParams.get('token')

        if (token) {
            login(token).then(() => {
```

Estimated effort: 0.0h

medium BLK-659 High Cyclomatic Complexity

codeintel / frontend/src/pages/ChatPage.tsx:17-17

```
ser' | 'assistant'
    content: string
    sources?: Array<{
        type: string
        service: st
```

Estimated effort: 0.0h

medium BLK-660 High Cyclomatic Complexity

codeintel / frontend/src/pages/ChatPage.tsx:24-24

```
        line_number: number
    }>
    isStreaming?: boolean
}

export default function ChatPage() {
```

Estimated effort: 0.0h

medium BLK-661 High Cyclomatic Complexity

codeintel / frontend/src/pages/ChatPage.tsx:41-41

```
  useEffect(() => {
        messagesEndRef.current?.scrollIntoView({ behavior: 'smooth' })
    }, [me
```

Estimated effort: 0.0h

medium BLK-662 High Cyclomatic Complexity

codeintel / frontend/src/pages/ChatPage.tsx:51-51

```
                "What services are in this codebase?",
                 "Show me the service dependenci
```

Estimated effort: 0.0h

medium BLK-663 High Cyclomatic Complexity

codeintel / frontend/src/pages/ChatPage.tsx:53-53

```
                "How does the authentication flow work?"
                ])
            }
        }

        const sendMe
```

Estimated effort: 0.0h

medium BLK-664 High Cyclomatic Complexity

codeintel / frontend/src/pages/ChatPage.tsx:59-59

```
ndMessage = async (question: string) => {
            if (!question.trim() || isLoading) return

            co
```

Estimated effort: 0.0h

medium BLK-665 High Cyclomatic Complexity

codeintel / frontend/src/pages/ChatPage.tsx:71-71

```
    setIsLoading(true)

            // Add placeholder for streaming
            const assistantId = (Date.now()
```

Estimated effort: 0.0h

medium BLK-666 High Cyclomatic Complexity

codeintel / frontend/src/pages/ChatPage.tsx:86-86

```
        msg.id === assistantId
                    ? { ...msg, content: response.data.answer, sources:
```

Estimated effort: 0.0h

medium BLK-667 High Cyclomatic Complexity

codeintel / frontend/src/pages/ChatPage.tsx:92-92

```
        msg.id === assistantId
                    ? {
                        ...msg,
```

Estimated effort: 0.0h

medium BLK-668 High Cyclomatic Complexity

codeintel / frontend/src/pages/ChatPage.tsx:94-94

```
msg,
                        content: err.response?.data?.detail || 'Sorry, I encountered
an error. P
```

Estimated effort: 0.0h

medium BLK-669 High Cyclomatic Complexity

codeintel / frontend/src/pages/ChatPage.tsx:94-94

```
                        content: err.response?.data?.detail || 'Sorry, I encountered an
error. Please
```

Estimated effort: 0.0h

medium BLK-670 High Cyclomatic Complexity

codeintel / frontend/src/pages/ChatPage.tsx:110-110

```
leKeyDown = (e: React.KeyboardEvent) => {
        if (e.key === 'Enter' && !e.shiftKey) {
            e
```

Estimated effort: 0.0h

medium BLK-671 High Cyclomatic Complexity

codeintel / frontend/src/pages/ChatPage.tsx:120-120

```
auto p-8">
                {messages.length === 0 ? (
                    <div className="max-w-2xl mx
```

Estimated effort: 0.0h

medium BLK-672 High Cyclomatic Complexity

codeintel / frontend/src/pages/ChatPage.tsx:128-128

```
                        trace execution flows, and explain business logic.
                    </
```

Estimated effort: 0.0h

medium BLK-673 High Cyclomatic Complexity

codeintel / frontend/src/pages/ChatPage.tsx:149-149

```
 className={`flex gap-4 ${message.role === 'user' ? 'justify-end' : ''
```

Estimated effort: 0.0h

medium BLK-674 High Cyclomatic Complexity

codeintel / frontend/src/pages/ChatPage.tsx:158-158

```
== 'user'
                                    ? 'bg-primary-500/20 rounded-2xl rounded-tr-md
p-4'
```

Estimated effort: 0.0h

medium BLK-675 High Cyclomatic Complexity

codeintel / frontend/src/pages/ChatPage.tsx:161-161

```
                                {message.isStreaming ? (
                                    <div cla
```

Estimated effort: 0.0h

medium BLK-676 High Cyclomatic Complexity

codeintel / frontend/src/pages/ChatPage.tsx:223-223

```
                >
                            {isLoading ? (
                                <Loader2 size={20} c
```

Estimated effort: 0.0h

medium BLK-677 High Cyclomatic Complexity

codeintel / frontend/src/pages/Dashboard.tsx:31-31

```
oadUsageStats()
    }, [fetchRepos])

    // Poll for status updates
    useEffect(() => {
        const
```

Estimated effort: 0.0h

medium BLK-678 High Cyclomatic Complexity

codeintel / frontend/src/pages/Dashboard.tsx:34-34

```
=== 'indexing' || r.status === 'pending')
        if (indexingRepos.length > 0) {
            const int
```

Estimated effort: 0.0h

medium BLK-679 High Cyclomatic Complexity

codeintel / frontend/src/pages/Dashboard.tsx:68-68

```
o = async (id: string, name: string) => {
        if (confirm(`Are you sure you want to delete "${name}
```

Estimated effort: 0.0h

medium BLK-680 High Cyclomatic Complexity

codeintel / frontend/src/pages/Dashboard.tsx:68-68

```
confirm(`Are you sure you want to delete "${name}"? This will remove all indexed
data.`)) {
```

Estimated effort: 0.0h

medium BLK-681 High Cyclomatic Complexity

codeintel / frontend/src/pages/Dashboard.tsx:72-72

```
            } catch (err) {
                // Error handled in store
            }
        }
    }
```

Estimated effort: 0.0h

medium BLK-682 High Cyclomatic Complexity

codeintel / frontend/src/pages/Dashboard.tsx:113-113

```
lassName="text-dark-400">Manage your repositories and explore your codebase</p>
              </div>
```

Estimated effort: 0.0h

medium BLK-683 High Cyclomatic Complexity

codeintel / frontend/src/pages/Dashboard.tsx:131-131

```
d text-xs font-medium ${usageStats.plan === 'pro' ? 'bg-accent-500/20 text-
accent-400' : 'bg-dark-700
```

Estimated effort: 0.0h

medium BLK-684 High Cyclomatic Complexity

codeintel / frontend/src/pages/Dashboard.tsx:133-133

```
                    {usageStats.plan === 'pro' ? 'Pro' : 'Free'}
                        </span
```

Estimated effort: 0.0h

medium BLK-685 High Cyclomatic Complexity

codeintel / frontend/src/pages/Dashboard.tsx:173-173

```
        </div>
            )}

            {/* Error */}
            {error && (
                <div c
```

Estimated effort: 0.0h

medium BLK-686 High Cyclomatic Complexity

codeintel / frontend/src/pages/Dashboard.tsx:174-174

```
    )}

            {/* Error */}
            {error && (
                <div className="bg-red-500/10
```

Estimated effort: 0.0h

medium BLK-687 High Cyclomatic Complexity

codeintel / frontend/src/pages/Dashboard.tsx:182-182

```
{/* Repositories List */}
          {isLoading ? (
              <div className="flex items-cente
```

Estimated effort: 0.0h

medium BLK-688 High Cyclomatic Complexity

codeintel / frontend/src/pages/Dashboard.tsx:186-186

```
</div>
          ) : repositories.length === 0 ? (
              <div className="glass rounded-2x
```

Estimated effort: 0.0h

medium BLK-689 High Cyclomatic Complexity

codeintel / frontend/src/pages/Dashboard.tsx:275-275

```
    </label>

                          {addError && (
                              <div classNam
```

Estimated effort: 0.0h

medium BLK-690 High Cyclomatic Complexity

codeintel / frontend/src/pages/Dashboard.tsx:295-295

```
  >
                                  {isAdding ? (
                                      <>
```

Estimated effort: 0.0h

medium BLK-691 High Cyclomatic Complexity

codeintel / frontend/src/pages/FlowTracer.tsx:46-46

```
() => {
        loadEndpoints()

        // Check for endpoint in URL
        const endpoint = searchPar
```

Estimated effort: 0.0h

medium BLK-692 High Cyclomatic Complexity

codeintel / frontend/src/pages/FlowTracer.tsx:48-48

```
t endpoint = searchParams.get('endpoint')
        if (endpoint) {
            setSelectedEndpoint(endpo
```

Estimated effort: 0.0h

medium BLK-693 High Cyclomatic Complexity

codeintel / frontend/src/pages/FlowTracer.tsx:67-67

```
eEndpoint = async (endpoint: string) => {
        if (!endpoint) return

        setIsLoading(true)
```

Estimated effort: 0.0h

medium BLK-694 High Cyclomatic Complexity

codeintel / frontend/src/pages/FlowTracer.tsx:75-75

```
  setTraceResult(response.data)
          // Expand first step by default
          setExpandedSteps
```

Estimated effort: 0.0h

medium BLK-695 High Cyclomatic Complexity

codeintel / frontend/src/pages/FlowTracer.tsx:82-82

```
summary: null,
                error: err.response?.data?.detail || 'Failed to trace endpoint'
```

Estimated effort: 0.0h

medium BLK-696 High Cyclomatic Complexity

codeintel / frontend/src/pages/FlowTracer.tsx:82-82

```
y: null,
                error: err.response?.data?.detail || 'Failed to trace endpoint'
```

Estimated effort: 0.0h

medium BLK-697 High Cyclomatic Complexity

codeintel / frontend/src/pages/FlowTracer.tsx:96-96

```
            const next = new Set(prev)
             if (next.has(index)) {
                 next.delete(in
```

Estimated effort: 0.0h

medium BLK-698 High Cyclomatic Complexity

codeintel / frontend/src/pages/FlowTracer.tsx:112-112

```
            </p>

            {/* Endpoint Selector */}
            <div className="glass rounded-xl p
```

Estimated effort: 0.0h

medium BLK-699 High Cyclomatic Complexity

codeintel / frontend/src/pages/FlowTracer.tsx:132-132

```
            >
                        {isLoading ? (
                            <>
```

Estimated effort: 0.0h

medium BLK-700 High Cyclomatic Complexity

codeintel / frontend/src/pages/FlowTracer.tsx:157-157

```
 className="space-y-6">
                        {/* Error */}
                        {traceResult.error && (
```

Estimated effort: 0.0h

medium BLK-701 High Cyclomatic Complexity

codeintel / frontend/src/pages/FlowTracer.tsx:158-158

```
{/* Error */}
                        {traceResult.error && (
                            <div className="bg-re
```

Estimated effort: 0.0h

medium BLK-702 High Cyclomatic Complexity

codeintel / frontend/src/pages/FlowTracer.tsx:211-211

```
                        {expandedSteps.has(index) ? (
```

Estimated effort: 0.0h

▾ medium BLK-703 **High Cyclomatic Complexity**

codeintel / frontend/src/pages/FlowTracer.tsx:245-245

```
{traceResult.flow.length === 0 && !traceResult.error && (
                        <div className="text-
```

Estimated effort: 0.0h

▾ medium BLK-704 **High Cyclomatic Complexity**

codeintel / frontend/src/pages/FlowTracer.tsx:250-250

```
                          Could not find call flow for this endpoint
                        </p>
```

Estimated effort: 0.0h

▾ medium BLK-705 **High Cyclomatic Complexity**

codeintel / frontend/src/pages/Landing.tsx:59-59

```
-6 leading-tight">
                        Understand Your Java<br />
                        <span clas
```

Estimated effort: 0.0h

▾ medium BLK-706 **High Cyclomatic Complexity**

codeintel / frontend/src/pages/Landing.tsx:65-65

```
ebase, build call graphs,
                        and answer questions about how your system works.
```

Estimated effort: 0.0h

medium BLK-707 High Cyclomatic Complexity

codeintel / frontend/src/pages/Landing.tsx:96-96

```
                    Everything you need to understand complex codebases
                    </h2>
```

Estimated effort: 0.0h

medium BLK-708 High Cyclomatic Complexity

codeintel / frontend/src/pages/Landing.tsx:103-103

```
l which, with automatic detection of @FeignClient and REST calls."
                        />
```

Estimated effort: 0.0h

medium BLK-709 High Cyclomatic Complexity

codeintel / frontend/src/pages/Landing.tsx:144-144

```
        <p className="text-dark-400 mb-6">Perfect for trying out CodeIntel</p>
```

Estimated effort: 0.0h

medium BLK-710 High Cyclomatic Complexity

codeintel / frontend/src/pages/Landing.tsx:175-175

```
                <p className="text-dark-400 mb-6">For teams with multiple services</p>
```

Estimated effort: 0.0h

medium BLK-711 High Cyclomatic Complexity

codeintel / frontend/src/pages/Landing.tsx:212-212

```
>
                        © 2024 CodeIntel. Built for Java developers.
                    </p>
```

Estimated effort: 0.0h

medium BLK-712 High Cyclomatic Complexity

codeintel / frontend/src/pages/Repository.tsx:37-37

```
ry] = useState('')

    useEffect(() => {
        if (id) {
            fetchRepo(id)
            loadG
```

Estimated effort: 0.0h

medium BLK-713 High Cyclomatic Complexity

codeintel / frontend/src/pages/Repository.tsx:51-51

```
ts()
            ])

            // Process nodes for React Flow
            const graphNodes = depsResp
```

Estimated effort: 0.0h

medium BLK-714 High Cyclomatic Complexity

codeintel / frontend/src/pages/Repository.tsx:104-104

```
rchQuery.toLowerCase()) ||
        ep.service_name?.toLowerCase().includes(searchQuery.toLowerCase())
```

Estimated effort: 0.0h

medium BLK-715 High Cyclomatic Complexity

codeintel / frontend/src/pages/Repository.tsx:115-115

```
ame="flex-1 relative">
                {isLoading ? (
                    <div className="absolute ins
```

Estimated effort: 0.0h

medium BLK-716 High Cyclomatic Complexity

codeintel / frontend/src/pages/Repository.tsx:119-119

```
    </div>
                ) : nodes.length === 0 ? (
                    <div className="absolute ins
```

Estimated effort: 0.0h

medium BLK-717 High Cyclomatic Complexity

codeintel / frontend/src/pages/Repository.tsx:125-125

```
          This repository might still be indexing, or no Spring Boot services were
detected.
```

Estimated effort: 0.0h

medium BLK-718 High Cyclomatic Complexity

codeintel / frontend/src/pages/Repository.tsx:164-164

```
    <h2 className="font-semibold mb-1">{currentRepo?.name || 'Repository'}</h2>
                    <p
```

Estimated effort: 0.0h

medium BLK-719 High Cyclomatic Complexity

codeintel / frontend/src/pages/Repository.tsx:165-165

```
Name="text-sm text-dark-400 truncate">{currentRepo?.repo_url}</p>
                    <div className=
```

Estimated effort: 0.0h

medium BLK-720 High Cyclomatic Complexity

codeintel / frontend/src/pages/Repository.tsx:190-190

```
                  {filteredEndpoints.length === 0 ? (
                        <div className="text-cen
```

Estimated effort: 0.0h

medium BLK-721 High Cyclomatic Complexity

codeintel / frontend/src/pages/Repository.tsx:200-200

```
                              to={`/repos/${id}/trace?endpoint=${encodeURIComponent(`${
endpoint.http_met
```

Estimated effort: 0.0h

medium BLK-722 High Cyclomatic Complexity

codeintel / frontend/src/pages/Repository.tsx:204-204

```
2 py-0.5 rounded ${endpoint.http_method === 'GET' ? 'bg-green-500/20 text-green-400' :
```

Estimated effort: 0.0h

medium BLK-723 High Cyclomatic Complexity

codeintel / frontend/src/pages/Repository.tsx:205-205

```
                  endpoint.http_method === 'POST' ? 'bg-blue-500/20 text-blue-400' :
```

Estimated effort: 0.0h

medium BLK-724 High Cyclomatic Complexity

codeintel / frontend/src/pages/Repository.tsx:206-206

```
                   endpoint.http_method === 'PUT' ? 'bg-yellow-500/20 text-
yellow-400' :
```

Estimated effort: 0.0h

medium BLK-725 High Cyclomatic Complexity

codeintel / frontend/src/pages/Repository.tsx:207-207

```
                endpoint.http_method === 'DELETE' ? 'bg-red-500/20 text-red-400' :
```

Estimated effort: 0.0h

medium BLK-726 High Cyclomatic Complexity

codeintel / frontend/src/store/authStore.ts:2-2

```
/**
 * Authentication state store using Zustand
 */
import { create } from 'zustand'
import { persi
```

Estimated effort: 0.0h

medium BLK-727 High Cyclomatic Complexity

codeintel / frontend/src/store/authStore.ts:80-80

```
 = localStorage.getItem('token')

                if (!token) {
                    set({ isLoading: fa
```

Estimated effort: 0.0h

medium BLK-728 High Cyclomatic Complexity

codeintel / frontend/src/store/repoStore.ts:2-2

```
/**
 * Repository state store using Zustand
 */
import { create } from 'zustand'
import { repos
```

Estimated effort: 0.0h

medium BLK-729 High Cyclomatic Complexity

codeintel / frontend/src/store/repoStore.ts:48-48

```
ding: false,
                error: error.response?.data?.detail || 'Failed to fetch repositories',
```

Estimated effort: 0.0h

medium BLK-730 High Cyclomatic Complexity

codeintel / frontend/src/store/repoStore.ts:48-48

```
false,
                error: error.response?.data?.detail || 'Failed to fetch repositories',
```

Estimated effort: 0.0h

medium BLK-731 High Cyclomatic Complexity

codeintel / frontend/src/store/repoStore.ts:64-64

```
ding: false,
                error: error.response?.data?.detail || 'Failed to fetch repository',
```

Estimated effort: 0.0h

medium BLK-732 High Cyclomatic Complexity

codeintel / frontend/src/store/repoStore.ts:64-64

```
false,
                error: error.response?.data?.detail || 'Failed to fetch repository',
```

Estimated effort: 0.0h

medium BLK-733 High Cyclomatic Complexity

codeintel / frontend/src/store/repoStore.ts:82-82

```
 {
            const errorMessage = error.response?.data?.detail || 'Failed to add
repository'
```

Estimated effort: 0.0h

medium BLK-734 High Cyclomatic Complexity

codeintel / frontend/src/store/repoStore.ts:82-82

```
          const errorMessage = error.response?.data?.detail || 'Failed to add
repository'
```

Estimated effort: 0.0h

medium BLK-735 High Cyclomatic Complexity

codeintel / frontend/src/store/repoStore.ts:93-93

```
d),
                currentRepo: state.currentRepo?.id === id ? null : state.currentRepo,
```

Estimated effort: 0.0h

medium BLK-736 High Cyclomatic Complexity

codeintel / frontend/src/store/repoStore.ts:93-93

```
        currentRepo: state.currentRepo?.id === id ? null : state.currentRepo,
          }))
```

Estimated effort: 0.0h

medium BLK-737 High Cyclomatic Complexity

codeintel / frontend/src/store/repoStore.ts:97-97

```
      set({
              error: error.response?.data?.detail || 'Failed to delete repository',
```

Estimated effort: 0.0h

medium BLK-738 High Cyclomatic Complexity

codeintel / frontend/src/store/repoStore.ts:97-97

```
  set({
              error: error.response?.data?.detail || 'Failed to delete repository',
```

Estimated effort: 0.0h

medium BLK-739 High Cyclomatic Complexity

codeintel / frontend/src/store/repoStore.ts:99-99

```
  repository',
          })
          throw error
      }
    },

    refreshStatus: async (id: string) =>
```

Estimated effort: 0.0h

medium BLK-740 High Cyclomatic Complexity

codeintel / frontend/src/store/repoStore.ts:108-108

```
 tories.map((r) =>
                  r.id === id ? { ...r, status: response.data.status } : r
```

Estimated effort: 0.0h

medium BLK-741 High Cyclomatic Complexity

codeintel / frontend/src/store/repoStore.ts:111-111

```
currentRepo:
                    state.currentRepo?.id === id
                        ? { ...state.cu
```

Estimated effort: 0.0h

medium BLK-742 High Cyclomatic Complexity

codeintel / frontend/src/store/repoStore.ts:112-112

```
te.currentRepo?.id === id
                        ? { ...state.currentRepo, status: response.data.stat
```

Estimated effort: 0.0h

medium BLK-743 High Cyclomatic Complexity

codeintel / frontend/src/store/repoStore.ts:116-116

```
      } catch (error) {
            // Silent fail for status refresh
        }
    },
}))
```

Estimated effort: 0.0h

medium BLK-262 Log Entries Missing Required Fields

codeintel / backend/app/database/neo4j.py:24-24

```
              session.run("RETURN 1")
            logger.info("Neo4j connection established successfully")
        except Exception as e:
            logger
```

SOC2 CC7.2 SOC2 CC7.3

Estimated effort: 0.0h

medium BLK-263 Log Entries Missing Required Fields

codeintel / backend/app/database/redis_client.py:25-25

```
            await self._client.ping()
            logger.info("Redis connection established successfully")
        except Exception as e:
            logger
```

SOC2 CC7.2 SOC2 CC7.3

Estimated effort: 0.0h

medium BLK-1035 Long Functions

codeintel / backend/app/config.py:57-57

```
        env_file_encoding = "utf-8"


@lru_cache()
def get_settings() -> Settings:
    """Get cached settings instance
```

Estimated effort: 0.0h

medium BLK-1036 Long Functions

codeintel / backend/app/auth/github.py:76-76

```
_email

        return GitHubUser(**data)


def get_github_oauth_url(state: Optional[str] = None) -> str:
    """Genera
```

Estimated effort: 0.0h

medium BLK-1037 Long Functions

codeintel / backend/app/auth/jwt.py:24-24

```
    token_type: str = "bearer"
     expires_in: int


def create_access_token(user_id: str, email: Optional[str] = None) -> Toke
```

Estimated effort: 0.0h

medium BLK-1038 Long Functions

codeintel / backend/app/auth/jwt.py:48-48

```
res_in=settings.jwt_expiration_hours * 3600
    )


def decode_access_token(token: str) -> Optional[TokenData]:
    """Decode
```

Estimated effort: 0.0h

medium BLK-1039 Long Functions

codeintel / backend/app/auth/middleware.py:50-50

```
tion:
    """User data with subscription info."""

    def __init__(self, user_id: str, email: Optional[str], plan: st
```

Estimated effort: 0.0h

medium BLK-1040 Long Functions

codeintel / backend/app/billing/service.py:13-13

```
e:
    """Service for Stripe payment handling."""

    def __init__(self, user_id: str):
        self.user_id = user_i
```

Estimated effort: 0.0h

▾ medium BLK-1041 **Long Functions**

codeintel / backend/app/database/neo4j.py:13-13

```
ion:
    """Neo4j database connection manager."""

    def __init__(self, uri: str, user: str, password: str):
```

Estimated effort: 0.0h

▾ medium BLK-1042 **Long Functions**

codeintel / backend/app/database/neo4j.py:18-18

```
ser, password))
        self._verify_connection()

    def _verify_connection(self):
        """Verify connection is working."""
```

Estimated effort: 0.0h

▾ medium BLK-1043 **Long Functions**

codeintel / backend/app/database/neo4j.py:28-28

```
iled to connect to Neo4j: {e}")
            raise

    def close(self):
        """Close the connection."""
```

Estimated effort: 0.0h

▾ medium BLK-1044 **Long Functions**

codeintel / backend/app/database/neo4j.py:33-33

```
if self._driver:
            self._driver.close()

    def execute_query(
        self,
        query: str,
        paramet
```

Estimated effort: 0.0h

▾ medium BLK-1045 **Long Functions**

codeintel / backend/app/database/neo4j.py:43-43

```
      return [record.data() for record in result]

    def execute_write(
        self,
        query: str,
        paramet
```

Estimated effort: 0.0h

▾ medium BLK-1046 **Long Functions**

codeintel / backend/app/database/neo4j.py:56-56

```
================================================

    def setup_schema(self):
        """Set up Neo4j schema with constra
```

Estimated effort: 0.0h

▾ medium BLK-1047 **Long Functions**

codeintel / backend/app/database/neo4j.py:83-83

```
================================================

    def create_service(
        self,
        service_id: str,
        na
```

Estimated effort: 0.0h

▾ medium BLK-1048 **Long Functions**

codeintel / backend/app/database/neo4j.py:107-107

```
o_id,
            "repo_url": repo_url
        })

    def get_services(self, user_id: str, repo_id: Optional[str] = None)
```

Estimated effort: 0.0h

▾ medium BLK-1049 **Long Functions**

codeintel / backend/app/database/neo4j.py:128-128

```
================================================

    def create_class(
        self,
        class_id: str,
        name
```

Estimated effort: 0.0h

▾ medium BLK-1050 **Long Functions**

codeintel / backend/app/database/neo4j.py:158-158

```
================================================

    def create_method(
        self,
        method_id: str,
        nam
```

Estimated effort: 0.0h

▾ medium BLK-1051 **Long Functions**

codeintel / backend/app/database/neo4j.py:193-193

```
      "annotations": annotations or []
        })

    def create_method_call(self, caller_id: str, callee_id: str) -> None:
```

Estimated effort: 0.0h

▾ medium BLK-1052 **Long Functions**

codeintel / backend/app/database/neo4j.py:206-206

```
================================================

    def create_endpoint(
        self,
        endpoint_id: str,
        h
```

Estimated effort: 0.0h

medium BLK-1053 Long Functions

codeintel / backend/app/database/neo4j.py:232-232

```
id,
            "method_id": method_id
        })

    def get_endpoints(self, user_id: str, service_name: Optional[str] =
```

Estimated effort: 0.0h

medium BLK-1054 Long Functions

codeintel / backend/app/database/neo4j.py:261-261

```
================================================

    def create_service_dependency(
        self,
        source_service_id: str,
```

Estimated effort: 0.0h

medium BLK-1055 Long Functions

codeintel / backend/app/database/neo4j.py:280-280

```
          "via_endpoint": via_endpoint
        })

    def get_service_dependencies(self, user_id: str, repo_id: Optional[str] = None)
```

Estimated effort: 0.0h

medium BLK-1056 Long Functions

codeintel / backend/app/database/neo4j.py:303-303

```
================================================

    def trace_endpoint_flow(
        self,
        user_id: str,
        http_
```

Estimated effort: 0.0h

medium BLK-1057 Long Functions

codeintel / backend/app/database/neo4j.py:344-344

```
================================================

    def delete_repo_data(self, user_id: str, repo_id: str) -> None:
```

Estimated effort: 0.0h

medium BLK-1058 Long Functions

codeintel / backend/app/database/redis_client.py:14-14

```
ient:
    """Redis client wrapper for caching."""

    def __init__(self, url: str):
        """Initialize Redis clien
```

Estimated effort: 0.0h

medium BLK-1059 Long Functions

codeintel / backend/app/database/supabase.py:6-6

```
lient, Client
from app.config import get_settings


def get_supabase_client() -> Client:
    """Get Supabase client instance."
```

Estimated effort: 0.0h

▾ medium BLK-1060 **Long Functions**

codeintel / backend/app/database/supabase.py:15-15

```
ase_url,
        settings.supabase_anon_key
    )


def get_supabase_admin_client() -> Client:
    """Get Supabase client with admin
```

Estimated effort: 0.0h

▾ medium BLK-1061 **Long Functions**

codeintel / backend/app/graph/service.py:11-11

```
ice:
    """Service for graph-related queries."""

    def __init__(self, user_id: str):
        self.user_id = user_i
```

Estimated effort: 0.0h

▾ medium BLK-1062 **Long Functions**

codeintel / backend/app/graph/service.py:20-20

```
       password=settings.neo4j_password
        )

    def close(self):
        """Close Neo4j connection."""
```

Estimated effort: 0.0h

▾ medium BLK-1063 **Long Functions**

codeintel / backend/app/graph/service.py:24-24

```
e Neo4j connection."""
        self.neo4j.close()

    def get_services(self, repo_id: Optional[str] = None) -> List[Dict]
```

Estimated effort: 0.0h

▾ medium BLK-1064 **Long Functions**

codeintel / backend/app/graph/service.py:28-28

```
rn self.neo4j.get_services(self.user_id, repo_id)

    def get_service_dependencies(self, repo_id: Optional[str] = None) -> Dict:
```

Estimated effort: 0.0h

▾ medium BLK-1065 **Long Functions**

codeintel / backend/app/graph/service.py:80-80

```
des': nodes,
            'edges': edges
        }

    def get_endpoints(self, service_name: Optional[str] = None) -> List[
```

Estimated effort: 0.0h

▾ medium BLK-1066 **Long Functions**

codeintel / backend/app/graph/service.py:84-84

```
f.neo4j.get_endpoints(self.user_id, service_name)

    def get_service_details(self, service_id: str) -> Optional[Dict]:
```

Estimated effort: 0.0h

▾ medium BLK-1067 **Long Functions**

codeintel / backend/app/graph/service.py:118-118

```
            return results[0]
        return None

    def search(self, query: str) -> List[Dict]:
        """Search
```

Estimated effort: 0.0h

▾ medium BLK-1068 **Long Functions**

codeintel / backend/app/indexing/call_graph.py:34-34

```
"""Build call graphs from parsed Java classes."""

    def __init__(self):
        self.nodes: Dict[str, CallGraphNode
```

Estimated effort: 0.0h

▾ medium BLK-1069 **Long Functions**

codeintel / backend/app/indexing/call_graph.py:40-40

```
 Dict[str, str] = {}  # class.method -> method_id

    def add_class(self, service_name: str, java_class: dict) -> None
```

Estimated effort: 0.0h

▾ medium BLK-1070 **Long Functions**

codeintel / backend/app/indexing/call_graph.py:63-63

```
dex[f"{class_name}.{method['name']}"] = method_id

    def build_edges(self, java_class: dict, service_name: str) -> None
```

Estimated effort: 0.0h

▾ medium BLK-1071 **Long Functions**

codeintel / backend/app/indexing/call_graph.py:97-97

```
        call_type="direct"
                    ))

    def add_rest_call_edge(
        self,
        caller_id: str,
        tar
```

Estimated effort: 0.0h

▾ medium BLK-1072 **Long Functions**

codeintel / backend/app/indexing/call_graph.py:126-126

```
ee_id,
            call_type=call_type
        ))

    def get_nodes(self) -> List[dict]:
        """Get all nodes as d
```

Estimated effort: 0.0h

▾ medium BLK-1073 **Long Functions**

codeintel / backend/app/indexing/call_graph.py:142-142

```
           for n in self.nodes.values()
        ]

    def get_edges(self) -> List[dict]:
        """Get all edges as d
```

Estimated effort: 0.0h

medium BLK-1074 Long Functions

codeintel / backend/app/indexing/call_graph.py:153-153

```
      }
            for e in self.edges
        ]

    def get_service_dependencies(self) -> List[Tuple[str, str, str]]:
        """Ex
```

Estimated effort: 0.0h

medium BLK-1075 Long Functions

codeintel / backend/app/indexing/java_parser.py:98-98

```
,
        'PatchMapping', 'RequestMapping'
    }

    def __init__(self):
        pass

    def parse_file(self,
```

Estimated effort: 0.0h

medium BLK-1076 Long Functions

codeintel / backend/app/indexing/java_parser.py:101-101

```
'
    }

    def __init__(self):
        pass

    def parse_file(self, file_path: Path) -> Optional[JavaClass]:
```

Estimated effort: 0.0h

medium BLK-1077 Long Functions

codeintel / backend/app/indexing/java_parser.py:110-110

```
 parse {file_path}: {e}")
            return None

    def parse_content(self, content: str, file_path: str) -> Optional[Ja
```

Estimated effort: 0.0h

medium BLK-1078 Long Functions

codeintel / backend/app/indexing/java_parser.py:148-148

```
implements,
            extends=extends
        )

    def _extract_annotations(self, lines: List[str]) -> List[JavaAnnotation]:
```

Estimated effort: 0.0h

medium BLK-1079 Long Functions

codeintel / backend/app/indexing/java_parser.py:172-172

```
ters=params))

        return annotations

    def _extract_methods(self, content: str) -> List[JavaMethod]:
        "
```

Estimated effort: 0.0h

▾ medium BLK-1080 **Long Functions**

codeintel / backend/app/indexing/java_parser.py:224-224

```
                ))

        return methods

    def _extract_method_body(self, lines: List[str], start_line: int) -> str:
```

Estimated effort: 0.0h

▾ medium BLK-1081 **Long Functions**

codeintel / backend/app/indexing/java_parser.py:244-244

```
k

        return '\n'.join(method_lines)

    def _find_method_calls(self, code: str) -> List[str]:
        """Find met
```

Estimated effort: 0.0h

▾ medium BLK-1082 **Long Functions**

codeintel / backend/app/indexing/java_parser.py:253-253

```
)
        return list(set(calls))  # Unique calls

    def _extract_fields(self, content: str) -> List[str]:
        """Extra
```

Estimated effort: 0.0h

▾ medium BLK-1083 **Long Functions**

codeintel / backend/app/indexing/java_parser.py:262-262

```
{field_type} {field_name}")
        return fields

    def extract_endpoints(self, java_class: JavaClass) -> List[Dict]:
```

Estimated effort: 0.0h

▾ medium BLK-1084 **Long Functions**

codeintel / backend/app/indexing/java_parser.py:303-303

```
            })

        return endpoints

    def _annotation_to_http_method(self, annotation: str) -> str:
        """Convert
```

Estimated effort: 0.0h

▾ medium BLK-1085 **Long Functions**

codeintel / backend/app/indexing/java_parser.py:315-315

```
    }
        return mapping.get(annotation, 'GET')

    def extract_feign_clients(self, java_class: JavaClass) -> List[Dict]:
```

Estimated effort: 0.0h

medium BLK-1086 Long Functions

codeintel / backend/app/indexing/java_parser.py:330-330

```
        })

        return feign_clients

    def to_dict(self, java_class: JavaClass) -> dict:
        """C
```

Estimated effort: 0.0h

medium BLK-1087 Long Functions

codeintel / backend/app/indexing/spring_detector.py:36-36

```
\)\s*\.\s*uri\s*\(\s*["\']([^"\']+)["\']'),
    ]

    def __init__(self):
        pass

    def detect_class_type
```

Estimated effort: 0.0h

medium BLK-1088 Long Functions

codeintel / backend/app/indexing/spring_detector.py:39-39

```
,
    ]

    def __init__(self):
        pass

    def detect_class_type(self, annotations: List[str]) -> str:
        """D
```

Estimated effort: 0.0h

medium BLK-1089 Long Functions

codeintel / backend/app/indexing/spring_detector.py:46-46

```
.SPRING_ANNOTATIONS[ann]
        return 'unknown'

    def extract_rest_calls(self, code: str) -> List[Dict]:
        """Extract
```

Estimated effort: 0.0h

medium BLK-1090 Long Functions

codeintel / backend/app/indexing/spring_detector.py:76-76

```
p(2)
            })

        return calls

    def parse_application_properties(self, file_path: Path) -> Dict:
        """Parse a
```

Estimated effort: 0.0h

medium BLK-1091 Long Functions

codeintel / backend/app/indexing/spring_detector.py:98-98

```
e_path}: {e}")

        return properties

    def extract_service_name(self, service_path: Path) -> str:
        """Extra
```

Estimated effort: 0.0h

medium BLK-1092 Long Functions

codeintel / backend/app/pages/router.py:18-18

```
emplates = Jinja2Templates(directory="templates")


def get_user_data(user_id: str) -> dict:
    """Get user profile dat
```

Estimated effort: 0.0h

medium BLK-1093 Long Functions

codeintel / backend/app/pages/router.py:25-25

```
    return result.data[0] if result.data else {}


def get_subscription_data(user_id: str) -> dict:
    """Get user subscriptio
```

Estimated effort: 0.0h

medium BLK-1094 Long Functions

codeintel / backend/app/pages/router.py:34-34

```
lan": "free", "repo_limit": 1, "query_limit": 10}


def get_usage_data(user_id: str) -> dict:
    """Get today's usage da
```

Estimated effort: 0.0h

medium BLK-1095 Long Functions

codeintel / backend/app/pages/router.py:44-44

```
lt.data[0] if result.data else {"query_count": 0}


def get_repos(user_id: str) -> list:
    """Get user's repositor
```

Estimated effort: 0.0h

▾ medium BLK-1096 **Long Functions**

codeintel / backend/app/query/service.py:20-20

```
yService:
    """Service for GraphRAG queries."""

    def __init__(self, user_id: str, redis: Optional[RedisClient] =
```

Estimated effort: 0.0h

▾ medium BLK-1097 **Long Functions**

codeintel / backend/app/query/service.py:31-31

```
pic.Anthropic(api_key=settings.anthropic_api_key)

    def close(self):
        """Close connections."""
        se
```

Estimated effort: 0.0h

▾ medium BLK-1098 **Long Functions**

codeintel / backend/app/query/service.py:239-239

```
untered an error generating the answer: {str(e)}"

    def _format_graph_context(self, context: List[Dict]) -> str:
        """Form
```

Estimated effort: 0.0h

▾ medium BLK-1099 **Long Functions**

codeintel / backend/app/query/service.py:249-249

```
append(str(item))
        return "\n".join(lines)

    def _format_code_snippets(self, snippets: List[Dict]) -> str:
        """For
```

Estimated effort: 0.0h

medium BLK-1100 Long Functions

codeintel / backend/app/query/service.py:262-262

```
lines.append("")
        return "\n".join(lines)

    def _extract_sources(
        self,
        graph_context: List[Dict],
```

Estimated effort: 0.0h

medium BLK-1101 Long Functions

codeintel / backend/app/repositories/cloner.py:20-20

```
repository cloning and Spring Boot detection."""

    def __init__(self, repo_url: str, repo_id: str, user_id: str):
```

Estimated effort: 0.0h

medium BLK-1102 Long Functions

codeintel / backend/app/repositories/cloner.py:47-47

```
self.clone_path}")
        return self.clone_path

    def detect_spring_boot_services(self) -> List[dict]:
        """Detect Spring Boot
```

Estimated effort: 0.0h

medium BLK-1103 Long Functions

codeintel / backend/app/repositories/cloner.py:85-85

```
)} Spring Boot services")
        return services

    def _analyze_maven_project(self, pom_path: Path) -> Optional[dict]:
        "
```

Estimated effort: 0.0h

medium BLK-1104 Long Functions

codeintel / backend/app/repositories/cloner.py:124-124

```
se {pom_path}: {e}")

        return None

    def _analyze_gradle_project(self, build_gradle_path: Path) -> Optional[dict]:
```

Estimated effort: 0.0h

medium BLK-1105 Long Functions

codeintel / backend/app/repositories/cloner.py:152-152

```
_gradle_path}: {e}")

        return None

    def _find_spring_boot_annotations(self) -> List[dict]:
        """Find services by @
```

Estimated effort: 0.0h

medium BLK-1106 Long Functions

codeintel / backend/app/repositories/cloner.py:184-184

```
ava_file}: {e}")

        return services

    def get_java_files(self) -> List[Path]:
        """Get all Java files
```

Estimated effort: 0.0h

medium BLK-1107 Long Functions

codeintel / backend/app/repositories/service.py:14-14

```
ice:
    """Handle repository CRUD operations."""

    def __init__(self, user_id: str):
        self.user_id = user_i
```

Estimated effort: 0.0h

medium BLK-1108 Long Functions

codeintel / backend/app/repositories/service.py:90-90

```
rn len(result.data) > 0 if result.data else False

    def _validate_github_url(self, url: str) -> bool:
        """Validate GitHu
```

Estimated effort: 0.0h

medium BLK-1109 Long Functions

codeintel / backend/app/tracing/service.py:28-28

```
ce:
    """Service for tracing endpoint flows."""

    def __init__(self, user_id: str, redis: Optional[RedisClient] =
```

Estimated effort: 0.0h

medium BLK-1110 Long Functions

codeintel / backend/app/tracing/service.py:39-39

```
pic.Anthropic(api_key=settings.anthropic_api_key)

    def close(self):
        """Close connections."""
        se
```

Estimated effort: 0.0h

medium BLK-1111 Long Functions

codeintel / backend/app/usage/service.py:12-12

```
rvice for tracking and enforcing usage limits."""

    def __init__(self, user_id: str):
        self.user_id = user_i
```

Estimated effort: 0.0h

medium BLK-758 Low Test Coverage on Critical Paths

codeintel / backend/app/auth/jwt.py:26-26

```
 token_type: str = "bearer"
    expires_in: int


def create_access_token(user_id: str, email: Optional[str] = None) -> Toke
```

Estimated effort: 0.0h

medium BLK-759 Low Test Coverage on Critical Paths

codeintel / backend/app/billing/router.py:34-34

```
checkout", response_model=CheckoutResponse)
async def create_checkout_session(
    request: CheckoutRequest,
    req: Request,
```

Estimated effort: 0.0h

medium BLK-760 Low Test Coverage on Critical Paths

codeintel / backend/app/billing/router.py:52-52

```
sponse(**session)


@router.post("/portal")
async def create_portal_session(
    request: PortalRequest,
    user: TokenData =
```

Estimated effort: 0.0h

medium BLK-761 Low Test Coverage on Critical Paths

codeintel / backend/app/billing/service.py:21-21

```
_id = settings.stripe_pro_price_id

    async def create_checkout_session(self, success_url: str, cancel_url: str) ->
Dict:
```

Estimated effort: 0.0h

medium BLK-762 Low Test Coverage on Critical Paths

codeintel / backend/app/billing/service.py:78-78

```

        return customer.id

    async def create_portal_session(self, return_url: str) -> Dict:
        """Create
```

Estimated effort: 0.0h

medium BLK-763 Low Test Coverage on Critical Paths

codeintel / backend/app/database/neo4j.py:84-84

```
========================================

    def create_service(
        self,
        service_id: str,
        na
```

Estimated effort: 0.0h

medium BLK-764 Low Test Coverage on Critical Paths

codeintel / backend/app/database/neo4j.py:129-129

```
========================================

    def create_class(
        self,
        class_id: str,
        name
```

Estimated effort: 0.0h

medium BLK-765 Low Test Coverage on Critical Paths

codeintel / backend/app/database/neo4j.py:159-159

```
========================================

    def create_method(
        self,
        method_id: str,
        nam
```

Estimated effort: 0.0h

medium BLK-766 Low Test Coverage on Critical Paths

codeintel / backend/app/database/neo4j.py:194-194

```
notations": annotations or []
        })

    def create_method_call(self, caller_id: str, callee_id: str) -> None:
```

Estimated effort: 0.0h

medium BLK-767 Low Test Coverage on Critical Paths

codeintel / backend/app/database/neo4j.py:207-207

```
========================================

    def create_endpoint(
        self,
        endpoint_id: str,
        h
```

Estimated effort: 0.0h

medium BLK-768 Low Test Coverage on Critical Paths

codeintel / backend/app/database/neo4j.py:262-262

```
========================================

    def create_service_dependency(
        self,
        source_service_id: str,
```

Estimated effort: 0.0h

medium BLK-769 Low Test Coverage on Critical Paths

codeintel / backend/app/database/neo4j.py:345-345

```
========================================

    def delete_repo_data(self, user_id: str, repo_id: str) -> None:
```

Estimated effort: 0.0h

medium BLK-770 Low Test Coverage on Critical Paths

codeintel / backend/app/database/redis_client.py:68-68

```
ed: {e}")
            return False

    async def delete(self, key: str) -> bool:
        """Delete a key f
```

Estimated effort: 0.0h

medium BLK-771 Low Test Coverage on Critical Paths

codeintel / backend/app/database/redis_client.py:79-79

```
ed: {e}")
            return False

    async def delete_pattern(self, pattern: str) -> int:
        """Delete all
```

Estimated effort: 0.0h

medium BLK-772 Low Test Coverage on Critical Paths

codeintel / backend/app/pages/router.py:164-164

```
})


@router.get("/repos/{repo_id}/delete")
async def delete_repository(
    repo_id: str,
    user: TokenData = Depends(g
```

Estimated effort: 0.0h

medium BLK-773 Low Test Coverage on Critical Paths

codeintel / backend/app/repositories/router.py:105-105

```
onse(**repo)


@router.delete("/{repo_id}")
async def delete_repository(
    repo_id: str,
    user: TokenData = Depends(g
```

Estimated effort: 0.0h

medium BLK-774 Low Test Coverage on Critical Paths

codeintel / backend/app/repositories/service.py:19-19

```
f.supabase = get_supabase_client()

    async def create(self, repo_url: str) -> dict:
        """Create a
```

Estimated effort: 0.0h

medium BLK-775 Low Test Coverage on Critical Paths

codeintel / backend/app/repositories/service.py:67-67

```
t.data[0] if result.data else None

    async def delete(self, repo_id: str) -> bool:
        """Delete a r
```

Estimated effort: 0.0h

medium BLK-776 Low Test Coverage on Critical Paths

codeintel / backend/app/repositories/service.py:75-75

```
ata) > 0 if result.data else False

    async def update_status(self, repo_id: str, status: str, error_message: Op
```

Estimated effort: 0.0h

medium BLK-249 Missing Circuit Breaker on HTTP Calls

codeintel / backend/app/auth/github.py:24-24

```
    settings = get_settings()

    async with httpx.AsyncClient() as client:
        response = await client.post(
```

Estimated effort: 0.0h

medium BLK-250 Missing Circuit Breaker on HTTP Calls

codeintel / backend/app/auth/github.py:44-44

```
b user info using access token."""
    async with httpx.AsyncClient() as client:
        response = await client.get(
```

Estimated effort: 0.0h

medium BLK-1016 Missing Logging on Error Paths

codeintel / backend/app/auth/jwt.py:70-70

```
e.fromtimestamp(payload.get("exp"))
        )
    except JWTError:
        return None
```

Estimated effort: 0.0h

medium BLK-1017 Missing Logging on Error Paths

codeintel / backend/app/billing/router.py:90-90

```
     settings.stripe_webhook_secret
        )
    except ValueError:
        raise HTTPException(status_code=400, detail="Inval
```

Estimated effort: 0.0h

medium BLK-1018 Missing Logging on Error Paths

codeintel / backend/app/billing/router.py:92-92

```
on(status_code=400, detail="Invalid payload")
    except stripe.error.SignatureVerificationError:
        raise HTTPException(status_code=400, detail="Inval
```

Estimated effort: 0.0h

medium BLK-1019 Missing Logging on Error Paths

codeintel / backend/app/pages/router.py:101-101

```
ctResponse(url="/dashboard", status_code=302)
    except Exception as e:
        # Return to dashboard with error
        user_data
```

Estimated effort: 0.0h

▾ medium BLK-1020 **Missing Logging on Error Paths**

codeintel / backend/app/pages/router.py:303-303

```
ources": result.get("sources", [])
        })
    except Exception as e:
        messages.append({
            "role": "assistant",
```

Estimated effort: 0.0h

▾ medium BLK-1021 **Missing Logging on Error Paths**

codeintel / backend/app/query/service.py:112-112

```
            return intent_data
        except Exception as e:
            return {
                "intent": "general_questi
```

Estimated effort: 0.0h

▾ medium BLK-1022 **Missing Logging on Error Paths**

codeintel / backend/app/query/service.py:237-237

```
            return message.content[0].text
        except Exception as e:
            return f"I encountered an error generating the ans
```

Estimated effort: 0.0h

▾ medium BLK-1023 **Missing Logging on Error Paths**

codeintel / backend/app/repositories/router.py:65-65

```
        return RepoResponse(**repo)
    except ValueError as e:
        raise HTTPException(
            status_code=statu
```

Estimated effort: 0.0h

▾ medium BLK-1024 Missing Logging on Error Paths

codeintel / backend/app/tracing/service.py:167-167

```
)

            return summary
        except Exception as e:
            return f"Unable to generate summary: {str(e)}"
```

Estimated effort: 0.0h

▾ medium BLK-251 N+1 Query Pattern

codeintel / backend/app/query/service.py:256-256

```
ppets found."
        lines = []
        for snippet in snippets:
            lines.append(f"// {snippet.get('service', '')}.{snippet.get('class', '')}.
{snippet.get('method', '')}")
            lines.append(f"// Fi
```

Estimated effort: 0.0h

▾ medium BLK-252 N+1 Query Pattern

codeintel / backend/app/query/service.py:272-272

```
ources = []
        seen = set()

        for snippet in code_snippets:
            key = f"{snippet.get('service', '')}/{snippet.get('class', '')}"
            if key not in seen:
```

Estimated effort: 0.0h

medium BLK-106 No Alerting or Incident Response Setup

codeintel / backend/app/billing/router.py:92-92

```
ad")
    except stripe.error.SignatureVerificationError:
        raise HTTPException(status_code=400, det
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-107 No Alerting or Incident Response Setup

codeintel / backend/app/database/neo4j.py:26-26

```
        except Exception as e:
            logger.error(f"Failed to connect to Neo4j: {e}")
            r
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-108 No Alerting or Incident Response Setup

codeintel / backend/app/indexing/java_parser.py:219-219

```
1,
                    code_snippet=code_snippet[:500],  # Limit snippet size
                    metho
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-109 No Alerting or Incident Response Setup

codeintel / backend/app/indexing/router.py:31-31

```
ame"],
        "status": repo["status"],
        "error_message": repo.get("error_message"),
        "cre
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

▾ medium BLK-110 No Alerting or Incident Response Setup

codeintel / backend/app/indexing/router.py:31-31

```
epo["status"],
        "error_message": repo.get("error_message"),
        "created_at": repo["created_at
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

▾ medium BLK-111 No Alerting or Incident Response Setup

codeintel / backend/app/indexing/service.py:42-42

```
    if not result.data:
                raise ValueError("Repository not found")
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

▾ medium BLK-112 No Alerting or Incident Response Setup

codeintel / backend/app/indexing/service.py:170-170

```
        except Exception as e:
            logger.error(f"Indexing failed for repo {repo_id}: {e}")
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

▾ medium BLK-113 No Alerting or Incident Response Setup

codeintel / backend/app/indexing/service.py:175-175

```
             "status": "failed",
                "error_message": str(e)
            }).eq("id", repo_id)
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

▾ medium BLK-114 No Alerting or Incident Response Setup

codeintel / backend/app/models/__init__.py:25-25

```
  repo_url: str
    name: str
    status: str
    error_message: Optional[str] = None
    created_at: dat
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

▾ medium BLK-115 No Alerting or Incident Response Setup

codeintel / backend/app/pages/router.py:102-102

```
xception as e:
        # Return to dashboard with error
        user_data = get_user_data(user.user_id)
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

▾ medium BLK-116 No Alerting or Incident Response Setup

codeintel / backend/app/pages/router.py:114-114

```
: usage,
            "repos": repos,
            "error": str(e)
        })


@router.get("/repos/{repo_i
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-117 No Alerting or Incident Response Setup

codeintel / backend/app/pages/router.py:306-306

```
            "content": f"Sorry, I encountered an error: {str(e)}",
            "sources": []
        })
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-118 No Alerting or Incident Response Setup

codeintel / backend/app/query/router.py:54-54

```
TS,
                detail={
                    "error": "Daily query limit reached",
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-119 No Alerting or Incident Response Setup

codeintel / backend/app/query/service.py:238-238

```
ption as e:
            return f"I encountered an error generating the answer: {str(e)}"

    def _fo
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-120 No Alerting or Incident Response Setup

codeintel / backend/app/repositories/router.py:26-26

```
    repo_url: str
      name: str
      status: str
      error_message: Optional[str] = None
      created_at: str
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-121 No Alerting or Incident Response Setup

codeintel / backend/app/repositories/router.py:65-65

```
        return RepoResponse(**repo)
    except ValueError as e:
        raise HTTPException(
            st
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-122 No Alerting or Incident Response Setup

codeintel / backend/app/repositories/router.py:157-157

```
po_id,
        "status": repo["status"],
        "error_message": repo.get("error_message"),
        "las
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-123 No Alerting or Incident Response Setup

codeintel / backend/app/repositories/router.py:157-157

```
epo["status"],
        "error_message": repo.get("error_message"),
        "last_synced": repo.get("last_
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-124 No Alerting or Incident Response Setup

codeintel / backend/app/repositories/service.py:23-23

```
date_github_url(repo_url):
            raise ValueError("Invalid GitHub repository URL")
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-125 No Alerting or Incident Response Setup

codeintel / backend/app/repositories/service.py:34-34

```
        if existing.data:
            raise ValueError("Repository already added")

        # Cr
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-126 No Alerting or Incident Response Setup

codeintel / backend/app/repositories/service.py:75-75

```
ef update_status(self, repo_id: str, status: str, error_message: Optional[str] =
None) -> bool:
        "
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-127 No Alerting or Incident Response Setup

codeintel / backend/app/repositories/service.py:82-82

```
ompleted" else None
        }

        if error_message:
            update_data["error_message"]
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-128 No Alerting or Incident Response Setup

codeintel / backend/app/repositories/service.py:83-83

```
       if error_message:
            update_data["error_message"] = error_message

        result
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-129 No Alerting or Incident Response Setup

codeintel / backend/app/repositories/service.py:83-83

```
ssage:
            update_data["error_message"] = error_message

        result = self.supabase.t
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-130 No Alerting or Incident Response Setup

codeintel / backend/app/tracing/router.py:37-37

```
[str, Any]]
    summary: Optional[str] = None
    error: Optional[str] = None


@router.post("", response
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-131 No Alerting or Incident Response Setup

codeintel / backend/app/tracing/service.py:69-69

```
    if not endpoint_result:
        return {"error": "Endpoint not found", "flow": [], "summary": No
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-132 No Alerting or Incident Response Setup

codeintel / backend/templates/base.html:131-131

```
ph {
            width: 100%;
            height: 500px;
            border: 1px solid var(--tblr-borde
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-133 No Alerting or Incident Response Setup

codeintel / backend/templates/dashboard.html:272-272

```
 0) {
        setTimeout(() => location.reload(), 5000);
    }
</script>
{% endblock %}
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-134 No Alerting or Incident Response Setup

codeintel / backend/templates/flow_tracer.html:161-161

```
      </div>
                {% elif trace_result.error %}
                <div class="alert alert-danger
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-135 No Alerting or Incident Response Setup

codeintel / backend/templates/flow_tracer.html:164-164

```
le me-2"></i>
                    {{ trace_result.error }}
                </div>
                {% else
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-136 No Alerting or Incident Response Setup

codeintel / backend/templates/repository.html:220-220

```
h = container.clientWidth;
        const height = 500;

        const svg = d3.select('#service-graph')
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-137 No Alerting or Incident Response Setup

codeintel / frontend/index.html:11-11

```
//fonts.googleapis.com/css2?
family=Inter:wght@400;500;600;700&family=JetBrains+Mono:wght@400;500&displa
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-138 No Alerting or Incident Response Setup

codeintel / frontend/index.html:11-11

```
ht@400;500;600;700&family=JetBrains+Mono:wght@400;500&display=swap" rel="stylesheet">
    <title>CodeIn
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-139 No Alerting or Incident Response Setup

codeintel / frontend/tailwind.config.js:16-16

```
            400: '#38bdf8',
                500: '#0ea5e9',
                600: '#0284c7',
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-140 No Alerting or Incident Response Setup

codeintel / frontend/tailwind.config.js:29-29

```
            400: '#e879f9',
                 500: '#d946ef',
                 600: '#c026d3',
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-141 No Alerting or Incident Response Setup

codeintel / frontend/tailwind.config.js:42-42

```
            400: '#94a3b8',
                 500: '#64748b',
                 600: '#475569',
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-142 No Alerting or Incident Response Setup

codeintel / frontend/src/App.tsx:17-17

```
  rounded-full h-12 w-12 border-b-2 border-primary-500"></div>
            </div>
        )
    }

    i
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-143 No Alerting or Incident Response Setup

codeintel / frontend/src/index.css:42-42

```
:-webkit-scrollbar-thumb:hover {
  @apply bg-dark-500;
}

/* Custom utilities */
@layer utilities {
  .
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-144 No Alerting or Incident Response Setup

codeintel / frontend/src/index.css:127-127

```
ocus:outline-none focus:ring-2 focus:ring-primary-500/50 focus:border-primary-500
         transition-a
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-145 No Alerting or Incident Response Setup

codeintel / frontend/src/index.css:127-127

```
-2 focus:ring-primary-500/50 focus:border-primary-500
         transition-all duration-200;
}

/* Butto
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-146 No Alerting or Incident Response Setup

codeintel / frontend/src/index.css:139-139

```
-primary {
  @apply bg-gradient-to-r from-primary-500 to-accent-500 text-white
         hover:from-pri
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-147 No Alerting or Incident Response Setup

codeintel / frontend/src/index.css:139-139

```
apply bg-gradient-to-r from-primary-500 to-accent-500 text-white
         hover:from-primary-400 hover
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-148 No Alerting or Incident Response Setup

codeintel / frontend/src/index.css:140-140

```
rimary-400 hover:to-accent-400 focus:ring-primary-500
         shadow-lg shadow-primary-500/25;
}

.btn
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-149 No Alerting or Incident Response Setup

codeintel / frontend/src/index.css:141-141

```
ing-primary-500
          shadow-lg shadow-primary-500/25;
}

.btn-secondary {
  @apply bg-dark-800 text
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-150 No Alerting or Incident Response Setup

codeintel / frontend/src/index.css:146-146

```
ite/10
          hover:bg-dark-700 focus:ring-dark-500;
}

.btn-ghost {
  @apply bg-transparent text-dar
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-151 No Alerting or Incident Response Setup

codeintel / frontend/src/api/client.ts:24-24

```
oken}`
    }
    return config
})

// Handle auth errors
api.interceptors.response.use(
    (response) =>
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-152 No Alerting or Incident Response Setup

codeintel / frontend/src/api/client.ts:27-27

```
rs.response.use(
    (response) => response,
    (error) => {
        if (error.response?.status === 401)
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-153 No Alerting or Incident Response Setup

codeintel / frontend/src/api/client.ts:28-28

```
sponse) => response,
    (error) => {
        if (error.response?.status === 401) {
            localStor
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-154 No Alerting or Incident Response Setup

codeintel / frontend/src/api/client.ts:32-32

```
ref = '/'
        }
        return Promise.reject(error)
    }
)

// Auth API
export const authApi = {
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-155 No Alerting or Incident Response Setup

codeintel / frontend/src/components/Layout/Layout.tsx:37-37

```
10 h-10 rounded-xl bg-gradient-to-br from-primary-500 to-accent-500 flex items-center
justify-center">
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-156 No Alerting or Incident Response Setup

codeintel / frontend/src/components/Layout/Layout.tsx:37-37

```
d-xl bg-gradient-to-br from-primary-500 to-accent-500 flex items-center justify-
center">
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-157 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/AuthCallback.tsx:27-27

```
 rounded-full h-12 w-12 border-b-2 border-primary-500 mx-auto mb-4"></div>
              <p className
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-158 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/ChatPage.tsx:94-94

```
esponse?.data?.detail || 'Sorry, I encountered an error. Please try again.',
                      isSt
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-159 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/ChatPage.tsx:122-122

```
6 h-16 rounded-2xl bg-gradient-to-br from-primary-500 to-accent-500 flex items-center justify-center mx
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-160 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/ChatPage.tsx:122-122

```
-2xl bg-gradient-to-br from-primary-500 to-accent-500 flex items-center justify-center mx-auto mb-6">
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-161 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/ChatPage.tsx:152-152

```
10 h-10 rounded-xl bg-gradient-to-br from-primary-500 to-accent-500 flex items-center justify-center sh
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-162 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/ChatPage.tsx:152-152

```
d-xl bg-gradient-to-br from-primary-500 to-accent-500 flex items-center justify-center shrink-0">
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-163 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/ChatPage.tsx:158-158

```
                                    ? 'bg-primary-500/20 rounded-2xl rounded-tr-md
p-4'
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-164 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/ChatPage.tsx:221-221

```
op-1/2 -translate-y-1/2 p-2 rounded-lg bg-primary-500 text-white disabled:opacity-50
disabled:cursor-no
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-165 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Dashboard.tsx:19-19

```
ashboard() {
    const { repositories, isLoading, error, fetchRepos, addRepo, deleteRepo,
refreshStatus }
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-166 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Dashboard.tsx:23-23

```
ing, setIsAdding] = useState(false)
    const [addError, setAddError] = useState('')
    const [usageStat
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-167 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Dashboard.tsx:23-23

```
ing] = useState(false)
    const [addError, setAddError] = useState('')
    const [usageStats, setUsageSt
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-168 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Dashboard.tsx:37-37

```
.forEach(r => refreshStatus(r.id))
            }, 5000)
            return () => clearInterval(interval
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-169 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Dashboard.tsx:54-54

```
Default()
        setIsAdding(true)
        setAddError('')

        try {
            await addRepo(repo
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-170 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Dashboard.tsx:61-61

```
')
        } catch (err: any) {
            setAddError(err.message)
        } finally {
            setI
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-171 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Dashboard.tsx:72-72

```
d)
            } catch (err) {
                // Error handled in store
            }
        }
    }
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-172 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Dashboard.tsx:131-131

```
t-medium ${usageStats.plan === 'pro' ? 'bg-accent-500/20 text-accent-400' : 'bg-
dark-700 text-dark-300'
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-173 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Dashboard.tsx:152-152

```
                                    className="bg-primary-500 h-2 rounded-full transition-all"
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-174 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Dashboard.tsx:165-165

```
                                    className="bg-accent-500 h-2 rounded-full transition-all"
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-175 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Dashboard.tsx:173-173

```
            </div>
             )}

             {/* Error */}
             {error && (
                 <div
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-176 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Dashboard.tsx:174-174

```
        )}

            {/* Error */}
            {error && (
                <div className="bg-red-500/1
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-177 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Dashboard.tsx:175-175

```
error && (
                <div className="bg-red-500/10 border border-red-500/20 rounded-xl p-4 mb-8 f
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-178 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Dashboard.tsx:175-175

```
  <div className="bg-red-500/10 border border-red-500/20 rounded-xl p-4 mb-8 flex items-center gap-3">
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-179 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Dashboard.tsx:177-177

```
                  <span className="text-red-400">{error}</span>
                </div>
              )}
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-180 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Dashboard.tsx:184-184

```
r2 size={32} className="animate-spin text-primary-500" />
                </div>
              ) : reposi
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-181 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Dashboard.tsx:188-188

```
FolderGit2 size={48} className="mx-auto text-dark-500 mb-4" />
                    <h3 className="text-
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-182 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Dashboard.tsx:275-275

```
        </label>

                          {addError && (
                              <div classNa
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

▾ medium BLK-183 **No Alerting or Incident Response Setup**

codeintel / frontend/src/pages/Dashboard.tsx:276-276

```
                        <div className="bg-red-500/10 border border-red-500/20
rounded-lg p-3 mb-6 t
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

▾ medium BLK-184 **No Alerting or Incident Response Setup**

codeintel / frontend/src/pages/Dashboard.tsx:276-276

```
  <div className="bg-red-500/10 border border-red-500/20 rounded-lg p-3 mb-6 text-sm
text-red-400">
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

▾ medium BLK-185 **No Alerting or Incident Response Setup**

codeintel / frontend/src/pages/Dashboard.tsx:277-277

```
red-400">
                                {addError}
                            </div>
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-186 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/FlowTracer.tsx:29-29

```
  flow: FlowStep[]
    summary: string | null
    error: string | null
}

export default function FlowTra
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-187 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/FlowTracer.tsx:60-60

```
ints)
        } catch (err) {
            console.error('Failed to load endpoints:', err)
        } final
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-188 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/FlowTracer.tsx:82-82

```
],
                summary: null,
                error: err.response?.data?.detail || 'Failed to trace e
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-189 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/FlowTracer.tsx:150-150

```
r2 size={40} className="animate-spin text-primary-500 mx-auto mb-4" />
                    <p className
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-190 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/FlowTracer.tsx:157-157

```
iv className="space-y-6">
                    {/* Error */}
                    {traceResult.error && (
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-191 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/FlowTracer.tsx:158-158

```
    {/* Error */}
                    {traceResult.error && (
                        <div className="bg-r
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-192 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/FlowTracer.tsx:159-159

```
  (
                        <div className="bg-red-500/10 border border-red-500/20
rounded-xl p-4 text-r
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-193 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/FlowTracer.tsx:159-159

```
  <div className="bg-red-500/10 border border-red-500/20 rounded-xl p-4 text-red-400">
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-194 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/FlowTracer.tsx:160-160

```
ed-400">
                        {traceResult.error}
                    </div>
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-195 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/FlowTracer.tsx:193-193

```
  <div className="w-8 h-8 rounded-full bg-primary-500/20 text-primary-400 flex items-
center justify-cen
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-196 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/FlowTracer.tsx:199-199

```
  className="text-xs px-2 py-0.5 rounded bg-accent-500/20 text-accent-400">
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-197 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/FlowTracer.tsx:206-206

```
                    <p className="text-xs text-dark-500 mt-1 truncate">
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-198 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/FlowTracer.tsx:245-245

```
    {traceResult.flow.length === 0 && !traceResult.error && (
                        <div className="text
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-199 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/FlowTracer.tsx:247-247

```
      <Code2 size={48} className="mx-auto text-dark-500 mb-4" />
                            <h3 classNam
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-200 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Landing.tsx:21-21

```
="absolute -top-40 -right-40 w-80 h-80 bg-primary-500/30 rounded-full blur-[100px]
animate-pulse-slow"
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

▾ medium BLK-201 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Landing.tsx:22-22

```
"absolute -bottom-40 -left-40 w-80 h-80 bg-accent-500/30 rounded-full blur-[100px] animate-pulse-slow"
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

▾ medium BLK-202 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Landing.tsx:28-28

```
10 h-10 rounded-xl bg-gradient-to-br from-primary-500 to-accent-500 flex items-center justify-center">
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

▾ medium BLK-203 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Landing.tsx:28-28

```
d-xl bg-gradient-to-br from-primary-500 to-accent-500 flex items-center justify-center">
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

▾ medium BLK-204 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Landing.tsx:86-86

```
                <p className="text-sm text-dark-500 mt-4">
                    Free tier: 1 repo,
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-205 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Landing.tsx:167-167

```
me="glass rounded-2xl p-8 border-2 border-primary-500/50 relative">
                            <div cl
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-206 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Landing.tsx:169-169

```
   <span className="bg-gradient-to-r from-primary-500 to-accent-500 text-white text-sm
font-medium px-4
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-207 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Landing.tsx:169-169

```
Name="bg-gradient-to-r from-primary-500 to-accent-500 text-white text-sm font-medium
px-4 py-1 rounded-
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-208 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Landing.tsx:205-205

```
w-8 h-8 rounded-lg bg-gradient-to-br from-primary-500 to-accent-500 flex items-center
justify-center">
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

▾ medium BLK-209 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Landing.tsx:205-205

```
d-lg bg-gradient-to-br from-primary-500 to-accent-500 flex items-center justify-
center">
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

▾ medium BLK-210 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Landing.tsx:211-211

```
                <p className="text-sm text-dark-500">
                    © 2024 CodeIntel. Built
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

▾ medium BLK-211 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Landing.tsx:223-223

```
14 h-14 rounded-xl bg-gradient-to-br from-primary-500/20 to-accent-500/20 flex
items-center justify-cen
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

▾ medium BLK-212 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Landing.tsx:223-223

```
l bg-gradient-to-br from-primary-500/20 to-accent-500/20 flex items-center justify-
center mb-4 text-pri
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-213 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Landing.tsx:235-235

```
            <svg className="w-5 h-5 text-primary-500" fill="none"
stroke="currentColor" viewBox="0 0 2
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-214 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Repository.tsx:70-70

```
fontSize: '14px',
                    fontWeight: 500,
                }
            }))

            /
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-215 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Repository.tsx:95-95

```
data)
        } catch (err) {
            console.error('Failed to load graph data:', err)
            //
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-216 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Repository.tsx:117-117

```
r2 size={40} className="animate-spin text-primary-500" />
                    </div>
                )
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-217 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Repository.tsx:122-122

```
    <Server size={48} className="mx-auto text-dark-500 mb-4" />
                            <h3 classNam
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-218 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Repository.tsx:204-204

```
nded ${endpoint.http_method === 'GET' ? 'bg-green-500/20 text-green-400' :
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-219 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Repository.tsx:205-205

```
        endpoint.http_method === 'POST' ? 'bg-blue-500/20 text-blue-400' :
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-220 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Repository.tsx:206-206

```
      endpoint.http_method === 'PUT' ? 'bg-yellow-500/20 text-yellow-400' :
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-221 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Repository.tsx:207-207

```
      endpoint.http_method === 'DELETE' ? 'bg-red-500/20 text-red-400' :
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-222 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Repository.tsx:213-213

```
ArrowRight size={14} className="ml-auto text-dark-500 group-hover:text-primary-400
transition-colors" /
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-223 No Alerting or Incident Response Setup

codeintel / frontend/src/pages/Repository.tsx:215-215

```
                <p className="text-xs text-dark-500">
                                {endpoi
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-224 No Alerting or Incident Response Setup

codeintel / frontend/src/store/authStore.ts:20-20

```
Authenticated: boolean
    isLoading: boolean
    error: string | null

    // Actions
    setToken: (tok
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-225 No Alerting or Incident Response Setup

codeintel / frontend/src/store/authStore.ts:36-36

```
: false,
            isLoading: true,
            error: null,

            setToken: (token: string) =>
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-226 No Alerting or Incident Response Setup

codeintel / frontend/src/store/authStore.ts:45-45

```
 try {
                    set({ isLoading: true, error: null })
                    localStorage.setItem
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-227 No Alerting or Incident Response Setup

codeintel / frontend/src/store/authStore.ts:55-55

```
,
                    })
                } catch (error: any) {
                    localStorage.removeIt
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-228 No Alerting or Incident Response Setup

codeintel / frontend/src/store/authStore.ts:62-62

```
        isLoading: false,
                    error: error.message || 'Login failed',
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-229 No Alerting or Incident Response Setup

codeintel / frontend/src/store/authStore.ts:62-62

```
  isLoading: false,
                    error: error.message || 'Login failed',
                })
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-230 No Alerting or Incident Response Setup

codeintel / frontend/src/store/authStore.ts:73-73

```
      isAuthenticated: false,
                  error: null,
              })
          },
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-231 No Alerting or Incident Response Setup

codeintel / frontend/src/store/repoStore.ts:12-12

```
ending' | 'indexing' | 'completed' | 'failed'
    error_message: string | null
    created_at: string
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-232 No Alerting or Incident Response Setup

codeintel / frontend/src/store/repoStore.ts:21-21

```
epo: Repository | null
    isLoading: boolean
    error: string | null

    // Actions
    fetchRepos: ()
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

▾ medium BLK-233 No Alerting or Incident Response Setup

codeintel / frontend/src/store/repoStore.ts:35-35

```
    currentRepo: null,
    isLoading: false,
    error: null,

    fetchRepos: async () => {
        try
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

▾ medium BLK-234 No Alerting or Incident Response Setup

codeintel / frontend/src/store/repoStore.ts:39-39

```
        try {
            set({ isLoading: true, error: null })
            const response = await repos
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

▾ medium BLK-235 No Alerting or Incident Response Setup

codeintel / frontend/src/store/repoStore.ts:45-45

```
isLoading: false,
            })
        } catch (error: any) {
            set({
                isLoadi
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-236 No Alerting or Incident Response Setup

codeintel / frontend/src/store/repoStore.ts:48-48

```
                isLoading: false,
                error: error.response?.data?.detail || 'Failed to fetch
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-237 No Alerting or Incident Response Setup

codeintel / frontend/src/store/repoStore.ts:48-48

```
          isLoading: false,
                error: error.response?.data?.detail || 'Failed to fetch reposi
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-238 No Alerting or Incident Response Setup

codeintel / frontend/src/store/repoStore.ts:55-55

```
        try {
            set({ isLoading: true, error: null })
            const response = await repos
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-239 No Alerting or Incident Response Setup

codeintel / frontend/src/store/repoStore.ts:61-61

```
isLoading: false,
            })
        } catch (error: any) {
            set({
                isLoadi
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-240 No Alerting or Incident Response Setup

codeintel / frontend/src/store/repoStore.ts:64-64

```
                isLoading: false,
                error: error.response?.data?.detail || 'Failed to fetch
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-241 No Alerting or Incident Response Setup

codeintel / frontend/src/store/repoStore.ts:64-64

```
          isLoading: false,
                error: error.response?.data?.detail || 'Failed to fetch reposi
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-242 No Alerting or Incident Response Setup

codeintel / frontend/src/store/repoStore.ts:71-71

```
        try {
            set({ isLoading: true, error: null })
            const response = await repos
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-243 No Alerting or Incident Response Setup

codeintel / frontend/src/store/repoStore.ts:81-81

```
  }))

            return newRepo
        } catch (error: any) {
            const errorMessage = error.re
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-244 No Alerting or Incident Response Setup

codeintel / frontend/src/store/repoStore.ts:82-82

```
        } catch (error: any) {
            const errorMessage = error.response?.data?.detail || 'Failed
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-245 No Alerting or Incident Response Setup

codeintel / frontend/src/store/repoStore.ts:82-82

```
h (error: any) {
            const errorMessage = error.response?.data?.detail || 'Failed to add
reposito
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-246 No Alerting or Incident Response Setup

codeintel / frontend/src/store/repoStore.ts:83-83

```
d repository'
            set({ isLoading: false, error: errorMessage })
            throw new Error(erro
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-247 No Alerting or Incident Response Setup

codeintel / frontend/src/store/repoStore.ts:83-83

```
itory'
            set({ isLoading: false, error: errorMessage })
            throw new Error(errorMessag
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-248 No Alerting or Incident Response Setup

codeintel / frontend/src/store/repoStore.ts:84-84

```
lse, error: errorMessage })
            throw new Error(errorMessage)
        }
    },

    deleteRepo: a
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-249 No Alerting or Incident Response Setup

codeintel / frontend/src/store/repoStore.ts:84-84

```
rror: errorMessage })
            throw new Error(errorMessage)
        }
    },

    deleteRepo: async (
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-250 No Alerting or Incident Response Setup

codeintel / frontend/src/store/repoStore.ts:95-95

```
ate.currentRepo,
            }))
        } catch (error: any) {
            set({
                error:
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-251 No Alerting or Incident Response Setup

codeintel / frontend/src/store/repoStore.ts:97-97

```
  (error: any) {
            set({
                error: error.response?.data?.detail || 'Failed to delet
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-252 No Alerting or Incident Response Setup

codeintel / frontend/src/store/repoStore.ts:97-97

```
: any) {
            set({
                error: error.response?.data?.detail || 'Failed to delete repos
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-253 No Alerting or Incident Response Setup

codeintel / frontend/src/store/repoStore.ts:99-99

```
ete repository',
            })
            throw error
        }
    },

    refreshStatus: async (id: s
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-254 No Alerting or Incident Response Setup

codeintel / frontend/src/store/repoStore.ts:115-115

```
ate.currentRepo,
            }))
        } catch (error) {
            // Silent fail for status refresh
```

SOC2 CC7.3 SOC2 CC7.4

Estimated effort: 0.0h

medium BLK-796 Oversized Source Files

codeintel / backend/app/config.py:6-6

```
port BaseSettings
from functools import lru_cache


class Settings(BaseSettings):
    """Application settings loaded
```

Estimated effort: 0.0h

medium BLK-797 Oversized Source Files

codeintel / backend/app/config.py:50-50

```
    # Cloning
    clone_base_path: str = "./repos"

    class Config:
        env_file = ".env"
        env_file_encod
```

Estimated effort: 0.0h

medium BLK-798 Oversized Source Files

codeintel / backend/app/config.py:57-57

```
        env_file_encoding = "utf-8"


@lru_cache()
def get_settings() -> Settings:
    """Get cached settings instanc
```

Estimated effort: 0.0h

medium BLK-799 Oversized Source Files

codeintel / backend/app/auth/github.py:9-9

```
rt BaseModel

from app.config import get_settings


class GitHubUser(BaseModel):
    """GitHub user information."""
```

Estimated effort: 0.0h

medium BLK-800 Oversized Source Files

codeintel / backend/app/auth/github.py:76-76

```
_email

        return GitHubUser(**data)


def get_github_oauth_url(state: Optional[str] = None) -> str:
    """Gener
```

Estimated effort: 0.0h

medium BLK-801 Oversized Source Files

codeintel / backend/app/auth/jwt.py:10-10

```
rt BaseModel

from app.config import get_settings


class TokenData(BaseModel):
    """Token payload data."""
    use
```

Estimated effort: 0.0h

medium BLK-802 Oversized Source Files

codeintel / backend/app/auth/jwt.py:17-17

```
    email: Optional[str] = None
    exp: datetime


class TokenResponse(BaseModel):
    """Token response model."""
    a
```

Estimated effort: 0.0h

medium BLK-803 Oversized Source Files

codeintel / backend/app/auth/jwt.py:24-24

```
   token_type: str = "bearer"
    expires_in: int


def create_access_token(user_id: str, email: Optional[str] = None) -> Tok
```

Estimated effort: 0.0h

medium BLK-804 Oversized Source Files

codeintel / backend/app/auth/jwt.py:48-48

```
res_in=settings.jwt_expiration_hours * 3600
    )


def decode_access_token(token: str) -> Optional[TokenData]:
    """Decode
```

Estimated effort: 0.0h

medium BLK-805 Oversized Source Files

codeintel / backend/app/auth/middleware.py:46-46

```
turn decode_access_token(credentials.credentials)


class UserWithSubscription:
    """User data with subscription info."""
```

Estimated effort: 0.0h

medium BLK-806 Oversized Source Files

codeintel / backend/app/auth/middleware.py:50-50

```
tion:
    """User data with subscription info."""

    def __init__(self, user_id: str, email: Optional[str], plan: s
```

Estimated effort: 0.0h

medium BLK-807 Oversized Source Files

codeintel / backend/app/auth/router.py:15-15

```
t get_supabase_admin_client

router = APIRouter()


class AuthResponse(BaseModel):
    """Authentication response."""
```

Estimated effort: 0.0h

medium BLK-808 Oversized Source Files

codeintel / backend/app/auth/router.py:23-23

```
str = "bearer"
    expires_in: int
    user: dict


class UserResponse(BaseModel):
    """User info response."""
    id:
```

Estimated effort: 0.0h

medium BLK-809 Oversized Source Files

codeintel / backend/app/billing/router.py:14-14

```
.config import get_settings

router = APIRouter()


class CheckoutRequest(BaseModel):
    """Checkout session request."""
```

Estimated effort: 0.0h

medium BLK-810 Oversized Source Files

codeintel / backend/app/billing/router.py:20-20

```
[str] = None
    cancel_url: Optional[str] = None


class CheckoutResponse(BaseModel):
    """Checkout session response."""
```

Estimated effort: 0.0h

medium BLK-811 Oversized Source Files

codeintel / backend/app/billing/router.py:26-26

```
ion response."""
    session_id: str
    url: str


class PortalRequest(BaseModel):
    """Billing portal request."""
```

Estimated effort: 0.0h

medium BLK-812 Oversized Source Files

codeintel / backend/app/billing/service.py:9-9

```
 app.database.supabase import get_supabase_client


class BillingService:
    """Service for Stripe payment handling."""
```

Estimated effort: 0.0h

medium BLK-813 Oversized Source Files

codeintel / backend/app/billing/service.py:13-13

```
e:
    """Service for Stripe payment handling."""

    def __init__(self, user_id: str):
        self.user_id = user_
```

Estimated effort: 0.0h

medium BLK-814 Oversized Source Files

codeintel / backend/app/database/neo4j.py:9-9

```
ort logging

logger = logging.getLogger(__name__)


class Neo4jConnection:
    """Neo4j database connection manager."""
```

Estimated effort: 0.0h

medium BLK-815 Oversized Source Files

codeintel / backend/app/database/neo4j.py:13-13

```
ion:
    """Neo4j database connection manager."""

    def __init__(self, uri: str, user: str, password: str):
```

Estimated effort: 0.0h

medium BLK-816 Oversized Source Files

codeintel / backend/app/database/neo4j.py:18-18

```
ser, password))
        self._verify_connection()

    def _verify_connection(self):
        """Verify connection is working."""
```

Estimated effort: 0.0h

medium BLK-817 Oversized Source Files

codeintel / backend/app/database/neo4j.py:28-28

```
iled to connect to Neo4j: {e}")
            raise

    def close(self):
        """Close the connection."""
```

Estimated effort: 0.0h

medium BLK-818 Oversized Source Files

codeintel / backend/app/database/neo4j.py:33-33

```
if self._driver:
            self._driver.close()

    def execute_query(
        self,
        query: str,
        parame
```

Estimated effort: 0.0h

medium BLK-819 Oversized Source Files

codeintel / backend/app/database/neo4j.py:43-43

```
      return [record.data() for record in result]

    def execute_write(
        self,
        query: str,
        parame
```

Estimated effort: 0.0h

medium BLK-820 Oversized Source Files

codeintel / backend/app/database/neo4j.py:56-56

```
================================================

    def setup_schema(self):
        """Set up Neo4j schema with constr
```

Estimated effort: 0.0h

medium BLK-821 Oversized Source Files

codeintel / backend/app/database/neo4j.py:83-83

```
================================================

    def create_service(
        self,
        service_id: str,
        n
```

Estimated effort: 0.0h

medium BLK-822 Oversized Source Files

codeintel / backend/app/database/neo4j.py:107-107

```
o_id,
            "repo_url": repo_url
        })

    def get_services(self, user_id: str, repo_id: Optional[str] = None
```

Estimated effort: 0.0h

▾ medium BLK-823 Oversized Source Files

codeintel / backend/app/database/neo4j.py:128-128

```
================================================

    def create_class(
        self,
        class_id: str,
        nam
```

Estimated effort: 0.0h

▾ medium BLK-824 Oversized Source Files

codeintel / backend/app/database/neo4j.py:158-158

```
================================================

    def create_method(
        self,
        method_id: str,
        na
```

Estimated effort: 0.0h

▾ medium BLK-825 Oversized Source Files

codeintel / backend/app/database/neo4j.py:193-193

```
      "annotations": annotations or []
        })

    def create_method_call(self, caller_id: str, callee_id: str) -> None:
```

Estimated effort: 0.0h

medium BLK-826 Oversized Source Files

codeintel / backend/app/database/neo4j.py:206-206

```
================================================

    def create_endpoint(
        self,
        endpoint_id: str,
```

Estimated effort: 0.0h

medium BLK-827 Oversized Source Files

codeintel / backend/app/database/neo4j.py:232-232

```
id,
            "method_id": method_id
        })

    def get_endpoints(self, user_id: str, service_name: Optional[str] =
```

Estimated effort: 0.0h

medium BLK-828 Oversized Source Files

codeintel / backend/app/database/neo4j.py:261-261

```
================================================

    def create_service_dependency(
        self,
        source_service_id: str,
```

Estimated effort: 0.0h

medium BLK-829 Oversized Source Files

codeintel / backend/app/database/neo4j.py:280-280

```
          "via_endpoint": via_endpoint
        })

    def get_service_dependencies(self, user_id: str, repo_id: Optional[str] = None
```

Estimated effort: 0.0h

medium BLK-830 Oversized Source Files

codeintel / backend/app/database/neo4j.py:303-303

```
================================================

    def trace_endpoint_flow(
        self,
        user_id: str,
        http
```

Estimated effort: 0.0h

medium BLK-831 Oversized Source Files

codeintel / backend/app/database/neo4j.py:344-344

```
================================================

    def delete_repo_data(self, user_id: str, repo_id: str) -> None:
```

Estimated effort: 0.0h

medium BLK-832 Oversized Source Files

codeintel / backend/app/database/redis_client.py:10-10

```
ort logging

logger = logging.getLogger(__name__)


class RedisClient:
    """Redis client wrapper for caching."""
```

Estimated effort: 0.0h

medium BLK-833 Oversized Source Files

codeintel / backend/app/database/redis_client.py:14-14

```
ient:
    """Redis client wrapper for caching."""

    def __init__(self, url: str):
        """Initialize Redis clie
```

Estimated effort: 0.0h

medium BLK-834 Oversized Source Files

codeintel / backend/app/database/supabase.py:6-6

```
lient, Client
from app.config import get_settings


def get_supabase_client() -> Client:
    """Get Supabase client instance.
```

Estimated effort: 0.0h

medium BLK-835 Oversized Source Files

codeintel / backend/app/database/supabase.py:15-15

```
ase_url,
        settings.supabase_anon_key
    )


def get_supabase_admin_client() -> Client:
    """Get Supabase client with admi
```

Estimated effort: 0.0h

medium BLK-836 Oversized Source Files

codeintel / backend/app/graph/router.py:12-12

```
service import GraphService

router = APIRouter()


class ServiceResponse(BaseModel):
    """Service response model."""
```

Estimated effort: 0.0h

medium BLK-837 Oversized Source Files

codeintel / backend/app/graph/router.py:19-19

```
    name: str
    repo_url: Optional[str] = None


class EndpointResponse(BaseModel):
    """Endpoint response model."""
```

Estimated effort: 0.0h

medium BLK-838 Oversized Source Files

codeintel / backend/app/graph/router.py:29-29

```
me: str
    class_name: str
    service_name: str


class DependencyGraphResponse(BaseModel):
    """Dependency graph response for
```

Estimated effort: 0.0h

▾ medium BLK-839 Oversized Source Files

codeintel / backend/app/graph/router.py:35-35

```
t[Dict[str, Any]]
    edges: List[Dict[str, Any]]


class SearchResult(BaseModel):
    """Search result model."""
    ty
```

Estimated effort: 0.0h

▾ medium BLK-840 Oversized Source Files

codeintel / backend/app/graph/service.py:7-7

```
o4jConnection
from app.config import get_settings


class GraphService:
    """Service for graph-related queries."""
```

Estimated effort: 0.0h

▾ medium BLK-841 Oversized Source Files

codeintel / backend/app/graph/service.py:11-11

```
ice:
    """Service for graph-related queries."""

    def __init__(self, user_id: str):
        self.user_id = user_
```

Estimated effort: 0.0h

medium BLK-842 Oversized Source Files

codeintel / backend/app/graph/service.py:20-20

```
        password=settings.neo4j_password
        )

    def close(self):
        """Close Neo4j connection."""
```

Estimated effort: 0.0h

medium BLK-843 Oversized Source Files

codeintel / backend/app/graph/service.py:24-24

```
e Neo4j connection."""
        self.neo4j.close()

    def get_services(self, repo_id: Optional[str] = None) -> List[Dict
```

Estimated effort: 0.0h

medium BLK-844 Oversized Source Files

codeintel / backend/app/graph/service.py:28-28

```
rn self.neo4j.get_services(self.user_id, repo_id)

    def get_service_dependencies(self, repo_id: Optional[str] = None) -> Dict:
```

Estimated effort: 0.0h

medium BLK-845 Oversized Source Files

codeintel / backend/app/graph/service.py:80-80

```
des': nodes,
            'edges': edges
        }

    def get_endpoints(self, service_name: Optional[str] = None) -> List
```

Estimated effort: 0.0h

medium BLK-846 Oversized Source Files

codeintel / backend/app/graph/service.py:84-84

```
f.neo4j.get_endpoints(self.user_id, service_name)

    def get_service_details(self, service_id: str) -> Optional[Dict]:
```

Estimated effort: 0.0h

medium BLK-847 Oversized Source Files

codeintel / backend/app/graph/service.py:118-118

```
            return results[0]
        return None

    def search(self, query: str) -> List[Dict]:
        """Searc
```

Estimated effort: 0.0h

medium BLK-848 Oversized Source Files

codeintel / backend/app/indexing/call_graph.py:12-12

```
logger = logging.getLogger(__name__)


@dataclass
class CallGraphNode:
    """Node in the call graph."""
    id: str
```

Estimated effort: 0.0h

medium BLK-849 Oversized Source Files

codeintel / backend/app/indexing/call_graph.py:25-25

```
signature: str
    code_snippet: str


@dataclass
class CallGraphEdge:
    """Edge in the call graph."""
    caller_id:
```

Estimated effort: 0.0h

medium BLK-850 Oversized Source Files

codeintel / backend/app/indexing/call_graph.py:30-30

```
 call_type: str = "direct"  # direct, rest, feign


class CallGraphBuilder:
    """Build call graphs from parsed Java classe
```

Estimated effort: 0.0h

medium BLK-851 Oversized Source Files

codeintel / backend/app/indexing/call_graph.py:34-34

```
"""Build call graphs from parsed Java classes."""

    def __init__(self):
        self.nodes: Dict[str, CallGraphNod
```

Estimated effort: 0.0h

medium BLK-852 Oversized Source Files

codeintel / backend/app/indexing/call_graph.py:40-40

```
 Dict[str, str] = {}  # class.method -> method_id

    def add_class(self, service_name: str, java_class: dict) -> Non
```

Estimated effort: 0.0h

medium BLK-853 Oversized Source Files

codeintel / backend/app/indexing/call_graph.py:63-63

```
dex[f"{class_name}.{method['name']}"] = method_id

    def build_edges(self, java_class: dict, service_name: str) -> Non
```

Estimated effort: 0.0h

medium BLK-854 Oversized Source Files

codeintel / backend/app/indexing/call_graph.py:97-97

```
        call_type="direct"
                    ))

    def add_rest_call_edge(
        self,
        caller_id: str,
        ta
```

Estimated effort: 0.0h

medium BLK-855 Oversized Source Files

codeintel / backend/app/indexing/call_graph.py:126-126

```
ee_id,
            call_type=call_type
        ))

    def get_nodes(self) -> List[dict]:
        """Get all nodes as
```

Estimated effort: 0.0h

medium BLK-856 Oversized Source Files

codeintel / backend/app/indexing/call_graph.py:142-142

```
           for n in self.nodes.values()
        ]

    def get_edges(self) -> List[dict]:
        """Get all edges as
```

Estimated effort: 0.0h

medium BLK-857 Oversized Source Files

codeintel / backend/app/indexing/call_graph.py:153-153

```
        }
              for e in self.edges
          ]

    def get_service_dependencies(self) -> List[Tuple[str, str, str]]:
        """E
```

Estimated effort: 0.0h

medium BLK-858 Oversized Source Files

codeintel / backend/app/indexing/java_parser.py:17-17

```
logger = logging.getLogger(__name__)


@dataclass
class JavaAnnotation:
    """Represents a Java annotation."""
    name
```

Estimated effort: 0.0h

medium BLK-859 Oversized Source Files

codeintel / backend/app/indexing/java_parser.py:24-24

```
, str] = field(default_factory=dict)


@dataclass
class JavaMethod:
    """Represents a Java method."""
    name: st
```

Estimated effort: 0.0h

medium BLK-860 Oversized Source Files

codeintel / backend/app/indexing/java_parser.py:37-37

```
t[str] = field(default_factory=list)


@dataclass
class JavaClass:
    """Represents a Java class."""
    name: str
```

Estimated effort: 0.0h

medium BLK-861 Oversized Source Files

codeintel / backend/app/indexing/java_parser.py:47-47

```
t_factory=list)
    extends: Optional[str] = None


class JavaParser:
    """Parse Java source files to extract struct
```

Estimated effort: 0.0h

medium BLK-862 Oversized Source Files

codeintel / backend/app/indexing/java_parser.py:98-98

```
,
        'PatchMapping', 'RequestMapping'
    }

    def __init__(self):
        pass

    def parse_file(self,
```

Estimated effort: 0.0h

medium BLK-863 Oversized Source Files

codeintel / backend/app/indexing/java_parser.py:101-101

```
'
    }

    def __init__(self):
        pass

    def parse_file(self, file_path: Path) -> Optional[JavaClass]:
```

Estimated effort: 0.0h

medium BLK-864 Oversized Source Files

codeintel / backend/app/indexing/java_parser.py:110-110

```
 parse {file_path}: {e}")
            return None

    def parse_content(self, content: str, file_path: str) -> Optional[J
```

Estimated effort: 0.0h

medium BLK-865 Oversized Source Files

codeintel / backend/app/indexing/java_parser.py:148-148

```
implements,
            extends=extends
        )

    def _extract_annotations(self, lines: List[str]) -> List[JavaAnnotation]:
```

Estimated effort: 0.0h

medium BLK-866 Oversized Source Files

codeintel / backend/app/indexing/java_parser.py:172-172

```
ters=params))

        return annotations

    def _extract_methods(self, content: str) -> List[JavaMethod]:
```

Estimated effort: 0.0h

medium BLK-867 Oversized Source Files

codeintel / backend/app/indexing/java_parser.py:224-224

```
                ))

        return methods

    def _extract_method_body(self, lines: List[str], start_line: int) -> str:
```

Estimated effort: 0.0h

medium BLK-868 Oversized Source Files

codeintel / backend/app/indexing/java_parser.py:244-244

```
k

        return '\n'.join(method_lines)

    def _find_method_calls(self, code: str) -> List[str]:
        """Find me
```

Estimated effort: 0.0h

medium BLK-869 Oversized Source Files

codeintel / backend/app/indexing/java_parser.py:253-253

```
)
        return list(set(calls))  # Unique calls

    def _extract_fields(self, content: str) -> List[str]:
        """Extr
```

Estimated effort: 0.0h

medium BLK-870 Oversized Source Files

codeintel / backend/app/indexing/java_parser.py:262-262

```
{field_type} {field_name}")
        return fields

    def extract_endpoints(self, java_class: JavaClass) -> List[Dict]:
```

Estimated effort: 0.0h

medium BLK-871 Oversized Source Files

codeintel / backend/app/indexing/java_parser.py:303-303

```
            })

        return endpoints

    def _annotation_to_http_method(self, annotation: str) -> str:
        """Convert
```

Estimated effort: 0.0h

medium BLK-872 Oversized Source Files

codeintel / backend/app/indexing/java_parser.py:315-315

```
  }
        return mapping.get(annotation, 'GET')

    def extract_feign_clients(self, java_class: JavaClass) -> List[Dict]:
```

Estimated effort: 0.0h

medium BLK-873 Oversized Source Files

codeintel / backend/app/indexing/java_parser.py:330-330

```
         })

        return feign_clients

    def to_dict(self, java_class: JavaClass) -> dict:
        """
```

Estimated effort: 0.0h

medium BLK-874 Oversized Source Files

codeintel / backend/app/indexing/service.py:19-19

```
raphBuilder

logger = logging.getLogger(__name__)


class IndexingService:
    """Service for indexing Java repositories."""
```

Estimated effort: 0.0h

medium BLK-875 Oversized Source Files

codeintel / backend/app/indexing/spring_detector.py:10-10

```
ort logging

logger = logging.getLogger(__name__)


class SpringDetector:
    """Detect Spring-specific patterns and confi
```

Estimated effort: 0.0h

medium BLK-876 Oversized Source Files

codeintel / backend/app/indexing/spring_detector.py:36-36

```
\)\s*\.\s*uri\s*\(\s*["\']([^"\']+)["\']'),
    ]

    def __init__(self):
        pass

    def detect_class_typ
```

Estimated effort: 0.0h

medium BLK-877 Oversized Source Files

codeintel / backend/app/indexing/spring_detector.py:39-39

```
,
    ]

    def __init__(self):
        pass

    def detect_class_type(self, annotations: List[str]) -> str:
        """
```

Estimated effort: 0.0h

medium BLK-878 Oversized Source Files

codeintel / backend/app/indexing/spring_detector.py:46-46

```
.SPRING_ANNOTATIONS[ann]
        return 'unknown'

    def extract_rest_calls(self, code: str) -> List[Dict]:
        """Extrac
```

Estimated effort: 0.0h

medium BLK-879 Oversized Source Files

codeintel / backend/app/indexing/spring_detector.py:76-76

```
p(2)
            })

        return calls

    def parse_application_properties(self, file_path: Path) -> Dict:
        """Parse
```

Estimated effort: 0.0h

medium BLK-880 Oversized Source Files

codeintel / backend/app/indexing/spring_detector.py:98-98

```
e_path}: {e}")

        return properties

    def extract_service_name(self, service_path: Path) -> str:
        """Extr
```

Estimated effort: 0.0h

medium BLK-881 Oversized Source Files

codeintel / backend/app/models/__init__.py:7-7

```
port Optional, List
from datetime import datetime


class User(BaseModel):
    """User model."""
    id: str
```

Estimated effort: 0.0h

▾ medium BLK-882 Oversized Source Files

codeintel / backend/app/models/__init__.py:16-16

```
tional[str] = None
    name: Optional[str] = None


class Repository(BaseModel):
    """Repository model."""
    id: s
```

Estimated effort: 0.0h

▾ medium BLK-883 Oversized Source Files

codeintel / backend/app/models/__init__.py:28-28

```
tetime
    last_synced: Optional[datetime] = None


class Subscription(BaseModel):
    """Subscription model."""
    use
```

Estimated effort: 0.0h

▾ medium BLK-884 Oversized Source Files

codeintel / backend/app/pages/router.py:18-18

```
emplates = Jinja2Templates(directory="templates")


def get_user_data(user_id: str) -> dict:
    """Get user profile da
```

Estimated effort: 0.0h

medium BLK-885 Oversized Source Files

codeintel / backend/app/pages/router.py:25-25

```
    return result.data[0] if result.data else {}


def get_subscription_data(user_id: str) -> dict:
    """Get user subscripti
```

Estimated effort: 0.0h

medium BLK-886 Oversized Source Files

codeintel / backend/app/pages/router.py:34-34

```
lan": "free", "repo_limit": 1, "query_limit": 10}


def get_usage_data(user_id: str) -> dict:
    """Get today's usage d
```

Estimated effort: 0.0h

medium BLK-887 Oversized Source Files

codeintel / backend/app/pages/router.py:44-44

```
lt.data[0] if result.data else {"query_count": 0}


def get_repos(user_id: str) -> list:
    """Get user's reposito
```

Estimated effort: 0.0h

▾ medium BLK-888 **Oversized Source Files**

codeintel / backend/app/query/router.py:14-14

```
service import UsageService

router = APIRouter()


class QueryRequest(BaseModel):
    """Query request model."""
    qu
```

Estimated effort: 0.0h

▾ medium BLK-889 **Oversized Source Files**

codeintel / backend/app/query/router.py:21-21

```
id: Optional[str] = None
    stream: bool = False


class SourceReference(BaseModel):
    """Source reference model."""
```

Estimated effort: 0.0h

▾ medium BLK-890 **Oversized Source Files**

codeintel / backend/app/query/router.py:30-30

```
str] = None
    line_number: Optional[int] = None


class QueryResponse(BaseModel):
    """Query response model."""
    a
```

Estimated effort: 0.0h

medium BLK-891 Oversized Source Files

codeintel / backend/app/query/service.py:16-16

```
GENERATION_PROMPT,
    ANSWER_GENERATION_PROMPT
)


class QueryService:
    """Service for GraphRAG queries."""
```

Estimated effort: 0.0h

medium BLK-892 Oversized Source Files

codeintel / backend/app/query/service.py:20-20

```
yService:
    """Service for GraphRAG queries."""

    def __init__(self, user_id: str, redis: Optional[RedisClient]
```

Estimated effort: 0.0h

medium BLK-893 Oversized Source Files

codeintel / backend/app/query/service.py:31-31

```
pic.Anthropic(api_key=settings.anthropic_api_key)

    def close(self):
        """Close connections."""
        s
```

Estimated effort: 0.0h

medium BLK-894 Oversized Source Files

codeintel / backend/app/query/service.py:239-239

```
untered an error generating the answer: {str(e)}"

    def _format_graph_context(self, context: List[Dict]) -> str:
        """For
```

Estimated effort: 0.0h

medium BLK-895 Oversized Source Files

codeintel / backend/app/query/service.py:249-249

```
append(str(item))
        return "\n".join(lines)

    def _format_code_snippets(self, snippets: List[Dict]) -> str:
        """Fo
```

Estimated effort: 0.0h

medium BLK-896 Oversized Source Files

codeintel / backend/app/query/service.py:262-262

```
 lines.append("")
        return "\n".join(lines)

    def _extract_sources(
        self,
        graph_context: List[Dict],
```

Estimated effort: 0.0h

medium BLK-897 Oversized Source Files

codeintel / backend/app/repositories/cloner.py:16-16

```
et_settings

logger = logging.getLogger(__name__)


class RepoCloner:
    """Handle repository cloning and Spring Boot
```

Estimated effort: 0.0h

medium BLK-898 Oversized Source Files

codeintel / backend/app/repositories/cloner.py:20-20

```
 repository cloning and Spring Boot detection."""

    def __init__(self, repo_url: str, repo_id: str, user_id: str):
```

Estimated effort: 0.0h

medium BLK-899 Oversized Source Files

codeintel / backend/app/repositories/cloner.py:47-47

```
self.clone_path}")
        return self.clone_path

    def detect_spring_boot_services(self) -> List[dict]:
        """Detect Spring Boo
```

Estimated effort: 0.0h

medium BLK-900 Oversized Source Files

codeintel / backend/app/repositories/cloner.py:85-85

```
)} Spring Boot services")
        return services

    def _analyze_maven_project(self, pom_path: Path) -> Optional[dict]:
```

Estimated effort: 0.0h

medium BLK-901 Oversized Source Files

codeintel / backend/app/repositories/cloner.py:124-124

```
se {pom_path}: {e}")

        return None

    def _analyze_gradle_project(self, build_gradle_path: Path) -> Optional[dict]:
```

Estimated effort: 0.0h

medium BLK-902 Oversized Source Files

codeintel / backend/app/repositories/cloner.py:152-152

```
_gradle_path}: {e}")

        return None

    def _find_spring_boot_annotations(self) -> List[dict]:
        """Find services by
```

Estimated effort: 0.0h

medium BLK-903 Oversized Source Files

codeintel / backend/app/repositories/cloner.py:184-184

```
ava_file}: {e}")

        return services

    def get_java_files(self) -> List[Path]:
        """Get all Java file
```

Estimated effort: 0.0h

medium BLK-904 Oversized Source Files

codeintel / backend/app/repositories/router.py:13-13

```
vice import IndexingService

router = APIRouter()


class RepoCreate(BaseModel):
    """Request to add a repository."""
```

Estimated effort: 0.0h

medium BLK-905 Oversized Source Files

codeintel / backend/app/repositories/router.py:18-18

```
Request to add a repository."""
    repo_url: str


class RepoResponse(BaseModel):
    """Repository response model."""
```

Estimated effort: 0.0h

medium BLK-906 Oversized Source Files

codeintel / backend/app/repositories/router.py:29-29

```
ted_at: str
    last_synced: Optional[str] = None


class RepoListResponse(BaseModel):
    """Repository list response."""
```

Estimated effort: 0.0h

medium BLK-907 Oversized Source Files

codeintel / backend/app/repositories/service.py:10-10

```
nt
from app.repositories.cloner import RepoCloner


class RepositoryService:
    """Handle repository CRUD operations."""
```

Estimated effort: 0.0h

medium BLK-908 Oversized Source Files

codeintel / backend/app/repositories/service.py:14-14

```
ice:
    """Handle repository CRUD operations."""

    def __init__(self, user_id: str):
        self.user_id = user_
```

Estimated effort: 0.0h

medium BLK-909 Oversized Source Files

codeintel / backend/app/repositories/service.py:90-90

```
rn len(result.data) > 0 if result.data else False

    def _validate_github_url(self, url: str) -> bool:
        """Validate GitH
```

Estimated effort: 0.0h

medium BLK-910 Oversized Source Files

codeintel / backend/app/tracing/router.py:12-12

```
rvice import TracingService

router = APIRouter()


class TraceRequest(BaseModel):
    """Request to trace an endpoint f
```

Estimated effort: 0.0h

medium BLK-911 Oversized Source Files

codeintel / backend/app/tracing/router.py:18-18

```
or "POST /path"
    repo_id: Optional[str] = None


class FlowStepResponse(BaseModel):
    """Single step in the flow."""
```

Estimated effort: 0.0h

medium BLK-912 Oversized Source Files

codeintel / backend/app/tracing/router.py:30-30

```
ppet: str
    file_path: str
    line_number: int


class TraceResponse(BaseModel):
    """Flow trace response."""
    en
```

Estimated effort: 0.0h

medium BLK-913 Oversized Source Files

codeintel / backend/app/tracing/service.py:14-14

```
from app.config import get_settings


@dataclass
class FlowStep:
    """Single step in a flow trace."""
    order
```

Estimated effort: 0.0h

medium BLK-914 Oversized Source Files

codeintel / backend/app/tracing/service.py:24-24

```
ppet: str
    file_path: str
    line_number: int


class TracingService:
    """Service for tracing endpoint flows."""
```

Estimated effort: 0.0h

medium BLK-915 Oversized Source Files

codeintel / backend/app/tracing/service.py:28-28

```
ce:
    """Service for tracing endpoint flows."""

    def __init__(self, user_id: str, redis: Optional[RedisClient]
```

Estimated effort: 0.0h

medium BLK-916 Oversized Source Files

codeintel / backend/app/tracing/service.py:39-39

```
pic.Anthropic(api_key=settings.anthropic_api_key)

    def close(self):
        """Close connections."""
        s
```

Estimated effort: 0.0h

medium BLK-917 Oversized Source Files

codeintel / backend/app/usage/service.py:8-8

```
 app.database.supabase import get_supabase_client


class UsageService:
    """Service for tracking and enforcing usage
```

Estimated effort: 0.0h

medium BLK-918 Oversized Source Files

codeintel / backend/app/usage/service.py:12-12

```
rvice for tracking and enforcing usage limits."""

    def __init__(self, user_id: str):
        self.user_id = user_
```

Estimated effort: 0.0h

medium BLK-919 Oversized Source Files

codeintel / backend/templates/repository.html:288-288

```
m', d => `translate(${d.x},${d.y})`);
        });

        function dragstarted(event) {
            if (!event.active) simulatio
```

Estimated effort: 0.0h

medium BLK-920 Oversized Source Files

codeintel / backend/templates/repository.html:294-294

```
    event.subject.fy = event.subject.y;
        }

        function dragged(event) {
            event.subject.fx = event.x;
```

Estimated effort: 0.0h

medium BLK-921 Oversized Source Files

codeintel / backend/templates/repository.html:299-299

```
            event.subject.fy = event.y;
        }

        function dragended(event) {
            if (!event.active) simulatio
```

Estimated effort: 0.0h

medium BLK-922 Oversized Source Files

codeintel / frontend/postcss.config.js:1-1

```
export default {
    plugins: {
        tailwindcss: {},
```

Estimated effort: 0.0h

medium BLK-923 Oversized Source Files

codeintel / frontend/tailwind.config.js:2-2

```
/** @type {import('tailwindcss').Config} */
export default {
    content: [
        "./index.html",
```

Estimated effort: 0.0h

medium BLK-924 Oversized Source Files

codeintel / frontend/vite.config.ts:5-5

```
tejs/plugin-react'

// https://vitejs.dev/config/
export default defineConfig({
    plugins: [react()],
    server
```

Estimated effort: 0.0h

medium BLK-925 Oversized Source Files

codeintel / frontend/src/App.tsx:10-10

```
'
import AuthCallback from './pages/AuthCallback'

function ProtectedRoute({ children }: { children: React.ReactNode }) {
```

Estimated effort: 0.0h

medium BLK-926 Oversized Source Files

codeintel / frontend/src/App.tsx:28-28

```
/" replace />
    }

    return <>{children}</>
}

function App() {
    return (
        <Routes>
            <Ro
```

Estimated effort: 0.0h

medium BLK-927 Oversized Source Files

codeintel / frontend/src/App.tsx:71-71

```
e to="/" replace />} />
        </Routes>
    )
}

export default App
```

Estimated effort: 0.0h

medium BLK-928 Oversized Source Files

codeintel / frontend/src/api/client.ts:7-7

```
.meta.env.VITE_API_URL || 'http://localhost:8000'

export const api = axios.create({
    baseURL: API_URL,
    he
```

Estimated effort: 0.0h

medium BLK-929 Oversized Source Files

codeintel / frontend/src/api/client.ts:37-37

```
return Promise.reject(error)
    }
)

// Auth API
export const authApi = {
    getGitHubAuthUrl: () => `${API_UR
```

Estimated effort: 0.0h

medium BLK-930 Oversized Source Files

codeintel / frontend/src/api/client.ts:44-44

```
getMe: () => api.get('/auth/me'),
}

// Repos API
export const reposApi = {
    list: () => api.get('/repos'),
```

Estimated effort: 0.0h

medium BLK-931 Oversized Source Files

codeintel / frontend/src/api/client.ts:54-54

```
 api.post(`/repos/${id}/resync`),
}

// Graph API
export const graphApi = {
    getServices: (repoId?: string) =
```

Estimated effort: 0.0h

medium BLK-932 Oversized Source Files

codeintel / frontend/src/api/client.ts:68-68

```
arch', { params: { q: query } }),
}

// Trace API
export const traceApi = {
    traceEndpoint: (endpoint: string
```

Estimated effort: 0.0h

medium BLK-933 Oversized Source Files

codeintel / frontend/src/api/client.ts:76-76

```
{ params: { repo_id: repoId } }),
}

// Query API
export const queryApi = {
    ask: (question: string, repoId?:
```

Estimated effort: 0.0h

medium BLK-934 Oversized Source Files

codeintel / frontend/src/api/client.ts:95-95

```
params: { repo_id: repoId } }),
}

// Billing API
export const billingApi = {
    createCheckout: (successUrl?:
```

Estimated effort: 0.0h

medium BLK-935 Oversized Source Files

codeintel / frontend/src/api/client.ts:102-102

```
iption: () => api.get('/billing/subscription'),
}

export default api
```

Estimated effort: 0.0h

medium BLK-936 Oversized Source Files

codeintel / frontend/src/components/Layout/Layout.tsx:16-16

```
interface LayoutProps {
    children: ReactNode
}

export default function Layout({ children }: LayoutProps) {
```

Estimated effort: 0.0h

medium BLK-937 Oversized Source Files

codeintel / frontend/src/components/Layout/Layout.tsx:111-111

```
ing
    icon: ReactNode
    children: ReactNode
}

function NavItem({ to, icon, children }: NavItemProps) {
    retur
```

Estimated effort: 0.0h

medium BLK-938 Oversized Source Files

codeintel / frontend/src/pages/AuthCallback.tsx:4-4

```
import { useAuthStore } from '../store/authStore'

export default function AuthCallback() {
    const [searchParams
```

Estimated effort: 0.0h

medium BLK-939 Oversized Source Files

codeintel / frontend/src/pages/ChatPage.tsx:26-26

```
number: number
    }>
    isStreaming?: boolean
}

export default function ChatPage() {
    const { id } = useParam
```

Estimated effort: 0.0h

medium BLK-940 Oversized Source Files

codeintel / frontend/src/pages/Dashboard.tsx:17-17

```
cle,
    Loader2,
    Crown
} from 'lucide-react'

export default function Dashboard() {
    const { repositories,
```

Estimated effort: 0.0h

medium BLK-941 Oversized Source Files

codeintel / frontend/src/pages/FlowTracer.tsx:31-31

```
summary: string | null
    error: string | null
}

export default function FlowTracer() {
    const { id } = usePar
```

Estimated effort: 0.0h

▾ medium BLK-942 **Oversized Source Files**

codeintel / frontend/src/pages/Landing.tsx:4-4

```
.meta.env.VITE_API_URL || 'http://localhost:8000'

export default function Landing() {
    const handleGitHubLogin
```

Estimated effort: 0.0h

▾ medium BLK-943 **Oversized Source Files**

codeintel / frontend/src/pages/Landing.tsx:219-219

```
div>
            </footer>
        </div>
    )
}

function FeatureCard({ icon, title, description }: { icon: React.React
```

Estimated effort: 0.0h

▾ medium BLK-944 **Oversized Source Files**

codeintel / frontend/src/pages/Landing.tsx:231-231

```
ark-400">{description}</p>
        </div>
    )
}

function PricingFeature({ children }: { children: React.ReactNode }) {
```

Estimated effort: 0.0h

medium BLK-945 Oversized Source Files

codeintel / frontend/src/pages/Repository.tsx:24-24

```
der2,
    Server,
    Code2
} from 'lucide-react'

export default function Repository() {
    const { id } = usePar
```

Estimated effort: 0.0h

medium BLK-946 Oversized Source Files

codeintel / frontend/src/store/authStore.ts:28-28

```
: () => void
    checkAuth: () => Promise<void>
}

export const useAuthStore = create<AuthState>()(
    persist(
```

Estimated effort: 0.0h

medium BLK-947 Oversized Source Files

codeintel / frontend/src/store/repoStore.ts:30-30

```
   refreshStatus: (id: string) => Promise<void>
}

export const useRepoStore = create<RepoState>((set, get) => ({
```

Estimated effort: 0.0h

▾ medium BLK-001 **Vulnerable Dependency: fastapi@0.104.1 (PYSEC-2024-38)**

codeintel / backend/requirements.txt:1-1

```
fastapi@0.104.1
```

FastAPI is a web framework for building APIs with Python 3.8+ based on standard Python type hints. When using form data, `python-multipart` uses a Regular Expression to parse the HTTP `Content-Type` header, including options. An attacker could send a custom-made `Content-Type` option that is very di

Recommended Fix

```
# Upgrade: fastapi >= 0.109.1
```

Estimated effort: 1.0h

▾ medium BLK-002 **Vulnerable Dependency: gitpython@3.1.40 (GHSA-2mqj-m65w-jghx)**

codeintel / backend/requirements.txt:1-1

```
gitpython@3.1.40
```

Untrusted search path under some conditions on Windows allows arbitrary code execution

Recommended Fix

```
# Upgrade: gitpython >= 3.1.41
```

Estimated effort: 1.0h

medium BLK-003 Vulnerable Dependency: gitpython@3.1.40 (PYSEC-2024-4)

codeintel / backend/requirements.txt:1-1

```
gitpython@3.1.40
```

GitPython is a python library used to interact with Git repositories. There is an incomplete fix for CVE-2023-40590. On Windows, GitPython uses an untrusted search path if it uses a shell to run `git`, as well as when it runs `bash.exe` to interpret hooks. If either of those features are used on Win

Recommended Fix

```
# Upgrade: gitpython >= 3.1.41
```

Estimated effort: 1.0h

medium BLK-004 Vulnerable Dependency: jinja2@3.1.2 (GHSA-cpwx-vrp4-4pq7)

codeintel / backend/requirements.txt:1-1

```
jinja2@3.1.2
```

Jinja2 vulnerable to sandbox breakout through attr filter selecting format method

Recommended Fix

```
# Upgrade: jinja2 >= 3.1.6
```

Estimated effort: 1.0h

medium BLK-005 Vulnerable Dependency: jinja2@3.1.2 (GHSA-gmj6-6f8f-6699)

codeintel / backend/requirements.txt:1-1

```
jinja2@3.1.2
```

Jinja has a sandbox breakout through malicious filenames

Recommended Fix

```
# Upgrade: jinja2 >= 3.1.5
```

Estimated effort: 1.0h

▾ medium BLK-006 **Vulnerable Dependency: jinja2@3.1.2 (GHSA-h5c8-rqwp-cp95)**

codeintel / backend/requirements.txt:1-1

```
jinja2@3.1.2
```

Jinja vulnerable to HTML attribute injection when passing user input as keys to xmlattr filter

Recommended Fix

```
# Upgrade: jinja2 >= 3.1.3
```

Estimated effort: 1.0h

▾ medium BLK-007 **Vulnerable Dependency: jinja2@3.1.2 (GHSA-h75v-3vvj-5mfj)**

codeintel / backend/requirements.txt:1-1

```
jinja2@3.1.2
```

Jinja vulnerable to HTML attribute injection when passing user input as keys to xmlattr filter

Recommended Fix

```
# Upgrade: jinja2 >= 3.1.4
```

Estimated effort: 1.0h

▾ medium BLK-008 **Vulnerable Dependency: jinja2@3.1.2 (GHSA-q2x7-8rv6-6q7h)**

codeintel / backend/requirements.txt:1-1

```
jinja2@3.1.2
```

Jinja has a sandbox breakout through indirect reference to format method

Recommended Fix

```
# Upgrade: jinja2 >= 3.1.5
```

Estimated effort: 1.0h

medium BLK-009 Vulnerable Dependency: python-jose@3.3.0 (GHSA-6c5p-j8vq-pqhj)

codeintel / backend/requirements.txt:1-1

```
python-jose@3.3.0
```

python-jose algorithm confusion with OpenSSH ECDSA keys

Recommended Fix

```
# Upgrade: python-jose >= 3.4.0
```

Estimated effort: 1.0h

medium BLK-010 Vulnerable Dependency: python-jose@3.3.0 (GHSA-cjwg-qfpm-7377)

codeintel / backend/requirements.txt:1-1

```
python-jose@3.3.0
```

python-jose denial of service via compressed JWE content

Recommended Fix

```
# Upgrade: python-jose >= 3.4.0
```

Estimated effort: 1.0h

medium BLK-011 Vulnerable Dependency: python-jose@3.3.0 (PYSEC-2024-232)

codeintel / backend/requirements.txt:1-1

```
python-jose@3.3.0
```

python-jose through 3.3.0 has algorithm confusion with OpenSSH ECDSA keys and other key formats. This is similar to CVE-2022-29217.

Recommended Fix

```
# Upgrade: python-jose >= 3.4.0
```

Estimated effort: 1.0h

▾ medium BLK-012 **Vulnerable Dependency: python-jose@3.3.0 (PYSEC-2024-233)**

codeintel / backend/requirements.txt:1-1

```
python-jose@3.3.0
```

python-jose through 3.3.0 allows attackers to cause a denial of service (resource consumption) during a decode via a crafted JSON Web Encryption (JWE) token with a high compression ratio, aka a "JWT bomb." This is similar to CVE-2024-21319.

Recommended Fix

```
# Upgrade: python-jose >= 3.4.0
```

Estimated effort: 1.0h

▾ medium BLK-013 **Vulnerable Dependency: python-multipart@0.0.6 (GHSA-2jv5-9r88-3w3p)**

codeintel / backend/requirements.txt:1-1

```
python-multipart@0.0.6
```

python-multipart vulnerable to Content-Type Header ReDoS

Recommended Fix

```
# Upgrade: python-multipart >= 0.0.7
```

Estimated effort: 1.0h

▾ medium BLK-014 **Vulnerable Dependency: python-multipart@0.0.6 (GHSA-59g5-xgcq-4qw3)**

codeintel / backend/requirements.txt:1-1

```
python-multipart@0.0.6
```

Denial of service (DoS) via deformation `multipart/form-data` boundary

Recommended Fix

```
# Upgrade: python-multipart >= 0.0.18
```

Estimated effort: 1.0h

▾ medium BLK-015 Vulnerable Dependency: python-multipart@0.0.6 (GHSA-wp53-j4wj-2cfg)

codeintel / backend/requirements.txt:1-1

```
python-multipart@0.0.6
```

Python-Multipart has Arbitrary File Write via Non-Default Configuration

Recommended Fix

```
# Upgrade: python-multipart >= 0.0.22
```

Estimated effort: 1.0h

▾ medium BLK-016 Vulnerable Dependency: requests@2.31.0 (GHSA-9hjg-9r4m-mvj7)

codeintel / backend/requirements.txt:1-1

```
requests@2.31.0
```

Requests vulnerable to .netrc credentials leak via malicious URLs

Recommended Fix

```
# Upgrade: requests >= 2.32.4
```

Estimated effort: 1.0h

▾ medium BLK-017 Vulnerable Dependency: requests@2.31.0 (GHSA-9wx4-h78v-vm56)

codeintel / backend/requirements.txt:1-1

```
requests@2.31.0
```

Requests `Session` object does not verify requests after making first request with verify=False

Recommended Fix

```
# Upgrade: requests >= 2.32.0
```

Estimated effort: 1.0h

▾ medium BLK-018 Vulnerable Dependency: requests@2.31.0 (GHSA-gc5v-m9x4-r6x2)

codeintel / backend/requirements.txt:1-1

```
requests@2.31.0
```

Requests has Insecure Temp File Reuse in its extract_zipped_paths() utility function

Recommended Fix

```
# Upgrade: requests >= 2.33.0
```

Estimated effort: 1.0h

▾ low BLK-124 Dead Code Module

codeintel / backend/app/config.py:6-6

```
port BaseSettings
from functools import lru_cache


class Settings(BaseSettings):
    """Application settings loaded
```

Estimated effort: 0.0h

▾ low BLK-125 Dead Code Module

codeintel / backend/app/config.py:50-50

```
    # Cloning
     clone_base_path: str = "./repos"

     class Config:
         env_file = ".env"
         env_file_encod
```

Estimated effort: 0.0h

low BLK-126 Dead Code Module

codeintel / backend/app/config.py:57-57

```
        env_file_encoding = "utf-8"


@lru_cache()
def get_settings() -> Settings:
    """Get cached settings instanc
```

Estimated effort: 0.0h

low BLK-127 Dead Code Module

codeintel / backend/app/auth/github.py:9-9

```
rt BaseModel

from app.config import get_settings


class GitHubUser(BaseModel):
    """GitHub user information."""
```

Estimated effort: 0.0h

low BLK-128 Dead Code Module

codeintel / backend/app/auth/github.py:76-76

```
_email

        return GitHubUser(**data)


def get_github_oauth_url(state: Optional[str] = None) -> str:
    """Gener
```

Estimated effort: 0.0h

low BLK-129 Dead Code Module

codeintel / backend/app/auth/jwt.py:10-10

```
rt BaseModel

from app.config import get_settings


class TokenData(BaseModel):
    """Token payload data."""
    use
```

Estimated effort: 0.0h

low BLK-130 Dead Code Module

codeintel / backend/app/auth/jwt.py:17-17

```
    email: Optional[str] = None
    exp: datetime


class TokenResponse(BaseModel):
    """Token response model."""
    a
```

Estimated effort: 0.0h

low BLK-131 Dead Code Module

codeintel / backend/app/auth/jwt.py:24-24

```
   token_type: str = "bearer"
    expires_in: int


def create_access_token(user_id: str, email: Optional[str] = None) -> Tok
```

Estimated effort: 0.0h

low BLK-132 Dead Code Module

codeintel / backend/app/auth/jwt.py:48-48

```
res_in=settings.jwt_expiration_hours * 3600
    )


def decode_access_token(token: str) -> Optional[TokenData]:
    """Decode
```

Estimated effort: 0.0h

low BLK-133 Dead Code Module

codeintel / backend/app/auth/middleware.py:46-46

```
turn decode_access_token(credentials.credentials)


class UserWithSubscription:
    """User data with subscription info."""
```

Estimated effort: 0.0h

low BLK-134 Dead Code Module

codeintel / backend/app/auth/middleware.py:50-50

```
tion:
    """User data with subscription info."""

    def __init__(self, user_id: str, email: Optional[str], plan: s
```

Estimated effort: 0.0h

▾ low BLK-135 **Dead Code Module**

codeintel / backend/app/auth/router.py:15-15

```
t get_supabase_admin_client

router = APIRouter()


class AuthResponse(BaseModel):
    """Authentication response."""
```

Estimated effort: 0.0h

▾ low BLK-136 **Dead Code Module**

codeintel / backend/app/auth/router.py:23-23

```
str = "bearer"
    expires_in: int
    user: dict


class UserResponse(BaseModel):
    """User info response."""
    id:
```

Estimated effort: 0.0h

▾ low BLK-137 **Dead Code Module**

codeintel / backend/app/billing/router.py:14-14

```
.config import get_settings

router = APIRouter()


class CheckoutRequest(BaseModel):
    """Checkout session request."""
```

Estimated effort: 0.0h

low BLK-138 Dead Code Module

codeintel / backend/app/billing/router.py:20-20

```
[str] = None
    cancel_url: Optional[str] = None


class CheckoutResponse(BaseModel):
    """Checkout session response."""
```

Estimated effort: 0.0h

low BLK-139 Dead Code Module

codeintel / backend/app/billing/router.py:26-26

```
ion response."""
    session_id: str
    url: str


class PortalRequest(BaseModel):
    """Billing portal request."""
```

Estimated effort: 0.0h

low BLK-140 Dead Code Module

codeintel / backend/app/billing/service.py:9-9

```
 app.database.supabase import get_supabase_client


class BillingService:
    """Service for Stripe payment handling."""
```

Estimated effort: 0.0h

▾ low BLK-141 **Dead Code Module**

codeintel / backend/app/billing/service.py:13-13

```
e:
    """Service for Stripe payment handling."""

    def __init__(self, user_id: str):
        self.user_id = user_
```

Estimated effort: 0.0h

▾ low BLK-142 **Dead Code Module**

codeintel / backend/app/database/neo4j.py:9-9

```
ort logging

logger = logging.getLogger(__name__)


class Neo4jConnection:
    """Neo4j database connection manager."""
```

Estimated effort: 0.0h

▾ low BLK-143 **Dead Code Module**

codeintel / backend/app/database/neo4j.py:13-13

```
ion:
    """Neo4j database connection manager."""

    def __init__(self, uri: str, user: str, password: str):
```

Estimated effort: 0.0h

▾ low BLK-144 **Dead Code Module**

codeintel / backend/app/database/neo4j.py:18-18

```
ser, password))
        self._verify_connection()

    def _verify_connection(self):
        """Verify connection is working."""
```

Estimated effort: 0.0h

▾ low BLK-145 **Dead Code Module**

codeintel / backend/app/database/neo4j.py:28-28

```
iled to connect to Neo4j: {e}")
            raise

    def close(self):
        """Close the connection."""
```

Estimated effort: 0.0h

▾ low BLK-146 **Dead Code Module**

codeintel / backend/app/database/neo4j.py:33-33

```
if self._driver:
            self._driver.close()

    def execute_query(
        self,
        query: str,
        parame
```

Estimated effort: 0.0h

low BLK-147 Dead Code Module

codeintel / backend/app/database/neo4j.py:43-43

```
      return [record.data() for record in result]

    def execute_write(
        self,
        query: str,
        parame
```

Estimated effort: 0.0h

low BLK-148 Dead Code Module

codeintel / backend/app/database/neo4j.py:56-56

```
================================================

    def setup_schema(self):
        """Set up Neo4j schema with constr
```

Estimated effort: 0.0h

low BLK-149 Dead Code Module

codeintel / backend/app/database/neo4j.py:83-83

```
================================================

    def create_service(
        self,
        service_id: str,
        n
```

Estimated effort: 0.0h

low BLK-150 Dead Code Module

codeintel / backend/app/database/neo4j.py:107-107

```
o_id,
            "repo_url": repo_url
        })

    def get_services(self, user_id: str, repo_id: Optional[str] = None
```

Estimated effort: 0.0h

▾ low BLK-151 **Dead Code Module**

codeintel / backend/app/database/neo4j.py:128-128

```
================================================

    def create_class(
        self,
        class_id: str,
        nam
```

Estimated effort: 0.0h

▾ low BLK-152 **Dead Code Module**

codeintel / backend/app/database/neo4j.py:158-158

```
================================================

    def create_method(
        self,
        method_id: str,
        na
```

Estimated effort: 0.0h

▾ low BLK-153 **Dead Code Module**

codeintel / backend/app/database/neo4j.py:193-193

```
      "annotations": annotations or []
        })

    def create_method_call(self, caller_id: str, callee_id: str) -> None:
```

Estimated effort: 0.0h

low BLK-154 **Dead Code Module**

codeintel / backend/app/database/neo4j.py:206-206

```
================================================

    def create_endpoint(
        self,
        endpoint_id: str,
```

Estimated effort: 0.0h

low BLK-155 **Dead Code Module**

codeintel / backend/app/database/neo4j.py:232-232

```
id,
            "method_id": method_id
        })

    def get_endpoints(self, user_id: str, service_name: Optional[str] =
```

Estimated effort: 0.0h

low BLK-156 **Dead Code Module**

codeintel / backend/app/database/neo4j.py:261-261

```
================================================

    def create_service_dependency(
        self,
        source_service_id: str,
```

Estimated effort: 0.0h

low BLK-157 **Dead Code Module**

codeintel / backend/app/database/neo4j.py:280-280

```
          "via_endpoint": via_endpoint
        })

    def get_service_dependencies(self, user_id: str, repo_id: Optional[str] = None
```

Estimated effort: 0.0h

low BLK-158 Dead Code Module

codeintel / backend/app/database/neo4j.py:303-303

```
================================================

    def trace_endpoint_flow(
        self,
        user_id: str,
        http
```

Estimated effort: 0.0h

low BLK-159 Dead Code Module

codeintel / backend/app/database/neo4j.py:344-344

```
================================================

    def delete_repo_data(self, user_id: str, repo_id: str) -> None:
```

Estimated effort: 0.0h

low BLK-160 Dead Code Module

codeintel / backend/app/database/redis_client.py:10-10

```
ort logging

logger = logging.getLogger(__name__)


class RedisClient:
    """Redis client wrapper for caching."""
```

Estimated effort: 0.0h

low BLK-161 Dead Code Module

codeintel / backend/app/database/redis_client.py:14-14

```
ient:
    """Redis client wrapper for caching."""

    def __init__(self, url: str):
        """Initialize Redis clie
```

Estimated effort: 0.0h

low BLK-162 Dead Code Module

codeintel / backend/app/database/supabase.py:6-6

```
lient, Client
from app.config import get_settings


def get_supabase_client() -> Client:
    """Get Supabase client instance.
```

Estimated effort: 0.0h

low BLK-163 Dead Code Module

codeintel / backend/app/database/supabase.py:15-15

```
ase_url,
        settings.supabase_anon_key
    )


def get_supabase_admin_client() -> Client:
    """Get Supabase client with admi
```

Estimated effort: 0.0h

low BLK-164 Dead Code Module

codeintel / backend/app/graph/router.py:12-12

```
service import GraphService

router = APIRouter()


class ServiceResponse(BaseModel):
    """Service response model."""
```

Estimated effort: 0.0h

low BLK-165 Dead Code Module

codeintel / backend/app/graph/router.py:19-19

```
    name: str
    repo_url: Optional[str] = None


class EndpointResponse(BaseModel):
    """Endpoint response model."""
```

Estimated effort: 0.0h

low BLK-166 Dead Code Module

codeintel / backend/app/graph/router.py:29-29

```
me: str
    class_name: str
    service_name: str


class DependencyGraphResponse(BaseModel):
    """Dependency graph response for
```

Estimated effort: 0.0h

▾ low BLK-167 **Dead Code Module**

codeintel / backend/app/graph/router.py:35-35

```
t[Dict[str, Any]]
    edges: List[Dict[str, Any]]


class SearchResult(BaseModel):
    """Search result model."""
    ty
```

Estimated effort: 0.0h

▾ low BLK-168 **Dead Code Module**

codeintel / backend/app/graph/service.py:7-7

```
o4jConnection
from app.config import get_settings


class GraphService:
    """Service for graph-related queries."""
```

Estimated effort: 0.0h

▾ low BLK-169 **Dead Code Module**

codeintel / backend/app/graph/service.py:11-11

```
ice:
    """Service for graph-related queries."""

    def __init__(self, user_id: str):
        self.user_id = user_
```

Estimated effort: 0.0h

low BLK-170 Dead Code Module

codeintel / backend/app/graph/service.py:20-20

```
        password=settings.neo4j_password
        )

    def close(self):
        """Close Neo4j connection."""
```

Estimated effort: 0.0h

low BLK-171 Dead Code Module

codeintel / backend/app/graph/service.py:24-24

```
e Neo4j connection."""
        self.neo4j.close()

    def get_services(self, repo_id: Optional[str] = None) -> List[Dict
```

Estimated effort: 0.0h

low BLK-172 Dead Code Module

codeintel / backend/app/graph/service.py:28-28

```
rn self.neo4j.get_services(self.user_id, repo_id)

    def get_service_dependencies(self, repo_id: Optional[str] = None) -> Dict:
```

Estimated effort: 0.0h

low BLK-173 Dead Code Module

codeintel / backend/app/graph/service.py:80-80

```
des': nodes,
            'edges': edges
        }

    def get_endpoints(self, service_name: Optional[str] = None) -> List
```

Estimated effort: 0.0h

▾ low BLK-174 **Dead Code Module**

codeintel / backend/app/graph/service.py:84-84

```
f.neo4j.get_endpoints(self.user_id, service_name)

    def get_service_details(self, service_id: str) -> Optional[Dict]:
```

Estimated effort: 0.0h

▾ low BLK-175 **Dead Code Module**

codeintel / backend/app/graph/service.py:118-118

```
            return results[0]
        return None

    def search(self, query: str) -> List[Dict]:
        """Searc
```

Estimated effort: 0.0h

▾ low BLK-176 **Dead Code Module**

codeintel / backend/app/indexing/call_graph.py:12-12

```
logger = logging.getLogger(__name__)


@dataclass
class CallGraphNode:
    """Node in the call graph."""
    id: str
```

Estimated effort: 0.0h

low BLK-177 Dead Code Module

codeintel / backend/app/indexing/call_graph.py:25-25

```
signature: str
    code_snippet: str


@dataclass
class CallGraphEdge:
    """Edge in the call graph."""
    caller_id:
```

Estimated effort: 0.0h

low BLK-178 Dead Code Module

codeintel / backend/app/indexing/call_graph.py:30-30

```
 call_type: str = "direct"  # direct, rest, feign


class CallGraphBuilder:
    """Build call graphs from parsed Java classe
```

Estimated effort: 0.0h

low BLK-179 Dead Code Module

codeintel / backend/app/indexing/call_graph.py:34-34

```
"""Build call graphs from parsed Java classes."""

    def __init__(self):
        self.nodes: Dict[str, CallGraphNod
```

Estimated effort: 0.0h

low BLK-180 Dead Code Module

codeintel / backend/app/indexing/call_graph.py:40-40

```
 Dict[str, str] = {}  # class.method -> method_id

    def add_class(self, service_name: str, java_class: dict) -> Non
```

Estimated effort: 0.0h

low BLK-181 Dead Code Module

codeintel / backend/app/indexing/call_graph.py:63-63

```
dex[f"{class_name}.{method['name']}"] = method_id

    def build_edges(self, java_class: dict, service_name: str) -> Non
```

Estimated effort: 0.0h

low BLK-182 Dead Code Module

codeintel / backend/app/indexing/call_graph.py:97-97

```
        call_type="direct"
                    ))

    def add_rest_call_edge(
        self,
        caller_id: str,
        ta
```

Estimated effort: 0.0h

low BLK-183 Dead Code Module

codeintel / backend/app/indexing/call_graph.py:126-126

```
ee_id,
            call_type=call_type
        ))

    def get_nodes(self) -> List[dict]:
        """Get all nodes as
```

Estimated effort: 0.0h

low BLK-184 Dead Code Module

codeintel / backend/app/indexing/call_graph.py:142-142

```
           for n in self.nodes.values()
        ]

    def get_edges(self) -> List[dict]:
        """Get all edges as
```

Estimated effort: 0.0h

low BLK-185 Dead Code Module

codeintel / backend/app/indexing/call_graph.py:153-153

```
        }
              for e in self.edges
          ]

    def get_service_dependencies(self) -> List[Tuple[str, str, str]]:
        """E
```

Estimated effort: 0.0h

low BLK-186 Dead Code Module

codeintel / backend/app/indexing/java_parser.py:17-17

```
logger = logging.getLogger(__name__)


@dataclass
class JavaAnnotation:
    """Represents a Java annotation."""
    name
```

Estimated effort: 0.0h

low BLK-187 Dead Code Module

codeintel / backend/app/indexing/java_parser.py:24-24

```
, str] = field(default_factory=dict)


@dataclass
class JavaMethod:
    """Represents a Java method."""
    name: st
```

Estimated effort: 0.0h

low BLK-188 Dead Code Module

codeintel / backend/app/indexing/java_parser.py:37-37

```
t[str] = field(default_factory=list)


@dataclass
class JavaClass:
    """Represents a Java class."""
    name: str
```

Estimated effort: 0.0h

low BLK-189 Dead Code Module

codeintel / backend/app/indexing/java_parser.py:47-47

```
t_factory=list)
    extends: Optional[str] = None


class JavaParser:
    """Parse Java source files to extract struct
```

Estimated effort: 0.0h

low BLK-190 Dead Code Module

codeintel / backend/app/indexing/java_parser.py:98-98

```
,
        'PatchMapping', 'RequestMapping'
    }

    def __init__(self):
        pass

    def parse_file(self,
```

Estimated effort: 0.0h

▾ low BLK-191 **Dead Code Module**

codeintel / backend/app/indexing/java_parser.py:101-101

```
'
    }

    def __init__(self):
        pass

    def parse_file(self, file_path: Path) -> Optional[JavaClass]:
```

Estimated effort: 0.0h

▾ low BLK-192 **Dead Code Module**

codeintel / backend/app/indexing/java_parser.py:110-110

```
 parse {file_path}: {e}")
            return None

    def parse_content(self, content: str, file_path: str) -> Optional[J
```

Estimated effort: 0.0h

▾ low BLK-193 **Dead Code Module**

codeintel / backend/app/indexing/java_parser.py:148-148

```
implements,
            extends=extends
        )

    def _extract_annotations(self, lines: List[str]) -> List[JavaAnnotation]:
```

Estimated effort: 0.0h

▾ low BLK-194 **Dead Code Module**

codeintel / backend/app/indexing/java_parser.py:172-172

```
ters=params))

        return annotations

    def _extract_methods(self, content: str) -> List[JavaMethod]:
```

Estimated effort: 0.0h

▾ low BLK-195 **Dead Code Module**

codeintel / backend/app/indexing/java_parser.py:224-224

```
                ))

        return methods

    def _extract_method_body(self, lines: List[str], start_line: int) -> str:
```

Estimated effort: 0.0h

▾ low BLK-196 **Dead Code Module**

codeintel / backend/app/indexing/java_parser.py:244-244

```
k

        return '\n'.join(method_lines)

    def _find_method_calls(self, code: str) -> List[str]:
        """Find me
```

Estimated effort: 0.0h

low BLK-197 Dead Code Module

codeintel / backend/app/indexing/java_parser.py:253-253

```
)
        return list(set(calls))  # Unique calls

    def _extract_fields(self, content: str) -> List[str]:
        """Extr
```

Estimated effort: 0.0h

low BLK-198 Dead Code Module

codeintel / backend/app/indexing/java_parser.py:262-262

```
{field_type} {field_name}")
        return fields

    def extract_endpoints(self, java_class: JavaClass) -> List[Dict]:
```

Estimated effort: 0.0h

low BLK-199 Dead Code Module

codeintel / backend/app/indexing/java_parser.py:303-303

```
            })

        return endpoints

    def _annotation_to_http_method(self, annotation: str) -> str:
        """Convert
```

Estimated effort: 0.0h

low BLK-200 Dead Code Module

codeintel / backend/app/indexing/java_parser.py:315-315

```
  }
        return mapping.get(annotation, 'GET')

    def extract_feign_clients(self, java_class: JavaClass) -> List[Dict]:
```

Estimated effort: 0.0h

▾ low BLK-201 **Dead Code Module**

codeintel / backend/app/indexing/java_parser.py:330-330

```
         })

        return feign_clients

    def to_dict(self, java_class: JavaClass) -> dict:
        """
```

Estimated effort: 0.0h

▾ low BLK-202 **Dead Code Module**

codeintel / backend/app/indexing/service.py:19-19

```
raphBuilder

logger = logging.getLogger(__name__)


class IndexingService:
    """Service for indexing Java repositories."""
```

Estimated effort: 0.0h

▾ low BLK-203 **Dead Code Module**

codeintel / backend/app/indexing/spring_detector.py:10-10

```
ort logging

logger = logging.getLogger(__name__)


class SpringDetector:
    """Detect Spring-specific patterns and confi
```

Estimated effort: 0.0h

low BLK-204 Dead Code Module

codeintel / backend/app/indexing/spring_detector.py:36-36

```
\)\s*\.\s*uri\s*\(\s*["\']([^"\']+)["\']'),
    ]

    def __init__(self):
        pass

    def detect_class_typ
```

Estimated effort: 0.0h

low BLK-205 Dead Code Module

codeintel / backend/app/indexing/spring_detector.py:39-39

```
,
    ]

    def __init__(self):
        pass

    def detect_class_type(self, annotations: List[str]) -> str:
        """
```

Estimated effort: 0.0h

low BLK-206 Dead Code Module

codeintel / backend/app/indexing/spring_detector.py:46-46

```
.SPRING_ANNOTATIONS[ann]
        return 'unknown'

    def extract_rest_calls(self, code: str) -> List[Dict]:
        """Extrac
```

Estimated effort: 0.0h

low BLK-207 Dead Code Module

codeintel / backend/app/indexing/spring_detector.py:76-76

```
p(2)
            })

        return calls

    def parse_application_properties(self, file_path: Path) -> Dict:
        """Parse
```

Estimated effort: 0.0h

low BLK-208 Dead Code Module

codeintel / backend/app/indexing/spring_detector.py:98-98

```
e_path}: {e}")

        return properties

    def extract_service_name(self, service_path: Path) -> str:
        """Extr
```

Estimated effort: 0.0h

low BLK-209 Dead Code Module

codeintel / backend/app/models/__init__.py:7-7

```
port Optional, List
from datetime import datetime


class User(BaseModel):
    """User model."""
    id: str
```

Estimated effort: 0.0h

low BLK-210 Dead Code Module

codeintel / backend/app/models/__init__.py:16-16

```
tional[str] = None
    name: Optional[str] = None


class Repository(BaseModel):
    """Repository model."""
    id: s
```

Estimated effort: 0.0h

low BLK-211 Dead Code Module

codeintel / backend/app/models/__init__.py:28-28

```
tetime
    last_synced: Optional[datetime] = None


class Subscription(BaseModel):
    """Subscription model."""
    use
```

Estimated effort: 0.0h

low BLK-212 Dead Code Module

codeintel / backend/app/pages/router.py:18-18

```
emplates = Jinja2Templates(directory="templates")


def get_user_data(user_id: str) -> dict:
    """Get user profile da
```

Estimated effort: 0.0h

low BLK-213 **Dead Code Module**

codeintel / backend/app/pages/router.py:25-25

```
    return result.data[0] if result.data else {}


def get_subscription_data(user_id: str) -> dict:
    """Get user subscripti
```

Estimated effort: 0.0h

low BLK-214 **Dead Code Module**

codeintel / backend/app/pages/router.py:34-34

```
lan": "free", "repo_limit": 1, "query_limit": 10}


def get_usage_data(user_id: str) -> dict:
    """Get today's usage d
```

Estimated effort: 0.0h

low BLK-215 **Dead Code Module**

codeintel / backend/app/pages/router.py:44-44

```
lt.data[0] if result.data else {"query_count": 0}


def get_repos(user_id: str) -> list:
    """Get user's reposito
```

Estimated effort: 0.0h

low BLK-216 **Dead Code Module**

codeintel / backend/app/query/router.py:14-14

```
service import UsageService

router = APIRouter()


class QueryRequest(BaseModel):
    """Query request model."""
    qu
```

Estimated effort: 0.0h

low BLK-217 **Dead Code Module**

codeintel / backend/app/query/router.py:21-21

```
id: Optional[str] = None
    stream: bool = False


class SourceReference(BaseModel):
    """Source reference model."""
```

Estimated effort: 0.0h

low BLK-218 **Dead Code Module**

codeintel / backend/app/query/router.py:30-30

```
str] = None
    line_number: Optional[int] = None


class QueryResponse(BaseModel):
    """Query response model."""
    a
```

Estimated effort: 0.0h

low BLK-219 Dead Code Module

codeintel / backend/app/query/service.py:16-16

```
GENERATION_PROMPT,
    ANSWER_GENERATION_PROMPT
)


class QueryService:
    """Service for GraphRAG queries."""
```

Estimated effort: 0.0h

low BLK-220 Dead Code Module

codeintel / backend/app/query/service.py:20-20

```
yService:
    """Service for GraphRAG queries."""

    def __init__(self, user_id: str, redis: Optional[RedisClient]
```

Estimated effort: 0.0h

low BLK-221 Dead Code Module

codeintel / backend/app/query/service.py:31-31

```
pic.Anthropic(api_key=settings.anthropic_api_key)

    def close(self):
        """Close connections."""
        s
```

Estimated effort: 0.0h

low BLK-222 Dead Code Module

codeintel / backend/app/query/service.py:239-239

```
untered an error generating the answer: {str(e)}"

    def _format_graph_context(self, context: List[Dict]) -> str:
        """For
```

Estimated effort: 0.0h

low BLK-223 Dead Code Module

codeintel / backend/app/query/service.py:249-249

```
append(str(item))
        return "\n".join(lines)

    def _format_code_snippets(self, snippets: List[Dict]) -> str:
        """Fo
```

Estimated effort: 0.0h

low BLK-224 Dead Code Module

codeintel / backend/app/query/service.py:262-262

```
 lines.append("")
        return "\n".join(lines)

    def _extract_sources(
        self,
        graph_context: List[Dict],
```

Estimated effort: 0.0h

low BLK-225 **Dead Code Module**

codeintel / backend/app/repositories/cloner.py:16-16

```
et_settings

logger = logging.getLogger(__name__)


class RepoCloner:
    """Handle repository cloning and Spring Boot
```

Estimated effort: 0.0h

low BLK-226 **Dead Code Module**

codeintel / backend/app/repositories/cloner.py:20-20

```
 repository cloning and Spring Boot detection."""

    def __init__(self, repo_url: str, repo_id: str, user_id: str):
```

Estimated effort: 0.0h

low BLK-227 **Dead Code Module**

codeintel / backend/app/repositories/cloner.py:47-47

```
self.clone_path}")
        return self.clone_path

    def detect_spring_boot_services(self) -> List[dict]:
        """Detect Spring Boo
```

Estimated effort: 0.0h

low BLK-228 **Dead Code Module**

codeintel / backend/app/repositories/cloner.py:85-85

```
)} Spring Boot services")
        return services

    def _analyze_maven_project(self, pom_path: Path) -> Optional[dict]:
```

Estimated effort: 0.0h

▾ low BLK-229 **Dead Code Module**

codeintel / backend/app/repositories/cloner.py:124-124

```
se {pom_path}: {e}")

        return None

    def _analyze_gradle_project(self, build_gradle_path: Path) -> Optional[dict]:
```

Estimated effort: 0.0h

▾ low BLK-230 **Dead Code Module**

codeintel / backend/app/repositories/cloner.py:152-152

```
_gradle_path}: {e}")

        return None

    def _find_spring_boot_annotations(self) -> List[dict]:
        """Find services by
```

Estimated effort: 0.0h

▾ low BLK-231 **Dead Code Module**

codeintel / backend/app/repositories/cloner.py:184-184

```
ava_file}: {e}")

        return services

    def get_java_files(self) -> List[Path]:
        """Get all Java file
```

Estimated effort: 0.0h

low BLK-232 **Dead Code Module**

codeintel / backend/app/repositories/router.py:13-13

```
vice import IndexingService

router = APIRouter()


class RepoCreate(BaseModel):
    """Request to add a repository."""
```

Estimated effort: 0.0h

low BLK-233 **Dead Code Module**

codeintel / backend/app/repositories/router.py:18-18

```
Request to add a repository."""
    repo_url: str


class RepoResponse(BaseModel):
    """Repository response model."""
```

Estimated effort: 0.0h

low BLK-234 **Dead Code Module**

codeintel / backend/app/repositories/router.py:29-29

```
ted_at: str
    last_synced: Optional[str] = None


class RepoListResponse(BaseModel):
    """Repository list response."""
```

Estimated effort: 0.0h

low BLK-235 Dead Code Module

codeintel / backend/app/repositories/service.py:10-10

```
nt
from app.repositories.cloner import RepoCloner


class RepositoryService:
    """Handle repository CRUD operations."""
```

Estimated effort: 0.0h

low BLK-236 Dead Code Module

codeintel / backend/app/repositories/service.py:14-14

```
ice:
    """Handle repository CRUD operations."""

    def __init__(self, user_id: str):
        self.user_id = user_
```

Estimated effort: 0.0h

low BLK-237 Dead Code Module

codeintel / backend/app/repositories/service.py:90-90

```
rn len(result.data) > 0 if result.data else False

    def _validate_github_url(self, url: str) -> bool:
        """Validate GitH
```

Estimated effort: 0.0h

▾ low BLK-238 **Dead Code Module**

codeintel / backend/app/tracing/router.py:12-12

```
rvice import TracingService

router = APIRouter()


class TraceRequest(BaseModel):
    """Request to trace an endpoint f
```

Estimated effort: 0.0h

▾ low BLK-239 **Dead Code Module**

codeintel / backend/app/tracing/router.py:18-18

```
or "POST /path"
    repo_id: Optional[str] = None


class FlowStepResponse(BaseModel):
    """Single step in the flow."""
```

Estimated effort: 0.0h

▾ low BLK-240 **Dead Code Module**

codeintel / backend/app/tracing/router.py:30-30

```
ppet: str
    file_path: str
    line_number: int


class TraceResponse(BaseModel):
    """Flow trace response."""
    en
```

Estimated effort: 0.0h

low BLK-241 Dead Code Module

codeintel / backend/app/tracing/service.py:14-14

```
from app.config import get_settings


@dataclass
class FlowStep:
    """Single step in a flow trace."""
    order
```

Estimated effort: 0.0h

low BLK-242 Dead Code Module

codeintel / backend/app/tracing/service.py:24-24

```
ppet: str
    file_path: str
    line_number: int


class TracingService:
    """Service for tracing endpoint flows."""
```

Estimated effort: 0.0h

low BLK-243 Dead Code Module

codeintel / backend/app/tracing/service.py:28-28

```
ce:
    """Service for tracing endpoint flows."""

    def __init__(self, user_id: str, redis: Optional[RedisClient]
```

Estimated effort: 0.0h

low BLK-244 Dead Code Module

codeintel / backend/app/tracing/service.py:39-39

```
pic.Anthropic(api_key=settings.anthropic_api_key)

    def close(self):
        """Close connections."""
        s
```

Estimated effort: 0.0h

low BLK-245 Dead Code Module

codeintel / backend/app/usage/service.py:8-8

```
 app.database.supabase import get_supabase_client


class UsageService:
    """Service for tracking and enforcing usage
```

Estimated effort: 0.0h

low BLK-246 Dead Code Module

codeintel / backend/app/usage/service.py:12-12

```
rvice for tracking and enforcing usage limits."""

    def __init__(self, user_id: str):
        self.user_id = user_
```

Estimated effort: 0.0h

low BLK-744 Dead Functions

codeintel / backend/app/database/neo4j.py:18-18

```
ser, password))
        self._verify_connection()

    def _verify_connection(self):
        """Verify connection is working."""
```

Estimated effort: 0.0h

▾ low BLK-745 **Dead Functions**

codeintel / backend/app/indexing/java_parser.py:148-148

```
implements,
            extends=extends
        )

    def _extract_annotations(self, lines: List[str]) -> List[JavaAnnotation]:
```

Estimated effort: 0.0h

▾ low BLK-746 **Dead Functions**

codeintel / backend/app/indexing/java_parser.py:172-172

```
ters=params))

        return annotations

    def _extract_methods(self, content: str) -> List[JavaMethod]:
        "
```

Estimated effort: 0.0h

▾ low BLK-747 **Dead Functions**

codeintel / backend/app/indexing/java_parser.py:224-224

```
                ))

        return methods

    def _extract_method_body(self, lines: List[str], start_line: int) -> str:
```

Estimated effort: 0.0h

low BLK-748 Dead Functions

codeintel / backend/app/indexing/java_parser.py:244-244

```
k

        return '\n'.join(method_lines)

    def _find_method_calls(self, code: str) -> List[str]:
        """Find met
```

Estimated effort: 0.0h

low BLK-749 Dead Functions

codeintel / backend/app/indexing/java_parser.py:253-253

```
)
        return list(set(calls))  # Unique calls

    def _extract_fields(self, content: str) -> List[str]:
        """Extra
```

Estimated effort: 0.0h

low BLK-750 Dead Functions

codeintel / backend/app/indexing/java_parser.py:303-303

```
            })

        return endpoints

    def _annotation_to_http_method(self, annotation: str) -> str:
        """Convert
```

Estimated effort: 0.0h

low BLK-751 Dead Functions

codeintel / backend/app/query/service.py:239-239

```
untered an error generating the answer: {str(e)}"

    def _format_graph_context(self, context: List[Dict]) -> str:
        """Form
```

Estimated effort: 0.0h

low BLK-752 Dead Functions

codeintel / backend/app/query/service.py:249-249

```
append(str(item))
        return "\n".join(lines)

    def _format_code_snippets(self, snippets: List[Dict]) -> str:
        """For
```

Estimated effort: 0.0h

low BLK-753 Dead Functions

codeintel / backend/app/query/service.py:262-262

```
 lines.append("")
        return "\n".join(lines)

    def _extract_sources(
        self,
        graph_context: List[Dict],
```

Estimated effort: 0.0h

low BLK-754 Dead Functions

codeintel / backend/app/repositories/cloner.py:85-85

```
)} Spring Boot services")
        return services

    def _analyze_maven_project(self, pom_path: Path) -> Optional[dict]:
        "
```

Estimated effort: 0.0h

low BLK-755 Dead Functions

codeintel / backend/app/repositories/cloner.py:124-124

```
se {pom_path}: {e}")

        return None

    def _analyze_gradle_project(self, build_gradle_path: Path) -> Optional[dict]:
```

Estimated effort: 0.0h

▾ low BLK-756 **Dead Functions**

codeintel / backend/app/repositories/cloner.py:152-152

```
_gradle_path}: {e}")

        return None

    def _find_spring_boot_annotations(self) -> List[dict]:
        """Find services by @
```

Estimated effort: 0.0h

▾ low BLK-757 **Dead Functions**

codeintel / backend/app/repositories/service.py:90-90

```
rn len(result.data) > 0 if result.data else False

    def _validate_github_url(self, url: str) -> bool:
        """Validate GitHu
```

Estimated effort: 0.0h

▾ low BLK-1025 **Magic Numbers**

codeintel / backend/requirements.txt:8-8

```
 Tabler Bootstrap frontend)
jinja2==3.1.2
aiofiles==23.2.1

# Supabase
supabase==2.0.3

# Neo4j
neo4j==5
```

Estimated effort: 0.0h

▾ low BLK-1026 **Magic Numbers**

codeintel / backend/app/auth/github.py:35-35

```
        )

        if response.status_code != 200:
            return None

        data =
```

Estimated effort: 0.0h

▾ low BLK-1027 **Magic Numbers**

codeintel / backend/app/auth/github.py:53-53

```
        )

        if response.status_code != 200:
            return None

        data =
```

Estimated effort: 0.0h

▾ low BLK-1028 **Magic Numbers**

codeintel / backend/app/auth/github.py:67-67

```
      )
            if email_response.status_code == 200:
                emails = email_response.json()
```

Estimated effort: 0.0h

▾ low BLK-1029 **Magic Numbers**

codeintel / backend/templates/landing.html:217-217

```
mb-2"><i class="ti ti-check text-success me-2"></i>10 queries per day</li>
```

Estimated effort: 0.0h

low BLK-1030 Magic Numbers

codeintel / backend/templates/landing.html:235-235

```
mb-2"><i class="ti ti-check text-success me-2"></i>10 repositories</li>
```

Estimated effort: 0.0h

low BLK-1031 Magic Numbers

codeintel / backend/templates/repository.html:273-273

```
pend('text')
            .text(d => d.name.length > 15 ? d.name.slice(0, 12) + '...' : d.name)
```

Estimated effort: 0.0h

low BLK-1032 Magic Numbers

codeintel / frontend/src/api/client.ts:28-28

```
  (error) => {
        if (error.response?.status === 401) {
            localStorage.removeItem('token')
```

Estimated effort: 0.0h

low BLK-1033 Magic Numbers

codeintel / frontend/src/pages/Landing.tsx:153-153

```
e>
                                <PricingFeature>10 queries per day</PricingFeature>
```

Estimated effort: 0.0h

▾ low BLK-1034 **Magic Numbers**

codeintel / frontend/src/pages/Landing.tsx:183-183

```
">
                                    <PricingFeature>10 repositories</PricingFeature>
```

Estimated effort: 0.0h

▾ low BLK-260 **Missing API Versioning**

codeintel / backend/app/main.py:82-82

```
pp.include_router(pages_router, tags=["Pages"])


@app.get("/api")
async def api_root():
    """API root endpoi
```

Estimated effort: 0.0h

▾ low BLK-261 **Missing API Versioning**

codeintel / backend/app/main.py:92-92

```
on": "0.1.0",
        "status": "running"
    }


@app.get("/health")
async def health_check():
    """Health c
```

Estimated effort: 0.0h

low BLK-262 Missing API Versioning

codeintel / backend/app/auth/router.py:34-34

```
tr]
    avatar_url: Optional[str]
    plan: str


@router.get("/github")
async def github_login():
    """Redirect
```

Estimated effort: 0.0h

low BLK-263 Missing API Versioning

codeintel / backend/app/auth/router.py:41-41

```
auth_url()
    return RedirectResponse(url=url)


@router.get("/github/callback")
async def github_callback(code:
```

Estimated effort: 0.0h

low BLK-264 Missing API Versioning

codeintel / backend/app/auth/router.py:118-118

```
"
    return RedirectResponse(url=redirect_url)


@router.post("/github/token")
async def github_token_exchange(cod
```

Estimated effort: 0.0h

low BLK-265 Missing API Versioning

codeintel / backend/app/auth/router.py:191-191

```
ar_url": github_user.avatar_url
        }
    )


@router.get("/me", response_model=UserResponse)
async def get_cu
```

Estimated effort: 0.0h

low BLK-266 Missing API Versioning

codeintel / backend/app/billing/router.py:33-33

```
equest."""
    return_url: Optional[str] = None


@router.post("/checkout", response_model=CheckoutResponse)
async
```

Estimated effort: 0.0h

low BLK-267 Missing API Versioning

codeintel / backend/app/billing/router.py:51-51

```
rl)

    return CheckoutResponse(**session)


@router.post("/portal")
async def create_portal_session(
    requ
```

Estimated effort: 0.0h

low BLK-268 Missing API Versioning

codeintel / backend/app/billing/router.py:66-66

```
tal_session(return_url)

    return session


@router.get("/subscription")
async def get_subscription(
    use
```

Estimated effort: 0.0h

low BLK-269 Missing API Versioning

codeintel / backend/app/billing/router.py:75-75

```
 return await service.get_subscription_status()


@router.post("/webhooks/stripe")
async def stripe_webhook(
    re
```

Estimated effort: 0.0h

low BLK-270 Missing API Versioning

codeintel / backend/app/graph/router.py:45-45

```
tr
    name: str
    path: Optional[str] = None


@router.get("/services", response_model=List[ServiceResponse])
a
```

Estimated effort: 0.0h

low BLK-271 Missing API Versioning

codeintel / backend/app/graph/router.py:59-59

```
 services]
    finally:
        service.close()


@router.get("/dependencies", response_model=DependencyGraphRespo
```

Estimated effort: 0.0h

low BLK-272 Missing API Versioning

codeintel / backend/app/graph/router.py:73-73

```
e(**graph)
    finally:
        service.close()


@router.get("/endpoints", response_model=List[EndpointResponse])
```

Estimated effort: 0.0h

low BLK-273 Missing API Versioning

codeintel / backend/app/graph/router.py:87-87

```
endpoints]
    finally:
        service.close()


@router.get("/services/{service_id}")
async def get_service_deta
```

Estimated effort: 0.0h

low BLK-274 Missing API Versioning

codeintel / backend/app/graph/router.py:106-106

```
rn details
    finally:
        service.close()


@router.get("/search", response_model=List[SearchResult])
async
```

Estimated effort: 0.0h

low BLK-275 Missing API Versioning

codeintel / backend/app/indexing/router.py:12-12

```
 import RepositoryService

router = APIRouter()


@router.get("/{repo_id}")
async def get_indexing_status(
    rep
```

Estimated effort: 0.0h

low BLK-276 Missing API Versioning

codeintel / backend/app/pages/router.py:55-55

```
sc=True).execute()
    return result.data or []


@router.get("/", response_class=HTMLResponse)
async def landing_
```

Estimated effort: 0.0h

low BLK-277 Missing API Versioning

codeintel / backend/app/pages/router.py:63-63

```
eResponse("landing.html", {"request": request})


@router.get("/dashboard", response_class=HTMLResponse)
async def
```

Estimated effort: 0.0h

low BLK-278 Missing API Versioning

codeintel / backend/app/pages/router.py:80-80

```
  "usage": usage,
        "repos": repos
    })


@router.post("/repos", response_class=HTMLResponse)
async def add
```

Estimated effort: 0.0h

low BLK-279 Missing API Versioning

codeintel / backend/app/pages/router.py:118-118

```
: repos,
            "error": str(e)
        })


@router.get("/repos/{repo_id}", response_class=HTMLResponse)
asy
```

Estimated effort: 0.0h

low BLK-280 Missing API Versioning

codeintel / backend/app/pages/router.py:163-163

```
odes,
        "graph_edges": graph_edges
    })


@router.get("/repos/{repo_id}/delete")
async def delete_reposito
```

Estimated effort: 0.0h

low BLK-281 Missing API Versioning

codeintel / backend/app/pages/router.py:177-177

```
rectResponse(url="/dashboard", status_code=302)


@router.get("/repos/{repo_id}/trace", response_class=HTMLRespons
```

Estimated effort: 0.0h

low BLK-282 Missing API Versioning

codeintel / backend/app/pages/router.py:227-227

```
nt,
        "trace_result": trace_result
    })


@router.get("/repos/{repo_id}/chat", response_class=HTMLResponse
```

Estimated effort: 0.0h

low BLK-283 Missing API Versioning

codeintel / backend/app/pages/router.py:267-267

```
ages,
        "suggestions": suggestions
    })


@router.post("/repos/{repo_id}/chat", response_class=HTMLResponse
```

Estimated effort: 0.0h

low BLK-284 Missing API Versioning

codeintel / backend/app/pages/router.py:327-327

```
ages,
        "suggestions": suggestions
    })


@router.get("/auth/logout")
async def logout():
    """Logout -
```

Estimated effort: 0.0h

low BLK-285 Missing API Versioning

codeintel / backend/app/pages/router.py:335-335

```
onse.delete_cookie("token")
    return response


@router.get("/billing/checkout")
async def billing_checkout(user
```

Estimated effort: 0.0h

low BLK-286 Missing API Versioning

codeintel / backend/app/pages/router.py:352-352

```
ctResponse(url=session["url"], status_code=302)


@router.get("/billing/success")
async def billing_success():
```

Estimated effort: 0.0h

low BLK-287 Missing API Versioning

codeintel / backend/app/query/router.py:85-85

```
(**result)
    finally:
        service.close()


@router.post("/stream")
async def stream_query(
    request: Quer
```

Estimated effort: 0.0h

low BLK-288 Missing API Versioning

codeintel / backend/app/query/router.py:119-119

```
),
        media_type="text/event-stream"
    )


@router.get("/suggestions")
async def get_suggested_queries(
```

Estimated effort: 0.0h

low BLK-289 Missing API Versioning

codeintel / backend/app/repositories/router.py:86-86

```
for r in repos],
        total=len(repos)
    )


@router.get("/{repo_id}", response_model=RepoResponse)
async def
```

Estimated effort: 0.0h

low BLK-290 Missing API Versioning

codeintel / backend/app/repositories/router.py:104-104

```
        )

    return RepoResponse(**repo)


@router.delete("/{repo_id}")
async def delete_repository(
    repo_
```

Estimated effort: 0.0h

low BLK-291 Missing API Versioning

codeintel / backend/app/repositories/router.py:139-139

```

    return {"message": "Repository deleted"}


@router.get("/{repo_id}/status")
async def get_indexing_status(
```

Estimated effort: 0.0h

low BLK-292 Missing API Versioning

codeintel / backend/app/repositories/router.py:162-162

```
    "last_synced": repo.get("last_synced")
     }


@router.post("/{repo_id}/resync")
async def resync_repository(
```

Estimated effort: 0.0h

low BLK-293 Missing API Versioning

codeintel / backend/app/tracing/router.py:68-68

```
(**result)
    finally:
        service.close()


@router.get("/endpoints")
async def list_traceable_endpoints(
```

Estimated effort: 0.0h

low BLK-948 Missing Docstrings on Public API

codeintel / backend/app/config.py:51-51

```
ing
    clone_base_path: str = "./repos"

    class Config:
        env_file = ".env"
        env_file_encoding = "utf
```

Estimated effort: 0.0h

▾ low BLK-949 **Missing Docstrings on Public API**

codeintel / backend/app/auth/middleware.py:15-15

```
security = HTTPBearer(auto_error=False)


async def get_current_user(
    credentials: Optional[HTTPAuthorizationCredentials
```

Estimated effort: 0.0h

▾ low BLK-950 **Missing Docstrings on Public API**

codeintel / backend/app/auth/middleware.py:38-38

```
er"}
        )

    return token_data


async def get_optional_user(
    credentials: Optional[HTTPAuthorizationCredentials
```

Estimated effort: 0.0h

▾ low BLK-951 **Missing Docstrings on Public API**

codeintel / backend/app/auth/middleware.py:48-48

```
rn decode_access_token(credentials.credentials)


class UserWithSubscription:
    """User data with subscription info."""
```

Estimated effort: 0.0h

low BLK-952 Missing Docstrings on Public API

codeintel / backend/app/auth/middleware.py:59-59

```
it
        self.query_limit = query_limit


async def get_user_with_subscription(
    user: TokenData = Depends(get_current_user)
) -> U
```

Estimated effort: 0.0h

low BLK-953 Missing Docstrings on Public API

codeintel / backend/app/auth/router.py:192-192

```
ter.get("/me", response_model=UserResponse)
async def get_current_user_info(
    user: "TokenData" = None  # Will be injected by de
```

Estimated effort: 0.0h

low BLK-954 Missing Docstrings on Public API

codeintel / backend/app/billing/router.py:34-34

```
checkout", response_model=CheckoutResponse)
async def create_checkout_session(
    request: CheckoutRequest,
    req: Request,
    us
```

Estimated effort: 0.0h

low BLK-955 Missing Docstrings on Public API

codeintel / backend/app/billing/router.py:52-52

```
sponse(**session)


@router.post("/portal")
async def create_portal_session(
    request: PortalRequest,
    user: TokenData = Depe
```

Estimated effort: 0.0h

low BLK-956 Missing Docstrings on Public API

codeintel / backend/app/billing/router.py:67-67

```
turn session


@router.get("/subscription")
async def get_subscription(
    user: TokenData = Depends(get_current_user)
):
```

Estimated effort: 0.0h

low BLK-957 Missing Docstrings on Public API

codeintel / backend/app/billing/router.py:76-76

```
status()


@router.post("/webhooks/stripe")
async def stripe_webhook(
    request: Request,
    stripe_signature: Optional[s
```

Estimated effort: 0.0h

low BLK-958 Missing Docstrings on Public API

codeintel / backend/app/billing/service.py:11-11

```
pp.database.supabase import get_supabase_client


class BillingService:
    """Service for Stripe payment handling."""
```

Estimated effort: 0.0h

low BLK-959 Missing Docstrings on Public API

codeintel / backend/app/database/neo4j.py:11-11

```
t logging

logger = logging.getLogger(__name__)


class Neo4jConnection:
    """Neo4j database connection manager."""
```

Estimated effort: 0.0h

low BLK-960 Missing Docstrings on Public API

codeintel / backend/app/database/neo4j.py:34-34

```
driver:
            self._driver.close()

    def execute_query(
        self,
        query: str,
        parameters: Opti
```

Estimated effort: 0.0h

▾ low BLK-961 **Missing Docstrings on Public API**

codeintel / backend/app/database/neo4j.py:44-44

```
urn [record.data() for record in result]

    def execute_write(
        self,
        query: str,
        parameters: Opti
```

Estimated effort: 0.0h

▾ low BLK-962 **Missing Docstrings on Public API**

codeintel / backend/app/database/neo4j.py:84-84

```
========================================

    def create_service(
        self,
        service_id: str,
        name: str,
```

Estimated effort: 0.0h

▾ low BLK-963 **Missing Docstrings on Public API**

codeintel / backend/app/database/neo4j.py:129-129

```
========================================

    def create_class(
        self,
        class_id: str,
        name: str,
```

Estimated effort: 0.0h

▾ low BLK-964 **Missing Docstrings on Public API**

codeintel / backend/app/database/neo4j.py:159-159

```
=======================================

    def create_method(
        self,
        method_id: str,
        name: str,
```

Estimated effort: 0.0h

▾ low BLK-965 **Missing Docstrings on Public API**

codeintel / backend/app/database/neo4j.py:207-207

```
=======================================

    def create_endpoint(
        self,
        endpoint_id: str,
        http_metho
```

Estimated effort: 0.0h

▾ low BLK-966 **Missing Docstrings on Public API**

codeintel / backend/app/database/neo4j.py:262-262

```
=======================================

    def create_service_dependency(
        self,
        source_service_id: str,
        targ
```

Estimated effort: 0.0h

low BLK-967 Missing Docstrings on Public API

codeintel / backend/app/database/neo4j.py:304-304

```
========================================

    def trace_endpoint_flow(
        self,
        user_id: str,
        http_method: s
```

Estimated effort: 0.0h

low BLK-968 Missing Docstrings on Public API

codeintel / backend/app/database/redis_client.py:12-12

```
t logging

logger = logging.getLogger(__name__)


class RedisClient:
    """Redis client wrapper for caching."""
```

Estimated effort: 0.0h

low BLK-969 Missing Docstrings on Public API

codeintel / backend/app/database/redis_client.py:48-48

```
led: {e}")
            return None

    async def set(
        self,
        key: str,
        value: Any,
```

Estimated effort: 0.0h

low BLK-970 Missing Docstrings on Public API

codeintel / backend/app/graph/router.py:46-46

```
ces", response_model=List[ServiceResponse])
async def list_services(
    repo_id: Optional[str] = Query(None),
    user: To
```

Estimated effort: 0.0h

low BLK-971 Missing Docstrings on Public API

codeintel / backend/app/graph/router.py:60-60

```
s", response_model=DependencyGraphResponse)
async def get_dependencies(
    repo_id: Optional[str] = Query(None),
    user: To
```

Estimated effort: 0.0h

low BLK-972 Missing Docstrings on Public API

codeintel / backend/app/graph/router.py:74-74

```
ts", response_model=List[EndpointResponse])
async def list_endpoints(
    service_name: Optional[str] = Query(None),
    use
```

Estimated effort: 0.0h

low BLK-973 Missing Docstrings on Public API

codeintel / backend/app/graph/router.py:88-88

```
e()


@router.get("/services/{service_id}")
async def get_service_details(
    service_id: str,
    user: TokenData = Depends(get
```

Estimated effort: 0.0h

low BLK-974 Missing Docstrings on Public API

codeintel / backend/app/graph/router.py:107-107

```
search", response_model=List[SearchResult])
async def search_graph(
    q: str = Query(..., min_length=1),
    user: Token
```

Estimated effort: 0.0h

low BLK-975 Missing Docstrings on Public API

codeintel / backend/app/graph/service.py:9-9

```
jConnection
from app.config import get_settings


class GraphService:
    """Service for graph-related queries."""
```

Estimated effort: 0.0h

low BLK-976 Missing Docstrings on Public API

codeintel / backend/app/indexing/call_graph.py:12-12

```
logger = logging.getLogger(__name__)


@dataclass
class CallGraphNode:
    """Node in the call graph."""
    id: str
    nam
```

Estimated effort: 0.0h

low BLK-977 Missing Docstrings on Public API

codeintel / backend/app/indexing/call_graph.py:25-25

```
signature: str
    code_snippet: str


@dataclass
class CallGraphEdge:
    """Edge in the call graph."""
    caller_id: str
```

Estimated effort: 0.0h

low BLK-978 Missing Docstrings on Public API

codeintel / backend/app/indexing/call_graph.py:32-32

```
all_type: str = "direct"  # direct, rest, feign


class CallGraphBuilder:
    """Build call graphs from parsed Java classes."""
```

Estimated effort: 0.0h

low BLK-979 Missing Docstrings on Public API

codeintel / backend/app/indexing/call_graph.py:98-98

```
all_type="direct"
                    ))

    def add_rest_call_edge(
        self,
        caller_id: str,
        target_servi
```

Estimated effort: 0.0h

low BLK-980 Missing Docstrings on Public API

codeintel / backend/app/indexing/java_parser.py:17-17

```
logger = logging.getLogger(__name__)


@dataclass
class JavaAnnotation:
    """Represents a Java annotation."""
    name: str
```

Estimated effort: 0.0h

low BLK-981 Missing Docstrings on Public API

codeintel / backend/app/indexing/java_parser.py:24-24

```
, str] = field(default_factory=dict)


@dataclass
class JavaMethod:
    """Represents a Java method."""
    name: str
```

Estimated effort: 0.0h

low BLK-982 Missing Docstrings on Public API

codeintel / backend/app/indexing/java_parser.py:37-37

```
t[str] = field(default_factory=list)


@dataclass
class JavaClass:
    """Represents a Java class."""
    name: str
```

Estimated effort: 0.0h

low BLK-983 Missing Docstrings on Public API

codeintel / backend/app/indexing/java_parser.py:49-49

```
factory=list)
    extends: Optional[str] = None


class JavaParser:
    """Parse Java source files to extract structural
```

Estimated effort: 0.0h

low BLK-984 Missing Docstrings on Public API

codeintel / backend/app/indexing/router.py:13-13

```
r = APIRouter()


@router.get("/{repo_id}")
async def get_indexing_status(
    repo_id: str,
    user: TokenData = Depends(get_cu
```

Estimated effort: 0.0h

low BLK-985 Missing Docstrings on Public API

codeintel / backend/app/indexing/service.py:21-21

```
phBuilder

logger = logging.getLogger(__name__)


class IndexingService:
    """Service for indexing Java repositories."""
```

Estimated effort: 0.0h

low BLK-986 Missing Docstrings on Public API

codeintel / backend/app/indexing/spring_detector.py:12-12

```
t logging

logger = logging.getLogger(__name__)


class SpringDetector:
    """Detect Spring-specific patterns and configurat
```

Estimated effort: 0.0h

low BLK-987 Missing Docstrings on Public API

codeintel / backend/app/pages/router.py:81-81

```
post("/repos", response_class=HTMLResponse)
async def add_repository(
    request: Request,
    repo_url: str = Form(...),
```

Estimated effort: 0.0h

low BLK-988 Missing Docstrings on Public API

codeintel / backend/app/pages/router.py:119-119

```
os/{repo_id}", response_class=HTMLResponse)
async def repository_page(
    request: Request,
    repo_id: str,
    user: Toke
```

Estimated effort: 0.0h

low BLK-989 Missing Docstrings on Public API

codeintel / backend/app/pages/router.py:164-164

```
})


@router.get("/repos/{repo_id}/delete")
async def delete_repository(
    repo_id: str,
    user: TokenData = Depends(get_cu
```

Estimated effort: 0.0h

low BLK-990 Missing Docstrings on Public API

codeintel / backend/app/pages/router.py:178-178

```
po_id}/trace", response_class=HTMLResponse)
async def flow_tracer_page(
    request: Request,
    repo_id: str,
    endpoint:
```

Estimated effort: 0.0h

low BLK-991 Missing Docstrings on Public API

codeintel / backend/app/pages/router.py:228-228

```
epo_id}/chat", response_class=HTMLResponse)
async def chat_page_get(
    request: Request,
    repo_id: str,
    user: Toke
```

Estimated effort: 0.0h

low BLK-992 Missing Docstrings on Public API

codeintel / backend/app/pages/router.py:268-268

```
epo_id}/chat", response_class=HTMLResponse)
async def chat_page_post(
    request: Request,
    repo_id: str,
    question:
```

Estimated effort: 0.0h

low BLK-993 Missing Docstrings on Public API

codeintel / backend/app/query/router.py:40-40

```
uter.post("", response_model=QueryResponse)
async def query_codebase(
    request: QueryRequest,
    req: Request,
    user:
```

Estimated effort: 0.0h

low BLK-994 Missing Docstrings on Public API

codeintel / backend/app/query/router.py:86-86

```
  service.close()


@router.post("/stream")
async def stream_query(
    request: QueryRequest,
    req: Request,
    user:
```

Estimated effort: 0.0h

low BLK-995 Missing Docstrings on Public API

codeintel / backend/app/query/router.py:120-120

```
stream"
    )


@router.get("/suggestions")
async def get_suggested_queries(
    repo_id: Optional[str] = None,
    user: TokenData
```

Estimated effort: 0.0h

low BLK-996 Missing Docstrings on Public API

codeintel / backend/app/query/service.py:18-18

```
NERATION_PROMPT,
    ANSWER_GENERATION_PROMPT
)


class QueryService:
    """Service for GraphRAG queries."""

    def
```

Estimated effort: 0.0h

low BLK-997 Missing Docstrings on Public API

codeintel / backend/app/query/service.py:59-59

```
get("intent", "unknown")
        }

    async def stream_query(
        self,
        question: str,
        repo_id: Opti
```

Estimated effort: 0.0h

low BLK-998 Missing Docstrings on Public API

codeintel / backend/app/repositories/cloner.py:18-18

```
_settings

logger = logging.getLogger(__name__)


class RepoCloner:
    """Handle repository cloning and Spring Boot dete
```

Estimated effort: 0.0h

low BLK-999 Missing Docstrings on Public API

codeintel / backend/app/repositories/router.py:38-38

```
outer.post("", response_model=RepoResponse)
async def add_repository(
    request: RepoCreate,
    background_tasks: Backgro
```

Estimated effort: 0.0h

low BLK-1000 Missing Docstrings on Public API

codeintel / backend/app/repositories/router.py:73-73

```
er.get("", response_model=RepoListResponse)
async def list_repositories(
    user: TokenData = Depends(get_current_user)
):
```

Estimated effort: 0.0h

low BLK-1001 Missing Docstrings on Public API

codeintel / backend/app/repositories/router.py:87-87

```
("/{repo_id}", response_model=RepoResponse)
async def get_repository(
    repo_id: str,
    user: TokenData = Depends(get_cu
```

Estimated effort: 0.0h

▾ low BLK-1002 **Missing Docstrings on Public API**

codeintel / backend/app/repositories/router.py:105-105

```
onse(**repo)


@router.delete("/{repo_id}")
async def delete_repository(
    repo_id: str,
    user: TokenData = Depends(get_cu
```

Estimated effort: 0.0h

▾ low BLK-1003 **Missing Docstrings on Public API**

codeintel / backend/app/repositories/router.py:140-140

```
eleted"}


@router.get("/{repo_id}/status")
async def get_indexing_status(
    repo_id: str,
    user: TokenData = Depends(get_cu
```

Estimated effort: 0.0h

▾ low BLK-1004 **Missing Docstrings on Public API**

codeintel / backend/app/repositories/router.py:163-163

```
)
    }


@router.post("/{repo_id}/resync")
async def resync_repository(
    repo_id: str,
    background_tasks: BackgroundTask
```

Estimated effort: 0.0h

low BLK-1005 Missing Docstrings on Public API

codeintel / backend/app/repositories/service.py:12-12

```
from app.repositories.cloner import RepoCloner


class RepositoryService:
    """Handle repository CRUD operations."""
```

Estimated effort: 0.0h

low BLK-1006 Missing Docstrings on Public API

codeintel / backend/app/tracing/router.py:41-41

```
uter.post("", response_model=TraceResponse)
async def trace_endpoint_flow(
    request: TraceRequest,
    req: Request,
    user:
```

Estimated effort: 0.0h

low BLK-1007 Missing Docstrings on Public API

codeintel / backend/app/tracing/router.py:69-69

```
service.close()


@router.get("/endpoints")
async def list_traceable_endpoints(
    repo_id: Optional[str] = None,
    user: TokenData
```

Estimated effort: 0.0h

low BLK-1008 Missing Docstrings on Public API

codeintel / backend/app/tracing/service.py:14-14

```
from app.config import get_settings


@dataclass
class FlowStep:
    """Single step in a flow trace."""
    order: int
```

Estimated effort: 0.0h

low BLK-1009 Missing Docstrings on Public API

codeintel / backend/app/tracing/service.py:26-26

```
et: str
    file_path: str
    line_number: int


class TracingService:
    """Service for tracing endpoint flows."""
```

Estimated effort: 0.0h

low BLK-1010 Missing Docstrings on Public API

codeintel / backend/app/tracing/service.py:44-44

```
ons."""
        self.neo4j.close()

    async def trace_endpoint(
        self,
        http_method: str,
        path: str,
```

Estimated effort: 0.0h

low BLK-1011 Missing Docstrings on Public API

codeintel / backend/app/usage/service.py:10-10

```
pp.database.supabase import get_supabase_client


class UsageService:
    """Service for tracking and enforcing usage limit
```

Estimated effort: 0.0h

low BLK-078 Monolith Anti-Pattern

codeintel / backend/app/config.py:6-6

```
port BaseSettings
from functools import lru_cache


class Settings(BaseSettings):
    """Application settings loaded
```

Estimated effort: 0.0h

low BLK-079 Monolith Anti-Pattern

codeintel / backend/app/config.py:50-50

```
    # Cloning
    clone_base_path: str = "./repos"

    class Config:
        env_file = ".env"
        env_file_encod
```

Estimated effort: 0.0h

low BLK-080 Monolith Anti-Pattern

codeintel / backend/app/auth/github.py:9-9

```
rt BaseModel

from app.config import get_settings


class GitHubUser(BaseModel):
    """GitHub user information."""
```

Estimated effort: 0.0h

low BLK-081 Monolith Anti-Pattern

codeintel / backend/app/auth/jwt.py:10-10

```
rt BaseModel

from app.config import get_settings


class TokenData(BaseModel):
    """Token payload data."""
    use
```

Estimated effort: 0.0h

low BLK-082 Monolith Anti-Pattern

codeintel / backend/app/auth/jwt.py:17-17

```
    email: Optional[str] = None
    exp: datetime


class TokenResponse(BaseModel):
    """Token response model."""
    a
```

Estimated effort: 0.0h

▾ low BLK-083 **Monolith Anti-Pattern**

codeintel / backend/app/auth/middleware.py:46-46

```
turn decode_access_token(credentials.credentials)


class UserWithSubscription:
    """User data with subscription info."""
```

Estimated effort: 0.0h

▾ low BLK-084 **Monolith Anti-Pattern**

codeintel / backend/app/auth/router.py:15-15

```
t get_supabase_admin_client

router = APIRouter()


class AuthResponse(BaseModel):
    """Authentication response."""
```

Estimated effort: 0.0h

▾ low BLK-085 **Monolith Anti-Pattern**

codeintel / backend/app/auth/router.py:23-23

```
str = "bearer"
    expires_in: int
    user: dict


class UserResponse(BaseModel):
    """User info response."""
    id:
```

Estimated effort: 0.0h

low BLK-086 Monolith Anti-Pattern

codeintel / backend/app/billing/router.py:14-14

```
.config import get_settings

router = APIRouter()


class CheckoutRequest(BaseModel):
    """Checkout session request."""
```

Estimated effort: 0.0h

low BLK-087 Monolith Anti-Pattern

codeintel / backend/app/billing/router.py:20-20

```
[str] = None
    cancel_url: Optional[str] = None


class CheckoutResponse(BaseModel):
    """Checkout session response."""
```

Estimated effort: 0.0h

low BLK-088 Monolith Anti-Pattern

codeintel / backend/app/billing/router.py:26-26

```
ion response."""
    session_id: str
    url: str


class PortalRequest(BaseModel):
    """Billing portal request."""
```

Estimated effort: 0.0h

▾ low BLK-089 **Monolith Anti-Pattern**

codeintel / backend/app/billing/service.py:9-9

```
 app.database.supabase import get_supabase_client


class BillingService:
    """Service for Stripe payment handling."""
```

Estimated effort: 0.0h

▾ low BLK-090 **Monolith Anti-Pattern**

codeintel / backend/app/database/neo4j.py:9-9

```
ort logging

logger = logging.getLogger(__name__)


class Neo4jConnection:
    """Neo4j database connection manager."""
```

Estimated effort: 0.0h

▾ low BLK-091 **Monolith Anti-Pattern**

codeintel / backend/app/database/redis_client.py:10-10

```
ort logging

logger = logging.getLogger(__name__)


class RedisClient:
    """Redis client wrapper for caching."""
```

Estimated effort: 0.0h

low BLK-092 Monolith Anti-Pattern

codeintel / backend/app/graph/router.py:12-12

```
service import GraphService

router = APIRouter()


class ServiceResponse(BaseModel):
    """Service response model."""
```

Estimated effort: 0.0h

low BLK-093 Monolith Anti-Pattern

codeintel / backend/app/graph/router.py:19-19

```
    name: str
    repo_url: Optional[str] = None


class EndpointResponse(BaseModel):
    """Endpoint response model."""
```

Estimated effort: 0.0h

low BLK-094 Monolith Anti-Pattern

codeintel / backend/app/graph/router.py:29-29

```
me: str
    class_name: str
    service_name: str


class DependencyGraphResponse(BaseModel):
    """Dependency graph response for
```

Estimated effort: 0.0h

low BLK-095 Monolith Anti-Pattern

codeintel / backend/app/graph/router.py:35-35

```
t[Dict[str, Any]]
    edges: List[Dict[str, Any]]


class SearchResult(BaseModel):
    """Search result model."""
    ty
```

Estimated effort: 0.0h

low BLK-096 Monolith Anti-Pattern

codeintel / backend/app/graph/service.py:7-7

```
o4jConnection
from app.config import get_settings


class GraphService:
    """Service for graph-related queries."""
```

Estimated effort: 0.0h

low BLK-097 Monolith Anti-Pattern

codeintel / backend/app/indexing/call_graph.py:12-12

```
logger = logging.getLogger(__name__)


@dataclass
class CallGraphNode:
    """Node in the call graph."""
    id: str
```

Estimated effort: 0.0h

low BLK-098 Monolith Anti-Pattern

codeintel / backend/app/indexing/call_graph.py:25-25

```
signature: str
    code_snippet: str


@dataclass
class CallGraphEdge:
    """Edge in the call graph."""
    caller_id:
```

Estimated effort: 0.0h

low BLK-099 Monolith Anti-Pattern

codeintel / backend/app/indexing/call_graph.py:30-30

```
 call_type: str = "direct"  # direct, rest, feign


class CallGraphBuilder:
    """Build call graphs from parsed Java classe
```

Estimated effort: 0.0h

low BLK-100 Monolith Anti-Pattern

codeintel / backend/app/indexing/java_parser.py:17-17

```
logger = logging.getLogger(__name__)


@dataclass
class JavaAnnotation:
    """Represents a Java annotation."""
    name
```

Estimated effort: 0.0h

▾ low BLK-101 **Monolith Anti-Pattern**

codeintel / backend/app/indexing/java_parser.py:24-24

```
, str] = field(default_factory=dict)


@dataclass
class JavaMethod:
    """Represents a Java method."""
    name: st
```

Estimated effort: 0.0h

▾ low BLK-102 **Monolith Anti-Pattern**

codeintel / backend/app/indexing/java_parser.py:37-37

```
t[str] = field(default_factory=list)


@dataclass
class JavaClass:
    """Represents a Java class."""
    name: str
```

Estimated effort: 0.0h

▾ low BLK-103 **Monolith Anti-Pattern**

codeintel / backend/app/indexing/java_parser.py:47-47

```
t_factory=list)
    extends: Optional[str] = None


class JavaParser:
    """Parse Java source files to extract struct
```

Estimated effort: 0.0h

▾ low BLK-104 **Monolith Anti-Pattern**

codeintel / backend/app/indexing/service.py:19-19

```
raphBuilder

logger = logging.getLogger(__name__)


class IndexingService:
    """Service for indexing Java repositories."""
```

Estimated effort: 0.0h

▾ low BLK-105 **Monolith Anti-Pattern**

codeintel / backend/app/indexing/spring_detector.py:10-10

```
ort logging

logger = logging.getLogger(__name__)


class SpringDetector:
    """Detect Spring-specific patterns and confi
```

Estimated effort: 0.0h

▾ low BLK-106 **Monolith Anti-Pattern**

codeintel / backend/app/models/__init__.py:7-7

```
port Optional, List
from datetime import datetime


class User(BaseModel):
    """User model."""
    id: str
```

Estimated effort: 0.0h

low BLK-107 Monolith Anti-Pattern

codeintel / backend/app/models/__init__.py:16-16

```
tional[str] = None
    name: Optional[str] = None


class Repository(BaseModel):
    """Repository model."""
    id: s
```

Estimated effort: 0.0h

low BLK-108 Monolith Anti-Pattern

codeintel / backend/app/models/__init__.py:28-28

```
tetime
    last_synced: Optional[datetime] = None


class Subscription(BaseModel):
    """Subscription model."""
    use
```

Estimated effort: 0.0h

low BLK-109 Monolith Anti-Pattern

codeintel / backend/app/query/router.py:14-14

```
service import UsageService

router = APIRouter()


class QueryRequest(BaseModel):
    """Query request model."""
    qu
```

Estimated effort: 0.0h

low BLK-110 Monolith Anti-Pattern

codeintel / backend/app/query/router.py:21-21

```
id: Optional[str] = None
    stream: bool = False


class SourceReference(BaseModel):
    """Source reference model."""
```

Estimated effort: 0.0h

low BLK-111 Monolith Anti-Pattern

codeintel / backend/app/query/router.py:30-30

```
str] = None
    line_number: Optional[int] = None


class QueryResponse(BaseModel):
    """Query response model."""
    a
```

Estimated effort: 0.0h

low BLK-112 Monolith Anti-Pattern

codeintel / backend/app/query/service.py:16-16

```
GENERATION_PROMPT,
    ANSWER_GENERATION_PROMPT
)


class QueryService:
    """Service for GraphRAG queries."""
```

Estimated effort: 0.0h

▾ low BLK-113 **Monolith Anti-Pattern**

codeintel / backend/app/repositories/cloner.py:16-16

```
et_settings

logger = logging.getLogger(__name__)


class RepoCloner:
    """Handle repository cloning and Spring Boot
```

Estimated effort: 0.0h

▾ low BLK-114 **Monolith Anti-Pattern**

codeintel / backend/app/repositories/router.py:13-13

```
vice import IndexingService

router = APIRouter()


class RepoCreate(BaseModel):
    """Request to add a repository.""
```

Estimated effort: 0.0h

▾ low BLK-115 **Monolith Anti-Pattern**

codeintel / backend/app/repositories/router.py:18-18

```
Request to add a repository."""
    repo_url: str


class RepoResponse(BaseModel):
    """Repository response model."""
```

Estimated effort: 0.0h

low BLK-116 Monolith Anti-Pattern

codeintel / backend/app/repositories/router.py:29-29

```
ted_at: str
    last_synced: Optional[str] = None


class RepoListResponse(BaseModel):
    """Repository list response."""
```

Estimated effort: 0.0h

low BLK-117 Monolith Anti-Pattern

codeintel / backend/app/repositories/service.py:10-10

```
nt
from app.repositories.cloner import RepoCloner


class RepositoryService:
    """Handle repository CRUD operations."""
```

Estimated effort: 0.0h

low BLK-118 Monolith Anti-Pattern

codeintel / backend/app/tracing/router.py:12-12

```
rvice import TracingService

router = APIRouter()


class TraceRequest(BaseModel):
    """Request to trace an endpoint f
```

Estimated effort: 0.0h

low BLK-119 Monolith Anti-Pattern

codeintel / backend/app/tracing/router.py:18-18

```
or "POST /path"
    repo_id: Optional[str] = None


class FlowStepResponse(BaseModel):
    """Single step in the flow."""
```

Estimated effort: 0.0h

low BLK-120 Monolith Anti-Pattern

codeintel / backend/app/tracing/router.py:30-30

```
ppet: str
    file_path: str
    line_number: int


class TraceResponse(BaseModel):
    """Flow trace response."""
    en
```

Estimated effort: 0.0h

low BLK-121 Monolith Anti-Pattern

codeintel / backend/app/tracing/service.py:14-14

```
from app.config import get_settings


@dataclass
class FlowStep:
    """Single step in a flow trace."""
    order
```

Estimated effort: 0.0h

low BLK-122 **Monolith Anti-Pattern**

codeintel / backend/app/tracing/service.py:24-24

```
ppet: str
    file_path: str
    line_number: int


class TracingService:
    """Service for tracing endpoint flows."""
```

Estimated effort: 0.0h

low BLK-123 **Monolith Anti-Pattern**

codeintel / backend/app/usage/service.py:8-8

```
 app.database.supabase import get_supabase_client


class UsageService:
    """Service for tracking and enforcing usage
```

Estimated effort: 0.0h

low BLK-255 **Third-Party Dependencies Without Security Review**

codeintel / README.md:56-56

```
nv/bin/activate  # Windows: venv\Scripts\activate
pip install -r requirements.txt
uvicorn app.main:app --reload
```

SOC2 CC9.2 SOC2 CC3.2

Estimated effort: 0.0h

low BLK-256 Third-Party Dependencies Without Security Review

codeintel / backend/Dockerfile:12-12

```
l Python dependencies
COPY requirements.txt .
RUN pip install --no-cache-dir -r requirements.txt

# Copy applica
```

SOC2 CC9.2 SOC2 CC3.2

Estimated effort: 0.0h

low BLK-257 Third-Party Dependencies Without Security Review

codeintel / frontend/Dockerfile:7-7

```
# Install dependencies
COPY package*.json ./
RUN npm install

# Copy source
COPY . .

# Expose port
EXPOSE 5173
```

SOC2 CC9.2 SOC2 CC3.2

Estimated effort: 0.0h

low BLK-258 Third-Party Dependencies Without Security Review

codeintel / README.md:56-56

```
  # Windows: venv\Scripts\activate
pip install -r requirements.txt
uvicorn app.main:app --reload
```

Then visit htt

SOC2 CC9.2 SOC2 CC3.2

Estimated effort: 0.0h

low BLK-259 Third-Party Dependencies Without Security Review

codeintel / README.md:101-101

```
── flow_tracer.html
│   │   └── chat.html
│   ├── requirements.txt
│   └── Dockerfile
├── docker-compose.yml
└── .en
```

SOC2 CC9.2 SOC2 CC3.2

Estimated effort: 0.0h

low BLK-260 Third-Party Dependencies Without Security Review

codeintel / backend/Dockerfile:11-11

```
b/apt/lists/*

# Install Python dependencies
COPY requirements.txt .
RUN pip install --no-cache-dir -r requirements.
```

SOC2 CC9.2 SOC2 CC3.2

Estimated effort: 0.0h

low BLK-261 Third-Party Dependencies Without Security Review

codeintel / backend/Dockerfile:12-12

```
uirements.txt .
RUN pip install --no-cache-dir -r requirements.txt

# Copy application code
COPY . .

# Copy templat
```

SOC2 CC9.2 SOC2 CC3.2

Estimated effort: 0.0h

05 Compliance Matrix

SOC2

STATUS	CLAUSE	TITLE	DETAIL	FINDINGS
pass	CC3.2	SOC2-CC3.2	7 finding(s): 7 low. Status: pass.	7
fail	CC7.2	SOC2-CC7.2	3 finding(s): 1 high, 2 medium. Status: fail.	3
fail	CC7.3	SOC2-CC7.3	152 finding(s): 1 high, 151 medium. Status: fail.	152
partial	CC7.4	SOC2-CC7.4	149 finding(s): 149 medium. Status: partial.	149
pass	CC9.2	SOC2-CC9.2	7 finding(s): 7 low. Status: pass.	7

06 Call Graph Analysis

0	0
ENTRY POINTS	CROSS-REPO EDGES

0
MAX CALL DEPTH

Dead Code

0 unreachable methods (0 lines)

07 Infrastructure Audit

high Docker Container Running as Root

backend/Dockerfile

Detects Dockerfiles that run containers as root user without dropping privileges

> Fix: See QUAL-010 remediation guide.

high Docker Container Running as Root

frontend/Dockerfile

Detects Dockerfiles that run containers as root user without dropping privileges

> Fix: See QUAL-010 remediation guide.

medium Unpinned Docker Base Image

backend/Dockerfile

Detects Dockerfiles using :latest or untagged base images causing non-reproducible builds

> Fix: See QUAL-011 remediation guide.

medium Unpinned Docker Base Image

frontend/Dockerfile

Detects Dockerfiles using :latest or untagged base images causing non-reproducible builds

> Fix: See QUAL-011 remediation guide.

08 Remediation Roadmap

URGENT — Days 1-14

Days 1-14

TASK	EFFORT	FINDING	IMPACT
Implement audit logging for all database operations, including updates, to track changes and maintain data integrity. This could involve using a logging framework to record database transactions, incl	2h	BLK-055	+0
Fix: Docker Container Running as Root	2h	BLK-1012	+0
Fix: Docker Container Running as Root	2h	BLK-1013	+0
Fix: Missing Error Handling on External Calls	2h	BLK-247	+0
Fix: Missing Error Handling on External Calls	2h	BLK-248	+0

Total effort: 10 hours Score: 40 -> 42 (+2 points)

SHORT-TERM — Days 15-45

Days 15-45

TASK	EFFORT	FINDING	IMPACT
Fix: Missing Input Validation at System Boundary	2h	BLK-778	+0
Fix: Silent Exception Swallowing	2h	BLK-777	+0
Fix: Log Entries Missing Required Fields	2h	BLK-262	+0
Fix: Log Entries Missing Required Fields	2h	BLK-263	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-106	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-107	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-108	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-109	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-110	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-111	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-112	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-113	+0

Total effort: 24 hours Score: 42 -> 42 (+0 points)

MEDIUM-TERM — Days 46-90

Days 46-90

TASK	EFFORT	FINDING	IMPACT
Fix: No Alerting or Incident Response Setup	2h	BLK-114	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-115	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-116	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-117	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-118	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-119	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-120	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-121	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-122	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-123	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-124	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-125	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-126	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-127	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-128	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-129	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-130	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-131	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-132	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-133	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-134	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-135	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-136	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-137	+0

Fix: No Alerting or Incident Response Setup	2h	BLK-138	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-139	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-140	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-141	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-142	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-143	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-144	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-145	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-146	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-147	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-148	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-149	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-150	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-151	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-152	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-153	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-154	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-155	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-156	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-157	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-158	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-159	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-160	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-161	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-162	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-163	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-164	+0

Fix: No Alerting or Incident Response Setup	2h	BLK-165	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-166	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-167	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-168	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-169	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-170	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-171	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-172	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-173	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-174	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-175	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-176	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-177	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-178	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-179	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-180	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-181	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-182	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-183	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-184	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-185	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-186	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-187	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-188	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-189	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-190	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-191	+0

Fix: No Alerting or Incident Response Setup	2h	BLK-192	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-193	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-194	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-195	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-196	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-197	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-198	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-199	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-200	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-201	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-202	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-203	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-204	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-205	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-206	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-207	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-208	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-209	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-210	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-211	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-212	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-213	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-214	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-215	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-216	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-217	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-218	+0

Fix: No Alerting or Incident Response Setup	2h	BLK-219	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-220	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-221	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-222	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-223	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-224	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-225	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-226	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-227	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-228	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-229	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-230	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-231	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-232	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-233	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-234	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-235	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-236	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-237	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-238	+1
Fix: No Alerting or Incident Response Setup	2h	BLK-239	+2
Fix: No Alerting or Incident Response Setup	2h	BLK-240	+1
Fix: No Alerting or Incident Response Setup	2h	BLK-241	+2
Fix: No Alerting or Incident Response Setup	2h	BLK-242	+2
Fix: No Alerting or Incident Response Setup	2h	BLK-243	+1
Fix: No Alerting or Incident Response Setup	2h	BLK-244	+2
Fix: No Alerting or Incident Response Setup	2h	BLK-245	+1

Fix: No Alerting or Incident Response Setup	2h	BLK-246	+2
Fix: No Alerting or Incident Response Setup	2h	BLK-247	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-248	+0
Fix: No Alerting or Incident Response Setup	2h	BLK-249	+2
Fix: No Alerting or Incident Response Setup	2h	BLK-250	+1
Fix: No Alerting or Incident Response Setup	2h	BLK-251	+2
Fix: No Alerting or Incident Response Setup	2h	BLK-252	+2
Fix: No Alerting or Incident Response Setup	2h	BLK-253	+1
Fix: No Alerting or Incident Response Setup	2h	BLK-254	+2
Fix: Copy-Paste Code Duplication	2h	BLK-779	+0
Fix: Copy-Paste Code Duplication	2h	BLK-780	+0
Fix: Copy-Paste Code Duplication	2h	BLK-781	+0
Fix: Copy-Paste Code Duplication	2h	BLK-782	+0
Fix: Copy-Paste Code Duplication	2h	BLK-783	+0
Fix: Copy-Paste Code Duplication	2h	BLK-784	+0
Fix: Copy-Paste Code Duplication	2h	BLK-785	+0
Fix: Copy-Paste Code Duplication	2h	BLK-786	+0
Fix: Copy-Paste Code Duplication	2h	BLK-787	+0
Fix: Copy-Paste Code Duplication	2h	BLK-788	+0
Fix: Copy-Paste Code Duplication	2h	BLK-789	+0
Fix: Copy-Paste Code Duplication	2h	BLK-790	+0
Fix: Copy-Paste Code Duplication	2h	BLK-791	+0
Fix: Copy-Paste Code Duplication	2h	BLK-792	+0
Fix: Copy-Paste Code Duplication	2h	BLK-793	+0
Fix: Copy-Paste Code Duplication	2h	BLK-794	+0
Fix: Copy-Paste Code Duplication	2h	BLK-795	+0
Fix: Global Mutable State in Web Server	2h	BLK-253	+0

Fix: Global Mutable State in Web Server	2h	BLK-254	+0
Fix: Global Mutable State in Web Server	2h	BLK-255	+1
Fix: Global Mutable State in Web Server	2h	BLK-256	+0
Fix: Global Mutable State in Web Server	2h	BLK-257	+1
Fix: Global Mutable State in Web Server	2h	BLK-258	+0
Fix: Global Mutable State in Web Server	2h	BLK-259	+1
Fix: God Class Anti-Pattern	2h	BLK-001	+1
Fix: God Class Anti-Pattern	2h	BLK-002	+1
Fix: God Class Anti-Pattern	2h	BLK-003	+1
Fix: God Class Anti-Pattern	2h	BLK-004	+1
Fix: God Class Anti-Pattern	2h	BLK-005	+1
Fix: God Class Anti-Pattern	2h	BLK-006	+0
Fix: God Class Anti-Pattern	2h	BLK-007	+1
Fix: God Class Anti-Pattern	2h	BLK-008	+1
Fix: God Class Anti-Pattern	2h	BLK-009	+1
Fix: God Class Anti-Pattern	2h	BLK-010	+1
Fix: God Class Anti-Pattern	2h	BLK-011	+1
Fix: God Class Anti-Pattern	2h	BLK-012	+1
Fix: God Class Anti-Pattern	2h	BLK-013	+1
Fix: God Class Anti-Pattern	2h	BLK-014	+1
Fix: God Class Anti-Pattern	2h	BLK-015	+1
Fix: God Class Anti-Pattern	2h	BLK-016	+1
Fix: God Class Anti-Pattern	2h	BLK-017	+1
Fix: God Class Anti-Pattern	2h	BLK-018	+1
Fix: God Class Anti-Pattern	2h	BLK-019	+0
Fix: God Class Anti-Pattern	2h	BLK-020	+0
Fix: God Class Anti-Pattern	2h	BLK-021	+0

Fix: God Class Anti-Pattern	2h	BLK-022	+0
Fix: God Class Anti-Pattern	2h	BLK-023	+0
Fix: God Class Anti-Pattern	2h	BLK-024	+0
Fix: God Class Anti-Pattern	2h	BLK-025	+0
Fix: God Class Anti-Pattern	2h	BLK-026	+0
Fix: God Class Anti-Pattern	2h	BLK-027	+0
Fix: God Class Anti-Pattern	2h	BLK-028	+0
Fix: God Class Anti-Pattern	2h	BLK-029	+0
Fix: God Class Anti-Pattern	2h	BLK-030	+0
Fix: God Class Anti-Pattern	2h	BLK-031	+0
Fix: God Class Anti-Pattern	2h	BLK-032	+0
Fix: God Class Anti-Pattern	2h	BLK-033	+0
Fix: God Class Anti-Pattern	2h	BLK-034	+0
Fix: God Class Anti-Pattern	2h	BLK-035	+0
Fix: God Class Anti-Pattern	2h	BLK-036	+0
Fix: God Class Anti-Pattern	2h	BLK-037	+0
Fix: God Class Anti-Pattern	2h	BLK-038	+0
Fix: God Class Anti-Pattern	2h	BLK-039	+0
Fix: God Class Anti-Pattern	2h	BLK-040	+0
Fix: God Class Anti-Pattern	2h	BLK-041	+0
Fix: God Class Anti-Pattern	2h	BLK-042	+0
Fix: God Class Anti-Pattern	2h	BLK-043	+0
Fix: God Class Anti-Pattern	2h	BLK-044	+0
Fix: God Class Anti-Pattern	2h	BLK-045	+0
Fix: God Class Anti-Pattern	2h	BLK-046	+0
Fix: God Class Anti-Pattern	2h	BLK-047	+0
Fix: God Class Anti-Pattern	2h	BLK-048	+0

Fix: God Class Anti-Pattern	2h	BLK-049	+0
Fix: God Class Anti-Pattern	2h	BLK-050	+0
Fix: God Class Anti-Pattern	2h	BLK-051	+0
Fix: God Class Anti-Pattern	2h	BLK-052	+0
Fix: God Class Anti-Pattern	2h	BLK-053	+0
Fix: God Class Anti-Pattern	2h	BLK-054	+0
Fix: God Class Anti-Pattern	2h	BLK-055	+0
Fix: God Class Anti-Pattern	2h	BLK-056	+0
Fix: God Class Anti-Pattern	2h	BLK-057	+0
Fix: God Class Anti-Pattern	2h	BLK-058	+0
Fix: God Class Anti-Pattern	2h	BLK-059	+0
Fix: God Class Anti-Pattern	2h	BLK-060	+0
Fix: God Class Anti-Pattern	2h	BLK-061	+0
Fix: God Class Anti-Pattern	2h	BLK-062	+0
Fix: God Class Anti-Pattern	2h	BLK-063	+0
Fix: God Class Anti-Pattern	2h	BLK-064	+0
Fix: God Class Anti-Pattern	2h	BLK-065	+0
Fix: God Class Anti-Pattern	2h	BLK-066	+0
Fix: God Class Anti-Pattern	2h	BLK-067	+0
Fix: God Class Anti-Pattern	2h	BLK-068	+0
Fix: God Class Anti-Pattern	2h	BLK-069	+0
Fix: God Class Anti-Pattern	2h	BLK-070	+0
Fix: God Class Anti-Pattern	2h	BLK-071	+0
Fix: God Class Anti-Pattern	2h	BLK-072	+0
Fix: God Class Anti-Pattern	2h	BLK-073	+0
Fix: God Class Anti-Pattern	2h	BLK-074	+0
Fix: God Class Anti-Pattern	2h	BLK-075	+0

Fix: God Class Anti-Pattern	2h	BLK-076	+0
Fix: God Class Anti-Pattern	2h	BLK-077	+0
Fix: High Cyclomatic Complexity	2h	BLK-001	+0
Fix: High Cyclomatic Complexity	2h	BLK-002	+0
Fix: High Cyclomatic Complexity	2h	BLK-003	+0
Fix: High Cyclomatic Complexity	2h	BLK-004	+0
Fix: High Cyclomatic Complexity	2h	BLK-005	+0
Fix: High Cyclomatic Complexity	2h	BLK-006	+0
Fix: High Cyclomatic Complexity	2h	BLK-007	+0
Fix: High Cyclomatic Complexity	2h	BLK-008	+0
Fix: High Cyclomatic Complexity	2h	BLK-009	+0
Fix: High Cyclomatic Complexity	2h	BLK-010	+0
Fix: High Cyclomatic Complexity	2h	BLK-011	+0
Fix: High Cyclomatic Complexity	2h	BLK-012	+0
Fix: High Cyclomatic Complexity	2h	BLK-013	+0
Fix: High Cyclomatic Complexity	2h	BLK-014	+0
Fix: High Cyclomatic Complexity	2h	BLK-015	+0
Fix: High Cyclomatic Complexity	2h	BLK-016	+0
Fix: High Cyclomatic Complexity	2h	BLK-017	+0
Fix: High Cyclomatic Complexity	2h	BLK-018	+0
Fix: High Cyclomatic Complexity	2h	BLK-019	+0
Fix: High Cyclomatic Complexity	2h	BLK-020	+0
Fix: High Cyclomatic Complexity	2h	BLK-021	+0
Fix: High Cyclomatic Complexity	2h	BLK-022	+0
Fix: High Cyclomatic Complexity	2h	BLK-023	+0
Fix: High Cyclomatic Complexity	2h	BLK-024	+0
Fix: High Cyclomatic Complexity	2h	BLK-025	+0

Fix: High Cyclomatic Complexity	2h	BLK-026	+0
Fix: High Cyclomatic Complexity	2h	BLK-027	+0
Fix: High Cyclomatic Complexity	2h	BLK-028	+0
Fix: High Cyclomatic Complexity	2h	BLK-029	+0
Fix: High Cyclomatic Complexity	2h	BLK-030	+0
Fix: High Cyclomatic Complexity	2h	BLK-031	+0
Fix: High Cyclomatic Complexity	2h	BLK-032	+0
Fix: High Cyclomatic Complexity	2h	BLK-033	+0
Fix: High Cyclomatic Complexity	2h	BLK-034	+0
Fix: High Cyclomatic Complexity	2h	BLK-035	+0
Fix: High Cyclomatic Complexity	2h	BLK-036	+0
Fix: High Cyclomatic Complexity	2h	BLK-037	+0
Fix: High Cyclomatic Complexity	2h	BLK-038	+0
Fix: High Cyclomatic Complexity	2h	BLK-039	+0
Fix: High Cyclomatic Complexity	2h	BLK-040	+0
Fix: High Cyclomatic Complexity	2h	BLK-041	+0
Fix: High Cyclomatic Complexity	2h	BLK-042	+0
Fix: High Cyclomatic Complexity	2h	BLK-043	+0
Fix: High Cyclomatic Complexity	2h	BLK-044	+0
Fix: High Cyclomatic Complexity	2h	BLK-045	+0
Fix: High Cyclomatic Complexity	2h	BLK-046	+0
Fix: High Cyclomatic Complexity	2h	BLK-047	+0
Fix: High Cyclomatic Complexity	2h	BLK-048	+0
Fix: High Cyclomatic Complexity	2h	BLK-049	+0
Fix: High Cyclomatic Complexity	2h	BLK-050	+0
Fix: High Cyclomatic Complexity	2h	BLK-051	+0
Fix: High Cyclomatic Complexity	2h	BLK-052	+0

Fix: High Cyclomatic Complexity	2h	BLK-053	+0
Fix: High Cyclomatic Complexity	2h	BLK-054	+0
Fix: High Cyclomatic Complexity	2h	BLK-055	+0
Fix: High Cyclomatic Complexity	2h	BLK-056	+0
Fix: High Cyclomatic Complexity	2h	BLK-057	+0
Fix: High Cyclomatic Complexity	2h	BLK-058	+0
Fix: High Cyclomatic Complexity	2h	BLK-059	+0
Fix: High Cyclomatic Complexity	2h	BLK-060	+0
Fix: High Cyclomatic Complexity	2h	BLK-061	+0
Fix: High Cyclomatic Complexity	2h	BLK-062	+0
Fix: High Cyclomatic Complexity	2h	BLK-063	+0
Fix: High Cyclomatic Complexity	2h	BLK-064	+0
Fix: High Cyclomatic Complexity	2h	BLK-065	+0
Fix: High Cyclomatic Complexity	2h	BLK-066	+0
Fix: High Cyclomatic Complexity	2h	BLK-067	+0
Fix: High Cyclomatic Complexity	2h	BLK-068	+0
Fix: High Cyclomatic Complexity	2h	BLK-069	+0
Fix: High Cyclomatic Complexity	2h	BLK-070	+0
Fix: High Cyclomatic Complexity	2h	BLK-071	+0
Fix: High Cyclomatic Complexity	2h	BLK-072	+0
Fix: High Cyclomatic Complexity	2h	BLK-073	+0
Fix: High Cyclomatic Complexity	2h	BLK-074	+0
Fix: High Cyclomatic Complexity	2h	BLK-075	+0
Fix: High Cyclomatic Complexity	2h	BLK-076	+0
Fix: High Cyclomatic Complexity	2h	BLK-077	+0
Fix: High Cyclomatic Complexity	2h	BLK-078	+0
Fix: High Cyclomatic Complexity	2h	BLK-079	+0

Fix: High Cyclomatic Complexity	2h	BLK-080	+0
Fix: High Cyclomatic Complexity	2h	BLK-081	+0
Fix: High Cyclomatic Complexity	2h	BLK-082	+0
Fix: High Cyclomatic Complexity	2h	BLK-083	+0
Fix: High Cyclomatic Complexity	2h	BLK-084	+0
Fix: High Cyclomatic Complexity	2h	BLK-085	+0
Fix: High Cyclomatic Complexity	2h	BLK-086	+0
Fix: High Cyclomatic Complexity	2h	BLK-087	+0
Fix: High Cyclomatic Complexity	2h	BLK-088	+0
Fix: High Cyclomatic Complexity	2h	BLK-089	+0
Fix: High Cyclomatic Complexity	2h	BLK-090	+0
Fix: High Cyclomatic Complexity	2h	BLK-091	+0
Fix: High Cyclomatic Complexity	2h	BLK-092	+0
Fix: High Cyclomatic Complexity	2h	BLK-093	+0
Fix: High Cyclomatic Complexity	2h	BLK-094	+0
Fix: High Cyclomatic Complexity	2h	BLK-095	+0
Fix: High Cyclomatic Complexity	2h	BLK-096	+0
Fix: High Cyclomatic Complexity	2h	BLK-097	+0
Fix: High Cyclomatic Complexity	2h	BLK-098	+0
Fix: High Cyclomatic Complexity	2h	BLK-099	+0
Fix: High Cyclomatic Complexity	2h	BLK-100	+0
Fix: High Cyclomatic Complexity	2h	BLK-101	+0
Fix: High Cyclomatic Complexity	2h	BLK-102	+0
Fix: High Cyclomatic Complexity	2h	BLK-103	+0
Fix: High Cyclomatic Complexity	2h	BLK-104	+0
Fix: High Cyclomatic Complexity	2h	BLK-105	+0
Fix: High Cyclomatic Complexity	2h	BLK-106	+0

Fix: High Cyclomatic Complexity	2h	BLK-107	+0
Fix: High Cyclomatic Complexity	2h	BLK-108	+0
Fix: High Cyclomatic Complexity	2h	BLK-109	+0
Fix: High Cyclomatic Complexity	2h	BLK-110	+0
Fix: High Cyclomatic Complexity	2h	BLK-111	+0
Fix: High Cyclomatic Complexity	2h	BLK-112	+0
Fix: High Cyclomatic Complexity	2h	BLK-113	+0
Fix: High Cyclomatic Complexity	2h	BLK-114	+0
Fix: High Cyclomatic Complexity	2h	BLK-115	+0
Fix: High Cyclomatic Complexity	2h	BLK-116	+0
Fix: High Cyclomatic Complexity	2h	BLK-117	+0
Fix: High Cyclomatic Complexity	2h	BLK-118	+0
Fix: High Cyclomatic Complexity	2h	BLK-119	+0
Fix: High Cyclomatic Complexity	2h	BLK-120	+0
Fix: High Cyclomatic Complexity	2h	BLK-121	+0
Fix: High Cyclomatic Complexity	2h	BLK-122	+0
Fix: High Cyclomatic Complexity	2h	BLK-123	+0
Fix: High Cyclomatic Complexity	2h	BLK-124	+0
Fix: High Cyclomatic Complexity	2h	BLK-125	+0
Fix: High Cyclomatic Complexity	2h	BLK-126	+0
Fix: High Cyclomatic Complexity	2h	BLK-127	+0
Fix: High Cyclomatic Complexity	2h	BLK-128	+0
Fix: High Cyclomatic Complexity	2h	BLK-129	+0
Fix: High Cyclomatic Complexity	2h	BLK-130	+0
Fix: High Cyclomatic Complexity	2h	BLK-131	+0
Fix: High Cyclomatic Complexity	2h	BLK-132	+0
Fix: High Cyclomatic Complexity	2h	BLK-133	+0

Fix: High Cyclomatic Complexity	2h	BLK-134	+0
Fix: High Cyclomatic Complexity	2h	BLK-135	+0
Fix: High Cyclomatic Complexity	2h	BLK-136	+0
Fix: High Cyclomatic Complexity	2h	BLK-137	+0
Fix: High Cyclomatic Complexity	2h	BLK-138	+0
Fix: High Cyclomatic Complexity	2h	BLK-139	+0
Fix: High Cyclomatic Complexity	2h	BLK-140	+0
Fix: High Cyclomatic Complexity	2h	BLK-141	+0
Fix: High Cyclomatic Complexity	2h	BLK-142	+0
Fix: High Cyclomatic Complexity	2h	BLK-143	+0
Fix: High Cyclomatic Complexity	2h	BLK-144	+0
Fix: High Cyclomatic Complexity	2h	BLK-145	+0
Fix: High Cyclomatic Complexity	2h	BLK-146	+0
Fix: High Cyclomatic Complexity	2h	BLK-147	+0
Fix: High Cyclomatic Complexity	2h	BLK-148	+0
Fix: High Cyclomatic Complexity	2h	BLK-149	+0
Fix: High Cyclomatic Complexity	2h	BLK-150	+0
Fix: High Cyclomatic Complexity	2h	BLK-151	+0
Fix: High Cyclomatic Complexity	2h	BLK-152	+0
Fix: High Cyclomatic Complexity	2h	BLK-153	+0
Fix: High Cyclomatic Complexity	2h	BLK-154	+0
Fix: High Cyclomatic Complexity	2h	BLK-155	+0
Fix: High Cyclomatic Complexity	2h	BLK-156	+0
Fix: High Cyclomatic Complexity	2h	BLK-157	+0
Fix: High Cyclomatic Complexity	2h	BLK-158	+0
Fix: High Cyclomatic Complexity	2h	BLK-159	+0
Fix: High Cyclomatic Complexity	2h	BLK-160	+0

Fix: High Cyclomatic Complexity	2h	BLK-161	+0
Fix: High Cyclomatic Complexity	2h	BLK-162	+0
Fix: High Cyclomatic Complexity	2h	BLK-163	+0
Fix: High Cyclomatic Complexity	2h	BLK-164	+0
Fix: High Cyclomatic Complexity	2h	BLK-165	+0
Fix: High Cyclomatic Complexity	2h	BLK-166	+0
Fix: High Cyclomatic Complexity	2h	BLK-167	+0
Fix: High Cyclomatic Complexity	2h	BLK-168	+0
Fix: High Cyclomatic Complexity	2h	BLK-169	+0
Fix: High Cyclomatic Complexity	2h	BLK-170	+0
Fix: High Cyclomatic Complexity	2h	BLK-171	+0
Fix: High Cyclomatic Complexity	2h	BLK-172	+0
Fix: High Cyclomatic Complexity	2h	BLK-173	+0
Fix: High Cyclomatic Complexity	2h	BLK-174	+0
Fix: High Cyclomatic Complexity	2h	BLK-175	+0
Fix: High Cyclomatic Complexity	2h	BLK-176	+0
Fix: High Cyclomatic Complexity	2h	BLK-177	+0
Fix: High Cyclomatic Complexity	2h	BLK-178	+0
Fix: High Cyclomatic Complexity	2h	BLK-179	+0
Fix: High Cyclomatic Complexity	2h	BLK-180	+0
Fix: High Cyclomatic Complexity	2h	BLK-181	+0
Fix: High Cyclomatic Complexity	2h	BLK-182	+0
Fix: High Cyclomatic Complexity	2h	BLK-183	+0
Fix: High Cyclomatic Complexity	2h	BLK-184	+0
Fix: High Cyclomatic Complexity	2h	BLK-185	+0
Fix: High Cyclomatic Complexity	2h	BLK-186	+0
Fix: High Cyclomatic Complexity	2h	BLK-187	+0

Fix: High Cyclomatic Complexity	2h	BLK-188	+0
Fix: High Cyclomatic Complexity	2h	BLK-189	+0
Fix: High Cyclomatic Complexity	2h	BLK-190	+0
Fix: High Cyclomatic Complexity	2h	BLK-191	+0
Fix: High Cyclomatic Complexity	2h	BLK-192	+0
Fix: High Cyclomatic Complexity	2h	BLK-193	+0
Fix: High Cyclomatic Complexity	2h	BLK-194	+0
Fix: High Cyclomatic Complexity	2h	BLK-195	+0
Fix: High Cyclomatic Complexity	2h	BLK-196	+0
Fix: High Cyclomatic Complexity	2h	BLK-197	+0
Fix: High Cyclomatic Complexity	2h	BLK-198	+0
Fix: High Cyclomatic Complexity	2h	BLK-199	+0
Fix: High Cyclomatic Complexity	2h	BLK-200	+0
Fix: High Cyclomatic Complexity	2h	BLK-201	+0
Fix: High Cyclomatic Complexity	2h	BLK-202	+0
Fix: High Cyclomatic Complexity	2h	BLK-203	+0
Fix: High Cyclomatic Complexity	2h	BLK-204	+0
Fix: High Cyclomatic Complexity	2h	BLK-205	+0
Fix: High Cyclomatic Complexity	2h	BLK-206	+0
Fix: High Cyclomatic Complexity	2h	BLK-207	+0
Fix: High Cyclomatic Complexity	2h	BLK-208	+0
Fix: High Cyclomatic Complexity	2h	BLK-209	+0
Fix: High Cyclomatic Complexity	2h	BLK-210	+0
Fix: High Cyclomatic Complexity	2h	BLK-211	+0
Fix: High Cyclomatic Complexity	2h	BLK-212	+0
Fix: High Cyclomatic Complexity	2h	BLK-213	+0
Fix: High Cyclomatic Complexity	2h	BLK-214	+0

Fix: High Cyclomatic Complexity	2h	BLK-215	+0
Fix: High Cyclomatic Complexity	2h	BLK-216	+0
Fix: High Cyclomatic Complexity	2h	BLK-217	+0
Fix: High Cyclomatic Complexity	2h	BLK-218	+0
Fix: High Cyclomatic Complexity	2h	BLK-219	+0
Fix: High Cyclomatic Complexity	2h	BLK-220	+0
Fix: High Cyclomatic Complexity	2h	BLK-221	+0
Fix: High Cyclomatic Complexity	2h	BLK-222	+0
Fix: High Cyclomatic Complexity	2h	BLK-223	+0
Fix: High Cyclomatic Complexity	2h	BLK-224	+0
Fix: High Cyclomatic Complexity	2h	BLK-225	+0
Fix: High Cyclomatic Complexity	2h	BLK-226	+0
Fix: High Cyclomatic Complexity	2h	BLK-227	+0
Fix: High Cyclomatic Complexity	2h	BLK-228	+0
Fix: High Cyclomatic Complexity	2h	BLK-229	+0
Fix: High Cyclomatic Complexity	2h	BLK-230	+0
Fix: High Cyclomatic Complexity	2h	BLK-231	+0
Fix: High Cyclomatic Complexity	2h	BLK-232	+0
Fix: High Cyclomatic Complexity	2h	BLK-233	+0
Fix: High Cyclomatic Complexity	2h	BLK-234	+0
Fix: High Cyclomatic Complexity	2h	BLK-235	+0
Fix: High Cyclomatic Complexity	2h	BLK-236	+0
Fix: High Cyclomatic Complexity	2h	BLK-237	+0
Fix: High Cyclomatic Complexity	2h	BLK-238	+0
Fix: High Cyclomatic Complexity	2h	BLK-239	+0
Fix: High Cyclomatic Complexity	2h	BLK-240	+0
Fix: High Cyclomatic Complexity	2h	BLK-241	+0

Fix: High Cyclomatic Complexity	2h	BLK-242	+0
Fix: High Cyclomatic Complexity	2h	BLK-243	+0
Fix: High Cyclomatic Complexity	2h	BLK-244	+0
Fix: High Cyclomatic Complexity	2h	BLK-245	+0
Fix: High Cyclomatic Complexity	2h	BLK-246	+0
Fix: High Cyclomatic Complexity	2h	BLK-247	+0
Fix: High Cyclomatic Complexity	2h	BLK-248	+0
Fix: High Cyclomatic Complexity	2h	BLK-249	+0
Fix: High Cyclomatic Complexity	2h	BLK-250	+0
Fix: High Cyclomatic Complexity	2h	BLK-251	+0
Fix: High Cyclomatic Complexity	2h	BLK-252	+0
Fix: High Cyclomatic Complexity	2h	BLK-253	+0
Fix: High Cyclomatic Complexity	2h	BLK-254	+0
Fix: High Cyclomatic Complexity	2h	BLK-255	+0
Fix: High Cyclomatic Complexity	2h	BLK-256	+0
Fix: High Cyclomatic Complexity	2h	BLK-257	+0
Fix: High Cyclomatic Complexity	2h	BLK-258	+0
Fix: High Cyclomatic Complexity	2h	BLK-259	+0
Fix: High Cyclomatic Complexity	2h	BLK-260	+1
Fix: High Cyclomatic Complexity	2h	BLK-261	+1
Fix: High Cyclomatic Complexity	2h	BLK-262	+0
Fix: High Cyclomatic Complexity	2h	BLK-263	+0
Fix: High Cyclomatic Complexity	2h	BLK-264	+0
Fix: High Cyclomatic Complexity	2h	BLK-265	+0
Fix: High Cyclomatic Complexity	2h	BLK-266	+0
Fix: High Cyclomatic Complexity	2h	BLK-267	+0
Fix: High Cyclomatic Complexity	2h	BLK-268	+0

Fix: High Cyclomatic Complexity	2h	BLK-269	+0
Fix: High Cyclomatic Complexity	2h	BLK-270	+0
Fix: High Cyclomatic Complexity	2h	BLK-271	+0
Fix: High Cyclomatic Complexity	2h	BLK-272	+0
Fix: High Cyclomatic Complexity	2h	BLK-273	+0
Fix: High Cyclomatic Complexity	2h	BLK-274	+0
Fix: High Cyclomatic Complexity	2h	BLK-275	+0
Fix: High Cyclomatic Complexity	2h	BLK-276	+0
Fix: High Cyclomatic Complexity	2h	BLK-277	+0
Fix: High Cyclomatic Complexity	2h	BLK-278	+0
Fix: High Cyclomatic Complexity	2h	BLK-279	+0
Fix: High Cyclomatic Complexity	2h	BLK-280	+0
Fix: High Cyclomatic Complexity	2h	BLK-281	+0
Fix: High Cyclomatic Complexity	2h	BLK-282	+0
Fix: High Cyclomatic Complexity	2h	BLK-283	+0
Fix: High Cyclomatic Complexity	2h	BLK-284	+0
Fix: High Cyclomatic Complexity	2h	BLK-285	+0
Fix: High Cyclomatic Complexity	2h	BLK-286	+0
Fix: High Cyclomatic Complexity	2h	BLK-287	+0
Fix: High Cyclomatic Complexity	2h	BLK-288	+0
Fix: High Cyclomatic Complexity	2h	BLK-289	+0
Fix: High Cyclomatic Complexity	2h	BLK-290	+0
Fix: High Cyclomatic Complexity	2h	BLK-291	+0
Fix: High Cyclomatic Complexity	2h	BLK-292	+0
Fix: High Cyclomatic Complexity	2h	BLK-293	+0
Fix: High Cyclomatic Complexity	2h	BLK-294	+0
Fix: High Cyclomatic Complexity	2h	BLK-295	+0

Fix: High Cyclomatic Complexity	2h	BLK-296	+0
Fix: High Cyclomatic Complexity	2h	BLK-297	+0
Fix: High Cyclomatic Complexity	2h	BLK-298	+0
Fix: High Cyclomatic Complexity	2h	BLK-299	+0
Fix: High Cyclomatic Complexity	2h	BLK-300	+0
Fix: High Cyclomatic Complexity	2h	BLK-301	+0
Fix: High Cyclomatic Complexity	2h	BLK-302	+0
Fix: High Cyclomatic Complexity	2h	BLK-303	+0
Fix: High Cyclomatic Complexity	2h	BLK-304	+0
Fix: High Cyclomatic Complexity	2h	BLK-305	+0
Fix: High Cyclomatic Complexity	2h	BLK-306	+0
Fix: High Cyclomatic Complexity	2h	BLK-307	+0
Fix: High Cyclomatic Complexity	2h	BLK-308	+0
Fix: High Cyclomatic Complexity	2h	BLK-309	+0
Fix: High Cyclomatic Complexity	2h	BLK-310	+0
Fix: High Cyclomatic Complexity	2h	BLK-311	+0
Fix: High Cyclomatic Complexity	2h	BLK-312	+0
Fix: High Cyclomatic Complexity	2h	BLK-313	+0
Fix: High Cyclomatic Complexity	2h	BLK-314	+0
Fix: High Cyclomatic Complexity	2h	BLK-315	+0
Fix: High Cyclomatic Complexity	2h	BLK-316	+0
Fix: High Cyclomatic Complexity	2h	BLK-317	+0
Fix: High Cyclomatic Complexity	2h	BLK-318	+0
Fix: High Cyclomatic Complexity	2h	BLK-319	+0
Fix: High Cyclomatic Complexity	2h	BLK-320	+0
Fix: High Cyclomatic Complexity	2h	BLK-321	+0
Fix: High Cyclomatic Complexity	2h	BLK-322	+0

Fix: High Cyclomatic Complexity	2h	BLK-323	+0
Fix: High Cyclomatic Complexity	2h	BLK-324	+0
Fix: High Cyclomatic Complexity	2h	BLK-325	+0
Fix: High Cyclomatic Complexity	2h	BLK-326	+0
Fix: High Cyclomatic Complexity	2h	BLK-327	+0
Fix: High Cyclomatic Complexity	2h	BLK-328	+0
Fix: High Cyclomatic Complexity	2h	BLK-329	+0
Fix: High Cyclomatic Complexity	2h	BLK-330	+0
Fix: High Cyclomatic Complexity	2h	BLK-331	+0
Fix: High Cyclomatic Complexity	2h	BLK-332	+0
Fix: High Cyclomatic Complexity	2h	BLK-333	+0
Fix: High Cyclomatic Complexity	2h	BLK-334	+0
Fix: High Cyclomatic Complexity	2h	BLK-335	+0
Fix: High Cyclomatic Complexity	2h	BLK-336	+0
Fix: High Cyclomatic Complexity	2h	BLK-337	+0
Fix: High Cyclomatic Complexity	2h	BLK-338	+0
Fix: High Cyclomatic Complexity	2h	BLK-339	+0
Fix: High Cyclomatic Complexity	2h	BLK-340	+0
Fix: High Cyclomatic Complexity	2h	BLK-341	+0
Fix: High Cyclomatic Complexity	2h	BLK-342	+0
Fix: High Cyclomatic Complexity	2h	BLK-343	+0
Fix: High Cyclomatic Complexity	2h	BLK-344	+0
Fix: High Cyclomatic Complexity	2h	BLK-345	+0
Fix: High Cyclomatic Complexity	2h	BLK-346	+0
Fix: High Cyclomatic Complexity	2h	BLK-347	+0
Fix: High Cyclomatic Complexity	2h	BLK-348	+0
Fix: High Cyclomatic Complexity	2h	BLK-349	+0

Fix: High Cyclomatic Complexity	2h	BLK-350	+0
Fix: High Cyclomatic Complexity	2h	BLK-351	+0
Fix: High Cyclomatic Complexity	2h	BLK-352	+0
Fix: High Cyclomatic Complexity	2h	BLK-353	+0
Fix: High Cyclomatic Complexity	2h	BLK-354	+0
Fix: High Cyclomatic Complexity	2h	BLK-355	+0
Fix: High Cyclomatic Complexity	2h	BLK-356	+0
Fix: High Cyclomatic Complexity	2h	BLK-357	+0
Fix: High Cyclomatic Complexity	2h	BLK-358	+0
Fix: High Cyclomatic Complexity	2h	BLK-359	+0
Fix: High Cyclomatic Complexity	2h	BLK-360	+0
Fix: High Cyclomatic Complexity	2h	BLK-361	+0
Fix: High Cyclomatic Complexity	2h	BLK-362	+0
Fix: High Cyclomatic Complexity	2h	BLK-363	+0
Fix: High Cyclomatic Complexity	2h	BLK-364	+0
Fix: High Cyclomatic Complexity	2h	BLK-365	+0
Fix: High Cyclomatic Complexity	2h	BLK-366	+0
Fix: High Cyclomatic Complexity	2h	BLK-367	+0
Fix: High Cyclomatic Complexity	2h	BLK-368	+0
Fix: High Cyclomatic Complexity	2h	BLK-369	+0
Fix: High Cyclomatic Complexity	2h	BLK-370	+0
Fix: High Cyclomatic Complexity	2h	BLK-371	+0
Fix: High Cyclomatic Complexity	2h	BLK-372	+0
Fix: High Cyclomatic Complexity	2h	BLK-373	+0
Fix: High Cyclomatic Complexity	2h	BLK-374	+0
Fix: High Cyclomatic Complexity	2h	BLK-375	+0
Fix: High Cyclomatic Complexity	2h	BLK-376	+0

Fix: High Cyclomatic Complexity	2h	BLK-377	+0
Fix: High Cyclomatic Complexity	2h	BLK-378	+0
Fix: High Cyclomatic Complexity	2h	BLK-379	+0
Fix: High Cyclomatic Complexity	2h	BLK-380	+0
Fix: High Cyclomatic Complexity	2h	BLK-381	+0
Fix: High Cyclomatic Complexity	2h	BLK-382	+0
Fix: High Cyclomatic Complexity	2h	BLK-383	+0
Fix: High Cyclomatic Complexity	2h	BLK-384	+0
Fix: High Cyclomatic Complexity	2h	BLK-385	+0
Fix: High Cyclomatic Complexity	2h	BLK-386	+0
Fix: High Cyclomatic Complexity	2h	BLK-387	+0
Fix: High Cyclomatic Complexity	2h	BLK-388	+0
Fix: High Cyclomatic Complexity	2h	BLK-389	+0
Fix: High Cyclomatic Complexity	2h	BLK-390	+0
Fix: High Cyclomatic Complexity	2h	BLK-391	+0
Fix: High Cyclomatic Complexity	2h	BLK-392	+0
Fix: High Cyclomatic Complexity	2h	BLK-393	+0
Fix: High Cyclomatic Complexity	2h	BLK-394	+0
Fix: High Cyclomatic Complexity	2h	BLK-395	+0
Fix: High Cyclomatic Complexity	2h	BLK-396	+0
Fix: High Cyclomatic Complexity	2h	BLK-397	+0
Fix: High Cyclomatic Complexity	2h	BLK-398	+0
Fix: High Cyclomatic Complexity	2h	BLK-399	+0
Fix: High Cyclomatic Complexity	2h	BLK-400	+0
Fix: High Cyclomatic Complexity	2h	BLK-401	+0
Fix: High Cyclomatic Complexity	2h	BLK-402	+0
Fix: High Cyclomatic Complexity	2h	BLK-403	+0

Fix: High Cyclomatic Complexity	2h	BLK-404	+0
Fix: High Cyclomatic Complexity	2h	BLK-405	+0
Fix: High Cyclomatic Complexity	2h	BLK-406	+0
Fix: High Cyclomatic Complexity	2h	BLK-407	+0
Fix: High Cyclomatic Complexity	2h	BLK-408	+0
Fix: High Cyclomatic Complexity	2h	BLK-409	+0
Fix: High Cyclomatic Complexity	2h	BLK-410	+0
Fix: High Cyclomatic Complexity	2h	BLK-411	+0
Fix: High Cyclomatic Complexity	2h	BLK-412	+0
Fix: High Cyclomatic Complexity	2h	BLK-413	+0
Fix: High Cyclomatic Complexity	2h	BLK-414	+0
Fix: High Cyclomatic Complexity	2h	BLK-415	+0
Fix: High Cyclomatic Complexity	2h	BLK-416	+0
Fix: High Cyclomatic Complexity	2h	BLK-417	+0
Fix: High Cyclomatic Complexity	2h	BLK-418	+0
Fix: High Cyclomatic Complexity	2h	BLK-419	+0
Fix: High Cyclomatic Complexity	2h	BLK-420	+0
Fix: High Cyclomatic Complexity	2h	BLK-421	+0
Fix: High Cyclomatic Complexity	2h	BLK-422	+0
Fix: High Cyclomatic Complexity	2h	BLK-423	+0
Fix: High Cyclomatic Complexity	2h	BLK-424	+0
Fix: High Cyclomatic Complexity	2h	BLK-425	+0
Fix: High Cyclomatic Complexity	2h	BLK-426	+0
Fix: High Cyclomatic Complexity	2h	BLK-427	+0
Fix: High Cyclomatic Complexity	2h	BLK-428	+0
Fix: High Cyclomatic Complexity	2h	BLK-429	+0
Fix: High Cyclomatic Complexity	2h	BLK-430	+0

Fix: High Cyclomatic Complexity	2h	BLK-431	+0
Fix: High Cyclomatic Complexity	2h	BLK-432	+0
Fix: High Cyclomatic Complexity	2h	BLK-433	+0
Fix: High Cyclomatic Complexity	2h	BLK-434	+0
Fix: High Cyclomatic Complexity	2h	BLK-435	+0
Fix: High Cyclomatic Complexity	2h	BLK-436	+0
Fix: High Cyclomatic Complexity	2h	BLK-437	+0
Fix: High Cyclomatic Complexity	2h	BLK-438	+0
Fix: High Cyclomatic Complexity	2h	BLK-439	+0
Fix: High Cyclomatic Complexity	2h	BLK-440	+0
Fix: High Cyclomatic Complexity	2h	BLK-441	+0
Fix: High Cyclomatic Complexity	2h	BLK-442	+0
Fix: High Cyclomatic Complexity	2h	BLK-443	+0
Fix: High Cyclomatic Complexity	2h	BLK-444	+0
Fix: High Cyclomatic Complexity	2h	BLK-445	+0
Fix: High Cyclomatic Complexity	2h	BLK-446	+0
Fix: High Cyclomatic Complexity	2h	BLK-447	+0
Fix: High Cyclomatic Complexity	2h	BLK-448	+0
Fix: High Cyclomatic Complexity	2h	BLK-449	+0
Fix: High Cyclomatic Complexity	2h	BLK-450	+0
Fix: High Cyclomatic Complexity	2h	BLK-451	+0
Fix: High Cyclomatic Complexity	2h	BLK-452	+0
Fix: High Cyclomatic Complexity	2h	BLK-453	+0
Fix: High Cyclomatic Complexity	2h	BLK-454	+0
Fix: High Cyclomatic Complexity	2h	BLK-455	+0
Fix: High Cyclomatic Complexity	2h	BLK-456	+0
Fix: High Cyclomatic Complexity	2h	BLK-457	+0

Fix: High Cyclomatic Complexity	2h	BLK-458	+0
Fix: High Cyclomatic Complexity	2h	BLK-459	+0
Fix: High Cyclomatic Complexity	2h	BLK-460	+0
Fix: High Cyclomatic Complexity	2h	BLK-461	+0
Fix: High Cyclomatic Complexity	2h	BLK-462	+0
Fix: High Cyclomatic Complexity	2h	BLK-463	+0
Fix: High Cyclomatic Complexity	2h	BLK-464	+0
Fix: High Cyclomatic Complexity	2h	BLK-465	+0
Fix: High Cyclomatic Complexity	2h	BLK-466	+0
Fix: High Cyclomatic Complexity	2h	BLK-467	+0
Fix: High Cyclomatic Complexity	2h	BLK-468	+0
Fix: High Cyclomatic Complexity	2h	BLK-469	+1
Fix: High Cyclomatic Complexity	2h	BLK-470	+0
Fix: High Cyclomatic Complexity	2h	BLK-471	+0
Fix: High Cyclomatic Complexity	2h	BLK-472	+0
Fix: High Cyclomatic Complexity	2h	BLK-473	+0
Fix: High Cyclomatic Complexity	2h	BLK-474	+0
Fix: High Cyclomatic Complexity	2h	BLK-475	+0
Fix: High Cyclomatic Complexity	2h	BLK-476	+0
Fix: High Cyclomatic Complexity	2h	BLK-477	+0
Fix: High Cyclomatic Complexity	2h	BLK-478	+0
Fix: High Cyclomatic Complexity	2h	BLK-479	+0
Fix: High Cyclomatic Complexity	2h	BLK-480	+0
Fix: High Cyclomatic Complexity	2h	BLK-481	+0
Fix: High Cyclomatic Complexity	2h	BLK-482	+0
Fix: High Cyclomatic Complexity	2h	BLK-483	+0
Fix: High Cyclomatic Complexity	2h	BLK-484	+0

Fix: High Cyclomatic Complexity	2h	BLK-485	+0
Fix: High Cyclomatic Complexity	2h	BLK-486	+0
Fix: High Cyclomatic Complexity	2h	BLK-487	+0
Fix: High Cyclomatic Complexity	2h	BLK-488	+0
Fix: High Cyclomatic Complexity	2h	BLK-489	+0
Fix: High Cyclomatic Complexity	2h	BLK-490	+0
Fix: High Cyclomatic Complexity	2h	BLK-491	+0
Fix: High Cyclomatic Complexity	2h	BLK-492	+0
Fix: High Cyclomatic Complexity	2h	BLK-493	+0
Fix: High Cyclomatic Complexity	2h	BLK-494	+0
Fix: High Cyclomatic Complexity	2h	BLK-495	+0
Fix: High Cyclomatic Complexity	2h	BLK-496	+0
Fix: High Cyclomatic Complexity	2h	BLK-497	+0
Fix: High Cyclomatic Complexity	2h	BLK-498	+0
Fix: High Cyclomatic Complexity	2h	BLK-499	+0
Fix: High Cyclomatic Complexity	2h	BLK-500	+0
Fix: High Cyclomatic Complexity	2h	BLK-501	+0
Fix: High Cyclomatic Complexity	2h	BLK-502	+0
Fix: High Cyclomatic Complexity	2h	BLK-503	+0
Fix: High Cyclomatic Complexity	2h	BLK-504	+0
Fix: High Cyclomatic Complexity	2h	BLK-505	+0
Fix: High Cyclomatic Complexity	2h	BLK-506	+0
Fix: High Cyclomatic Complexity	2h	BLK-507	+0
Fix: High Cyclomatic Complexity	2h	BLK-508	+0
Fix: High Cyclomatic Complexity	2h	BLK-509	+0
Fix: High Cyclomatic Complexity	2h	BLK-510	+0
Fix: High Cyclomatic Complexity	2h	BLK-511	+0

Fix: High Cyclomatic Complexity	2h	BLK-512	+0
Fix: High Cyclomatic Complexity	2h	BLK-513	+0
Fix: High Cyclomatic Complexity	2h	BLK-514	+0
Fix: High Cyclomatic Complexity	2h	BLK-515	+0
Fix: High Cyclomatic Complexity	2h	BLK-516	+0
Fix: High Cyclomatic Complexity	2h	BLK-517	+0
Fix: High Cyclomatic Complexity	2h	BLK-518	+0
Fix: High Cyclomatic Complexity	2h	BLK-519	+0
Fix: High Cyclomatic Complexity	2h	BLK-520	+0
Fix: High Cyclomatic Complexity	2h	BLK-521	+0
Fix: High Cyclomatic Complexity	2h	BLK-522	+0
Fix: High Cyclomatic Complexity	2h	BLK-523	+0
Fix: High Cyclomatic Complexity	2h	BLK-524	+0
Fix: High Cyclomatic Complexity	2h	BLK-525	+0
Fix: High Cyclomatic Complexity	2h	BLK-526	+0
Fix: High Cyclomatic Complexity	2h	BLK-527	+0
Fix: High Cyclomatic Complexity	2h	BLK-528	+0
Fix: High Cyclomatic Complexity	2h	BLK-529	+0
Fix: High Cyclomatic Complexity	2h	BLK-530	+0
Fix: High Cyclomatic Complexity	2h	BLK-531	+0
Fix: High Cyclomatic Complexity	2h	BLK-532	+0
Fix: High Cyclomatic Complexity	2h	BLK-533	+0
Fix: High Cyclomatic Complexity	2h	BLK-534	+0
Fix: High Cyclomatic Complexity	2h	BLK-535	+0
Fix: High Cyclomatic Complexity	2h	BLK-536	+0
Fix: High Cyclomatic Complexity	2h	BLK-537	+0
Fix: High Cyclomatic Complexity	2h	BLK-538	+0

Fix: High Cyclomatic Complexity	2h	BLK-539	+0
Fix: High Cyclomatic Complexity	2h	BLK-540	+0
Fix: High Cyclomatic Complexity	2h	BLK-541	+0
Fix: High Cyclomatic Complexity	2h	BLK-542	+0
Fix: High Cyclomatic Complexity	2h	BLK-543	+0
Fix: High Cyclomatic Complexity	2h	BLK-544	+0
Fix: High Cyclomatic Complexity	2h	BLK-545	+0
Fix: High Cyclomatic Complexity	2h	BLK-546	+0
Fix: High Cyclomatic Complexity	2h	BLK-547	+0
Fix: High Cyclomatic Complexity	2h	BLK-548	+0
Fix: High Cyclomatic Complexity	2h	BLK-549	+0
Fix: High Cyclomatic Complexity	2h	BLK-550	+0
Fix: High Cyclomatic Complexity	2h	BLK-551	+0
Fix: High Cyclomatic Complexity	2h	BLK-552	+0
Fix: High Cyclomatic Complexity	2h	BLK-553	+0
Fix: High Cyclomatic Complexity	2h	BLK-554	+0
Fix: High Cyclomatic Complexity	2h	BLK-555	+0
Fix: High Cyclomatic Complexity	2h	BLK-556	+0
Fix: High Cyclomatic Complexity	2h	BLK-557	+0
Fix: High Cyclomatic Complexity	2h	BLK-558	+0
Fix: High Cyclomatic Complexity	2h	BLK-559	+0
Fix: High Cyclomatic Complexity	2h	BLK-560	+0
Fix: High Cyclomatic Complexity	2h	BLK-561	+0
Fix: High Cyclomatic Complexity	2h	BLK-562	+0
Fix: High Cyclomatic Complexity	2h	BLK-563	+0
Fix: High Cyclomatic Complexity	2h	BLK-564	+0
Fix: High Cyclomatic Complexity	2h	BLK-565	+0

Fix: High Cyclomatic Complexity	2h	BLK-566	+0
Fix: High Cyclomatic Complexity	2h	BLK-567	+0
Fix: High Cyclomatic Complexity	2h	BLK-568	+0
Fix: High Cyclomatic Complexity	2h	BLK-569	+0
Fix: High Cyclomatic Complexity	2h	BLK-570	+0
Fix: High Cyclomatic Complexity	2h	BLK-571	+0
Fix: High Cyclomatic Complexity	2h	BLK-572	+0
Fix: High Cyclomatic Complexity	2h	BLK-573	+0
Fix: High Cyclomatic Complexity	2h	BLK-574	+0
Fix: High Cyclomatic Complexity	2h	BLK-575	+0
Fix: High Cyclomatic Complexity	2h	BLK-576	+0
Fix: High Cyclomatic Complexity	2h	BLK-577	+0
Fix: High Cyclomatic Complexity	2h	BLK-578	+0
Fix: High Cyclomatic Complexity	2h	BLK-579	+0
Fix: High Cyclomatic Complexity	2h	BLK-580	+0
Fix: High Cyclomatic Complexity	2h	BLK-581	+0
Fix: High Cyclomatic Complexity	2h	BLK-582	+0
Fix: High Cyclomatic Complexity	2h	BLK-583	+0
Fix: High Cyclomatic Complexity	2h	BLK-584	+0
Fix: High Cyclomatic Complexity	2h	BLK-585	+0
Fix: High Cyclomatic Complexity	2h	BLK-586	+0
Fix: High Cyclomatic Complexity	2h	BLK-587	+0
Fix: High Cyclomatic Complexity	2h	BLK-588	+0
Fix: High Cyclomatic Complexity	2h	BLK-589	+0
Fix: High Cyclomatic Complexity	2h	BLK-590	+0
Fix: High Cyclomatic Complexity	2h	BLK-591	+0
Fix: High Cyclomatic Complexity	2h	BLK-592	+0

Fix: High Cyclomatic Complexity	2h	BLK-593	+0
Fix: High Cyclomatic Complexity	2h	BLK-594	+0
Fix: High Cyclomatic Complexity	2h	BLK-595	+0
Fix: High Cyclomatic Complexity	2h	BLK-596	+0
Fix: High Cyclomatic Complexity	2h	BLK-597	+0
Fix: High Cyclomatic Complexity	2h	BLK-598	+0
Fix: High Cyclomatic Complexity	2h	BLK-599	+0
Fix: High Cyclomatic Complexity	2h	BLK-600	+0
Fix: High Cyclomatic Complexity	2h	BLK-601	+0
Fix: High Cyclomatic Complexity	2h	BLK-602	+0
Fix: High Cyclomatic Complexity	2h	BLK-603	+0
Fix: High Cyclomatic Complexity	2h	BLK-604	+0
Fix: High Cyclomatic Complexity	2h	BLK-605	+0
Fix: High Cyclomatic Complexity	2h	BLK-606	+0
Fix: High Cyclomatic Complexity	2h	BLK-607	+0
Fix: High Cyclomatic Complexity	2h	BLK-608	+0
Fix: High Cyclomatic Complexity	2h	BLK-609	+0
Fix: High Cyclomatic Complexity	2h	BLK-610	+0
Fix: High Cyclomatic Complexity	2h	BLK-611	+0
Fix: High Cyclomatic Complexity	2h	BLK-612	+0
Fix: High Cyclomatic Complexity	2h	BLK-613	+0
Fix: High Cyclomatic Complexity	2h	BLK-614	+0
Fix: High Cyclomatic Complexity	2h	BLK-615	+0
Fix: High Cyclomatic Complexity	2h	BLK-616	+0
Fix: High Cyclomatic Complexity	2h	BLK-617	+0
Fix: High Cyclomatic Complexity	2h	BLK-618	+0
Fix: High Cyclomatic Complexity	2h	BLK-619	+0

Fix: High Cyclomatic Complexity	2h	BLK-620	+0
Fix: High Cyclomatic Complexity	2h	BLK-621	+0
Fix: High Cyclomatic Complexity	2h	BLK-622	+0
Fix: High Cyclomatic Complexity	2h	BLK-623	+0
Fix: High Cyclomatic Complexity	2h	BLK-624	+0
Fix: High Cyclomatic Complexity	2h	BLK-625	+0
Fix: High Cyclomatic Complexity	2h	BLK-626	+0
Fix: High Cyclomatic Complexity	2h	BLK-627	+0
Fix: High Cyclomatic Complexity	2h	BLK-628	+0
Fix: High Cyclomatic Complexity	2h	BLK-629	+0
Fix: High Cyclomatic Complexity	2h	BLK-630	+0
Fix: High Cyclomatic Complexity	2h	BLK-631	+0
Fix: High Cyclomatic Complexity	2h	BLK-632	+0
Fix: High Cyclomatic Complexity	2h	BLK-633	+0
Fix: High Cyclomatic Complexity	2h	BLK-634	+0
Fix: High Cyclomatic Complexity	2h	BLK-635	+0
Fix: High Cyclomatic Complexity	2h	BLK-636	+0
Fix: High Cyclomatic Complexity	2h	BLK-637	+1
Fix: High Cyclomatic Complexity	2h	BLK-638	+0
Fix: High Cyclomatic Complexity	2h	BLK-639	+0
Fix: High Cyclomatic Complexity	2h	BLK-640	+0
Fix: High Cyclomatic Complexity	2h	BLK-641	+0
Fix: High Cyclomatic Complexity	2h	BLK-642	+0
Fix: High Cyclomatic Complexity	2h	BLK-643	+0
Fix: High Cyclomatic Complexity	2h	BLK-644	+0
Fix: High Cyclomatic Complexity	2h	BLK-645	+0
Fix: High Cyclomatic Complexity	2h	BLK-646	+0

Fix: High Cyclomatic Complexity	2h	BLK-647	+0
Fix: High Cyclomatic Complexity	2h	BLK-648	+0
Fix: High Cyclomatic Complexity	2h	BLK-649	+0
Fix: High Cyclomatic Complexity	2h	BLK-650	+0
Fix: High Cyclomatic Complexity	2h	BLK-651	+0
Fix: High Cyclomatic Complexity	2h	BLK-652	+0
Fix: High Cyclomatic Complexity	2h	BLK-653	+0
Fix: High Cyclomatic Complexity	2h	BLK-654	+0
Fix: High Cyclomatic Complexity	2h	BLK-655	+0
Fix: High Cyclomatic Complexity	2h	BLK-656	+0
Fix: High Cyclomatic Complexity	2h	BLK-657	+0
Fix: High Cyclomatic Complexity	2h	BLK-658	+0
Fix: High Cyclomatic Complexity	2h	BLK-659	+0
Fix: High Cyclomatic Complexity	2h	BLK-660	+0
Fix: High Cyclomatic Complexity	2h	BLK-661	+0
Fix: High Cyclomatic Complexity	2h	BLK-662	+0
Fix: High Cyclomatic Complexity	2h	BLK-663	+0
Fix: High Cyclomatic Complexity	2h	BLK-664	+0
Fix: High Cyclomatic Complexity	2h	BLK-665	+0
Fix: High Cyclomatic Complexity	2h	BLK-666	+0
Fix: High Cyclomatic Complexity	2h	BLK-667	+0
Fix: High Cyclomatic Complexity	2h	BLK-668	+0
Fix: High Cyclomatic Complexity	2h	BLK-669	+0
Fix: High Cyclomatic Complexity	2h	BLK-670	+0
Fix: High Cyclomatic Complexity	2h	BLK-671	+0
Fix: High Cyclomatic Complexity	2h	BLK-672	+0
Fix: High Cyclomatic Complexity	2h	BLK-673	+0

Fix: High Cyclomatic Complexity	2h	BLK-674	+0
Fix: High Cyclomatic Complexity	2h	BLK-675	+0
Fix: High Cyclomatic Complexity	2h	BLK-676	+0
Fix: High Cyclomatic Complexity	2h	BLK-677	+0
Fix: High Cyclomatic Complexity	2h	BLK-678	+0
Fix: High Cyclomatic Complexity	2h	BLK-679	+0
Fix: High Cyclomatic Complexity	2h	BLK-680	+0
Fix: High Cyclomatic Complexity	2h	BLK-681	+0
Fix: High Cyclomatic Complexity	2h	BLK-682	+0
Fix: High Cyclomatic Complexity	2h	BLK-683	+0
Fix: High Cyclomatic Complexity	2h	BLK-684	+0
Fix: High Cyclomatic Complexity	2h	BLK-685	+0
Fix: High Cyclomatic Complexity	2h	BLK-686	+0
Fix: High Cyclomatic Complexity	2h	BLK-687	+0
Fix: High Cyclomatic Complexity	2h	BLK-688	+0
Fix: High Cyclomatic Complexity	2h	BLK-689	+0
Fix: High Cyclomatic Complexity	2h	BLK-690	+0
Fix: High Cyclomatic Complexity	2h	BLK-691	+0
Fix: High Cyclomatic Complexity	2h	BLK-692	+0
Fix: High Cyclomatic Complexity	2h	BLK-693	+0
Fix: High Cyclomatic Complexity	2h	BLK-694	+0
Fix: High Cyclomatic Complexity	2h	BLK-695	+0
Fix: High Cyclomatic Complexity	2h	BLK-696	+0
Fix: High Cyclomatic Complexity	2h	BLK-697	+0
Fix: High Cyclomatic Complexity	2h	BLK-698	+0
Fix: High Cyclomatic Complexity	2h	BLK-699	+0
Fix: High Cyclomatic Complexity	2h	BLK-700	+0

Fix: High Cyclomatic Complexity	2h	BLK-701	+0
Fix: High Cyclomatic Complexity	2h	BLK-702	+0
Fix: High Cyclomatic Complexity	2h	BLK-703	+0
Fix: High Cyclomatic Complexity	2h	BLK-704	+0
Fix: High Cyclomatic Complexity	2h	BLK-705	+0
Fix: High Cyclomatic Complexity	2h	BLK-706	+0
Fix: High Cyclomatic Complexity	2h	BLK-707	+0
Fix: High Cyclomatic Complexity	2h	BLK-708	+0
Fix: High Cyclomatic Complexity	2h	BLK-709	+0
Fix: High Cyclomatic Complexity	2h	BLK-710	+0
Fix: High Cyclomatic Complexity	2h	BLK-711	+0
Fix: High Cyclomatic Complexity	2h	BLK-712	+0
Fix: High Cyclomatic Complexity	2h	BLK-713	+0
Fix: High Cyclomatic Complexity	2h	BLK-714	+0
Fix: High Cyclomatic Complexity	2h	BLK-715	+0
Fix: High Cyclomatic Complexity	2h	BLK-716	+0
Fix: High Cyclomatic Complexity	2h	BLK-717	+0
Fix: High Cyclomatic Complexity	2h	BLK-718	+0
Fix: High Cyclomatic Complexity	2h	BLK-719	+0
Fix: High Cyclomatic Complexity	2h	BLK-720	+0
Fix: High Cyclomatic Complexity	2h	BLK-721	+0
Fix: High Cyclomatic Complexity	2h	BLK-722	+0
Fix: High Cyclomatic Complexity	2h	BLK-723	+0
Fix: High Cyclomatic Complexity	2h	BLK-724	+0
Fix: High Cyclomatic Complexity	2h	BLK-725	+0
Fix: High Cyclomatic Complexity	2h	BLK-726	+0
Fix: High Cyclomatic Complexity	2h	BLK-727	+0

Fix: High Cyclomatic Complexity	2h	BLK-728	+0
Fix: High Cyclomatic Complexity	2h	BLK-729	+0
Fix: High Cyclomatic Complexity	2h	BLK-730	+0
Fix: High Cyclomatic Complexity	2h	BLK-731	+0
Fix: High Cyclomatic Complexity	2h	BLK-732	+0
Fix: High Cyclomatic Complexity	2h	BLK-733	+0
Fix: High Cyclomatic Complexity	2h	BLK-734	+0
Fix: High Cyclomatic Complexity	2h	BLK-735	+0
Fix: High Cyclomatic Complexity	2h	BLK-736	+0
Fix: High Cyclomatic Complexity	2h	BLK-737	+0
Fix: High Cyclomatic Complexity	2h	BLK-738	+0
Fix: High Cyclomatic Complexity	2h	BLK-739	+0
Fix: High Cyclomatic Complexity	2h	BLK-740	+0
Fix: High Cyclomatic Complexity	2h	BLK-741	+0
Fix: High Cyclomatic Complexity	2h	BLK-742	+0
Fix: High Cyclomatic Complexity	2h	BLK-743	+0
Fix: Long Functions	2h	BLK-1035	+0
Fix: Long Functions	2h	BLK-1036	+0
Fix: Long Functions	2h	BLK-1037	+0
Fix: Long Functions	2h	BLK-1038	+0
Fix: Long Functions	2h	BLK-1039	+0
Fix: Long Functions	2h	BLK-1040	+0
Fix: Long Functions	2h	BLK-1041	+0
Fix: Long Functions	2h	BLK-1042	+0
Fix: Long Functions	2h	BLK-1043	+0
Fix: Long Functions	2h	BLK-1044	+0
Fix: Long Functions	2h	BLK-1045	+0

Fix: Long Functions	2h	BLK-1046	+0
Fix: Long Functions	2h	BLK-1047	+0
Fix: Long Functions	2h	BLK-1048	+0
Fix: Long Functions	2h	BLK-1049	+0
Fix: Long Functions	2h	BLK-1050	+0
Fix: Long Functions	2h	BLK-1051	+0
Fix: Long Functions	2h	BLK-1052	+0
Fix: Long Functions	2h	BLK-1053	+0
Fix: Long Functions	2h	BLK-1054	+0
Fix: Long Functions	2h	BLK-1055	+0
Fix: Long Functions	2h	BLK-1056	+0
Fix: Long Functions	2h	BLK-1057	+0
Fix: Long Functions	2h	BLK-1058	+0
Fix: Long Functions	2h	BLK-1059	+0
Fix: Long Functions	2h	BLK-1060	+1
Fix: Long Functions	2h	BLK-1061	+0
Fix: Long Functions	2h	BLK-1062	+0
Fix: Long Functions	2h	BLK-1063	+0
Fix: Long Functions	2h	BLK-1064	+0
Fix: Long Functions	2h	BLK-1065	+0
Fix: Long Functions	2h	BLK-1066	+0
Fix: Long Functions	2h	BLK-1067	+0
Fix: Long Functions	2h	BLK-1068	+0
Fix: Long Functions	2h	BLK-1069	+0
Fix: Long Functions	2h	BLK-1070	+0
Fix: Long Functions	2h	BLK-1071	+0
Fix: Long Functions	2h	BLK-1072	+0

Fix: Long Functions	2h	BLK-1073	+0
Fix: Long Functions	2h	BLK-1074	+0
Fix: Long Functions	2h	BLK-1075	+0
Fix: Long Functions	2h	BLK-1076	+0
Fix: Long Functions	2h	BLK-1077	+0
Fix: Long Functions	2h	BLK-1078	+0
Fix: Long Functions	2h	BLK-1079	+0
Fix: Long Functions	2h	BLK-1080	+0
Fix: Long Functions	2h	BLK-1081	+0
Fix: Long Functions	2h	BLK-1082	+0
Fix: Long Functions	2h	BLK-1083	+0
Fix: Long Functions	2h	BLK-1084	+0
Fix: Long Functions	2h	BLK-1085	+0
Fix: Long Functions	2h	BLK-1086	+0
Fix: Long Functions	2h	BLK-1087	+0
Fix: Long Functions	2h	BLK-1088	+0
Fix: Long Functions	2h	BLK-1089	+0
Fix: Long Functions	2h	BLK-1090	+0
Fix: Long Functions	2h	BLK-1091	+0
Fix: Long Functions	2h	BLK-1092	+0
Fix: Long Functions	2h	BLK-1093	+0
Fix: Long Functions	2h	BLK-1094	+0
Fix: Long Functions	2h	BLK-1095	+0
Fix: Long Functions	2h	BLK-1096	+0
Fix: Long Functions	2h	BLK-1097	+0
Fix: Long Functions	2h	BLK-1098	+0
Fix: Long Functions	2h	BLK-1099	+0

Fix: Long Functions	2h	BLK-1100	+0
Fix: Long Functions	2h	BLK-1101	+0
Fix: Long Functions	2h	BLK-1102	+0
Fix: Long Functions	2h	BLK-1103	+0
Fix: Long Functions	2h	BLK-1104	+0
Fix: Long Functions	2h	BLK-1105	+0
Fix: Long Functions	2h	BLK-1106	+0
Fix: Long Functions	2h	BLK-1107	+0
Fix: Long Functions	2h	BLK-1108	+0
Fix: Long Functions	2h	BLK-1109	+0
Fix: Long Functions	2h	BLK-1110	+0
Fix: Long Functions	2h	BLK-1111	+0
Fix: Low Test Coverage on Critical Paths	2h	BLK-758	+0
Fix: Low Test Coverage on Critical Paths	2h	BLK-759	+0
Fix: Low Test Coverage on Critical Paths	2h	BLK-760	+0
Fix: Low Test Coverage on Critical Paths	2h	BLK-761	+0
Fix: Low Test Coverage on Critical Paths	2h	BLK-762	+0
Fix: Low Test Coverage on Critical Paths	2h	BLK-763	+0
Fix: Low Test Coverage on Critical Paths	2h	BLK-764	+0
Fix: Low Test Coverage on Critical Paths	2h	BLK-765	+0
Fix: Low Test Coverage on Critical Paths	2h	BLK-766	+0
Fix: Low Test Coverage on Critical Paths	2h	BLK-767	+0
Fix: Low Test Coverage on Critical Paths	2h	BLK-768	+0
Fix: Low Test Coverage on Critical Paths	2h	BLK-769	+0
Fix: Low Test Coverage on Critical Paths	2h	BLK-770	+0
Fix: Low Test Coverage on Critical Paths	2h	BLK-771	+0
Fix: Low Test Coverage on Critical Paths	2h	BLK-772	+0

Fix: Low Test Coverage on Critical Paths	2h	BLK-773	+0
Fix: Low Test Coverage on Critical Paths	2h	BLK-774	+0
Fix: Low Test Coverage on Critical Paths	2h	BLK-775	+0
Fix: Low Test Coverage on Critical Paths	2h	BLK-776	+0
Fix: Missing Circuit Breaker on HTTP Calls	2h	BLK-249	+0
Fix: Missing Circuit Breaker on HTTP Calls	2h	BLK-250	+0
Fix: Missing Logging on Error Paths	2h	BLK-1016	+0
Fix: Missing Logging on Error Paths	2h	BLK-1017	+0
Fix: Missing Logging on Error Paths	2h	BLK-1018	+0
Fix: Missing Logging on Error Paths	2h	BLK-1019	+0
Fix: Missing Logging on Error Paths	2h	BLK-1020	+0
Fix: Missing Logging on Error Paths	2h	BLK-1021	+0
Fix: Missing Logging on Error Paths	2h	BLK-1022	+0
Fix: Missing Logging on Error Paths	2h	BLK-1023	+0
Fix: Missing Logging on Error Paths	2h	BLK-1024	+1
Fix: N+1 Query Pattern	2h	BLK-251	+0
Fix: N+1 Query Pattern	2h	BLK-252	+0
Fix: Oversized Source Files	2h	BLK-796	+0
Fix: Oversized Source Files	2h	BLK-797	+0
Fix: Oversized Source Files	2h	BLK-798	+0
Fix: Oversized Source Files	2h	BLK-799	+0
Fix: Oversized Source Files	2h	BLK-800	+0
Fix: Oversized Source Files	2h	BLK-801	+0
Fix: Oversized Source Files	2h	BLK-802	+0
Fix: Oversized Source Files	2h	BLK-803	+0
Fix: Oversized Source Files	2h	BLK-804	+0
Fix: Oversized Source Files	2h	BLK-805	+0

Fix: Oversized Source Files	2h	BLK-806	+0
Fix: Oversized Source Files	2h	BLK-807	+0
Fix: Oversized Source Files	2h	BLK-808	+0
Fix: Oversized Source Files	2h	BLK-809	+0
Fix: Oversized Source Files	2h	BLK-810	+0
Fix: Oversized Source Files	2h	BLK-811	+0
Fix: Oversized Source Files	2h	BLK-812	+0
Fix: Oversized Source Files	2h	BLK-813	+0
Fix: Oversized Source Files	2h	BLK-814	+0
Fix: Oversized Source Files	2h	BLK-815	+0
Fix: Oversized Source Files	2h	BLK-816	+0
Fix: Oversized Source Files	2h	BLK-817	+0
Fix: Oversized Source Files	2h	BLK-818	+0
Fix: Oversized Source Files	2h	BLK-819	+0
Fix: Oversized Source Files	2h	BLK-820	+0
Fix: Oversized Source Files	2h	BLK-821	+0
Fix: Oversized Source Files	2h	BLK-822	+0
Fix: Oversized Source Files	2h	BLK-823	+0
Fix: Oversized Source Files	2h	BLK-824	+0
Fix: Oversized Source Files	2h	BLK-825	+0
Fix: Oversized Source Files	2h	BLK-826	+0
Fix: Oversized Source Files	2h	BLK-827	+0
Fix: Oversized Source Files	2h	BLK-828	+0
Fix: Oversized Source Files	2h	BLK-829	+0
Fix: Oversized Source Files	2h	BLK-830	+0
Fix: Oversized Source Files	2h	BLK-831	+0
Fix: Oversized Source Files	2h	BLK-832	+0

Fix: Oversized Source Files	2h	BLK-833	+0
Fix: Oversized Source Files	2h	BLK-834	+0
Fix: Oversized Source Files	2h	BLK-835	+0
Fix: Oversized Source Files	2h	BLK-836	+0
Fix: Oversized Source Files	2h	BLK-837	+0
Fix: Oversized Source Files	2h	BLK-838	+0
Fix: Oversized Source Files	2h	BLK-839	+0
Fix: Oversized Source Files	2h	BLK-840	+0
Fix: Oversized Source Files	2h	BLK-841	+0
Fix: Oversized Source Files	2h	BLK-842	+0
Fix: Oversized Source Files	2h	BLK-843	+0
Fix: Oversized Source Files	2h	BLK-844	+0
Fix: Oversized Source Files	2h	BLK-845	+0
Fix: Oversized Source Files	2h	BLK-846	+0
Fix: Oversized Source Files	2h	BLK-847	+0
Fix: Oversized Source Files	2h	BLK-848	+0
Fix: Oversized Source Files	2h	BLK-849	+0
Fix: Oversized Source Files	2h	BLK-850	+0
Fix: Oversized Source Files	2h	BLK-851	+1
Fix: Oversized Source Files	2h	BLK-852	+0
Fix: Oversized Source Files	2h	BLK-853	+0
Fix: Oversized Source Files	2h	BLK-854	+0
Fix: Oversized Source Files	2h	BLK-855	+0
Fix: Oversized Source Files	2h	BLK-856	+0
Fix: Oversized Source Files	2h	BLK-857	+0
Fix: Oversized Source Files	2h	BLK-858	+0
Fix: Oversized Source Files	2h	BLK-859	+0

Fix: Oversized Source Files	2h	BLK-860	+0
Fix: Oversized Source Files	2h	BLK-861	+0
Fix: Oversized Source Files	2h	BLK-862	+0
Fix: Oversized Source Files	2h	BLK-863	+0
Fix: Oversized Source Files	2h	BLK-864	+0
Fix: Oversized Source Files	2h	BLK-865	+0
Fix: Oversized Source Files	2h	BLK-866	+0
Fix: Oversized Source Files	2h	BLK-867	+0
Fix: Oversized Source Files	2h	BLK-868	+0
Fix: Oversized Source Files	2h	BLK-869	+0
Fix: Oversized Source Files	2h	BLK-870	+0
Fix: Oversized Source Files	2h	BLK-871	+0
Fix: Oversized Source Files	2h	BLK-872	+0
Fix: Oversized Source Files	2h	BLK-873	+0
Fix: Oversized Source Files	2h	BLK-874	+0
Fix: Oversized Source Files	2h	BLK-875	+0
Fix: Oversized Source Files	2h	BLK-876	+0
Fix: Oversized Source Files	2h	BLK-877	+0
Fix: Oversized Source Files	2h	BLK-878	+0
Fix: Oversized Source Files	2h	BLK-879	+0
Fix: Oversized Source Files	2h	BLK-880	+0
Fix: Oversized Source Files	2h	BLK-881	+0
Fix: Oversized Source Files	2h	BLK-882	+0
Fix: Oversized Source Files	2h	BLK-883	+0
Fix: Oversized Source Files	2h	BLK-884	+0
Fix: Oversized Source Files	2h	BLK-885	+0
Fix: Oversized Source Files	2h	BLK-886	+0

Fix: Oversized Source Files	2h	BLK-887	+0
Fix: Oversized Source Files	2h	BLK-888	+0
Fix: Oversized Source Files	2h	BLK-889	+0
Fix: Oversized Source Files	2h	BLK-890	+0
Fix: Oversized Source Files	2h	BLK-891	+0
Fix: Oversized Source Files	2h	BLK-892	+0
Fix: Oversized Source Files	2h	BLK-893	+0
Fix: Oversized Source Files	2h	BLK-894	+0
Fix: Oversized Source Files	2h	BLK-895	+1
Fix: Oversized Source Files	2h	BLK-896	+0
Fix: Oversized Source Files	2h	BLK-897	+0
Fix: Oversized Source Files	2h	BLK-898	+0
Fix: Oversized Source Files	2h	BLK-899	+0
Fix: Oversized Source Files	2h	BLK-900	+0
Fix: Oversized Source Files	2h	BLK-901	+0
Fix: Oversized Source Files	2h	BLK-902	+0
Fix: Oversized Source Files	2h	BLK-903	+0
Fix: Oversized Source Files	2h	BLK-904	+0
Fix: Oversized Source Files	2h	BLK-905	+0
Fix: Oversized Source Files	2h	BLK-906	+0
Fix: Oversized Source Files	2h	BLK-907	+0
Fix: Oversized Source Files	2h	BLK-908	+0
Fix: Oversized Source Files	2h	BLK-909	+0
Fix: Oversized Source Files	2h	BLK-910	+0
Fix: Oversized Source Files	2h	BLK-911	+0
Fix: Oversized Source Files	2h	BLK-912	+0
Fix: Oversized Source Files	2h	BLK-913	+0

Fix: Oversized Source Files	2h	BLK-914	+0
Fix: Oversized Source Files	2h	BLK-915	+0
Fix: Oversized Source Files	2h	BLK-916	+0
Fix: Oversized Source Files	2h	BLK-917	+0
Fix: Oversized Source Files	2h	BLK-918	+0
Fix: Oversized Source Files	2h	BLK-919	+0
Fix: Oversized Source Files	2h	BLK-920	+0
Fix: Oversized Source Files	2h	BLK-921	+1
Fix: Oversized Source Files	2h	BLK-922	+0
Fix: Oversized Source Files	2h	BLK-923	+0
Fix: Oversized Source Files	2h	BLK-924	+0
Fix: Oversized Source Files	2h	BLK-925	+0
Fix: Oversized Source Files	2h	BLK-926	+0
Fix: Oversized Source Files	2h	BLK-927	+0
Fix: Oversized Source Files	2h	BLK-928	+0
Fix: Oversized Source Files	2h	BLK-929	+0
Fix: Oversized Source Files	2h	BLK-930	+0
Fix: Oversized Source Files	2h	BLK-931	+0
Fix: Oversized Source Files	2h	BLK-932	+0
Fix: Oversized Source Files	2h	BLK-933	+0
Fix: Oversized Source Files	2h	BLK-934	+0
Fix: Oversized Source Files	2h	BLK-935	+0
Fix: Oversized Source Files	2h	BLK-936	+0
Fix: Oversized Source Files	2h	BLK-937	+0
Fix: Oversized Source Files	2h	BLK-938	+0
Fix: Oversized Source Files	2h	BLK-939	+0
Fix: Oversized Source Files	2h	BLK-940	+1

Fix: Oversized Source Files	2h	BLK-941	+0
Fix: Oversized Source Files	2h	BLK-942	+0
Fix: Oversized Source Files	2h	BLK-943	+0
Fix: Oversized Source Files	2h	BLK-944	+0
Fix: Oversized Source Files	2h	BLK-945	+0
Fix: Oversized Source Files	2h	BLK-946	+0
Fix: Oversized Source Files	2h	BLK-947	+0
Fix: Unpinned Docker Base Image	2h	BLK-1014	+0
Fix: Unpinned Docker Base Image	2h	BLK-1015	+0
Upgrade fastapi to 0.109.1.	1h	BLK-001	+0
Upgrade gitpython to 3.1.41.	1h	BLK-002	+0
Upgrade gitpython to 3.1.41.	1h	BLK-003	+0
Upgrade jinja2 to 3.1.6.	1h	BLK-004	+0
Upgrade jinja2 to 3.1.5.	1h	BLK-005	+0
Upgrade jinja2 to 3.1.3.	1h	BLK-006	+0
Upgrade jinja2 to 3.1.4.	1h	BLK-007	+0
Upgrade jinja2 to 3.1.5.	1h	BLK-008	+0
Upgrade python-jose to 3.4.0.	1h	BLK-009	+0
Upgrade python-jose to 3.4.0.	1h	BLK-010	+0
Upgrade python-jose to 3.4.0.	1h	BLK-011	+0
Upgrade python-jose to 3.4.0.	1h	BLK-012	+0
Upgrade python-multipart to 0.0.7.	1h	BLK-013	+0
Upgrade python-multipart to 0.0.18.	1h	BLK-014	+0
Upgrade python-multipart to 0.0.22.	1h	BLK-015	+0
Upgrade requests to 2.32.4.	1h	BLK-016	+0
Upgrade requests to 2.32.0.	1h	BLK-017	+0
Upgrade requests to 2.33.0.	1h	BLK-018	+0

Fix: Third-Party Dependencies Without Security Review	2h	BLK-255	+0
Fix: Third-Party Dependencies Without Security Review	2h	BLK-256	+0
Fix: Third-Party Dependencies Without Security Review	2h	BLK-257	+0
Fix: Third-Party Dependencies Without Security Review	2h	BLK-258	+0
Fix: Third-Party Dependencies Without Security Review	2h	BLK-259	+0
Fix: Third-Party Dependencies Without Security Review	2h	BLK-260	+0
Fix: Third-Party Dependencies Without Security Review	2h	BLK-261	+0
Fix: Dead Code Module	2h	BLK-124	+0
Fix: Dead Code Module	2h	BLK-125	+0
Fix: Dead Code Module	2h	BLK-126	+0
Fix: Dead Code Module	2h	BLK-127	+0
Fix: Dead Code Module	2h	BLK-128	+0
Fix: Dead Code Module	2h	BLK-129	+0
Fix: Dead Code Module	2h	BLK-130	+0
Fix: Dead Code Module	2h	BLK-131	+0
Fix: Dead Code Module	2h	BLK-132	+0
Fix: Dead Code Module	2h	BLK-133	+0
Fix: Dead Code Module	2h	BLK-134	+0
Fix: Dead Code Module	2h	BLK-135	+0
Fix: Dead Code Module	2h	BLK-136	+0
Fix: Dead Code Module	2h	BLK-137	+0
Fix: Dead Code Module	2h	BLK-138	+0
Fix: Dead Code Module	2h	BLK-139	+0
Fix: Dead Code Module	2h	BLK-140	+0
Fix: Dead Code Module	2h	BLK-141	+0
Fix: Dead Code Module	2h	BLK-142	+0
Fix: Dead Code Module	2h	BLK-143	+0

Fix: Dead Code Module	2h	BLK-144	+0
Fix: Dead Code Module	2h	BLK-145	+0
Fix: Dead Code Module	2h	BLK-146	+0
Fix: Dead Code Module	2h	BLK-147	+0
Fix: Dead Code Module	2h	BLK-148	+0
Fix: Dead Code Module	2h	BLK-149	+0
Fix: Dead Code Module	2h	BLK-150	+0
Fix: Dead Code Module	2h	BLK-151	+0
Fix: Dead Code Module	2h	BLK-152	+0
Fix: Dead Code Module	2h	BLK-153	+0
Fix: Dead Code Module	2h	BLK-154	+0
Fix: Dead Code Module	2h	BLK-155	+0
Fix: Dead Code Module	2h	BLK-156	+0
Fix: Dead Code Module	2h	BLK-157	+0
Fix: Dead Code Module	2h	BLK-158	+0
Fix: Dead Code Module	2h	BLK-159	+0
Fix: Dead Code Module	2h	BLK-160	+0
Fix: Dead Code Module	2h	BLK-161	+0
Fix: Dead Code Module	2h	BLK-162	+0
Fix: Dead Code Module	2h	BLK-163	+0
Fix: Dead Code Module	2h	BLK-164	+0
Fix: Dead Code Module	2h	BLK-165	+0
Fix: Dead Code Module	2h	BLK-166	+0
Fix: Dead Code Module	2h	BLK-167	+0
Fix: Dead Code Module	2h	BLK-168	+0
Fix: Dead Code Module	2h	BLK-169	+0
Fix: Dead Code Module	2h	BLK-170	+0

Fix: Dead Code Module	2h	BLK-171	+0
Fix: Dead Code Module	2h	BLK-172	+0
Fix: Dead Code Module	2h	BLK-173	+0
Fix: Dead Code Module	2h	BLK-174	+0
Fix: Dead Code Module	2h	BLK-175	+0
Fix: Dead Code Module	2h	BLK-176	+0
Fix: Dead Code Module	2h	BLK-177	+0
Fix: Dead Code Module	2h	BLK-178	+0
Fix: Dead Code Module	2h	BLK-179	+0
Fix: Dead Code Module	2h	BLK-180	+0
Fix: Dead Code Module	2h	BLK-181	+0
Fix: Dead Code Module	2h	BLK-182	+0
Fix: Dead Code Module	2h	BLK-183	+0
Fix: Dead Code Module	2h	BLK-184	+0
Fix: Dead Code Module	2h	BLK-185	+0
Fix: Dead Code Module	2h	BLK-186	+0
Fix: Dead Code Module	2h	BLK-187	+0
Fix: Dead Code Module	2h	BLK-188	+0
Fix: Dead Code Module	2h	BLK-189	+0
Fix: Dead Code Module	2h	BLK-190	+0
Fix: Dead Code Module	2h	BLK-191	+0
Fix: Dead Code Module	2h	BLK-192	+0
Fix: Dead Code Module	2h	BLK-193	+0
Fix: Dead Code Module	2h	BLK-194	+0
Fix: Dead Code Module	2h	BLK-195	+0
Fix: Dead Code Module	2h	BLK-196	+0
Fix: Dead Code Module	2h	BLK-197	+0

Fix: Dead Code Module	2h	BLK-198	+0
Fix: Dead Code Module	2h	BLK-199	+0
Fix: Dead Code Module	2h	BLK-200	+0
Fix: Dead Code Module	2h	BLK-201	+0
Fix: Dead Code Module	2h	BLK-202	+0
Fix: Dead Code Module	2h	BLK-203	+0
Fix: Dead Code Module	2h	BLK-204	+0
Fix: Dead Code Module	2h	BLK-205	+0
Fix: Dead Code Module	2h	BLK-206	+0
Fix: Dead Code Module	2h	BLK-207	+0
Fix: Dead Code Module	2h	BLK-208	+0
Fix: Dead Code Module	2h	BLK-209	+0
Fix: Dead Code Module	2h	BLK-210	+0
Fix: Dead Code Module	2h	BLK-211	+0
Fix: Dead Code Module	2h	BLK-212	+0
Fix: Dead Code Module	2h	BLK-213	+0
Fix: Dead Code Module	2h	BLK-214	+0
Fix: Dead Code Module	2h	BLK-215	+0
Fix: Dead Code Module	2h	BLK-216	+0
Fix: Dead Code Module	2h	BLK-217	+0
Fix: Dead Code Module	2h	BLK-218	+0
Fix: Dead Code Module	2h	BLK-219	+0
Fix: Dead Code Module	2h	BLK-220	+0
Fix: Dead Code Module	2h	BLK-221	+0
Fix: Dead Code Module	2h	BLK-222	+0
Fix: Dead Code Module	2h	BLK-223	+0
Fix: Dead Code Module	2h	BLK-224	+0

Fix: Dead Code Module	2h	BLK-225	+0
Fix: Dead Code Module	2h	BLK-226	+0
Fix: Dead Code Module	2h	BLK-227	+0
Fix: Dead Code Module	2h	BLK-228	+0
Fix: Dead Code Module	2h	BLK-229	+0
Fix: Dead Code Module	2h	BLK-230	+0
Fix: Dead Code Module	2h	BLK-231	+0
Fix: Dead Code Module	2h	BLK-232	+0
Fix: Dead Code Module	2h	BLK-233	+0
Fix: Dead Code Module	2h	BLK-234	+0
Fix: Dead Code Module	2h	BLK-235	+0
Fix: Dead Code Module	2h	BLK-236	+0
Fix: Dead Code Module	2h	BLK-237	+0
Fix: Dead Code Module	2h	BLK-238	+0
Fix: Dead Code Module	2h	BLK-239	+0
Fix: Dead Code Module	2h	BLK-240	+0
Fix: Dead Code Module	2h	BLK-241	+0
Fix: Dead Code Module	2h	BLK-242	+0
Fix: Dead Code Module	2h	BLK-243	+0
Fix: Dead Code Module	2h	BLK-244	+0
Fix: Dead Code Module	2h	BLK-245	+0
Fix: Dead Code Module	2h	BLK-246	+0
Fix: Dead Functions	2h	BLK-744	+0
Fix: Dead Functions	2h	BLK-745	+0
Fix: Dead Functions	2h	BLK-746	+0
Fix: Dead Functions	2h	BLK-747	+0
Fix: Dead Functions	2h	BLK-748	+0

Fix: Dead Functions	2h	BLK-749	+0
Fix: Dead Functions	2h	BLK-750	+0
Fix: Dead Functions	2h	BLK-751	+0
Fix: Dead Functions	2h	BLK-752	+0
Fix: Dead Functions	2h	BLK-753	+0
Fix: Dead Functions	2h	BLK-754	+0
Fix: Dead Functions	2h	BLK-755	+0
Fix: Dead Functions	2h	BLK-756	+0
Fix: Dead Functions	2h	BLK-757	+0
Fix: Magic Numbers	2h	BLK-1025	+0
Fix: Magic Numbers	2h	BLK-1026	+0
Fix: Magic Numbers	2h	BLK-1027	+1
Fix: Magic Numbers	2h	BLK-1028	+0
Fix: Magic Numbers	2h	BLK-1029	+0
Fix: Magic Numbers	2h	BLK-1030	+0
Fix: Magic Numbers	2h	BLK-1031	+0
Fix: Magic Numbers	2h	BLK-1032	+0
Fix: Magic Numbers	2h	BLK-1033	+0
Fix: Magic Numbers	2h	BLK-1034	+0
Fix: Missing API Versioning	2h	BLK-260	+0
Fix: Missing API Versioning	2h	BLK-261	+0
Fix: Missing API Versioning	2h	BLK-262	+0
Fix: Missing API Versioning	2h	BLK-263	+0
Fix: Missing API Versioning	2h	BLK-264	+0
Fix: Missing API Versioning	2h	BLK-265	+0
Fix: Missing API Versioning	2h	BLK-266	+0
Fix: Missing API Versioning	2h	BLK-267	+0

Fix: Missing API Versioning	2h	BLK-268	+0
Fix: Missing API Versioning	2h	BLK-269	+0
Fix: Missing API Versioning	2h	BLK-270	+0
Fix: Missing API Versioning	2h	BLK-271	+0
Fix: Missing API Versioning	2h	BLK-272	+0
Fix: Missing API Versioning	2h	BLK-273	+0
Fix: Missing API Versioning	2h	BLK-274	+0
Fix: Missing API Versioning	2h	BLK-275	+0
Fix: Missing API Versioning	2h	BLK-276	+0
Fix: Missing API Versioning	2h	BLK-277	+0
Fix: Missing API Versioning	2h	BLK-278	+0
Fix: Missing API Versioning	2h	BLK-279	+0
Fix: Missing API Versioning	2h	BLK-280	+0
Fix: Missing API Versioning	2h	BLK-281	+0
Fix: Missing API Versioning	2h	BLK-282	+0
Fix: Missing API Versioning	2h	BLK-283	+0
Fix: Missing API Versioning	2h	BLK-284	+0
Fix: Missing API Versioning	2h	BLK-285	+0
Fix: Missing API Versioning	2h	BLK-286	+0
Fix: Missing API Versioning	2h	BLK-287	+0
Fix: Missing API Versioning	2h	BLK-288	+0
Fix: Missing API Versioning	2h	BLK-289	+0
Fix: Missing API Versioning	2h	BLK-290	+0
Fix: Missing API Versioning	2h	BLK-291	+0
Fix: Missing API Versioning	2h	BLK-292	+0
Fix: Missing API Versioning	2h	BLK-293	+0
Fix: Missing Docstrings on Public API	2h	BLK-948	+0

Fix: Missing Docstrings on Public API	2h	BLK-949	+0
Fix: Missing Docstrings on Public API	2h	BLK-950	+0
Fix: Missing Docstrings on Public API	2h	BLK-951	+0
Fix: Missing Docstrings on Public API	2h	BLK-952	+0
Fix: Missing Docstrings on Public API	2h	BLK-953	+0
Fix: Missing Docstrings on Public API	2h	BLK-954	+0
Fix: Missing Docstrings on Public API	2h	BLK-955	+0
Fix: Missing Docstrings on Public API	2h	BLK-956	+0
Fix: Missing Docstrings on Public API	2h	BLK-957	+0
Fix: Missing Docstrings on Public API	2h	BLK-958	+0
Fix: Missing Docstrings on Public API	2h	BLK-959	+0
Fix: Missing Docstrings on Public API	2h	BLK-960	+0
Fix: Missing Docstrings on Public API	2h	BLK-961	+0
Fix: Missing Docstrings on Public API	2h	BLK-962	+0
Fix: Missing Docstrings on Public API	2h	BLK-963	+0
Fix: Missing Docstrings on Public API	2h	BLK-964	+0
Fix: Missing Docstrings on Public API	2h	BLK-965	+0
Fix: Missing Docstrings on Public API	2h	BLK-966	+0
Fix: Missing Docstrings on Public API	2h	BLK-967	+0
Fix: Missing Docstrings on Public API	2h	BLK-968	+0
Fix: Missing Docstrings on Public API	2h	BLK-969	+1
Fix: Missing Docstrings on Public API	2h	BLK-970	+0
Fix: Missing Docstrings on Public API	2h	BLK-971	+0
Fix: Missing Docstrings on Public API	2h	BLK-972	+0
Fix: Missing Docstrings on Public API	2h	BLK-973	+0
Fix: Missing Docstrings on Public API	2h	BLK-974	+0
Fix: Missing Docstrings on Public API	2h	BLK-975	+0

Fix: Missing Docstrings on Public API	2h	BLK-976	+0
Fix: Missing Docstrings on Public API	2h	BLK-977	+0
Fix: Missing Docstrings on Public API	2h	BLK-978	+0
Fix: Missing Docstrings on Public API	2h	BLK-979	+0
Fix: Missing Docstrings on Public API	2h	BLK-980	+0
Fix: Missing Docstrings on Public API	2h	BLK-981	+0
Fix: Missing Docstrings on Public API	2h	BLK-982	+0
Fix: Missing Docstrings on Public API	2h	BLK-983	+0
Fix: Missing Docstrings on Public API	2h	BLK-984	+0
Fix: Missing Docstrings on Public API	2h	BLK-985	+0
Fix: Missing Docstrings on Public API	2h	BLK-986	+0
Fix: Missing Docstrings on Public API	2h	BLK-987	+0
Fix: Missing Docstrings on Public API	2h	BLK-988	+0
Fix: Missing Docstrings on Public API	2h	BLK-989	+0
Fix: Missing Docstrings on Public API	2h	BLK-990	+0
Fix: Missing Docstrings on Public API	2h	BLK-991	+0
Fix: Missing Docstrings on Public API	2h	BLK-992	+1
Fix: Missing Docstrings on Public API	2h	BLK-993	+0
Fix: Missing Docstrings on Public API	2h	BLK-994	+0
Fix: Missing Docstrings on Public API	2h	BLK-995	+0
Fix: Missing Docstrings on Public API	2h	BLK-996	+0
Fix: Missing Docstrings on Public API	2h	BLK-997	+0
Fix: Missing Docstrings on Public API	2h	BLK-998	+0
Fix: Missing Docstrings on Public API	2h	BLK-999	+0
Fix: Missing Docstrings on Public API	2h	BLK-1000	+0
Fix: Missing Docstrings on Public API	2h	BLK-1001	+0
Fix: Missing Docstrings on Public API	2h	BLK-1002	+0

Fix: Missing Docstrings on Public API	2h	BLK-1003	+0
Fix: Missing Docstrings on Public API	2h	BLK-1004	+0
Fix: Missing Docstrings on Public API	2h	BLK-1005	+0
Fix: Missing Docstrings on Public API	2h	BLK-1006	+1
Fix: Missing Docstrings on Public API	2h	BLK-1007	+0
Fix: Missing Docstrings on Public API	2h	BLK-1008	+0
Fix: Missing Docstrings on Public API	2h	BLK-1009	+0
Fix: Missing Docstrings on Public API	2h	BLK-1010	+0
Fix: Missing Docstrings on Public API	2h	BLK-1011	+0
Fix: Monolith Anti-Pattern	2h	BLK-078	+0
Fix: Monolith Anti-Pattern	2h	BLK-079	+0
Fix: Monolith Anti-Pattern	2h	BLK-080	+0
Fix: Monolith Anti-Pattern	2h	BLK-081	+0
Fix: Monolith Anti-Pattern	2h	BLK-082	+0
Fix: Monolith Anti-Pattern	2h	BLK-083	+0
Fix: Monolith Anti-Pattern	2h	BLK-084	+0
Fix: Monolith Anti-Pattern	2h	BLK-085	+0
Fix: Monolith Anti-Pattern	2h	BLK-086	+0
Fix: Monolith Anti-Pattern	2h	BLK-087	+0
Fix: Monolith Anti-Pattern	2h	BLK-088	+0
Fix: Monolith Anti-Pattern	2h	BLK-089	+0
Fix: Monolith Anti-Pattern	2h	BLK-090	+0
Fix: Monolith Anti-Pattern	2h	BLK-091	+0
Fix: Monolith Anti-Pattern	2h	BLK-092	+0
Fix: Monolith Anti-Pattern	2h	BLK-093	+0
Fix: Monolith Anti-Pattern	2h	BLK-094	+0
Fix: Monolith Anti-Pattern	2h	BLK-095	+0

Fix: Monolith Anti-Pattern	2h	BLK-096	+0
Fix: Monolith Anti-Pattern	2h	BLK-097	+0
Fix: Monolith Anti-Pattern	2h	BLK-098	+0
Fix: Monolith Anti-Pattern	2h	BLK-099	+0
Fix: Monolith Anti-Pattern	2h	BLK-100	+0
Fix: Monolith Anti-Pattern	2h	BLK-101	+0
Fix: Monolith Anti-Pattern	2h	BLK-102	+0
Fix: Monolith Anti-Pattern	2h	BLK-103	+0
Fix: Monolith Anti-Pattern	2h	BLK-104	+0
Fix: Monolith Anti-Pattern	2h	BLK-105	+0
Fix: Monolith Anti-Pattern	2h	BLK-106	+0
Fix: Monolith Anti-Pattern	2h	BLK-107	+0
Fix: Monolith Anti-Pattern	2h	BLK-108	+0
Fix: Monolith Anti-Pattern	2h	BLK-109	+0
Fix: Monolith Anti-Pattern	2h	BLK-110	+0
Fix: Monolith Anti-Pattern	2h	BLK-111	+0
Fix: Monolith Anti-Pattern	2h	BLK-112	+0
Fix: Monolith Anti-Pattern	2h	BLK-113	+0
Fix: Monolith Anti-Pattern	2h	BLK-114	+0
Fix: Monolith Anti-Pattern	2h	BLK-115	+0
Fix: Monolith Anti-Pattern	2h	BLK-116	+0
Fix: Monolith Anti-Pattern	2h	BLK-117	+0
Fix: Monolith Anti-Pattern	2h	BLK-118	+0
Fix: Monolith Anti-Pattern	2h	BLK-119	+0
Fix: Monolith Anti-Pattern	2h	BLK-120	+0
Fix: Monolith Anti-Pattern	2h	BLK-121	+0
Fix: Monolith Anti-Pattern	2h	BLK-122	+0

Fix: Monolith Anti-Pattern	2h	BLK-123	+0

Total effort: 3110 hours Score: 42 -> 100 (+58 points)

09 Audit ROI & Benefits

Time Saved vs. Manual Audit

Files analyzed	73
Estimated manual audit time	36 hours
Automated scan time	
Findings identified	1577

Compliance Readiness

This scan evaluated 1 compliance framework: SOC2

Following the remediation roadmap will move the overall health score from 40 toward the target levels specified in each phase.

Financial Risk Exposure

0 critical and 9 high severity findings were identified before reaching production.

Addressing these findings proactively avoids potential breach costs, regulatory fines, and incident response expenses. Estimated remediation effort: 18.0 hours.

Generated by BlanketAudit AI · A Tectonic Labs Product · March 29, 2026 · Provider: LLMProvider.GROQ · Model: llama-3.3-70b-versatile