CONVEY

PRODUCT CATALOG

PROFESSIONAL RADIO COMMUNICATION

2026 EDITION



www.conveyindia.in

COMPANY OVERVIEW

Convey India Pvt. Ltd. is a provider of professional two-way radio communication solutions designed for industries that require reliable, secure, and instant communication. The company offers advanced wireless communication systems including **Two-Way Radios, DMR Tier-I & Tier-II technologies, Ad-hoc & SFR communication, POC, ROIP, MCX, BDA systems, Tunnel Communication (DAS Systems), Video Surveillance, Public Addressing Systems, and Emergency Call Point solutions**.

In addition to wireless communication technologies, Convey also delivers a wide range of telecommunication systems such as **Fiber Optic Communication and Networking Systems, SDH/SONET & PDH networks, Teleprotection systems, MPLS-IP & MPLS-TP networks, CWDM & DWDM technologies, Microwave communication systems, KAVACH System (TCAS), G-PON, XG-PON, XGS-PON, FRMCS LTR/5G-R solutions, Dispatchers, Network Management Systems (NMS), and IT Network & Infrastructure services.**

Convey has experienced rapid growth in recent years across the fields of **Radio Communication, Telecommunication Systems, and IT Infrastructure,** delivering reliable and scalable solutions to meet the evolving communication needs of modern industries.

INDUSTRIES WE SERVE

Security | Construction | Mining | Railways | Oil & Gas



DMR PORTABLE RADIO SERIES

The Convey DMR Portable Radio Series offers reliable and secure digital communication for professional users. Designed with rugged industrial construction and advanced digital technology, these radios ensure clear voice transmission, long battery life, and enhanced safety features.

Whether used in security, logistics, construction, or industrial environments, Convey radios deliver dependable performance and efficient communication across teams.



WHY CHOOSE US!

- Rugged Design
- Secure Communication
- Long Battery
- Clear Audio
- Safety Features



C1-DP

Professional DMR Portable Radio

DESCRIPTION

The C1-DP DMR Portable Radio is a compact and reliable two-way communication device designed for professional use. It supports both digital and analog modes, delivering clear audio, secure communication, and long battery life. With advanced features like AES-256 encryption, emergency alerts, and optional Bluetooth and GPS, it is ideal for industries such as security, construction, and facility management where dependable communication is essential.

KEY FEATURES

- DMR Tier II Digital Technology
- IP67 & IP68 Standard Compliance
- Analog & Digital Dual Mode
- Bluetooth & GPS (Optional)
- Voice Recording Function
- Radio Check & Kill/Unkill
- Emergency Alarm (SOS)
- Scan & Priority Scan
- Battery Saver Mode
- Low Battery Alert

SPECIFICATIONS

Frequency Range	136–174 MHz / 400–470 MHz
Channels	256
RF Power Output	5W (High), 1W (Low)
Channel Spacing	12.5 / 25 kHz
Battery	2500mAh StD. (Opt. 3000mAh)
Operating Voltage	DC 7.4V
Dimensions (HWD)	117 × 54 × 36 mm
Weight	~290 g
Audio Output Power	1W
Sensitivity	0.18 µV (Analog), 0.14 µV (Digital)
Operating Temp.	-30°C to +60°C



C1-DP2

Professional DMR Portable Radio

DESCRIPTION

The C1-DP2 DMR Portable Radio is a rugged and high-performance digital two-way radio designed for professional communication. Built with DMR Tier II technology, it delivers clear audio, secure encrypted communication, and reliable performance in demanding environments. With support for analog and digital modes, emergency functions, and optional GPS and Bluetooth, it is ideal for industries such as security, construction, and industrial operations.

KEY FEATURES

- DMR Tier II Digital Technology
- IP67 Rated Rugged Design
- Alphanumeric Display with Backlight
- 300 Character SMS Messaging
- Bluetooth & GPS (Optional)
- Voice Recording Function
- Emergency Alarm (SOS)
- Battery Saver Mode
- Low Battery Alert

SPECIFICATIONS

Display	1.8" TFT Color Display
Frequency Range	136–174 MHz / 400–470 MHz
Channels	256
RF Power Output	5W (High), 1W (Low)
Channel Spacing	12.5 / 25 kHz
Battery	2500mAh StD. (Opt. 3000mAh)
Operating Voltage	DC 7.4V
Dimensions	117 × 54 × 36 mm
Weight	~290 g
Audio Output Power	1W
Sensitivity	0.18 µV (Analog), 0.14 µV (Digital)
Operating Temp.	-30°C to +60°C



C1–DP3

Professional DMR Portable Radio

DESCRIPTION

The C1-DP3 DMR Portable Radio is a rugged professional communication device designed for reliable and secure operations. With DMR Tier III technology, IP68 protection, and advanced safety features, it ensures clear communication in demanding environments. The radio supports full/semi-duplex communication, encryption, and optional GPS and Bluetooth, making it suitable for security, industrial, and field operations.

KEY FEATURES

- DMR Tier III Digital Technology
- IP68 Rugged & Waterproof Design
- Alphanumeric Display with Backlight
- 248 Character SMS Messaging
- OTAP, Wi-Fi, Bluetooth (Optional)
- Voice Recording Function
- Emergency Alarm (SOS)
- Battery Saver Mode
- Low Battery Alert
- SFR, Location Finder

SPECIFICATIONS

Display	2.0 inch TFT Color Display
Frequency Range	136–174 MHz / 400–470 MHz
Channels	1024
RF Power Output	5W (High), 1W (Low)
Channel Spacing	12.5 / 25 kHz
Battery	2400mAh Li-ion
Operating Voltage	DC 7.4V
Dimensions (HWD)	125 x 54 x 35mm
Weight	~320 g
Audio Output Power	1W
Sensitivity	0.18 µV (Analog), 0.18 µV (Digital)
Operating Temp.	-30°C to +60°C



C1-DP4

Professional DMR Portable Radio

DESCRIPTION

The C1-DP4 DMR Portable Radio is a rugged and efficient communication device designed for professional environments. With DMR Tier II digital technology, IP68 protection, and AES-256 encryption, it ensures secure and reliable communication in demanding conditions. Supporting both analog and digital modes, along with emergency and safety features, it is ideal for industries such as security, construction, and facility management.

KEY FEATURES

- IP68 Rugged & Waterproof Design
- DMR Tier II Digital Technology
- AES-256 Secure Encryption
- Emergency Alarm (SOS)
- Man Down & Lone Worker
- Scan & Priority Scan
- Bluetooth Support (Optional)
- Low Battery Alert
- Battery Saver Mode
- Kill / Unkill Function
- Remote Monitoring

SPECIFICATIONS

Frequency Range	136–174 MHz / 400–470 MHz
Channels	1024
RF Power Output	5W (High), 1W (Low)
Channel Spacing	12.5 / 25 kHz
Battery	2000mAh StD. (Opt. 2500mAh)
Operating Voltage	DC 7.4V
Dimensions	117 × 54 × 36 mm
Weight	~254 g
Audio Output Power	1W
Sensitivity	0.20 µV (Analog), 0.20 µV (Digital)
Operating Temp.	-30°C to +60°C



C1-DP5

Professional DMR Portable Radio

DESCRIPTION

The C1-DP5 DMR Portable Radio is a professional-grade digital communication device built for reliable performance in demanding environments. With DMR Tier II technology, IP68 protection, and AES-256 encryption, it ensures secure, clear, and efficient communication. Supporting analog and digital modes, GPS capability, and advanced safety features, it is ideal for security, industrial, and field communication applications.

KEY FEATURES

- DMR Tier II Digital Technology
- IP68 Rugged & Waterproof Design
- AES-256 Secure Encryption
- 300-Character SMS Texting
- Analog & Digital Dual Mode
- Emergency Alarm (SOS)
- Man Down & Lone Worker
- Scan & Priority Scan
- GPS & Automatic Roaming Support
- Low Battery Alert
- Battery Saver Mode

SPECIFICATIONS

Display	1.8 inch TFT Color Display
Frequency Range	136–174 MHz / 400–470 MHz
Channels	1024
RF Power Output	5W (High), 1W (Low)
Channel Spacing	12.5 / 25 kHz
Battery	2000mAh StD. (Opt. 2500mAh)
Operating Voltage	DC 7.4V
Dimensions (HWD)	123×55×33mm
Weight	~390 g
Audio Output Power	1W
Sensitivity	0.22 µV (Analog), 0.22 µV (Digital)
Operating Temp.	-30°C to +60°C



C1-DP6 Ex

Professional DMR Portable Radio

DESCRIPTION

The C1-DP6 EX DMR Portable Radio is an intrinsically safe digital two-way radio designed for hazardous environments such as oil refineries, chemical plants, and mining operations. With ATEX & IECEx explosion-proof certification, IP68 protection, and advanced encryption, it ensures reliable and secure communication while maintaining maximum safety in environments with flammable gases or combustible dust.

KEY FEATURES

- ATEX & IECEx Explosion-Proof Certified
- IP68 Rugged & Dustproof Design
- AES / ARC4 Encryption for Secure Communication
- Built-in GPS & Bluetooth Connectivity
- Emergency Alarm
- Man Down & Lone Worker
- Dual-Slot Pseudo Trunk Communication
- High-Power Audio (up to 130 dB)
- Vibration Alert & Call Interrupt Function

SPECIFICATIONS

Frequency Range	136–174 MHz / 400–470 MHz
Channels	1024
RF Power Output	5W (High), 1W (Low)
Channel Spacing	12.5 / 25 kHz
Battery	2000mAh
Operating Voltage	DC 7.4V
Dimensions	157.5 × 56 × 41.4 mm
Weight	~500 g
Audio Output Power	1W
Sensitivity	0.22 µV (Analog), 0.22 µV (Digital)
Operating Temp.	-20°C to +50°C



C1–DP7 Ex

Professional DMR Portable Radio

DESCRIPTION

The C1-DP7 EX DMR Portable Radio is an intrinsically safe digital communication device designed for hazardous industrial environments. With ATEX & IECEx explosion-proof certification, IP68 protection, and advanced encryption, it ensures reliable communication while maintaining the highest safety standards in environments with flammable gases and combustible dust.

KEY FEATURES

- ATEX & IECEx Explosion-Proof Certified
- IP68 Rugged & Dustproof Design
- 1.8" Color LCD Display with Keypad
- AES / ARC4 Encryption for Secure Communication
- Built-in GPS & Bluetooth Connectivity
- Emergency Alarm
- Man Down & Lone Worker
- High-Power Audio (up to 130 dB)
- Vibration Alert & Call Interrupt

SPECIFICATIONS

Display	1.8 inch TFT Color Display
Frequency Range	136–174 MHz / 400–470 MHz
Channels	1024
RF Power Output	5W (High), 1W (Low)
Channel Spacing	12.5 / 25 kHz
Battery	2400mAh Li-ion
Operating Voltage	DC 7.4V
Dimensions (HWD)	125 x 54 x 35mm
Weight	~320 g
Audio Output Power	1W
Sensitivity	0.22 µV (Analog), 0.22 µV (Digital)
Operating Temp.	-20°C to +50°C



C1-DP8

Professional DMR Portable Radio

DESCRIPTION

The C1-DP8 DMR Portable Radio is a rugged and feature-rich digital communication device designed for reliable performance in professional environments. With DMR Tier II technology, IP68 protection, AES-256 encryption, and advanced safety features, it provides secure and clear communication for industries such as security, construction, utilities, and field operations.

KEY FEATURES

- IP68 Rugged & Waterproof Design
- DMR Tier II Digital Technology
- AES-256 Secure Encryption
- Analog & Digital Dual Mode
- 300-Character SMS Messaging
- Emergency Alarm (SOS)
- Man Down & Lone Worker
- Scan & Priority Scan
- GPS & Bluetooth Support (Optional)
- Low Battery Alert
- Battery Saver Mode
- Kill / Unkill Function
- Remote Monitoring

SPECIFICATIONS

Display	1.8 inch TFT Color Display
Frequency Range	136–174 MHz / 400–470 MHz
Channels	1024
RF Power Output	5W (High), 1W (Low)
Channel Spacing	12.5 / 25 kHz
Battery	2600mAh
Operating Voltage	DC 7.4V
Dimensions	132 × 56.5 × 38 mm
Weight	~371 g
Audio Output Power	1W
Sensitivity	0.18 µV (Analog), 0.18 µV (Digital)
Operating Temp.	-30°C to +60°C

CONVEY

Reliable Digital Communication

Website
www.conveyindia.in

Email
sales@conveyindia.in

Phone
+91-11-26472000 | +91-8416902121

Address
DTJ 505-506 5th floor,
DLF Tower B, Jasola, New Delhi, Delhi-110025.

"Engineered for Clear Communication"