

TEST			
A	B	C	D
A1	B1	USA	5
A2	B1	INDIA	15
A4	B2	INDONESIA	35
A5	B2	UK	20

COMMAND	DESCRIPTION	QUERY	RESULT OF THE QUERY			
WHERE	Fetch data based on a condition	Hover Mouse to see query [1]	A	B	C	D
			A4	B2	INDONESIA	35
			A5	B2	UK	20
IN	Allows to specify multiple conditions inside a where clause	Hover Mouse to see query [2]	A	B	C	D
			A1	B1	USA	5
			A5	B2	UK	20
LIKE %	Search for a specific pattern with a where clause. % to match zero, one or more characters.	Hover Mouse to see query [3]	A	B	C	D
			A2	B2	INDIA	15
			A4	B2	INDONESIA	35
LIKE _	Search for a specific number of characters using '_'. To find a value with 3 characters use '____'.	Hover Mouse to see query [4]	A	B	C	D
			A1	B1	USA	5
BETWEEN	Fetch the data within specific range	Hover Mouse to see query [5]	A	B	C	D
			A2	B2	INDIA	15
			A4	B2	INDONESIA	35
			A5	B2	UK	20
AND	Fetch the record(s) if all the conditions specified by AND are TRUE	Hover Mouse to see query [6]	A	B	C	D
			A4	B2	INDONESIA	35
			A5	B2	UK	20
OR	Fetch the record(s) if atleast one of the conditions specified by OR is/are TRUE	Hover Mouse to see query [7]	A	B	C	D
			A2	B1	INDIA	15
			A4	B2	INDONESIA	35
			A5	B2	UK	20
NOT	Fetch the record(s) if the condition is NOT True	Hover Mouse to see query [8]	A	B	C	D
			A1	B1	USA	5
			A2	B1	INDIA	15

[1] SELECT * FROM TEST
WHERE B = 'B2'

[2] SELECT * FROM TEST
WHERE C IN ('USA', 'UK')

[3] SELECT * FROM TEST
WHERE C LIKE 'IND%'

[4] NOTE : n underscores are used to match n characters

SELECT * FROM TEST
WHERE C LIKE '____'

[5] SELECT * FROM TEST
WHERE D BETWEEN 15 AND 35

[6] SELECT * from TEST
WHERE B = 'B2' AND D > 15

[7] SELECT * from TEST
WHERE B = 'B2' OR D > 10

[8] SELECT * from TEST
WHERE NOT B = 'B2';

SELECT * from TEST
WHERE B != 'B2';

SELECT * from TEST
WHERE B <> 'B2';