

SPECIFICATION RELEASE

CAREERFORGE PRO

ARCHITECTURAL BLUEPRINT & UX SPECIFICATION

Figma Design System Architecture & Frontend Implementation Standard

Specification Version: 2.1.0-Release | Project: ATS-Proof Resume SaaS Platform

1. Global System Metrics & Design Interpolation

CareerForge Pro uses a secured routing layer managed through React Router DOM and localized session verification middlewares (AuthGuard and RoleGuard). Viewports reflow dynamically using strict design tokens across desktop wide screens, tablet environments, and fluid mobile canvas areas.

1.1 Complete Platform Sitemap & Route Enclaves

[Viewport: Root /]

(Public Anonymous Zone)

Landing Page (/)

Pricing Page (/pricing)

Authentication Flow

Login (/auth/login)

Register (/auth/register)

Checkout Intermediaries

Checkout Success (/checkout/success)

Checkout Cancel (/checkout/cancel)

(Authenticated Tenant Session Zone) [AuthGuard Enabled]

User Main Dashboard (/dashboard)

User Profile Console (/profile)

Subscription Portal (/subscription)

Core Template Gallery (/templates)

Unified Creation Workspace (/workspace/:resumeId)

View 1: Structural Resume Builder Form

View 2: Live HTML-to-PDF Preview Canvas

View 3: Embedded ATS Analyzer Interface

View 4: AI Contextual Bullet Optimizer Panel

View 5: Asynchronous Cover Letter Generator

(Elevated Privileges Administration Zone) [RoleGuard: Admin Locked]

System Admin Dashboard (/admin)

Analytics Control Center (/admin/analytics)

Tenant Directory Management (/admin/users)

Billing & Ledger Audits (/admin/payments)

Template Asset Configuration (/admin/templates)

1.2 Multi-Tier Viewport Breakpoint Standards

Breakpoint ID	Canvas Width	Columns	Gutter	Margin	Target Layout Strategy
Desktop Wide	1440px	12	24px	80px	Multi-pane asymmetric layout structures with scrolling side panel cards
Tablet Media	768px	8	16px	32px	Collapsed navigation drawers, icon-only rails, and stacked workspaces
Mobile Fluid	375px	4	12px	16px	Single-column vertical stack alignments with localized responsive padding


CareerForge Pro v2.1.0-Release

Page 2 of 18

2. Atomic Design Tokens & System Variables

The style system relies on strict parameter variables to synchronize development changes between our Figma designs and client application configurations. The primitive values act as the absolute ground truth.

2.1 Primitive Token Palette Modes

 blue-500 HEX: #3b82f6	 blue-600 HEX: #2563eb	 slate-900 HEX: #0f172a	 emerald-500 HEX: #10b981	 rose-500 HEX: #f43f5e
--	--	---	--	--

primitive-tokens.json

```
{
  "primitive": {
    "blue": {
      "50": "#eff6ff", "100": "#dbeafe", "200": "#bfdbfe", "300": "#93c5fd",
      "400": "#60a5fa", "500": "#3b82f6", "600": "#2563eb", "700": "#1d4ed8",
      "800": "#1e40af", "900": "#1e3a8a", "950": "#172554"
    },
    "slate": {
      "50": "#f8fafc", "100": "#f1f5f9", "200": "#e2e8f0", "300": "#cbd5e1",
      "400": "#94a3b8", "500": "#64748b", "600": "#475569", "700": "#334155",
      "800": "#1e293b", "900": "#0f172a", "950": "#020617"
    },
    "emerald": { "50": "#ecfdf5", "500": "#10b981", "600": "#059669", "700": "#047857" },
    "amber": { "50": "#fffbeb", "500": "#f59e0b", "600": "#d97706", "700": "#b45309" },
    "rose": { "50": "#fff1f2", "500": "#f43f5e", "600": "#dc2626", "700": "#b91c1c" }
  }
}
```

2.2 Semantic Token Modes (Figma Light / Dark Mode Configuration)

semantic-tokens.json

```
{
  "semantic": {
    "color": {
      "background": {
        "canvas": { "light": "{primitive.slate.50}", "dark": "{primitive.slate.950}" },
        "surface": { "light": "#ffffff", "dark": "{primitive.slate.900}" },
        "surface-mute": { "light": "{primitive.slate.100}", "dark": "{primitive.slate.800}" },
        "inverse": { "light": "{primitive.slate.950}", "dark": "{primitive.slate.50}" },
      },
      "text": {
        "primary": { "light": "{primitive.slate.900}", "dark": "{primitive.slate.50}" },
        "secondary": { "light": "{primitive.slate.600}", "dark": "{primitive.slate.300}" },
        "muted": { "light": "{primitive.slate.400}", "dark": "{primitive.slate.500}" },
        "on-brand": { "light": "#ffffff", "dark": "#ffffff" },
      },
      "brand": {
        "primary": { "light": "{primitive.blue.900}", "dark": "{primitive.blue.500}" },
        "action": { "light": "{primitive.blue.600}", "dark": "{primitive.blue.600}" },
        "action-hover": { "light": "{primitive.blue.700}", "dark": "{primitive.blue.700}" },
        "accent": { "light": "{primitive.blue.100}", "dark": "{primitive.blue.950}" },
      },
      "feedback": {
        "success": { "light": "{primitive.emerald.600}", "dark": "{primitive.emerald.500}" },
        "warning": { "light": "{primitive.amber.600}", "dark": "{primitive.amber.500}" },
        "destructive": { "light": "{primitive.rose.600}", "dark": "{primitive.rose.500}" },
      },
      "border": {
        "default": { "light": "{primitive.slate.200}", "dark": "{primitive.slate.700}" },
        "active": { "light": "{primitive.blue.600}", "dark": "{primitive.blue.500}" },
        "error": { "light": "{primitive.rose.500}", "dark": "{primitive.rose.500}" },
      },
    },
  }
}
```

2.3 Typography Scale Engine

Style Token Name	Font Size	Weight	Line Height	Letter Spacing
font/display-hero	36px	700	44px	-0.02em
font/section-title	24px	700	32px	-0.01em
font/subsection-header	18px	600	26px	0
font/body-bold	14px	600	20px	0
font/body-regular	14px	400	20px	0
font/label-medium	13px	500	18px	0.01em
font/caption-technical	12px	400	16px	0.02em

3. Master Interaction Component Matrices

3.1 Component Variant Matrix: Primary Button

State Property	Background Fill Token	Outline	Internal Text Style / Color
State=Idle	semantic.color.brand.action	None	font/body-bold (#ffffff)
State=Hover	semantic.color.brand.action-hover	None	font/body-bold (#ffffff)
State=Focused	semantic.color.brand.action	2px solid text.primary	font/body-bold (#ffffff)
State=Disabled	background.surface-mute	None	font/body-bold (text.muted)
State=Loading	semantic.color.brand.action	None	Hidden (SVG Spinner Enabled)

3.2 Component Variant Matrix: Text Input Field


State Property	Content Box Fill	Border Outline Layer	Label Color Token
State=Normal	background.surface	1px solid border.default	text.secondary
State=Active	background.surface	2px solid border.active	text.primary
State=Error	background.surface	2px solid border.error	feedback.destructive
State=Disabled	background.surface-mute	1px solid border.default	text.muted

4. Screen-by-Screen Specifications

Public Portal Landing Page

SCR-01

Functional Purpose: High-conversion landing view structured to highlight core capabilities, toolsets, pricing comparisons, and registration gateways.



Auto Layout Settings: Parent container uses strict vertical stacking with spacing: 0px. Navigation element stretches horizontally with left/right margins at 80px. Features deploy across a centered, responsive 3-column horizontal structure.

User Account Login Panel

SCR-02

Functional Purpose: Centered isolation modal designed to capture account verification credentials and initialize user sessions securely.

Welcome Back

Enter your credentials to log in

Email Address

user@domain.com

Password

[Button: Authenticate Account]

Auto Layout Settings: Central form block card has width fixed to 420px with centered coordinates across horizontal and vertical viewpoints.

User Account Registration Panel

SCR-03

Functional Purpose: Dynamic profile builder form which provisions multi-tenant structures and database nodes for new active subscribers.

Create Your Account

Email Address

Choose Password

[Button: Initialize Profile]

Auto Layout Settings: Vertical layout alignment with item gap: 20px. Centered within global viewport guidelines.

User Core Hub Dashboard

SCR-04

Functional Purpose: Main user dashboard displaying document metrics tables, pricing/billing indicators, and new project actions.

[Logo] CF Pro

Welcome Back, Candidate

[Profile Icon]

[Dashboard]

[Templates]

[Subscription]

[Admin Panel]

Your Resumes

Core Senior Dev Resume [Score: 84%] [Edit] [Delete]

FinOps Architect Blueprint [Score: 42%] [Edit] [Delete]

Auto Layout Settings: Uses split-pane grid mapping. Sidebar column is set to fixed width 260px. Work spaces resize fluidly with left margin at 40px.

Unified Multi-Pane Creation Workspace

SCR-05

Functional Purpose: High-density operational view combining form sections with real-time browser canvas updates.

[Back]

Document Builder Panel

[Score: 84%]

[Form Inputs Section]

First Name

Last Name

Marcus

Vance

[Button: Trigger AI Optimize]

[Interactive Document Canvas]

MARCUS VANCE

Systems Architect

• Designed and deployed high-availability multi-region AWS cloud clusters...

[Button: Export]

Auto Layout Settings: Split screen horizontal layout. Symmetrical editing form width is fixed to 640px, while preview canvas elements adapt fluidly to fill outer frames.

Asynchronous Live Export Canvas Preview

SCR-06

Functional Purpose: Full-screen verification frame centered on a simulated, printable, standard A4 layout module.

[Close Preview]

Template Options: [Classic ▾]

[Download PDF]

MARCUS VANCE

Systems Architect

EXPERIENCE

Lead Cloud Infrastructure Architect | Global Core Systems

• Engineered secure, highly-scalable multi-tenant infrastructure deployments matching rigorous production metrics...

EDUCATION

B.S. Computer Engineering | Stanford Systems Institute

Auto Layout Settings: Render dimensions strictly centered on both vertical and horizontal directions with fixed A4 dimensions (794px width x 1123px height).

Embedded Real-Time ATS Evaluation Engine

SCR-07

Functional Purpose: Real-time matching parser evaluating input text against target job criteria to compute compatibility index scores.

```
+-----+
| [Back] ATS Scanning Module Dashboard |
+-----+
| Paste Target Job Description | Analysis Optimization Results |
+-----+ +-----+
| Looking for systems expert with deep | Match Score Metric |
| Kubernetes cluster skills and | 68% |
| background deploying AWS... | +-----+ |
+-----+ |
| Identified Missing Keywords |
+-----+ | [Terraform ☹] [FinOps ☹] |
| [Button: Compute Match Metrics] | |
+-----+ | [Button: Optimize Copy] |
+-----+
```

Auto Layout Settings: Horizontal split with gap: 32px. Ingestion form adapts dynamically with growth metrics, while validation columns scale cleanly beside layout boundaries.

AI Contextual Bullet Optimizer Panel

SCR-08

Functional Purpose: Right-aligned flyout drawer designed to analyze phrasing selections and offer instant semantic optimizations.

```
+-----+
| AI Bullet Optimizer Copilot [X] |
+-----+
| Selected Phrase Source Bullet: |
| "Managed server setups and infrastructure things for the company." |
+-----+
| Context Phrasing Recommendation Output Options: |
| |
| [Option 1] |
| "Architected high-availability AWS cloud infrastructure and managed |
| Kubernetes production clusters, boosting reliability metrics..." |
| [Button: Apply Phrasing Choice] |
| |
| [Option 2] |
| "Deployed immutable Terraform compliance infrastructure modules..." |
| [Button: Apply Phrasing Choice] |
+-----+
```

Auto Layout Settings: Fixed drawer container width set to 460px with strict absolute positioning pinned to the right viewpoint border.

Asynchronous Cover Letter Generator

SCR-09

Functional Purpose: Dynamic cover letter builder evaluating system variables to assemble cohesive documents automatically.

```
+-----+
| Tailored Cover Letter Builder Console |
+-----+
| Target Parameters Input Form | Generated Letter Output | | |
| Target Organization Name | Dear Hiring Team, |
| +-----+ | |
| | Global Tech Solutions | | I am writing to express my |
| +-----+ | | enthusiastic interest in the |
| Target Job Role Position | Systems Architect role... |
| +-----+ | |
| | Senior Systems Architect | |
| +-----+ | |
+-----+
```

Auto Layout Settings: Balanced split pane. Left parameters width is fixed to 480px. Right preview frame expands dynamically using full flex layouts.

Onboarding Template Gallery

SCR-10

Functional Purpose: Visual layout catalog allowing subscribers to browse, filter, and pick foundational canvas styles.


```
+-----+
| [Logo] CF Pro | [Profile Icon] |
+-----+
| Select A Foundation Layout Framework |
| +-----+ +-----+ +-----+ |
| | [Thumbnail Mock] | | [Thumbnail Mock] | | [Thumbnail Mock] |
| | Executive Modern | | Minimal Tech Spec | | Ivy League Plain |
| | [Button: Choose] | | [Button: Choose] | | [Button: Choose] |
| +-----+ +-----+ +-----+ |
+-----+
```

Auto Layout Settings: Uses responsive CSS grid with spacing: 24px and width: Fill Container.

Platform Tier Pricing Page

SCR-11

Functional Purpose: Subscription model breakdown card panel displaying product features, billing options, and Stripe gateways.




Auto Layout Settings: Symmetrical horizontal card layout using margin gaps of 32px. Prominent primary styling scales active tiers upward dynamically.

Operational Session Billing Portal

SCR-12

Functional Purpose: Dynamic payment ledger portal designed to display active plans, invoicing logs, and receipt assets securely.



Auto Layout Settings: Vertical layout alignment with item gap: 28px. Invoices table maps coordinates cleanly across the page width.

Stripe Checkout Success Intermediary

SCR-13

Functional Purpose: Transaction validation landing dashboard displaying success confirmations and routing return links.

```
+-----+
|                                     |
|      ✓ Subscription Confirmed!      |
|      Thank you for unlocking CareerForge Pro Premium      |
|                                     |
|      Your transactional account permissions have been updated.      |
|                                     |
|      +-----+                    +-----+                    |
|      | [Button: Go To Dashboard Space] |                    |      |
|      +-----+                    +-----+                    |
|                                     |
+-----+
```

Auto Layout Settings: Centered card form structure with card width fixed to 520px.

Stripe Checkout Cancellation Intermediary

SCR-14

Functional Purpose: Interruption handler page designed to navigate aborted Stripe workflows safely back to client selection dashboards.

```
+-----+
|                                     |
|      Checkout Incomplete           |
|      The payment process was not completed           |
|                                     |
|      No transaction changes or tier upgrades were completed.           |
|                                     |
|      +-----+                    +-----+                    |
|      | [Button: Retry Checkout Setup] |                    |      |
|      +-----+                    +-----+                    |
|                                     |
+-----+
```

Auto Layout Settings: Card width fixed to 500px, horizontally and vertically centered.

User Profile Console Configuration

SCR-15

Functional Purpose: User profile panel constructed to persist contact coordinates, credentials, and default configuration schemas.

```
+-----+
| [Logo] CF Pro | Profile Settings Management |
+-----+
| [Dashboard]   | Identity Personal Context Data |
| [Templates]   | Full Name |
| [Subscription]| +-----+
|               | | Marcus Vance |
|               | +-----+
|               | Contact Email |
| [Admin Panel] | +-----+
|               | | marcus.vance@cloud.io |
|               | +-----+
|               | +-----+
|               | | [Button: Persist Configuration Mutations] |
|               | +-----+
+-----+
```

Auto Layout Settings: Main input form fields are limited to fixed max-width: 540px to preserve visual scan lines.

Administrative Console Analytics Core

SCR-16

Functional Purpose: Core administrative dashboard monitoring computational node performance indicators and financial transactions.

```
+-----+
| ADMIN HUB | Platform Performance Metrics Overview |
+-----+
| [Analytics]| Global Metric Telemetry Counters | | | | | | |
| [Tenants]  | +-----+ +-----+ +-----+ |
| [Ledger]   | | Active Subscriptions| | Compute Load Node| | Monthly Recurring| |
| [Assets]   | | 4,821 | | 24% | | $91,420 | |
|           | +-----+ +-----+ +-----+ |
|           | System Log Event Feeds Stream |
|           | [09:21:04] — User USR-9102 Generated Vector PDF Asset |
|           | [09:20:55] — Stripe Webhook Event Ingested Successfully |
+-----+
```

Auto Layout Settings: Metric cards align horizontally with spacing: 20px. Telemetry logs panel spans the remaining width.

Administrative Tenant Directory Controller

SCR-17

Functional Purpose: Operational control workspace structured to examine credentials, usage metrics, and subscriber bans.

ADMIN HUB		Tenant Accounts Directory Control Panel		
		Search Filter Accounts: [Input Box Parameter Search]		
		User Identity Context	Tier Rank Status	Core Actions
		marcus@cloud.io	Premium Tier Code	[Edit] [Ban]
		sarah.dev@gmail.com	Guest Basic Tier	[Edit] [Ban]

Auto Layout Settings: Spacing: 24px with vertical layout boundaries. Grid cells are configured using proportional stretching variables.

Administrative Billing Ledger Audit Matrix

SCR-18

Functional Purpose: Auditing interface analyzing incoming transactions and database events to trace financial activity.

ADMIN HUB		Stripe Webhook Accounts Billing Log Ledger		
Active Operational Metrics: Total Monthly MRR: \$91,420				
Transaction ID		User Identifier	Total Paid	Action
TXN-10928341		marcus@cloud.io	\$19.00	[Replay]
TXN-10928340		sarah@gmail.com	\$19.00	[Replay]

Auto Layout Settings: Main layout margins: 40px with item gaps set to 32px.

Administrative Template Configuration Center

SCR-19

Functional Purpose: System asset workspace built to inspect template code, verify rendering engines, and publish updates.

```
+-----+
| ADMIN HUB | Template Configuration Management Studio |
+-----+
|           | +-----+
|           | | [Button: Upload New Layout Template Specification] |
|           | +-----+
|           |
|           | Active Layout Options Collection
|           | • Executive Blueprint Design Standard — Status: [Active]
|           | • Plain Academic Layout Frame Standard — Status: [Active]
|           |
+-----+
```

Auto Layout Settings: Workspace uses vertical alignments. Ingestion zones adapt dynamically with responsive width configurations.

5. Animation Physics & Interaction Behavior

The style engine implements standard transition timing properties to prevent UI layout delays while offering elegant responses to interactive events.

motion-specs.json

```
{
  "motion": {
    "timing": {
      "instant": "0ms",
      "fast-micro": "150ms",
      "standard-pane": "300ms",
      "heavy-modal": "450ms"
    },
    "easing": {
      "linear": "cubic-bezier(0, 0, 1, 1)",
      "standard-smooth": "cubic-bezier(0.4, 0, 0.2, 1)",
      "drawer-slide-in": "cubic-bezier(0.16, 1, 0.3, 1)",
      "bounce-feedback": "cubic-bezier(0.34, 1.56, 0.64, 1)"
    }
  }
}
```

- **Interactive Hover Scaling:** Actions scale horizontally using standard fast micro parameters (150ms cubic-bezier(0.4, 0, 0.2, 1)).
- **Lateral Drawer Deployments:** Side drawer panels (such as SCR-08) use a clean sliding gesture moving in from the right viewpoint borders (300ms cubic-bezier(0.16, 1, 0.3, 1)).

- **Feedback Notification Dismissals:** Alert modals fade using linear transparency parameters (150ms linear), shifting state weights from 1 down to 0.

6. Engineering Implementation Parity File Maps

6.1 Tailwind CSS Configuration Structure (tailwind.config.js)

tailwind.config.js

```
module.exports = {
  theme: {
    extend: {
      colors: {
        brand: {
          primary: 'var(--color-brand-primary)',
          action: 'var(--color-brand-action)',
          actionHover: 'var(--color-brand-action-hover)'
        },
        neutral: {
          canvas: 'var(--color-neutral-bg-canvas)',
          surface: 'var(--color-neutral-bg-surface)',
          textPrimary: 'var(--color-neutral-text-primary)'
        },
        feedback: {
          success: 'var(--color-feedback-success)',
          warning: 'var(--color-feedback-warning)',
          destructive: 'var(--color-feedback-destructive)'
        }
      },
      spacing: { xs: '4px', sm: '8px', md: '16px', lg: '24px', xl: '32px' },
      borderRadius: { sm: '4px', md: '8px', lg: '12px' }
    }
  }
}
```

6.2 Root Design System Token Variable Definitions (global.css)

global.css

```
:root {
  --color-brand-primary: #1e3a8a; /* primitive.blue.900 */
  --color-brand-action: #2563eb; /* primitive.blue.600 */
  --color-brand-action-hover: #1d4ed8; /* primitive.blue.700 */

  --color-neutral-bg-canvas: #f8fafc; /* primitive.slate.50 */
  --color-neutral-bg-surface: #ffffff;
  --color-neutral-text-primary: #0f172a; /* primitive.slate.900 */

  --color-feedback-success: #059669; /* primitive.emerald.600 */
  --color-feedback-warning: #d97706; /* primitive.amber.600 */
  --color-feedback-destructive: #dc2626; /* primitive.rose.600 */
}
```

6.3 Target Frontend Folder Structure Parity

client/src/	
├── components/	
│ ├── ui/	# Pure Atom Primitives (Linked to Component Variant Matrices)
│ │ ├── button.jsx	# Component/Button/Primary Implementation Code
│ │ ├── input.jsx	# Component/TextField Normal/Active Variants
│ │ └── badge.jsx	# Context metric feedback badges
│ └── shared/	# Application Organisms (Persistent interface frames)
│ ├── Sidenav.jsx	# Global Left App Sidenav Bar
│ └── Header.jsx	# Top View Title and Export Action headers
├── pages/	# High-Level Organism Groupings (Maps to Screen Inventories)
│ ├── Landing/	# Public Portal Landing Page View Component (SCR-01)
│ ├── Dashboard/	# User Core Hub Dashboard Interface (SCR-04)
│ ├── Workspace/	# Multi-Pane Split Layout Workspace Panel (SCR-05)
│ └── Admin/	# System Infrastructure Telemetry Canvas (SCR-16)
├── store/	# Synchronized Frontend State Orchestration Architecture
│ ├── index.js	# Global Central App Store initialization code
│ ├── authSlice.js	# Login/Registration validation transitions
│ └── resumeSlice.js	# Dynamic document input field state tree updates
└── styles/	
└── global.css	# Root Design System Token Variable Definitions

7. Sign-Off & Deployment Checklist

Verify that each system requirement below has cleared our development audits before deploying new layout updates:

- **Initialize Global Tokens:** Verify primitive design tokens correspond cleanly with Figma parameters across Light/Dark modes.
- **Build Out Master Matrices:** Confirm variant parameters behave correctly during Hover, Focused, and Loading states.
- **Deploy Target Viewports:** Verify page layouts reflow perfectly across our standard desktop, tablet, and mobile coordinates.
- **Audit Layout Constraints:** Confirm spacing parameters scale seamlessly without causing alignment issues inside high-density panels.
- **Execute Design Accessibility Audits:** Verify foreground content color contrast ratios satisfy WCAG 2.1 AA benchmarks.