Neurotransmitter Assessment Form (NTAF)

Name: _____ **Age:** _____ **Sex:** _____ **Date:** _____

Please circle the appropriate number on all questions below (0 as the least/never to 3 as the most/always).

SECTION A

- Is your memory noticeably declining? 0 1 2 3
- Are you having a hard time remembering names and phone numbers? 0 1 2 3
- Is your ability to focus noticeably declining? 0 1 2 3
- Has it become harder for you to learn new things? 0 1 2 3
- How often do you have a hard time remembering your appointments? 0 1 2 3
- Is your temperament generally getting worse? 0 1 2 3
- Is your attention span decreasing? 0 1 2 3
- How often do you find yourself down or sad? 0 1 2 3
- How often do you become fatigued when driving compared to in the past? 0 1 2 3
- How often do you become fatigued when reading compared to in the past? 0 1 2 3
- How often do you walk into rooms and forget why? 0 1 2 3
- How often do you pick up your cell phone and forget why? 0 1 2 3

SECTION B

- How high is your stress level? 0 1 2 3
- How often do you feel you have something that must be done? 0 1 2 3
- Do you feel you never have time for yourself? 0 1 2 3
- How often do you feel you are not getting enough sleep or rest? 0 1 2 3
- Do you find it difficult to get regular exercise? 0 1 2 3
- Do you feel uncared for by the people in your life? 0 1 2 3
- Do you feel you are not accomplishing your life's purpose? 0 1 2 3
- Is sharing your problems with someone difficult for you? 0 1 2 3

SECTION C

SECTION C1

- How often do you get irritable, shaky, or have light-headedness between meals? 0 1 2 3
- How often do you feel energized after eating? 0 1 2 3
- How often do you have difficulty eating large meals in the morning? 0 1 2 3
- How often does your energy level drop in the afternoon? 0 1 2 3
- How often do you crave sugar and sweets in the afternoon? 0 1 2 3
- How often do you wake up in the middle of the night? 0 1 2 3
- How often do you have difficulty concentrating before eating? 0 1 2 3
- How often do you depend on coffee to keep yourself going? 0 1 2 3
- How often do you feel agitated, easily upset, and nervous between meals? 0 1 2 3

SECTION C2

- How often do you get fatigued after meals? 0 1 2 3
- How often do you crave sugar and sweets after meals? 0 1 2 3
- How often do you feel you need stimulants, such as coffee, after meals? 0 1 2 3
- How often do you have difficulty losing weight? 0 1 2 3
- How much larger is your waist girth compared to your hip girth? 0 1 2 3
- How often do you urinate? 0 1 2 3
- Have your thirst and appetite increased? 0 1 2 3
- How often do you gain weight when under stress? 0 1 2 3
- How often do you have difficulty falling asleep? 0 1 2 3

SECTION 1

- Are you losing interest in hobbies? 0 1 2 3
- How often do you feel overwhelmed? 0 1 2 3
- How often do you have feelings of inner rage? 0 1 2 3
- How often do you have feelings of paranoia? 0 1 2 3
- How often do you feel sad or down for no reason? 0 1 2 3
- How often do you feel like you are not enjoying life? 0 1 2 3
- How often do you feel you lack artistic appreciation? 0 1 2 3
- How often do you feel depressed in overcast weather? 0 1 2 3
- How much are you losing your enthusiasm for your favorite activities? 0 1 2 3
- How much are you losing your enjoyment for your favorite foods? 0 1 2 3
- How much are you losing your enjoyment of friendships and relationships? 0 1 2 3
- How often do you have difficulty falling into deep, restful sleep? 0 1 2 3
- How often do you have feelings of dependency on others? 0 1 2 3
- How often do you feel more susceptible to pain? 0 1 2 3
- How often do you have feelings of unprovoked anger? 0 1 2 3
- How much are you losing interest in life? 0 1 2 3

Symptom groups listed on this form are not intended to be used as a diagnosis of any disease or condition.

© 2023 Dauis Kharrazian. All Rights Reserved.

Neurotransmitter Assessment Form (NTAF)

Please circle the appropriate number on all questions below (0 as the least/never to 3 as the most/always).

SECTION 2

- How often do you have feelings of hopelessness? **0 1 2 3**
- How often do you have self-destructive thoughts? **0 1 2 3**
- How often do you have an inability to handle stress? **0 1 2 3**
- How often do you have anger and aggression while under stress? **0 1 2 3**
- How often do you feel you are not rested, even after long hours of sleep? **0 1 2 3**
- How often do you prefer to isolate yourself from others? **0 1 2 3**
- How often do you have unexplained lack of concern for family and friends? **0 1 2 3**
- How easily are you distracted from your tasks? **0 1 2 3**
- How often do you have an inability to finish tasks? **0 1 2 3**
- How often do you feel the need to consume caffeine to stay alert? **0 1 2 3**
- How often do you feel your libido has been decreased? **0 1 2 3**
- How often do you lose your temper for minor reasons? **0 1 2 3**
- How often do you have feelings of worthlessness? **0 1 2 3**

SECTION 3

- How often do you feel anxious or panicked for no reason? **0 1 2 3**
- How often do you have feelings of dread or impending doom? **0 1 2 3**
- How often do you feel knots in your stomach? **0 1 2 3**
- How often do you have feelings of being overwhelmed for no reason? **0 1 2 3**
- How often do you have feelings of guilt about everyday decisions? **0 1 2 3**
- How often does your mind feel restless? **0 1 2 3**
- How difficult is it to turn your mind off when you want to relax? **0 1 2 3**
- How often do you have disorganized attention? **0 1 2 3**
- How often do you worry about things you were not worried about before? **0 1 2 3**
- How often do you have feelings of inner tension and inner excitability? **0 1 2 3**

SECTION 4

- Do you feel your visual memory (shapes & images) has decreased? **0 1 2 3**
- Do you feel your verbal memory has decreased? **0 1 2 3**
- Do you have memory lapses? **0 1 2 3**
- Has your creativity decreased? **0 1 2 3**
- Has your comprehension diminished? **0 1 2 3**
- Do you have difficulty calculating numbers? **0 1 2 3**
- Do you have difficulty recognizing objects & faces? **0 1 2 3**
- Do you feel like your opinion about yourself has changed? **0 1 2 3**
- Are you experiencing excessive urination? **0 1 2 3**
- Are you experiencing a slower mental response? **0 1 2 3**

SECTION 5

- A decrease in mental alertness **0 1 2 3**
- A decrease in mental speed **0 1 2 3**
- A decrease in concentration quality **0 1 2 3**
- Slow cognitive processing **0 1 2 3**
- Impaired mental performance **0 1 2 3**
- An increase in the ability to be distracted **0 1 2 3**
- Need coffee or caffeine sources to improve mental function **0 1 2 3**

Symptom groups listed on this form are not intended to be used as a diagnosis of any disease or condition.

© 2023 Datis Kharrazian. All Rights Reserved.

Medication History*

Please check any of the following medications you have taken in the past or are currently taking.

Noradrenergic and Specific Serotonergic Antidepressants (NaSSAs)

- ☐ Remeron®
- ☐ Norset®
- ☐ Zispin®
- ☐ Remergil®
- ☐ Avanza®
- ☐ Axit®

Tricyclic Antidepressants (TCAs)

- ☐ Elavil®
- ☐ Prothiaden®
- ☐ Endep®
- ☐ Adapin®
- ☐ Tryptanol®
- ☐ Sinequan®
- ☐ Trepiline®
- ☐ Tofranil®
- ☐ Asendin®
- ☐ Janamine®
- ☐ Asendis®
- ☐ Gamanil®
- ☐ Defanyl®
- ☐ Aventyl®
- ☐ Demolox®
- ☐ Pamelor®
- ☐ Moxadil®
- ☐ Opipramol®
- ☐ Anafranil®
- ☐ Vivactil®
- ☐ Norpramin®
- ☐ Rhotrimine®
- ☐ Pertofrane®
- ☐ Surmontil®
- ☐ Thaden™
- ☐ Norpramin®

Selective Serotonin Reuptake Inhibitors (SSRIs)

- ☐ Paxil®
- ☐ Seromex®
- ☐ Zoloft®
- ☐ Seronil®
- ☐ Prozac®
- ☐ Sarafem®
- ☐ Celexa®
- ☐ Fluctin®
- ☐ Lexapro®
- ☐ Faverin®
- ☐ Esertia®
- ☐ Seroxat®
- ☐ Luvox®
- ☐ Aropax®
- ☐ Cipramil®
- ☐ Deroxat®
- ☐ Emocal®
- ☐ Rexetin®
- ☐ Seropram®
- ☐ Paroxat®
- ☐ Cipralex®
- ☐ Lustral®
- ☐ Fontex®
- ☐ Serlain®
- ☐ Priligy®
- ☐ Viibryd®

Serotonin-Norepinephrine Reuptake Inhibitors (SNRIs)

- ☐ Effexor®
- ☐ Serzone®
- ☐ Pristiq®
- ☐ Dalcipran®
- ☐ Meridia®
- ☐ Cymbalta®

Serotonin multimodal (S-MM)

- ☐ Trintellix®

SARI's (Serotonin 2 Antagonist/ Reuptake Inhibitors)

- ☐ Desyrel®
- ☐ Dutonin®

Monoamine Oxidase Inhibitors (MAOIs)

- ☐ Marplan®
- ☐ Marsilid®
- ☐ Aurorix®
- ☐ Iprozid®
- ☐ Manerix®
- ☐ Ipronid®
- ☐ Moclodura®
- ☐ Rivivol®
- ☐ Nardil®
- ☐ Propilniazida®
- ☐ Adeline®
- ☐ Zyvox®
- ☐ Eldepryl®
- ☐ Zyvoxid®
- ☐ Azilect®

Dopamine Receptor Agonists

- ☐ Mirapex®
- ☐ Sifrol®
- ☐ Requip®

Norepinephrine–Dopamine Reuptake Inhibitors (NDRIs)

- ☐ Wellbutrin XL®

D2 Dopamine Receptor Blockers (antipsychotics)

- ☐ Thorazine®
- ☐ Haldol®
- ☐ Prolixin®
- ☐ Orap®
- ☐ Trilafon®
- ☐ Clozaril®
- ☐ Compazine®
- ☐ Zyprexa®
- ☐ Mellaril®
- ☐ Zydis®
- ☐ Stelazine®
- ☐ Seroquel XR®
- ☐ Vesprin®
- ☐ Geodon®
- ☐ Nozinan®
- ☐ Solian®
- ☐ Depixol®
- ☐ Invega®
- ☐ Navane®
- ☐ Abilify®
- ☐ Fluanxol®
- ☐ Risperdal®
- ☐ Clopixol®
- ☐ Vraylar®
- ☐ Acuphase®
- ☐ Latuda®

GABA Antagonist Competitive Binder

- ☐ Romazicon®

Agonist Modulators of GABA Receptors (benzodiazepines)

- ☐ Xanax®
- ☐ Dalmane®
- ☐ Lexotanil®
- ☐ Ativan®
- ☐ Lexotan®
- ☐ Loramet®
- ☐ Librium®
- ☐ Sedoxil®
- ☐ Klonopin®
- ☐ Dormicum®
- ☐ Valium®
- ☐ Serax®
- ☐ Prosom®
- ☐ Restoril®
- ☐ Rohypnol®
- ☐ Halcion®
- ☐ Magadon®

Agonist Modulators of GABA Receptors (non-benzodiazepines)

- ☐ Ambien CR®
- ☐ Lunesta®
- ☐ Sonata®
- ☐ Imovane®

Acetylcholine Receptor Agonists

- ☐ Urecholine®
- ☐ Isopto®
- ☐ Evoxac®
- ☐ Nicotone
- ☐ Salagen®

Acetylcholine Receptor Antagonists (antimuscarinic agents)

- ☐ AtroPen®
- ☐ Atrovent®
- ☐ Scopace®
- ☐ Spiriva®

Acetylcholine Receptor Antagonists (ganglionic blockers)

- ☐ Inversine®
- ☐ Hexamethonium
- ☐ Nicotine (high doses)
- ☐ Arfonad®

Acetylcholine Receptor Antagonists (neuromuscular blockers)

- ☐ Tracrium®
- ☐ Zemuron®
- ☐ Nimbex®
- ☐ Anectine®
- ☐ Nuromax®
- ☐ Tubocurarine®
- ☐ Metubine®
- ☐ Norcuron®
- ☐ Mivacron®
- ☐ Hemicholinium-3®
- ☐ Pavulon®

Acetylcholinesterase Reactivators

- ☐ Protopam®

Cholinesterase Inhibitors (reversible)

- ☐ Aricept®
- ☐ Enlon®
- ☐ Razadyne®
- ☐ Prostigmin®
- ☐ Exelon®
- ☐ Antilirium®
- ☐ Cognex®
- ☐ Mestinon®
- ☐ THC
- ☐ Carbamate insecticides

Cholinesterase Inhibitors (irreversible)

- ☐ Echothiophate
- ☐ Isoflurophate
- ☐ Organophosphate insecticides
- ☐ Organophosphate-containing nerve agents

**Please refer to prescribing physician for nutritional interactions with any medications you are taking.*

© 2023 Datis Kharrazian. All Rights Reserved.

Neurotransmitter Assessment Form (NTAF)

Name: _____ **Age:** _____ **Sex:** _____ **Date:** _____

Please circle the appropriate number on all questions below (0 as the least/never to 3 as the most/always).

SECTION A

- Is your memory noticeably declining? 0 1 2 3
- Are you having a hard time remembering names and phone numbers? 0 1 2 3
- Is your ability to focus noticeably declining? 0 1 2 3
- Has it become harder for you to learn new things? 0 1 2 3
- How often do you have a hard time remembering your appointments? 0 1 2 3
- Is your temperament generally getting worse? 0 1 2 3
- Is your attention span decreasing? 0 1 2 3
- How often do you find yourself down or sad? 0 1 2 3
- How often do you become fatigued when driving compared to in the past? 0 1 2 3
- How often do you become fatigued when reading compared to in the past? 0 1 2 3
- How often do you walk into rooms and forget why? 0 1 2 3
- How often do you pick up your cell phone and forget why? 0 1 2 3

SECTION B

- How high is your stress level? 0 1 2 3
- How often do you feel you have something that must be done? 0 1 2 3
- Do you feel you never have time for yourself? 0 1 2 3
- How often do you feel you are not getting enough sleep or rest? 0 1 2 3
- Do you find it difficult to get regular exercise? 0 1 2 3
- Do you feel uncared for by the people in your life? 0 1 2 3
- Do you feel you are not accomplishing your life's purpose? 0 1 2 3
- Is sharing your problems with someone difficult for you? 0 1 2 3

SECTION C

SECTION C1

- How often do you get irritable, shaky, or have light-headedness between meals? 0 1 2 3
- How often do you feel energized after eating? 0 1 2 3
- How often do you have difficulty eating large meals in the morning? 0 1 2 3
- How often does your energy level drop in the afternoon? 0 1 2 3
- How often do you crave sugar and sweets in the afternoon? 0 1 2 3
- How often do you wake up in the middle of the night? 0 1 2 3
- How often do you have difficulty concentrating before eating? 0 1 2 3
- How often do you depend on coffee to keep yourself going? 0 1 2 3
- How often do you feel agitated, easily upset, and nervous between meals? 0 1 2 3

SECTION C2

- How often do you get fatigued after meals? 0 1 2 3
- How often do you crave sugar and sweets after meals? 0 1 2 3
- How often do you feel you need stimulants, such as coffee, after meals? 0 1 2 3
- How often do you have difficulty losing weight? 0 1 2 3
- How much larger is your waist girth compared to your hip girth? 0 1 2 3
- How often do you urinate? 0 1 2 3
- Have your thirst and appetite increased? 0 1 2 3
- How often do you gain weight when under stress? 0 1 2 3
- How often do you have difficulty falling asleep? 0 1 2 3

SECTION 1

- Are you losing interest in hobbies? 0 1 2 3
- How often do you feel overwhelmed? 0 1 2 3
- How often do you have feelings of inner rage? 0 1 2 3
- How often do you have feelings of paranoia? 0 1 2 3
- How often do you feel sad or down for no reason? 0 1 2 3
- How often do you feel like you are not enjoying life? 0 1 2 3
- How often do you feel you lack artistic appreciation? 0 1 2 3
- How often do you feel depressed in overcast weather? 0 1 2 3
- How much are you losing your enthusiasm for your favorite activities? 0 1 2 3
- How much are you losing your enjoyment for your favorite foods? 0 1 2 3
- How much are you losing your enjoyment of friendships and relationships? 0 1 2 3
- How often do you have difficulty falling into deep, restful sleep? 0 1 2 3
- How often do you have feelings of dependency on others? 0 1 2 3
- How often do you feel more susceptible to pain? 0 1 2 3
- How often do you have feelings of unprovoked anger? 0 1 2 3
- How much are you losing interest in life? 0 1 2 3

Symptom groups listed on this form are not intended to be used as a diagnosis of any disease or condition.

© 2023 Datis Kharrazian. All Rights Reserved.