Neurotransmitter Assessment Form (NTAF)

Please circle the appropriate number on all questions below (0 as the least/never to 3 as the most/always).

SECTION 2

- How often do you have feelings of hopelessness? **0 1 2 3**
- How often do you have self-destructive thoughts? **0 1 2 3**
- How often do you have an inability to handle stress? **0 1 2 3**
- How often do you have anger and aggression while under stress? **0 1 2 3**
- How often do you feel you are not rested, even after long hours of sleep? **0 1 2 3**
- How often do you prefer to isolate yourself from others? **0 1 2 3**
- How often do you have unexplained lack of concern for family and friends? **0 1 2 3**
- How easily are you distracted from your tasks? **0 1 2 3**
- How often do you have an inability to finish tasks? **0 1 2 3**
- How often do you feel the need to consume caffeine to stay alert? **0 1 2 3**
- How often do you feel your libido has been decreased? **0 1 2 3**
- How often do you lose your temper for minor reasons? **0 1 2 3**
- How often do you have feelings of worthlessness? **0 1 2 3**

SECTION 3

- How often do you feel anxious or panicked for no reason? **0 1 2 3**
- How often do you have feelings of dread or impending doom? **0 1 2 3**
- How often do you feel knots in your stomach? **0 1 2 3**
- How often do you have feelings of being overwhelmed for no reason? **0 1 2 3**
- How often do you have feelings of guilt about everyday decisions? **0 1 2 3**
- How often does your mind feel restless? **0 1 2 3**
- How difficult is it to turn your mind off when you want to relax? **0 1 2 3**
- How often do you have disorganized attention? **0 1 2 3**
- How often do you worry about things you were not worried about before? **0 1 2 3**
- How often do you have feelings of inner tension and inner excitability? **0 1 2 3**

SECTION 4

- Do you feel your visual memory (shapes & images) has decreased? **0 1 2 3**
- Do you feel your verbal memory has decreased? **0 1 2 3**
- Do you have memory lapses? **0 1 2 3**
- Has your creativity decreased? **0 1 2 3**
- Has your comprehension diminished? **0 1 2 3**
- Do you have difficulty calculating numbers? **0 1 2 3**
- Do you have difficulty recognizing objects & faces? **0 1 2 3**
- Do you feel like your opinion about yourself has changed? **0 1 2 3**
- Are you experiencing excessive urination? **0 1 2 3**
- Are you experiencing a slower mental response? **0 1 2 3**

SECTION 5

- A decrease in mental alertness **0 1 2 3**
- A decrease in mental speed **0 1 2 3**
- A decrease in concentration quality **0 1 2 3**
- Slow cognitive processing **0 1 2 3**
- Impaired mental performance **0 1 2 3**
- An increase in the ability to be distracted **0 1 2 3**
- Need coffee or caffeine sources to improve mental function **0 1 2 3**

Symptom groups listed on this form are not intended to be used as a diagnosis of any disease or condition.

© 2023 Datis Kharrazian. All Rights Reserved.

Medication History*

Please check any of the following medications you have taken in the past or are currently taking.

Noradrenergic and Specific Serotonergic Antidepressants (NaSSAs)

- ☐ Remeron®
- ☐ Norset®
- ☐ Zispin®
- ☐ Remergil®
- ☐ Avanza®
- ☐ Axit®

Tricyclic Antidepressants (TCAs)

- ☐ Elavil®
- ☐ Prothiaden®
- ☐ Endep®
- ☐ Adapin®
- ☐ Tryptanol®
- ☐ Sinequan®
- ☐ Trepiline®
- ☐ Tofranil®
- ☐ Asendin®
- ☐ Janamine®
- ☐ Asendis®
- ☐ Gamanil®
- ☐ Defanyl®
- ☐ Aventyl®
- ☐ Demolox®
- ☐ Pamelor®
- ☐ Moxadil®
- ☐ Opipramol®
- ☐ Anafranil®
- ☐ Vivactil®
- ☐ Norpramin®
- ☐ Rhotrimine®
- ☐ Pertofrane®
- ☐ Surmontil®
- ☐ Thaden™
- ☐ Norpramin®

Selective Serotonin Reuptake Inhibitors (SSRIs)

- ☐ Paxil®
- ☐ Seromex®
- ☐ Zoloft®
- ☐ Seronil®
- ☐ Prozac®
- ☐ Sarafem®
- ☐ Celexa®
- ☐ Fluctin®
- ☐ Lexapro®
- ☐ Faverin®
- ☐ Esertia®
- ☐ Seroxat®
- ☐ Luvox®
- ☐ Aropax®
- ☐ Cipramil®
- ☐ Deroxat®
- ☐ Emocal®
- ☐ Rexetin®
- ☐ Seropram®
- ☐ Paroxat®
- ☐ Cipralex®
- ☐ Lustral®
- ☐ Fontex®
- ☐ Serlain®
- ☐ Priligy®
- ☐ Viibryd®

Serotonin-Norepinephrine Reuptake Inhibitors (SNRIs)

- ☐ Effexor®
- ☐ Serzone®
- ☐ Pristiq®
- ☐ Dalcipran®
- ☐ Meridia®
- ☐ Cymbalta®

Serotonin multimodal (S-MM)

- ☐ Trintellix®

SARI's (Serotonin 2 Antagonist/ Reuptake Inhibitors)

- ☐ Desyrel®
- ☐ Dutonin®

Monoamine Oxidase Inhibitors (MAOIs)

- ☐ Marplan®
- ☐ Marsilid®
- ☐ Aurorix®
- ☐ Iprozid®
- ☐ Manerix®
- ☐ Ipronid®
- ☐ Moclodura®
- ☐ Rivivol®
- ☐ Nardil®
- ☐ Propilniazida®
- ☐ Adeline®
- ☐ Zyvox®
- ☐ Eldepryl®
- ☐ Zyvoxid®
- ☐ Azilect®

Dopamine Receptor Agonists

- ☐ Mirapex®
- ☐ Sifrol®
- ☐ Requip®

Norepinephrine–Dopamine Reuptake Inhibitors (NDRIs)

- ☐ Wellbutrin XL®

D2 Dopamine Receptor Blockers (antipsychotics)

- ☐ Thorazine®
- ☐ Haldol®
- ☐ Prolixin®
- ☐ Orap®
- ☐ Trilafon®
- ☐ Clozaril®
- ☐ Compazine®
- ☐ Zyprexa®
- ☐ Mellaril®
- ☐ Zydis®
- ☐ Stelazine®
- ☐ Seroquel XR®
- ☐ Vesprin®
- ☐ Geodon®
- ☐ Nozinan®
- ☐ Solian®
- ☐ Depixol®
- ☐ Invega®
- ☐ Navane®
- ☐ Abilify®
- ☐ Fluanxol®
- ☐ Risperdal®
- ☐ Clopixol®
- ☐ Vraylar®
- ☐ Acuphase®
- ☐ Latuda®

GABA Antagonist Competitive Binder

- ☐ Romazicon®

Agonist Modulators of GABA Receptors (benzodiazepines)

- ☐ Xanax®
- ☐ Dalmane®
- ☐ Lexotanil®
- ☐ Ativan®
- ☐ Lexotan®
- ☐ Loramet®
- ☐ Librium®
- ☐ Sedoxil®
- ☐ Klonopin®
- ☐ Dormicum®
- ☐ Valium®
- ☐ Serax®
- ☐ Prosom®
- ☐ Restoril®
- ☐ Rohypnol®
- ☐ Halcion®
- ☐ Magadon®

Agonist Modulators of GABA Receptors (non-benzodiazepines)

- ☐ Ambien CR®
- ☐ Lunesta®
- ☐ Sonata®
- ☐ Imovane®

Acetylcholine Receptor Agonists

- ☐ Urecholine®
- ☐ Isopto®
- ☐ Evoxac®
- ☐ Nicotone
- ☐ Salagen®

Acetylcholine Receptor Antagonists (antimuscarinic agents)

- ☐ AtroPen®
- ☐ Atrovent®
- ☐ Scopace®
- ☐ Spiriva®

Acetylcholine Receptor Antagonists (ganglionic blockers)

- ☐ Inversine®
- ☐ Hexamethonium
- ☐ Nicotine (high doses)
- ☐ Arfonad®

Acetylcholine Receptor Antagonists (neuromuscular blockers)

- ☐ Tracrium®
- ☐ Zemuron®
- ☐ Nimbex®
- ☐ Anectine®
- ☐ Nuromax®
- ☐ Tubocurarine®
- ☐ Metubine®
- ☐ Norcuron®
- ☐ Mivacron®
- ☐ Hemicholinium-3®
- ☐ Pavulon®

Acetylcholinesterase Reactivators

- ☐ Protopam®

Cholinesterase Inhibitors (reversible)

- ☐ Aricept®
- ☐ Enlon®
- ☐ Razadyne®
- ☐ Prostigmin®
- ☐ Exelon®
- ☐ Antilirium®
- ☐ Cognex®
- ☐ Mestinon®
- ☐ THC
- ☐ Carbamate insecticides

Cholinesterase Inhibitors (irreversible)

- ☐ Echothiophate
- ☐ Isoflurophate
- ☐ Organophosphate insecticides
- ☐ Organophosphate-containing nerve agents

**Please refer to prescribing physician for nutritional interactions with any medications you are taking.*

© 2023 Datis Kharrazian. All Rights Reserved.

Neurotransmitter Assessment Form Nutritional Key

SECTION A: General Brain Function

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for the Brain:**

BRAIN-E™◊ DHA (K53): 2.25 mL (approximately 2¼ droppers), once a day, preferably with a meal.

Alternative Formulas

- BRAIN-E™◊ DHA 1200-TG (K114): 2 softgels, once a day, with a meal.
- PHYTO BRAIN-E™◊ (K54), (K123): 5 mL (approx. 1 teaspoon), once a day, with a meal.

TRIZOMAL™◊ GLUTATHIONE (K122), (K129A): 5 mL (approx. 1 teaspoon or 1 packet), 1-2 times a day.

CoQ10 SUPERMAX™◊ (K145): 1-2 softgels a day.

Additional Support Considerations:

NEUROO2™◊ (K45): 1-3 capsules 2-3 times a day.
NEUROFLAM™◊ (K46), (K77): 1-3 capsules 2-3 times a day.
NEURO-PTX™◊ (K47): 1 capsule 2 times a day.

SECTION B: Stress

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for the Body Under Temporary Stress:**

ADAPTOCRINE™◊ (K2), (K124): 1-3 capsules 3 times a day.

Also Consider:

ADRENACALM™◊ (KR16), (KR73): Apply in the morning, afternoon, and evening.

SECTION C: Sugar Metabolism

(also check for Hypoglycemia)

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for Sugar Metabolism:**

PROGLYCO-SP™◊ (K13): 1 capsule 3 times a day, or as needed, and/or GLYCEMOVITE™◊ (K85): 1 scoop, with up to 8 ounces of water, between meals.

BUTYRIC-FBR™◊ (K133): 2 capsules once a day.

Alternative Formula

- FIBROMIN™◊ (K25): 1 capsule, 2 times a day, or as needed.

Additional Support Considerations:

ADAPTOCRINE™◊ (K2), (K124): 1-3 capsules with meals.
OMEGACO3-SE™◊ (K113): 2 softgels 1-2 times a day.

Alternative Formulas

- OMEGACO3™◊ (K7): 1 tablespoon 1-2 times a day.
- SUPER EFA COMPLEX™◊ (K8): 2 tablespoons once a day.§

Also Consider:

ADRENASTIM™◊ (KR15), (KR72): Apply in the morning and at noon.

§Currently unavailable

SECTION C2: Peripheral Utilization of Sugars

(also check for Insulin Resistance)

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for the Peripheral Utilization of Sugars:**

GLYSEN™◊ (K1), (K135): 1-2 capsules with meals, or as needed, and/or GLYCEMOVITE™◊ (K85): 1 scoop, with up to 8 ounces of water, between meals.

GLYCOBERINE-MX™◊ (K126): 1 capsule with a meal.

Alternative Formula

- GLYCOBERINE™◊ Active (K127): 1 capsule with a meal.

ENTEROVITE™◊ (K100): 1-2 capsules with meals.

Alternative Formula

- BUTYRIC-FBR™◊ (K133): 1-2 capsules with meals.

Additional Support Considerations:

GLYSEN-SYNERGY™◊ (K79): 1 packet, once a day, or as needed.
OMEGACO3-SE™◊ (K113): 2 softgels 1-2 times a day.

Alternative Formula

- OMEGACO3™◊ (K7): 1 tablespoon 1-2 times a day.

RESVERO ACTIVE™◊ (K76), (K110): 5 mL (approx. 1 teaspoon) 2 times a day.

Also Consider:

ADRENACALM™◊ (KR16), (KR73): Apply in the morning, afternoon, and evening.
OXICELL™◊ (KR22), (KR70): Apply in the morning, afternoon, and evening.

Alternative Formula

- Super Oxicell™◊ (KR23): Apply in the morning, afternoon, and evening.

Symptom groups listed on this form are not intended to be used for a diagnosis of any disease or condition.

This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Apex Energetics™ products are intended for nutritional use and health maintenance only and should not replace or delay the use of any medication.
◊This trademark is owned by Apex Energetics, Inc.

©2025 Dana Kharrazian All Rights Reserved.

Neurotransmitter Assessment Form Nutritional Key

SECTION 1: Serotonin

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for the Serotonergic System:**

SEROTONE™◊ Active (K38): 1-2 capsules 3 times a day.

Alternative Formula

- SEROTAFLO™◊ (K50): 1-2 sprays 3 times a day.

Additional Support Consideration:

NEUROAMINO-SP™◊ (K44): 1 capsule 3 times a day.

SECTION 2: Dopamine

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for the Dopaminergic System:**

DOPATONE™◊ Active (K41): 1-3 capsules 3 times a day.

Alternative Formula

- DOPAFLO™◊ (K49): 1-2 sprays 3 times a day.

Additional Support Consideration:

NEUROAMINO-SP™◊ (K44): 1 capsule 3 times a day.

SECTION 3: GABA

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for the GABAergic System:**

GABATONE™◊ Active (K39): 1-2 capsules 3 times a day.

Alternative Formula

- GABAFLO™◊ (K51): 1-2 sprays 3 times a day.

Additional Support Consideration:

*Nutritional Support for Sleep:**

NEUROSERA™◊ (K136): 1-2 teaspoons (5-10 mL) at bedtime or as directed.

SECTION 4: Acetylcholine

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for the Cholinergic System:**

ACETYL-CH™◊ Active (K40): 1-2 capsules 3 times a day.

Alternative Formula

- ACETYLFLO™◊ (K48): 1-2 sprays 3 times a day.

Additional Support Consideration:

NEUROAMINO-SP™◊ (K44): 1 capsule 3 times a day.

SECTION 5: Catecholamine

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for the Catecholaminergic System:**

CATECOSTIM™◊ (K92): 1-2 capsules early in the day, or as directed.

Symptom groups listed on this form are not intended to be used for a diagnosis of any disease or condition.

This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Apex Energetics™ products are intended for nutritional use and health maintenance only and should not replace or delay the use of any medication.

◊This trademark is owned by Apex Energetics, Inc.

AE261(202505221610)

©2025 Dana Khamazian. All Rights Reserved.

Neurotransmitter Assessment Form Nutritional Key

SECTION A: General Brain Function

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for the Brain:**

BRAIN-E™◊ DHA (K53): 2.25 mL (approximately 2¼ droppers), once a day, preferably with a meal.

Alternative Formulas

- BRAIN-E™◊ DHA 1200-TG (K114): 2 softgels, once a day, with a meal.
- PHYTO BRAIN-E™◊ (K54), (K123): 5 mL (approx. 1 teaspoon), once a day, with a meal.

TRIZOMAL™◊ GLUTATHIONE (K122), (K129A): 5 mL (approx. 1 teaspoon or 1 packet), 1-2 times a day.

CoQ10 SUPERMAX™◊ (K145): 1-2 softgels a day.

Additional Support Considerations:

NEUROO2™◊ (K45): 1-3 capsules 2-3 times a day.
NEUROFLAM™◊ (K46), (K77): 1-3 capsules 2-3 times a day.
NEURO-PTX™◊ (K47): 1 capsule 2 times a day.

SECTION B: Stress

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for the Body Under Temporary Stress:**

ADAPTOCRINE™◊ (K2), (K124): 1-3 capsules 3 times a day.

Also Consider:

ADRENACALM™◊ (KR16), (KR73): Apply in the morning, afternoon, and evening.

SECTION C: Sugar Metabolism

(also check for Hypoglycemia)

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for Sugar Metabolism:**

PROGLYCO-SP™◊ (K13): 1 capsule 3 times a day, or as needed, and/or GLYCEMOVITE™◊ (K85): 1 scoop, with up to 8 ounces of water, between meals.

BUTYRIC-FBR™◊ (K133): 2 capsules once a day.

Alternative Formula

- FIBROMIN™◊ (K25): 1 capsule, 2 times a day, or as needed.

Additional Support Considerations:

ADAPTOCRINE™◊ (K2), (K124): 1-3 capsules with meals.
OMEGACO3-SE™◊ (K113): 2 softgels 1-2 times a day.

Alternative Formulas

- OMEGACO3™◊ (K7): 1 tablespoon 1-2 times a day.
- SUPER EFA COMPLEX™◊ (K8): 2 tablespoons once a day.§

Also Consider:

ADRENASTIM™◊ (KR15), (KR72): Apply in the morning and at noon.

§Currently unavailable

SECTION C2: Peripheral Utilization of Sugars

(also check for Insulin Resistance)

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for the Peripheral Utilization of Sugars:**

GLYSEN™◊ (K1), (K135): 1-2 capsules with meals, or as needed, and/or GLYCEMOVITE™◊ (K85): 1 scoop, with up to 8 ounces of water, between meals.

GLYCOBERINE-MX™◊ (K126): 1 capsule with a meal.

Alternative Formula

- GLYCOBERINE™◊ Active (K127): 1 capsule with a meal.

ENTEROVITE™◊ (K100): 1-2 capsules with meals.

Alternative Formula

- BUTYRIC-FBR™◊ (K133): 1-2 capsules with meals.

Additional Support Considerations:

GLYSEN-SYNERGY™◊ (K79): 1 packet, once a day, or as needed.
OMEGACO3-SE™◊ (K113): 2 softgels 1-2 times a day.

Alternative Formula

- OMEGACO3™◊ (K7): 1 tablespoon 1-2 times a day.

RESVERO ACTIVE™◊ (K76), (K110): 5 mL (approx. 1 teaspoon) 2 times a day.

Also Consider:

ADRENACALM™◊ (KR16), (KR73): Apply in the morning, afternoon, and evening.
OXICELL™◊ (KR22), (KR70): Apply in the morning, afternoon, and evening.

Alternative Formula

- Super Oxicell™◊ (KR23): Apply in the morning, afternoon, and evening.

Symptom groups listed on this form are not intended to be used for a diagnosis of any disease or condition.

This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Apex Energetics™ products are intended for nutritional use and health maintenance only and should not replace or delay the use of any medication.
◊This trademark is owned by Apex Energetics, Inc.

©2025 Deus Kharmazim. All Rights Reserved.

Neurotransmitter Assessment Form Nutritional Key

SECTION 1: Serotonin

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for the Serotonergic System:**

SEROTONE™◊ Active (K38): 1-2 capsules 3 times a day.

Alternative Formula

- SEROTAFLO™◊ (K50): 1-2 sprays 3 times a day.

Additional Support Consideration:

NEUROAMINO-SP™◊ (K44): 1 capsule 3 times a day.

SECTION 2: Dopamine

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for the Dopaminergic System:**

DOPATONE™◊ Active (K41): 1-3 capsules 3 times a day.

Alternative Formula

- DOPAFLO™◊ (K49): 1-2 sprays 3 times a day.

Additional Support Consideration:

NEUROAMINO-SP™◊ (K44): 1 capsule 3 times a day.

SECTION 3: GABA

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for the GABAergic System:**

GABATONE™◊ Active (K39): 1-2 capsules 3 times a day.

Alternative Formula

- GABAFLO™◊ (K51): 1-2 sprays 3 times a day.

Additional Support Consideration:

*Nutritional Support for Sleep:**

NEUROSERA™◊ (K136): 1-2 teaspoons (5-10 mL) at bedtime or as directed.

SECTION 4: Acetylcholine

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for the Cholinergic System:**

ACETYL-CH™◊ Active (K40): 1-2 capsules 3 times a day.

Alternative Formula

- ACETYLFLO™◊ (K48): 1-2 sprays 3 times a day.

Additional Support Consideration:

NEUROAMINO-SP™◊ (K44): 1 capsule 3 times a day.

SECTION 5: Catecholamine

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for the Catecholaminergic System:**

CATECOSTIM™◊ (K92): 1-2 capsules early in the day, or as directed.

Symptom groups listed on this form are not intended to be used for a diagnosis of any disease or condition.

This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Apex Energetics™ products are intended for nutritional use and health maintenance only and should not replace or delay the use of any medication.

◊This trademark is owned by Apex Energetics, Inc.

AE261(202505221610)

©2025 Dana Khamazian. All Rights Reserved.