Metabolic Assessment Form Nutritional Key

CATEGORY I: Colon

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for the Colon:**

4-R Program: Remove, Replace, Reinoculate, Revive

Remove: GI-SYNERGY™◊ (K64), (K83): 1 packet once a day.

Replace: BILEMIN™◊ (K11): 1-2 capsules with meals.
ENZYMIXPRO™◊ (K99), (K99A): 1-2 capsules with each meal.

Reinoculate: STRENGTIA™◊ (K61): 1-3 capsules a day.

Alternative Formula
- SIBIOTICA™◊ (K97): 1-3 capsules twice a day.

Revive: REPAIRVITE™◊ (K60), (K63): 1 scoop, with up to 8 ounces of water, 1-2 times a day.

Alternative Formulas
- REPAIRVITE-SE™◊ (K98): 1 scoop, with up to 4-6 ounces of water, twice a day.
- REPAIRVITE-GT™◊ PLUS (K120): 1 scoop, with up to 8 ounces of water, once a day.

STRENGTIA™◊ (K61): 1-3 capsules a day.

Alternative Formula
- SIBIOTICA™◊ (K97): 1-3 capsules twice a day.

Please consider the Mucosal Health & Food Tolerance Program (from the corresponding guide).

CATEGORY II: Intestinal Barrier

(also check for Intestinal Permeability)
FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for the Intestinal Barrier:**

REPAIRVITE™◊ (K60), (K63): 1 scoop, with up to 8 ounces of water, 1-2 times a day.

Alternative Formulas
- REPAIRVITE-SE™◊ (K98): 1 scoop, with up to 4-6 ounces of water, once a day.
- REPAIRVITE-GT™◊ Plus (K120): 1 scoop, with up to 8 ounces of water, once a day.

ENTEROVITE™◊ (K100): 1 capsule 3 times a day.

TRIZOMAL™◊ GLUTATHIONE (K122), (K129A): 5 mL (approx. 1 teaspoon or 1 packet) 1-2 times a day.

Additional Support Considerations:

GI-SYNERGY™◊ (K64), (K83): 1 packet, twice a day, with a meal.

STRENGTIA™◊ (K61): 1-3 capsules a day.

Alternative Formula
- SIBIOTICA™◊ (K97): 1-3 capsules twice a day.

TURMERO™◊ ACTIVE (K75), (K109): 5 mL (approx. 1 teaspoon) 1-2 times a day.

RESVERO™◊ ACTIVE (K76), (K110): 5 mL (approx. 1 teaspoon) once a day.

AD-PRO™◊ (K119): 1 softgel, once a day, with a meal.

Alternative Formulas
- ADEK-PRO™◊ (K102): 1-3 softgels once a day.
- ULTRA-D 5000™◊ (K78): 1-4 teaspoons, once a day, with meals.
- ULTRA-D COMPLEX™◊ (K35): 1-4 teaspoons, once a day, with meals.

For additional vitamin D, consider LIQUA-D™◊ (K87): 1 drop once a day.

Please consider the RepairVite™◊ Program (from the corresponding guide).

CATEGORY III: Chemical Tolerance

(also check for Loss of Chemical Tolerance)
FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Dietary and Nutritional Support for the Immune System:**

REPAIR & CLEAR™◊ Program (basic or comprehensive):
As directed by the REPAIR & CLEAR™◊ Program Guide.

CATEGORY IV: Stomach

(also check for Hypochlorhydria)
FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for Healthy Stomach Acid Levels and the Gastrointestinal System:**

ENZYMIXPRO™◊ (K99), (K99A): 1-2 capsules with each meal.

Alternative Formulas
- HCL PRO-ZYME™◊ (Z26): 1-2 tablets with each meal.
- SUPERDIGEST-ZYME™◊ (Z22): 1-2 tablets with each meal.

GASTRO-ULC™◊ (K29): 1 tablet, 15-20 minutes before a meal, three times a day.

Immune Support During *H. pylori*
FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for pH Balance and the Gastrointestinal System:**

H-PLR™◊ (K32): 1-2 capsules with each meal.

ENZYMIXPRO™◊ (K99), (K99A): 1-2 capsules with each meal.

Alternative Formulas
- HCL PRO-ZYME™◊ (Z26): 1-2 tablets with each meal.
- SUPERDIGEST-ZYME™◊ (Z22): 1-2 tablets with each meal.

GASTRO-ULC™◊ (K29): 1 tablet, 15-20 minutes before a meal, three times a day.

CATEGORY V: Stomach

(also check for Hyperacidity)
Hyperacidity Secondary to Hypochlorhydria
FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for pH Balance, Healthy Stomach Acid Levels, and the Gastrointestinal System:**

ENZYMIXPRO™◊ (K99), (K99A): 1-2 capsules with each meal.

Alternative Formulas
- HCL PRO-ZYME™◊ (Z26): 1-2 tablets with each meal.
- SUPERDIGEST-ZYME™◊ (Z22): 1-2 tablets with each meal.

GASTRO-ULC™◊ (K29): 1 tablet, 15-20 minutes before a meal, three times a day.

Symptom groups listed on this form are not intended to be used for a diagnosis of any disease or condition.

This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Apex Energetics™ products are intended for nutritional use and health maintenance only and should not replace or delay the use of any medication.
◊This trademark is owned by Apex Energetics, Inc.

©2025 Datis Kharrazian. All Rights Reserved.

CATEGORY V: Stomach (Continued)

Hyperacidity with Ulcer or Preulcerous State
FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for Gastrointestinal Health:**

GASTRO-ULC™◊ (K29): 1 tablet, 15-20 minutes before a meal, three times a day.
H-PLR™◊ (K32): 1-2 capsules with each meal.

Hyperacidity with *H. pylori* Inoculation
FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for pH Balance and the Gastrointestinal System:**

H-PLR™◊ (K32): 1-2 capsules with each meal.
ENZYMIXPRO™◊ (K99), (K99A): 1-2 capsules with each meal.

Alternative Formulas

- HCL PRO-ZYME™◊ (Z26): 1-2 tablets with each meal.
- SUPERDIGEST-ZYME™◊ (Z22): 1-2 tablets with each meal.

GASTRO-ULC™◊ (K29): 1 tablet, 15-20 minutes before a meal, three times a day.
MYCO-ZYME™◊ (Z13): 1-2 capsules with meals.

Hyperacidity Due to Stress
FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for pH Balance and the Adrenals:**

GASTRO-ULC™◊ (K29): 1 tablet, 15-20 minutes before a meal, three times a day.

Also Consider:

ADRENACALM™◊ (KR16), (KR73): Apply in the morning, afternoon, and evening.

CATEGORY VI: Pancreas

Pancreatic Insufficiency
FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for the Pancreas:**

ENZYMIXPRO™◊ (K99), (K99A): 1-2 capsules with each meal.
GASTRO-ULC™◊ (K29): 1 tablet, 15-20 minutes before a meal, three times a day.

Pancreatic Insufficiency Secondary to Hypochlorhydria
FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for the Pancreas and Healthy Stomach Acid Levels:**

ENZYMIXPRO™◊ (K99), (K99A): 1-2 capsules with each meal.

Alternative Formula

- HCL PRO-ZYME™◊ (Z26): 1-2 tablets with meals.

Additional Formula

- SUPERDIGEST-ZYME™◊ (Z22): 1-2 tablets with meals.

CATEGORY VI: Pancreas (Continued)

Small Intestine Dysfunction
FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Dietary and Nutritional Support for the Small Intestine:**

CLEARVITE™◊ Basic Program: Three-week intestinal support program as directed by the CLEARVITE™◊ Basic Program Guide.
GASTRO-ULC™◊ (K29): 1 tablet, 15-20 minutes before a meal, three times a day.

CATEGORY VII: Small Intestine

Small Intestinal Bacterial Overgrowth
FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Dietary and Nutritional Support for the Small Intestine:**

CLEARVITE-GL™◊ (K95), (K118): 1 scoop, with up to 4-6 ounces of water, once a day.
SIBIOTICA™◊ (K97): 1 capsule once a day.
REPAIRVITE-SE™◊ (K98): 1 scoop, with up to 4-6 ounces of water, once a day.
ENZYMIXPRO™◊ (K99), (K99A): 1-2 capsules with each meal.
ENTEROVITE™◊ (K100): 1 capsule 3 times a day.

Alternative Formula

- TRIBUTYRIN 350™◊ ACTIVE (K132): 1 softgel, 1-2 times a day, with a meal.

Dietary restrictions as directed by the Small Intestinal Microbial Environment Dietary and Nutritional Guide.

Exercises to increase motility as recommended by your healthcare professional.

CATEGORY VIII: Biliary

Biliary Insufficiency and/or Stasis
FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for the Biliary System:**

BILEMIN™◊ (K11): 1-2 capsules with meals.
LYPOMIN-LV™◊ (K33): 1-3 capsules with meals.

Alternative Formula

- METACRIN-DX™◊ (K10): 1-2 capsules 2-3 times a day.

SUPER METHYL-SP™◊ (K112): 1-2 capsules twice a day.

Alternative Formula

- METHYL-SP™◊ (K14): 1-2 capsules with meals.

Additional Support Considerations:

C LIQUAZOME™◊ (K139), (K139A): 1 teaspoon (4.93 mL or 1 packet) 1-2 times a day.

Alternative Formula

- C-ZYME 1000™◊ (Z4): 1 tablet with meals.

OMEGACO3-SE™◊ (K113): 2 softgels 1-2 times a day.

Alternative Formulas

- OMEGACO3™◊ (K7): 1 tablespoon 1-2 times a day.
- SUPER EFA COMPLEX™◊ (K8): 1-2 tablespoons with meals.§

MG/K-ZYME™◊ (Z11): 1 tablet with meals.

§Currently unavailable

Symptom groups listed on this form are not intended to be used for a diagnosis of any disease or condition.

This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Apex Energetics™ products are intended for nutritional use and health maintenance only and should not replace or delay the use of any medication.
◊This trademark is owned by Apex Energetics, Inc.

CATEGORY IX: Hepatic Detoxication

Hepatic Detoxication
FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Dietary and Nutritional Support for Hepatic Biotransformation:**

ClearVite™◊ Formula (K84, 95, 105, 108, 118, or 142): As directed by the ClearVite™◊ Basic Program Guide.
Hepato-Synergy™◊ (K69): 1 packet once a day or as needed.
Trizomal™◊ Glutathione (K122), (K129A): 5 mL (approx. 1 teaspoon or 1 packet) 1-2 times a day.
Nourish Greens™◊ (K67): 1 scoop, with up to 8 ounces of water, once a day.

CATEGORY X: Sugar Metabolism

(also check for Hypoglycemia)
FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for Sugar Metabolism:**

Proglyco-SP™◊ (K13): 1 capsule 3 times a day, or as needed, and/or GlycemoVite™◊ (K85): 1 scoop, with up to 8 ounces of water, between meals.
Butyric-FBR™◊ (K133): 2 capsules once a day.

Alternative Formula

- Fibromin™◊ (K25): 1 capsule, 2 times a day, or as needed.

Additional Support Considerations:

Adaptocrine™◊ (K2), (K124): 1-3 capsules with meals.
OmegaCo3-SE™◊ (K113): 2 softgels 1-2 times a day.

Alternative Formulas

- OmegaCo3™◊ (K7): 1 tablespoon 1-2 times a day.
- Super EFA Complex™◊ (K8): 2 tablespoons once a day.§

Also Consider:

AdrenaStim™◊ (KR15), (KR72): Apply in the morning and at noon.

§Currently unavailable

CATEGORY XI: Peripheral Utilization of Sugars

(also check for Insulin Resistance)
FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for the Peripheral Utilization of Sugars:**

Glysen™◊ (K1), (K135): 1-2 capsules with meals, or as needed, and/or GlycemoVite™◊ (K85): 1 scoop, with up to 8 ounces of water, between meals.
Glycoberine-MX™◊ (K126): 1 capsule with a meal.

Alternative Formula

- Glycoberine™◊ Active (K127): 1 capsule with a meal.

EnteroVite™◊ (K100): 1-2 capsules with meals.

Alternative Formula

- Butyric-FBR™◊ (K133): 1-2 capsules with meals.

Additional Support Considerations:

Glysen-Synergy™◊ (K79): 1 packet, once a day, or as needed.
OmegaCo3-SE™◊ (K113): 2 softgels 1-2 times a day.

Alternative Formula

- OmegaCo3™◊ (K7): 1 tablespoon 1-2 times a day.

Resvero Active™◊ (K76), (K110): 5 mL (approx. 1 teaspoon) 2 times a day.

CATEGORY XI: Peripheral Utilization of Sugars (Cont'd)

Also Consider:

AdrenaCalm™◊ (KR16), (KR73): Apply in the morning, afternoon, and evening.
Oxicell™◊ (KR22), (KR70): Apply in the morning, afternoon, and evening.

Alternative Formula

- Super Oxicell™◊ (KR23): Apply in the morning, afternoon, and evening.

CATEGORY XII: Adrenal

(also check for Adrenal Hypofunction)
FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for Adrenal Function:**

Adaptocrine™◊ (K2), (K124): 1-3 capsules with meals.

Also Consider:

AdrenaStim™◊ (KR15), (KR72): Apply in the morning and at noon.

*May Also Need to Support Sugar Metabolism (see Category X):**

Proglyco-SP™◊ (K13): 1-2 capsules with meals.
OmegaCo3-SE™◊ (K113): 2 softgels 1-2 times a day.

Alternative Formulas

- OmegaCo3™◊ (K7): 1 tablespoon 1-2 times a day.
- Super EFA Complex™◊ (K8): 1-2 tablespoons with meals.§

§Currently unavailable

CATEGORY XIII: Adrenal

(also check for Adrenal Hyperfunction)
FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for Adrenal Function:**

Adaptocrine™◊ (K2), (K124): 1-3 capsules with meals.

Also Consider:

AdrenaCalm™◊ (KR16), (KR73): Apply in the morning, afternoon, and evening.

*May Also Need to Support the Peripheral Utilization of Sugars (see Category XI):**

Glysen™◊ (K1), (K135): 2-3 capsules, with meals, or as needed.
OmegaCo3™◊ (K7): 1 tablespoon 1-2 times a day.

Alternative Formula

- OmegaCo3-SE™◊ (K113): 2 softgels 1-2 times a day.

Additional Formula

- Neurosera™◊ (K136): 1-2 teaspoons (5-10 mL) once a day.

Also Consider:

AdrenaCalm™◊ (KR16), (KR73): Apply in the morning, afternoon, and evening.

CATEGORY XIV: Electrolyte and pH Balance

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for Electrolyte and pH Balance:**

Electro-pH™◊ Complex (K86): 1 scoop with up to 8 ounces of water.

Symptom groups listed on this form are not intended to be used for a diagnosis of any disease or condition.

This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Apex Energetics™ products are intended for nutritional use and health maintenance only and should not replace or delay the use of any medication.
◊This trademark is owned by Apex Energetics, Inc.

CATEGORY XV: Thyroid

(also check for Hypofunction)
FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for Thyroid Function:**
THYROXAL™◊ (K12): 1-2 capsules with meals.

*Nutritional Support for Thyroid Immune Pathways:**
THYRO-FLM™◊ (K137): 2 capsules once a day.

*Nutritional Support for the Thyroid:**
THYRO-CNV™◊ (K9): 1-2 capsules with meals.

Thyroid Underconversion

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for T3:**
THYRO-CNV™◊ (K9): 1-2 capsules with meals.
ADAPTOCRINE™◊ (K2), (K124): 1-3 capsules with meals.

Also Consider:
ADRENACALM™◊ (KR16), (KR73): Apply in the morning, afternoon, and evening.

CATEGORY XVI: Thyroid

(also check for Hyperfunction)
FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for the Thyroid:**
TRIZOMAL™◊ GLUTATHIONE (K122), (K129A): 5 mL (approx. 1 teaspoon or 1 packet) 1-2 times a day.

Alternative Formulas
- AC-GLUTATHIONE 250™◊ (K117): 1 capsule 1-2 times a day.
- AC-GLUTATHIONE™◊ (K88): 1-2 capsules 1-2 times a day.

CLEARVITE™◊ Formula (K84, 95, 105, 108, 118, or 142): As directed by the CLEARVITE™◊ Basic Program Guide.
NITRIC BALANCE™◊ (K62), (K68), (K82): 1 teaspoon once a day.

Additional Support Considerations:
OMEGACO3-SE™◊ (K113): 2 softgels 1-2 times a day.

Alternative Formulas
- OMEGACO3™◊ (K7): 1 tablespoon 1-2 times a day.
- SUPER EFA COMPLEX™◊ (K8): 1-2 tablespoons with meals.§

ULTRA-D 5000™◊ (K78): 1-4 teaspoons, once a day, with meals.

Alternative Formulas
- ULTRA-D COMPLEX™◊ (K35): 1-4 teaspoons, once a day, with meals.
- AD-PRO™◊ (K119): 1 softgel once a day.
- ADEK-PRO™◊ (K102): 1-3 softgels once a day.

For additional vitamin D, consider LIQUA-D™◊ (K87): 1 drop once a day.

§Currently unavailable

Also Consider:
OXICELL™◊ (KR22), (KR70): Apply in the morning, afternoon, and evening.

Alternative Formula
- SUPER OXICELL™◊ (KR23): Apply in the morning, afternoon, and evening.

CATEGORY XVII: Prostate (Males Only)

(also check for Hypertrophy)
FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for the Prostate:**
PROSTA-DHT™◊ (K6): 1-2 capsules with meals.

Additional Support Considerations:
FIBROMIN™◊ (K25): 1-3 capsules with meals.
ESTROVITE™◊ (K5): 1-2 capsules with meals.
BLADDER SERENE™◊ (K138): 1 scoop (2.6 g), with up to 6 ounces of water, once a day.
OMEGACO3-SE™◊ (K113): 2 softgels 1-2 times a day.

Alternative Formulas
- OMEGACO3™◊ (K7): 1 tablespoon 1-2 times a day.
- SUPER EFA COMPLEX™◊ (K8): 1-2 tablespoons with meals.§

§Currently unavailable

CATEGORY XVIII: Andropause (Males Only)

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for Testosterone Levels:**
OPTICRINE™◊ (K3): 1-2 capsules with meals.
DHEA-25C™◊ (K141): 1 capsule once a day.

Alternative Formula
- DHEA (K18): 10 drops (0.255 mL) 1-2 times a day.

Elevated Estrogen

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for Estrogen Levels:**
ESTROVITE™◊ (K5): 1-2 capsules with meals.
GLYSEN™◊ (K1), (K135): 2-3 capsules, with meals, or as needed.
OMEGACO3™◊ (K7): 1 tablespoon 1-2 times a day.

Alternative Formula
- OmegaCo3-SE™◊ (K113): 2 softgels 1-2 times a day.

FIBROMIN™◊ (K25): 1 capsule, 2 times a day, or as needed.
RESVERO ACTIVE™◊ (K76), (K110): 5 mL (approx. 1 teaspoon) once a day.

Alternative Formula
- RESVERO-SE™◊ ACTIVE (K125): 1 softgel once a day.

Also Consider:
TESTANEX™◊ (KR17), (KR74): Apply 2 times a day.

Symptom groups listed on this form are not intended to be used for a diagnosis of any disease or condition.

This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Apex Energetics™ products are intended for nutritional use and health maintenance only and should not replace or delay the use of any medication.
◊This trademark is owned by Apex Energetics, Inc.

CATEGORY XIX: Menstruating Women

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for Progesterone Function:**

PROGESTAID™◊ (K4): 1-2 capsules with meals.
OMEGACO3-SE™◊ (K113): 2 softgels 1-2 times a day.

Alternative Formulas

- OMEGACO3™◊ (K7): 1 tablespoon 1-2 times a day.
- SUPER EFA COMPLEX™◊ (K8): 1-2 tablespoons with meals.§

§Currently unavailable

*Nutritional Support for Estrogen Metabolism:**

ESTROVITE™◊ (K5): 1-2 capsules with meals.

Adrenal Hypofunction *(see Category XI)*

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for Adrenal Function:**

PROGLYCO-SP™◊ (K13): 1-2 capsules with meals.
ADAPTOCRINE™◊ (K2), (K124): 1-3 capsules with meals.
OMEGACO3-SE™◊ (K113): 2 softgels 1-2 times a day.

Alternative Formulas

- OMEGACO3™◊ (K7): 1 tablespoon 1-2 times a day.
- SUPER EFA COMPLEX™◊ (K8): 1-2 tablespoons with meals.§

Also Consider:

ADRENASTIM™◊ (KR15), (KR72): Apply in the morning and at noon.

§Currently unavailable

CATEGORY XX: Menopausal Women

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for Progesterone Function:**

PROGESTAID™◊ (K4): 1-2 capsules with meals.
OMEGACO3-SE™◊ (K113): 2 softgels 1-2 times a day.

Alternative Formulas

- OMEGACO3™◊ (K7): 1 tablespoon 1-2 times a day.
- SUPER EFA COMPLEX™◊ (K8): 1-2 tablespoons with meals.§

§Currently unavailable

Estrogen Metabolism

FOR TREATMENT OF SYMPTOMS, OR IF YOU SUSPECT ANY DISEASE OR CONDITION: Seek appropriate conventional medical management and drug administration by a physician.

*Nutritional Support for Estrogen Metabolism:**

ESTROVITE™◊ (K5): 1-2 capsules with meals.
OMEGACO3-SE™◊ (K113): 2 softgels 1-2 times a day.

Alternative Formulas

- OMEGACO3™◊ (K7): 1 tablespoon 1-2 times a day.
- SUPER EFA COMPLEX™◊ (K8): 1-2 tablespoons with meals.§

DHEA-25C™◊ (K141): 1 capsule once a day.

Alternative Formula

- DHEA (K18): 10 drops (0.255 mL) 1-2 times a day.

§Currently unavailable

*Nutritional Support for Progesterone Function:**

PREGNENOLONE (K19): 10 drops (0.255 mL) 1-3 times a day.

Symptom groups listed on this form are not intended to be used for a diagnosis of any disease or condition.

This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Apex Energetics™ products are intended for nutritional use and health maintenance only and should not replace or delay the use of any medication.
◊This trademark is owned by Apex Energetics, Inc.